REPORT

Reviewer report: Delgan/loguru#1515: Evaluate every

rotation condition so a skipped one cannot fire spuriously

Run loguru-1515, tested 2026-11-06 12:24 IST by ops/daily_run.py (route source-pair). Proof-of-Change commit

14c10b48937f407ce8cef337dc9c54d687789f06. Report generated 2026-11-06 12:25 IST by

reports/pr_report.py.

Baseline: full (test comparison + claim probes + coverage gate + claim flagging (differential probes shown,

informational)).

COULD NOT VERIFY

Recommended action: Re-run Confidence: Low

The run did not produce a usable comparison, so there is no conclusion about the PR. The run did not finish

cleanly, so it says nothing about the PR.

Advice only: Proof-of-Change never blocks a merge and never posts on GitHub.

Summary in plain English

• What it says it does: Evaluate every rotation condition so a skipped one cannot fire spuriously

(Delgan/loguru#1515).

• What we observed: UnsafeEnv: refusing to run untrusted code with this environment: not allowlisted

['PIP_CONFIG_FILE'], credential-like names [], URLs with credentials in [].

• What you should do: Do not decide yet. Fix the problem under 'How to fix' and run the check again.

The check titled "Evaluate every rotation condition so a skipped one cannot fire spuriously" returned verdict

"could_not_verify" because the environment was deemed unsafe: UnsafeEnv: refusing to run untrusted code

with this environment: not allowlisted ['PIP_CONFIG_FILE'], credential-like names [], URLs with credentials in [].

Quoted from the record: Evaluate every rotation condition so a skipped one cannot fire spuriously;

could_not_verify; UnsafeEnv: refusing to run untrusted code with this environment: not allowlisted

['PIP_CONFIG_FILE'], credential-like names [], URLs with credentials in []

Model summary is advisory; the code verdict above is authoritative.

Agent swarm (advisory)

| Role | Model | Status | Notes

| judge | nvidia/Nemotron-3-Ultra-550b-a55b | ok | | helper | nvidia/Nemotron-3_5-Lightning | ok | Ignore PIP_CONFIG_FILE env var changes when evaluating

rotation conditions; Skip credential URL patterns in log rotation config diffs; Noise: allowlist credential names do

not affect rotation logic

| summary | nvidia/nemotron-3-super-120b-a12b | ok | judge/helper/summary are advisory; code owns the verdict

Demo helper

These notes are background from the console and the daily check. They do not change the verdict.

If setup fails, the helper retries the install up to 2 times. If a test still can't be verified because something is

missing or fails to import, it looks up the cause, installs the fix on both sides and reruns that step, up to 3 tries.

• Setup check: GitHub token: present.

• Setup check: Nebius token: present.

• Setup check: free memory 12.1 GB (of 15.6 GB).

• Setup check: free disk 94.3 GB.

• Demo helper: git is installed.

• Demo helper: python3 is installed.

• Demo helper: uv is installed.

• Looked up with Tavily: [redacted] results

• Query: loguru python setup install instructions https://github.com/Delgan/loguru site:github.com/Delgan/loguru

• Query: loguru python documentation install https://github.com/Delgan/loguru site:github.com/Delgan/loguru

• Query: loguru python install requirements https://pypi.org/project/loguru/ https://github.com/Delgan/loguru

site:pypi.org

• Source: loguru/pyproject.toml at master · Delgan/loguru · GitHub —

https://github.com/Delgan/loguru/blob/master/pyproject.toml

• Source: loguru-logging-intercept · PyPI — https://pypi.org/project/loguru-logging-intercept/

• Source: pytest-loguru · PyPI — https://pypi.org/project/pytest-loguru/

• Source: loguru-discord · PyPI — https://pypi.org/project/loguru-discord/

• Source: loguru/.github/workflows/tests.yml at 0d1355c8a4c75db5ded27a3b5e9ce9d0e66b2d47 · Delgan/loguru

· GitHub — https://github.com/Delgan/loguru/blob/0d1355c8a4c75db5ded27a3b5e9ce9d0e66b2d47/.github/work

flows/tests.yml

• Source: loguru/.github/workflows/tests.yml at 1315750610b108129d2fa432230a9a92c608cbcd · Delgan/loguru

· GitHub — https://github.com/Delgan/loguru/blob/1315750610b108129d2fa432230a9a92c608cbcd/.github/workf

lows/tests.yml

• Source: loguru/.github/workflows/tests.yml at 2a9fea00292964258de38f33e8596b0b892c3fa9 · Delgan/loguru ·

GitHub — https://github.com/Delgan/loguru/blob/2a9fea00292964258de38f33e8596b0b892c3fa9/.github/workflo

ws/tests.yml

• Source: GitHub - Delgan/loguru: Python logging made (stupidly) simple · GitHub —

https://github.com/delgan/loguru

• Source: Suggestion/request: Documentation/tutorial for beginners · Issue #71 · Delgan/loguru · GitHub —

https://github.com/Delgan/loguru/issues/71

• Setup plan: the PR changes install docs (.github/workflows/docs.yml, .github/workflows/lint.yml,

.github/workflows/packaging.yml, .github/workflows/tests.yml, pyproject.toml); setup was read from main's copy

and applied the same on both sides.

• Setup plan: the same packages on main and pr.

• Setup plan: colorama is noted, installed with the project.

• Setup plan: aiocontextvars is noted, installed with the project.

• Setup plan: win32-setctime is noted, installed with the project.

• Setup plan: install pre-commit==4.6.0 ; python_version>='3.11' (listed in the dev extra) on main and pr.

• Setup plan: install tox==3.27.1 ; python_version<'3.8' (listed in the dev extra) on main and pr.

• Setup plan: install pytest==6.1.2 ; python_version<'3.8' (listed in the dev extra) on main and pr.

• Setup plan: install pytest-cov==2.12.1 ; python_version<'3.8' (listed in the dev extra) on main and pr.

• Setup plan: install pytest-mypy-plugins==4.0.3 ; python_version>='3.12' and

platform_python_implementation!='PyPy' (listed in the dev extra) on main and pr.

• Setup plan: install freezegun==1.1.0 ; python_version<'3.8' (listed in the dev extra) on main and pr.

• Setup plan: install exceptiongroup==1.1.3 ; python_version>='3.7' and python_version<'3.11' (listed in the dev

extra) on main and pr.

• Setup plan: install mypy==v0.910 ; python_version<'3.6' (listed in the dev extra) on main and pr.

• Setup plan: install Sphinx==8.2.1 ; python_version>='3.11' (listed in the dev extra) on main and pr.

• Setup plan: install sphinx-rtd-theme==3.1.0 ; python_version>='3.11' (listed in the dev extra) on main and pr.

• Setup plan: install myst-parser==4.0.0 ; python_version>='3.11' (listed in the dev extra) on main and pr.

• Setup plan: install build==1.6.1 ; python_version>='3.11' (listed in the dev extra) on main and pr.

• Setup plan: install twine==7.0.0 ; python_version>='3.11' (listed in the dev extra) on main and pr.

• Setup plan: Python 3.12: Python 3.12 already meets >=3.5, <4.0,>=3.5

• Setup plan: Python rule: one Python version is used on both sides: the lowest version that meets the

requirements of both main and the pull request; if none meets both, the check stops as a setup problem and

records both.

• Setup plan: refused pip: its PyPI page does not link to this GitHub repository

• Repository crawl: 8 page(s) crawled, 7 read in full, 1 setup step(s) used first in the sandbox (3 Tavily call(s), 4.0

credit(s)).

Background (related public bug reports, not used for the verdict)

1. "Workflow runs · Delgan/loguru · GitHub" https://github.com/Delgan/loguru/actions "Evaluate every rotation

condition so a skipped one cannot fire spuriously Packaging #543: Pull request #1515 synchronize by

januththedev 27s januththedev:fix/rotation-evaluate-all-conditions

januththedev:fix/rotation-evaluate-all-conditions..." 2. "Issues with rotate · Issue #365 · Delgan/loguru · GitHub"

https://github.com/Delgan/loguru/issues/365 "` [...] ` [...] -rw-r--r-- 1 root root 135829 Oct 31 17:55

pods.2020-10-26_04-57-05_964506.log -rw-r--r-- 1 root root 6893 Nov 2 20:11

pods.2020-11-01_18-20-42_710982.log -rw-r--r-- 1 root root 1384 Nov 2 03:23 pods.2020-11-02_03-20-20_..." 3.

"rotation could not keep with write · Issue #179 · Delgan/loguru · GitHub"

https://github.com/Delgan/loguru/issues/179 "` [...] ` [...] in#1 --- # 'elapsed' ' ' 'exception' ' ' 'extra' ' ' 'us...

Claims vs reality

No tests ran, so no claim could be checked.

What changed in behavior

Not measured: UnsafeEnv: refusing to run untrusted code with this environment: not allowlisted

['PIP_CONFIG_FILE'], credential-like names [], URLs with credentials in [].

Probes

Model-written probes: model provider: nebius (Token Factory, live).

No probes ran: this record predates probes.

Was the changed code exercised?

Coverage: NOT MEASURED (coverage has not been run for this check).

Coverage gate (python, confidence lower): coverage of the changed Python lines was NOT MEASURED

(coverage has not been run for this check).

How this is measured: one extra, untimed run of the PR side's tests under coverage.py. Changed lines come

from comparing the tested main and PR files. Compiled code (C, C++, Cython) is invisible to coverage.py; such a

change only counts as verified when the PR adds or changes a test for that module.

What went right

• Tested 6c91de2c42d3 of the PR against main (source-pair route).

• Single-thread environment: OMP_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1,

MKL_NUM_THREADS=1, NUMEXPR_NUM_THREADS=1, VECLIB_MAXIMUM_THREADS=1,

BLIS_NUM_THREADS=1, PYTHONHASHSEED=0.

• Machine type recorded: local x86_64 8 cpus.

• Nothing posted upstream: GitHub was only read.

• Known-answer replay (fresh re-run): replayed 2026-10-10 06:30:21 IST, harness 1.0.

What went wrong and how to fix it

| Issue | Status | Detail | How to fix

| Run did not finish | COULD NOT VERIFY | UnsafeEnv: refusing to run untrusted code with this environment: not

allowlisted ['PIP_CONFIG_FILE'], credential-like names [], URLs with credentials in [] | Read the setup/build log

under Evidence links; build failures usually need a compiler or a newer nightly.

| Changed code was exercised (coverage gate) | WARN | coverage of the changed Python lines was NOT

MEASURED (coverage has not been run for this check) | The coverage run did not produce data (see

coverage.why); run the check again.

| Install docs unchanged by the PR | WARN | the PR changes .github/workflows/docs.yml,

.github/workflows/lint.yml, .github/workflows/packaging.yml, .github/workflows/tests.yml, pyproject.toml | Setup

was read from main's install docs and applied the same on both sides; the PR's own install steps differ, so read

the result with that in mind.

Evals and guardrails

| Check | Result | Detail

| Changed code was exercised (coverage gate) | WARN | coverage of the changed Python lines was NOT

MEASURED (coverage has not been run for this check)

| Install docs unchanged by the PR | WARN | the PR changes .github/workflows/docs.yml,

.github/workflows/lint.yml, .github/workflows/packaging.yml, .github/workflows/tests.yml, pyproject.toml

| Single-thread environment | PASS | OMP_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1,

MKL_NUM_THREADS=1, NUMEXPR_NUM_THREADS=1, VECLIB_MAXIMUM_THREADS=1,

BLIS_NUM_THREADS=1, PYTHONHASHSEED=0

| Machine type recorded | PASS | local x86_64 8 cpus

| Nothing posted upstream | PASS | GitHub was only read

| Known-answer replay (fresh re-run) | PASS | replayed 2026-10-10 06:30:21 IST, harness 1.0

| Every claim cites a real log line | SKIP | no log lines to cite (no tests ran)

Checklist

• I read the verdict and the plain-English summary.

• Every 'false' or 'unmentioned change' row has a log line I can open.

• Nothing under 'What went wrong' is a run problem (those mean Re-run, not Reject).

• I recorded my decision (see below).

Decision recorded: none yet. To record one, run make decide

REPORT=poc-main/reports/daily/2026-11-06-check-122355-pr1515/loguru-1515

DECISION=approve (or reject, approve_with_notes, re_run).

How long each step took

| Step | Seconds

| sandbox prep (checkout) | 17.2

| Tavily setup lookup | 47.1

| demo_helper | 0.0

| Python setup | 0.0

| dependency install | 0.1

| main side install | 0.0

| verdict | 4.6

| agent_judge | 2.2

| agent_helper | 7.5

| agent_summary | 7.3

| record | 0.0

| model call 1 (judge) | 2.2

| model call 2 (helper) | 7.5

| model call 3 (summary) | 7.3

Rerun command

make check PR=https://github.com/Delgan/loguru/pull/1515

Evidence links

• Pull request Delgan/loguru#1515

• record.json

• pr.diff

• setup-main.log

• git.log

Glossary

| Term | Meaning

| main | The library as it is today, without the PR.

| PR | Pull request: a proposed change to the library.

| run | One full pass of the selected tests. We do 3 per side, alternating main and PR.

| flaky | A test that gives different results when nothing changed; it is ignored as evidence.

| log line | A line in a pytest-*.log file: the raw output the verdict is based on.

| route | How the two sides were built: nightly+patch, source-build or source-pair (see docs/OPERATIONS.md).

| changed lines covered | How many of the PR's changed, executable Python lines ran during the PR side's tests.

| re-parametrized | A test whose parameter ids changed (renamed cases); the new ids are judged on their own.

rebuilt from cleaned text

Written 2026-11-06 12:25 IST