Reviewer report: pahaz/sshtunnel#304: Migrate to PEP518

Run `sshtunnel-304`, tested 2026-10-21 19:29 IST by ops/daily_run.py (route source-pair). Proof-of-Change commit `5492834eef22efd122549356c73d26b3d0ae040a`. Report generated 2026-10-21 19:30 IST by reports/pr_report.py.

Baseline: **full** (test comparison + claim probes + coverage gate + claim flagging (differential probes shown, informational)).

COULD NOT VERIFY

Recommended action: **Re-run** Confidence: **Low**

The run did not produce a usable comparison, so there is no conclusion about the PR. The run did not finish cleanly, so it says nothing about the PR.

Advice only: Proof-of-Change never blocks a merge and never posts on GitHub.

Summary in plain English

- **What it says it does:** Migrate to PEP518 (pahaz/sshtunnel#304).
- **What we observed:** no tests could be mapped to the touched files.
- **What you should do:** Do not decide yet. Fix the problem under 'How to fix' and run the check again.

The PR titled "Migrate to PEP518" resulted in a verdict of "could_not_verify" because "no tests could be mapped to the touched files"; the baseline used was "full".

Quoted from the record: `Migrate to PEP518`; `could_not_verify`; `no tests could be mapped to the touched files`; `full`

Model summary is advisory; the code verdict above is authoritative.

Agent swarm (advisory)

Role	Model	Status	Notes
judge	nvidia/Nemotron-3-Ultra-550b-a55b	ok	-
helper	nvidia/Nemotron-3_5-Lightning	ok	pyproject.toml build-system.requires should include test runners if tests are executed during installation; Test discovery may need explicit configuration after PEP 518 migration; add tool section if absent; Diffs modifying only build files without test changes can be marked as noise in future reviews
summary	nvidia/nemotron-3-super-120b-a12b	ok	-

judge/helper/summary are advisory; code owns the verdict

Demo helper

These notes are background from the console and the daily check. They do not change the verdict.

If setup fails, the helper retries the install up to 2 times. If a test still can't be verified because something is missing, it installs what's missing and reruns that test once.

- Setup check: GitHub token: present.
- Setup check: Nebius token: present.
- Setup check: free memory 6.1 GB (of 15.6 GB).
- Setup check: free disk 98.2 GB.
- Demo helper: git is installed.
- Demo helper: python3 is installed.
- Demo helper: uv is installed.
- Looked up with Tavily: 6 results
- Query: sshtunnel python setup install instructions https://github.com/pahaz/sshtunnel site:github.com/pahaz/sshtunnel
- Query: sshtunnel python documentation install https://github.com/pahaz/sshtunnel site:github.com/pahaz/sshtunnel
- Query: sshtunnel python install requirements https://pypi.org/project/sshtunnel/ https://github.com/pahaz/sshtunnel site:pypi.org
- Source: sshtunnel · PyPI — https://pypi.org/project/sshtunnel/
- Source: GitHub - pahaz/sshtunnel: SSH tunnels to remote server. · GitHub — https://github.com/pahaz/sshtunnel
- Source: does sshtunnel allow local port forwarded to remote host? — https://github.com/pahaz/sshtunnel/issues/111
- Source: How do I use key to connect? · Issue #105 · pahaz/sshtunnel — https://github.com/pahaz/sshtunnel/issues/105
- Source: sshtunnel/sshtunnel.py at master · pahaz/sshtunnel — https://github.com/pahaz/sshtunnel/blob/master/sshtunnel.py
- Source: psycopg2 conn.poll() hangs when used with sshtunnel · Issue #135 — https://github.com/pahaz/sshtunnel/issues/135
- Setup plan: the same packages on main and pr.
- Setup plan: paramiko is noted, installed with the project.
- Setup plan: install docutils (listed in requirements.txt) on main and pr.
- Setup plan: install sphinx (listed in requirements.txt) on main and pr.
- Setup plan: install sphinxcontrib-napoleon (listed in requirements.txt) on main and pr.
- Setup plan: install bashtest (listed in requirements-syntax.txt) on main and pr.
- Setup plan: install check-manifest (listed in requirements-syntax.txt) on main and pr.
- Setup plan: install flake8 (listed in requirements-syntax.txt) on main and pr.
- Setup plan: install mccabe (listed in requirements-syntax.txt) on main and pr.
- Setup plan: install pygments (listed in requirements-syntax.txt) on main and pr.
- Setup plan: install readme (listed in requirements-syntax.txt) on main and pr.
- Setup plan: install twine (listed in requirements-syntax.txt) on main and pr.
- Setup plan: install coveralls (listed in requirements.txt) on main and pr.
- Setup plan: install mock (listed in requirements.txt) on main and pr.
- Setup plan: install pytest (listed in requirements.txt) on main and pr.
- Setup plan: install pytest-cov (listed in requirements.txt) on main and pr.
- Setup plan: install pytest-xdist (listed in requirements.txt) on main and pr.
- Setup plan: install bleach<5.0.0 (listed in requirements.txt) on main and pr.

- Setup plan: install readme-renderer<25.0; python_version == '3.4' (listed in requirements.txt) on main and pr.
- Setup plan: install importlib-metadata==1.7.0; python_version == '3.5' (listed in requirements.txt) on main and pr.
- Setup plan: install tox>=1.8.1 (listed in the test extra) on main and pr.
- Setup plan: Python 3.12: Python 3.12 already meets >=2.7
- Installed docutils 0.22.4 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed sphinx 9.1.1 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed sphinxcontrib-napoleon 0.7 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed bashtest 0.0.8 from requirements-syntax.txt (listed in requirements-syntax.txt) on main and pr.
- Installed check-manifest 0.51 from requirements-syntax.txt (listed in requirements-syntax.txt) on main and pr.
- Installed flake8 7.4.1 from requirements-syntax.txt (listed in requirements-syntax.txt) on main and pr.
- Installed mccabe 0.7.0 from requirements-syntax.txt (listed in requirements-syntax.txt) on main and pr.
- Installed pygments 2.21.0 from requirements-syntax.txt (listed in requirements-syntax.txt) on main and pr.
- Installed readme 0.7.1 from requirements-syntax.txt (listed in requirements-syntax.txt) on main and pr.
- Installed twine 7.0.0 from requirements-syntax.txt (listed in requirements-syntax.txt) on main and pr.
- Installed coveralls 4.1.0 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed mock 5.2.0 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed pytest 9.1.1 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed pytest-cov 7.1.0 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed pytest-xdist 3.8.0 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed bleach 4.1.0 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed readme-renderer 46.0 from requirements.txt (listed in requirements.txt) on main and pr.
- Installed importlib-metadata from requirements.txt (listed in requirements.txt) on main and pr.
- Installed tox 4.67.1 from pyproject (listed in the test extra) on main and pr.

Background (related public bug reports, not used for the verdict)

1. "python-sshtunnel(1) — Arch manual pages" https://man.archlinux.org/man/python-sshtunnel.1.en "daemon mode by default for all threads (JM Fernández , Pahaz) - incompatible move make_ssh_forward_server to SSHTunnelForwarder.make_ssh_forward_server (Pahaz , JM Fernández) - incompatible move make_ssh_forward_handler to SSHTun..." 2. "PEP 518 – Specifying Minimum Build System Requirements for Python Projects | peps.python.org" https://peps.python.org/pep-0518 "This PEP attempts to rectify the situation by specifying a way to list the minimal dependencies of the build system of a project in a declarative fashion in a specific file. This allows a project to list what build dependencies it has to go..." 3. "SSH Tunnel Issues with Paramiko : Forums : PythonAnywhere" https://eu.pythonanywhere.com/forums/topic/490 "The SSHTunnel and connection to MySQL work well on...

Claims vs reality

No tests ran, so no claim could be checked.

What changed in behavior

Not measured: no tests could be mapped to the touched files.

Probes

Model-written probes: model provider: nebius (Token Factory, live).

No probe ran for this PR (no fixed probe in probes/<owner>/<repo>/<pr>.py and no model-written or differential probe), so only the tests were compared.

Was the changed code exercised?

Coverage: not needed (no changed Python lines).

Coverage gate (no-executable-change, confidence normal): no executable code changed (docs, tests or config only), so there was nothing to cover.

How this is measured: one extra, untimed run of the PR side's tests under coverage.py. Changed lines come from comparing the tested main and PR files. Compiled code (C, C++, Cython) is invisible to coverage.py; such a change only counts as verified when the PR adds or changes a test for that module.

What went right

- Tested `6ca35a37971a` of the PR against main (source-pair route).
- Changed code was exercised (coverage gate): no executable code changed (docs, tests or config only), so there was nothing to cover.
- Single-thread environment: OMP_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1, MKL_NUM_THREADS=1, NUMEXPR_NUM_THREADS=1, VECLIB_MAXIMUM_THREADS=1, BLIS_NUM_THREADS=1, PYTHONHASHSEED=0.
- Machine type recorded: local x86_64 8 cpus.
- Nothing posted upstream: GitHub was only read.

What went wrong and how to fix it

Issue	Status	Detail	How to fix
Run did not finish	COULD NOT VERIFY	no tests could be mapped to the touched files	Read the setup/build log under Evidence links; build failures usually need a compiler or a newer nightly.

Evals and guardrails

Check	Result	Detail
Changed code was exercised (coverage gate)	PASS	no executable code changed (docs, tests or config only), so there was nothing to cover
Probes ran on both sides	SKIP	no probe for this PR

Check	Result	Detail
Single-thread environment	PASS	OMP_NUM_THREADS=1, OPENBLAS_NUM_THREADS=1, MKL_NUM_THREADS=1, NUMEXPR_NUM_THREADS=1, VECLIB_MAXIMUM_THREADS=1, BLIS_NUM_THREADS=1, PYTHONHASHSEED=0
Machine type recorded	PASS	local x86_64 8 cpus
Nothing posted upstream	PASS	GitHub was only read
Known-answer replay (fresh re-run)	SKIP	not replayed yet
Every claim cites a real log line	SKIP	no log lines to cite (no tests ran)

Checklist

- ☐ I read the verdict and the plain-English summary.
- ☐ Every 'false' or 'unmentioned change' row has a log line I can open.
- ☐ Nothing under 'What went wrong' is a run problem (those mean Re-run, not Reject).
- ☐ I recorded my decision (see below).

Decision recorded: none yet. To record one, run `make decide REPORT=/report/sshtunnel-304 DECISION=approve` (or `reject`, `approve_with_notes`, `re_run`).

Rerun command

```
make check PR=https://github.com/pahaz/sshtunnel/pull/304
```

Evidence links

- Pull request pahaz/sshtunnel#304
- record.json
- pr.diff
- setup-main.log
- setup-pr.log
- git.log

Glossary

Term	Meaning
main	The library as it is today, without the PR.
PR	Pull request: a proposed change to the library.

Term	Meaning
run	One full pass of the selected tests. We do 3 per side, alternating main and PR.
flaky	A test that gives different results when nothing changed; it is ignored as evidence.
log line	A line in a pytest-*.log file: the raw output the verdict is based on.
route	How the two sides were built: nightly+patch, source-build or source-pair (see docs/OPERATIONS.md).
changed lines covered	How many of the PR's changed, executable Python lines ran during the PR side's tests.
re-parametrized	A test whose parameter ids changed (renamed cases); the new ids are judged on their own.