Lecture 15: Summarization

Alan Ritter

(many slides from Greg Durrett)

This Lecture

- Extractive systems for multi-document summarization
- Extractive + compressive systems for single-document summarization
- Single-document summarization with neural networks



Strong earthquake hits Iraq-Iran border area, six killed in Iran

Raya Jalabi, Ahmed Rasheed

MIN READ



BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed.

several injured



Strong earthquake hits Iraq-Iran border area, six killed in Iran

Raya Jalabi, Ahmed Rasheed

3 MIN REA




BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed.



The quake was even felt in the Iranian capital Tehran, with some villages hit by power cuts, Iranian state TV reported.





What makes a good summary?

BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed.

There were no immediate reports of casualties in Iraq after the quake, whose epicenter was in Penjwin, in Sulaimaniyah province which is in the semi-autonomous Kurdistan region very close to the Iranian border, according to an Iraqi meteorology official.

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The US Geological Survey said the quake measured a magnitude of 7.3, while an Iraqi meteorology official put its magnitude at 6.5 according to preliminary information.

Many residents in the Iraqi capital Baghdad rushed out of houses and tall buildings in panic.

BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed.

There were no immediate reports of casualties in Iraq after the quake, whose epicenter was in Penjwin, in Sulaimaniyah province which is in the semi-autonomous Kurdistan region very close to the Iranian border, according to an Iraqi meteorology official.

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The US Geological Survey said the quake measured a magnitude of 7.3, while an Iraqi meteorology official put its magnitude at 6.5 according to preliminary information.

Many residents in the Iraqi capital Baghdad rushed out of houses and tall buildings in panic.

BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed

There were no immediate reports of casualties in Iraq after the quake, whose epicenter was in Penjwin, in Sulaimaniyah province which is in the semi-autonomous Kurdistan region very close to the Iranian border, according to an Iraqi meteorology official.

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The US Geological Survey said the quake measured a magnitude of 7.3, while an Iraqi meteorology official put its magnitude at 6.5 according to preliminary information.

Many residents in the Iraqi capital Baghdad rushed out of houses and tall buildings in panic.

BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed

There were no immediate reports of casualties in Iraq after the quake, whose epicenter was in Penjwin, in Sulaimaniyah province which is in the semi-autonomous Kurdistan region very close to the Iranian border, according to an Iraqi meteorology official.

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The US Geological Survey said the quake measured a magnitude of 7.3, while an Iraqi meteorology official put its magnitude at 6.5 according to preliminary information.

Many residents in the Iraqi capital Baghdad rushed out of houses and tall buildings in panic.

BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed

There were no immediate reports of casualties in Iraq after the quake, whose epicenter was in Penjwin, in Sulaimaniyah province which is in the semi-autonomous Kurdistan region very close to the Iranian border, according to an Iraqi meteorology official.

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The US Geological Survey said the quake measured a magnitude of 7.3, while an Iraqi meteorology official put its magnitude at 6.5 according to preliminary information.

Many residents in the Iraqi capital Baghdad rushed out of houses and tall buildings in panic.

BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed

There were no immediate reports of casualties in Iraq after the quake, whose epicenter was in Penjwin, in Sulaimaniyah province which is in the semi-autonomous Kurdistan region very close to the Iranian border, according to an Iraqi meteorology official.

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The US Geological Survey said the quake measured a magnitude of 7.3, while an Iraqi meteorology official put its magnitude at 6.5 according to preliminary information.

Many residents in the Iraqi capital Baghdad rushed out of houses and tall buildings in panic.

BAGHDAD/ERBIL, Iraq (Reuters) - A strong earthquake hit large parts of northern Iraq and the capital Baghdad on Sunday, and also caused damage in villages across the border in Iran where state TV said at least six people had been killed

There were no immediate reports of casualties in Iraq after the quake, whose epicenter was in Penjwin, in Sulaimaniyah province which is in the semi-autonomous Kurdistan region very close to the Iranian border, according to an Iraqi meteorology official.

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The US Geological Survey said the quake measured a magnitude of 7.3 while an Iraqi meteorology official put its magnitude at 6.5 according to preliminary information.

Many residents in the Iraqi capital Baghdad rushed out of houses and tall buildings in panic.

Indian Express — A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles) southeast of the city of As-Sulaymaniyah, the US Geological Survey said, reports Reuters. US Geological Survey initially said the quake was of a magnitude 7.2, before revising it to 7.3.

The quake has been felt in several Iranian cities and eight villages have been damaged. Electricity has also been disrupted at many places, suggest few TV reports.

Indian Express — A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles) southeast of the city of As-Sulaymaniyah, the US Geological Survey said, reports Reuters. US Geological Survey initially said the quake was of a magnitude 7.2, before revising it to 7.3.

The quake has been felt in several Iranian cities and eight villages have been damaged. Electricity has also been disrupted at many places, suggest few TV reports.

Indian Express — A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles) southeast of the city of As-Sulaymaniyah, the US Geological Survey said, reports Reuters. US Geological Survey initially said the quake was of a magnitude 7.2, before revising it to 7.3.

The quake has been felt in several Iranian cities and eight villages have been damaged. Electricity has also been disrupted at many places, suggest few TV reports.

Summary

A massive earthquake of magnitude 7.3 struck Iraq on Sunday. The epicenter was close to the Iranian border. Eight villages were damaged and six people were killed in Iran.

Indian Express — A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles) southeast of the city of As-Sulaymaniyah, the US Geological Survey said, reports Reuters. US Geological Survey initially said the quake was of a magnitude 7.2, before revising it to 7.3.

The quake has been felt in several Iranian cities and eight villages have been damaged. Electricity has also been disrupted at many places, suggest few TV reports.

Summary

A massive earthquake of magnitude 7.3 struck Iraq on Sunday. The epicenter was close to the Iranian border. Eight villages were damaged and six people were killed in Iran.

What makes a good summary?

Summary

A strong earthquake of magnitude 7.3 struck Iraq and Iran on Sunday. The epicenter was close to the Iranian border. Eight villages were damaged and six people were killed in Iran.

What makes a good summary?

Summary

A strong earthquake of magnitude 7.3 struck Iraq and Iran on Sunday. The epicenter was close to the Iranian border. Eight villages were damaged and six people were killed in Iran.

- Content selection: pick the right content
 - Right content was repeated within and across documents
 - Domain-specific (magnitude + epicenter of earthquakes are important)

What makes a good summary?

Summary

A strong earthquake of magnitude 7.3 struck Iraq and Iran on Sunday. The epicenter was close to the Iranian border. Eight villages were damaged and six people were killed in Iran.

- Content selection: pick the right content
 - Right content was repeated within and across documents
 - Domain-specific (magnitude + epicenter of earthquakes are important)
- ▶ Generation: write the summary
 - Extraction: pick whole sentences from the summary
 - Compression: compress those sentences but basically just do deletion
 - Abstraction: rewrite + reexpress content freely

Given some articles and a length budget of k words, pick some sentences of total length <= k and make a summary</p>

- Given some articles and a length budget of k words, pick some sentences of total length <= k and make a summary</p>
- Pick important yet diverse content: maximum marginal relevance (MMR)

- Given some articles and a length budget of k words, pick some sentences of total length <= k and make a summary</p>
- Pick important yet diverse content: maximum marginal relevance (MMR)

While summary is < k words

- Given some articles and a length budget of k words, pick some sentences of total length <= k and make a summary</p>
- Pick important yet diverse content: maximum marginal relevance (MMR)

While summary is < k words

Calculate
$$MMR \stackrel{\text{def}}{=} Arg \max_{D_i \in R \setminus S} \left[\lambda(Sim_1(D_i, Q) - (1 - \lambda) \max_{D_j \in S} Sim_2(D_i, D_j)) \right]$$

- Given some articles and a length budget of k words, pick some sentences of total length <= k and make a summary</p>
- Pick important yet diverse content: maximum marginal relevance (MMR)

While summary is < k words

Calculate
$$MMR \stackrel{\text{def}}{=} Arg \max_{D_i \in R \setminus S} \left[\lambda(Sim_1(D_i, Q) - (1 - \lambda) \max_{D_j \in S} Sim_2(D_i, D_j)) \right]$$

"max over all sentences not yet in the summary"

- Given some articles and a length budget of k words, pick some sentences of total length <= k and make a summary</p>
- ▶ Pick important yet diverse content: maximum marginal relevance (MMR)

While summary is < k words

Calculate
$$MMR \stackrel{\text{def}}{=} Arg \max_{D_i \in R \setminus S} \left[\lambda(Sim_1(D_i, Q) - (1 - \lambda) \max_{D_j \in S} Sim_2(D_i, D_j)) \right]$$

"max over all sentences not yet in the summary"

"make this sentence similar to a query"

- ▶ Given some articles and a length budget of k words, pick some sentences of total length <= k and make a summary</p>
- ▶ Pick important yet diverse content: maximum marginal relevance (MMR)

While summary is < k words

Calculate
$$MMR \stackrel{\text{def}}{=} Arg \max_{D_i \in R \setminus S} \left[\lambda(Sim_1(D_i, Q) - (1 - \lambda) \max_{D_j \in S} Sim_2(D_i, D_j)) \right]$$

"max over all sentences not yet in the summary"

"make this sentence similar to a query" "make this sentence maximally different from all others added so far"

- Given some articles and a length budget of k words, pick some sentences of total length <= k and make a summary</p>
- ▶ Pick important yet diverse content: maximum marginal relevance (MMR)

While summary is < k words

Calculate
$$MMR \stackrel{\text{def}}{=} Arg \max_{D_i \in R \setminus S} \left[\lambda(Sim_1(D_i, Q) - (1 - \lambda) \max_{D_j \in S} Sim_2(D_i, D_j)) \right]$$

"max over all sentences not yet in the summary"

"make this sentence similar to a query" "make this sentence maximally different from all others added so far"

Add highest MMR sentence that doesn't overflow length

Carbonell and Goldstein (1998)

Represent the documents and each sentences as bag-of-words with TF-IDF weighting

Represent the documents and each sentences as bag-of-words with TF-IDF weighting

While summary is < k words

Represent the documents and each sentences as bag-of-words with TF-IDF weighting

While summary is < k words

Calculate score(sentence) = cosine(sent-vec, doc-vec)

Represent the documents and each sentences as bag-of-words with TF-IDF weighting

While summary is < k words

Calculate score(sentence) = cosine(sent-vec, doc-vec)

Discard all sentences whose similarity with some sentence already in the summary is too high

Represent the documents and each sentences as bag-of-words with TF-IDF weighting

While summary is < k words

Calculate score(sentence) = cosine(sent-vec, doc-vec)

Discard all sentences whose similarity with some sentence already in the summary is too high

Add the best remaining sentence that won't overflow the summary

Extractive Summarization: Bigram Recall

Count number of documents each bigram occurs in to measure importance

Count number of documents each bigram occurs in to measure importance

```
score(massive earthquake) = 3 score(magnitude 7.3) = 2
score(six killed) = 2 score(Iraqi capital) = 1
```

▶ Count number of *documents* each bigram occurs in to measure importance

```
score(massive earthquake) = 3 score(magnitude 7.3) = 2
score(six killed) = 2 score(Iraqi capital) = 1
```

Find summary that maximizes the score of bigrams it covers

▶ Count number of documents each bigram occurs in to measure importance

```
score(massive earthquake) = 3 score(magnitude 7.3) = 2
score(six killed) = 2 score(Iraqi capital) = 1
```

- Find summary that maximizes the score of bigrams it covers
- ▶ ILP formulation: *c* and *s* are indicator variables indexed over bigrams ("concepts") and sentences, respectively

▶ Count number of documents each bigram occurs in to measure importance

```
score(massive earthquake) = 3 score(magnitude 7.3) = 2
score(six killed) = 2 score(Iraqi capital) = 1
```

- Find summary that maximizes the score of bigrams it covers
- ▶ ILP formulation: c and s are indicator variables indexed over bigrams ("concepts") and sentences, respectively

Maximize:
$$\sum_{i} w_i c_i$$

Subject to:
$$\sum_{j} l_{j} s_{j} \leq L$$

sum of included sentences' lengths can't exceed L

Count number of documents each bigram occurs in to measure importance

$$score(massive earthquake) = 3$$
 $score(magnitude 7.3) = 2$
 $score(six killed) = 2$ $score(Iraqi capital) = 1$

- Find summary that maximizes the score of bigrams it covers
- ▶ ILP formulation: c and s are indicator variables indexed over bigrams ("concepts") and sentences, respectively

Maximize:
$$\sum_i w_i c_i$$
 $s_j Occ_{ij} \leq c_i, \ \ \forall i,j$ Subject to: $\sum_j l_j s_j \leq L$ $\sum_j s_j Occ_{ij} \geq c_i \ \ \forall i$ sum of included sentences' lengths can't exceed L

"set c_i to 1 iff some sentence that contains it is included"

sum of included sentences' lengths can't exceed L

Gillick and Favre (2009)

- ▶ Rouge-n: n-gram precision/recall/F1 of summary w.r.t. gold standard
- Rouge-2 correlates well with human judgments for multi-document summarization tasks

- ▶ Rouge-n: n-gram precision/recall/F1 of summary w.r.t. gold standard
- Rouge-2 correlates well with human judgments for multi-document summarization tasks

A massive earthquake of magnitude 7.3 struck Iraq on Sunday prediction

An earthquake was detected in Iraq on Sunday reference

- ▶ Rouge-n: n-gram precision/recall/F1 of summary w.r.t. gold standard
- Rouge-2 correlates well with human judgments for multi-document summarization tasks

A massive earthquake of magnitude 7.3 struck Iraq on Sunday

An earthquake was detected in Iraq on Sunday

prediction

reference

- ▶ Rouge-n: n-gram precision/recall/F1 of summary w.r.t. gold standard
- Rouge-2 correlates well with human judgments for multi-document summarization tasks

A massive earthquake of magnitude 7.3 struck Iraq on Sunday pr

prediction

An earthquake was detected in Iraq on Sunday

reference

ROUGE 2 recall = 1 correct bigram (Iraq, Sunday) / 3 reference bigrams

- ▶ Rouge-n: n-gram precision/recall/F1 of summary w.r.t. gold standard
- Rouge-2 correlates well with human judgments for multi-document summarization tasks

```
A massive earthquake of magnitude 7.3 struck Iraq on Sunday prediction
```

An earthquake was detected in Iraq on Sunday reference

ROUGE 2 recall = 1 correct bigram (Iraq, Sunday) / 3 reference bigrams

ROUGE 2 precision = 1 correct bigram (Iraq, Sunday) / 6 predicted bigrams

- ▶ Rouge-n: n-gram precision/recall/F1 of summary w.r.t. gold standard
- Rouge-2 correlates well with human judgments for multi-document summarization tasks

```
A massive earthquake of magnitude 7.3 struck Iraq on Sunday prediction

An earthquake was detected in Iraq on Sunday reference

ROUGE 2 recall = 1 correct bigram (Iraq, Sunday) / 3 reference bigrams

ROUGE 2 precision = 1 correct bigram (Iraq, Sunday) / 6 predicted bigrams
```

Many hyperparameters: stemming, remove stopwords, etc.

- ▶ Rouge-n: n-gram precision/recall/F1 of summary w.r.t. gold standard
- Rouge-2 correlates well with human judgments for multi-document summarization tasks

```
A massive earthquake of magnitude 7.3 struck Iraq on Sunday prediction

An earthquake was detected in Iraq on Sunday reference

ROUGE 2 recall = 1 correct bigram (Iraq, Sunday) / 3 reference bigrams

ROUGE 2 precision = 1 correct bigram (Iraq, Sunday) / 6 predicted bigrams
```

- Many hyperparameters: stemming, remove stopwords, etc.
- ▶ Historically: ROUGE recall @ k {words, characters}. Now: ROUGE F1

Results

Model	R-1	R-2	R-4
Centroid	36.03	7.89	1.20
LexRank	35.49	7.42	0.81
KLSum	37.63	8.50	1.26
CLASSY04	37.23	8.89	1.46
ICSI	38.02	9.72	1.72
Submodular	38.62	9.19	1.34
DPP	39.41	9.57	1.56
RegSum	38.23	9.71	1.59

Gillick and Favre / bigram recall

Better centroid: 38.58 9.73 1.53

Results

Model	R-1	R-2	R-4	
Centroid	36.03	7.89	1.20	
LexRank	35.49	7.42	0.81	
KLSum	37.63	8.50	1.26	
CLASSY04	37.23	8.89	1.46	
ICSI	38.02	9.72	1.72	Gillick and Favre / bigram recall
Submodular	38.62	9.19	1.34	
DPP	39.41	9.57	1.56	
RegSum	38.23	9.71	1.59	
	•			

Caveat: these techniques all work better for multi-document than single-document!

Better centroid: 38.58 9.73 1.53

 "a massive earthquake hit Iraq" "a massive earthquake struck Iraq" lots of redundancy to help select content in multi-document case

• "a massive earthquake hit Iraq" "a massive earthquake struck Iraq" — lots of redundancy to help select content in multi-document case

When you have a lot of documents, there are more possible sentences to extract:

• "a massive earthquake hit Iraq" "a massive earthquake struck Iraq" — lots of redundancy to help select content in multi-document case

When you have a lot of documents, there are more possible sentences to extract:

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

• "a massive earthquake hit Iraq" "a massive earthquake struck Iraq" — lots of redundancy to help select content in multi-document case

When you have a lot of documents, there are more possible sentences to extract:

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The quake has been felt in several Iranian cities and eight villages have been damaged.

- "a massive earthquake hit Iraq" "a massive earthquake struck Iraq" lots of redundancy to help select content in multi-document case
- When you have a lot of documents, there are more possible sentences to extract:

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The quake has been felt in several Iranian cities and eight villages have been damaged.

• "a massive earthquake hit Iraq" "a massive earthquake struck Iraq" — lots of redundancy to help select content in multi-document case

When you have a lot of documents, there are more possible sentences to extract:

But eight villages were damaged in Iran and at least six people were killed and many others injured in the border town of Qasr-e Shirin in Iran, Iranian state TV said.

The quake has been felt in several Iranian cities and eight villages have been damaged.

Multi-document summarization is easier?

Indian Express — A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles) southeast of the city of As-Sulaymaniyah, the US Geological Survey said, reports Reuters. US Geological Survey initially said the quake was of a magnitude 7.2, before revising it to 7.3.


Indian Express — A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles) southeast of the city of As-Sulaymaniyah, the US Geological Survey said, reports Reuters. US Geological Survey initially said the quake was of a magnitude 7.2, before revising it to 7.3.

Indian Express — A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles) southeast of the city of As-Sulaymaniyah, the US Geological Survey said, reports Reuters. US Geological Survey initially said the quake was of a magnitude 7.2, before revising it to 7.3.

- Sentence extraction isn't aggressive enough at removing irrelevant content
- Want to extract sentences and also delete content from them


- Use syntactic rules to make certain deletions
- Delete adjuncts

- Use syntactic rules to make certain deletions
- Delete adjuncts



A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles)...


- Use syntactic rules to make certain deletions
- Delete adjuncts




A massive earthquake of magnitude 7.3 struck Iraq on Sunday, 103 kms (64 miles)...

- Use syntactic rules to make certain deletions
- Delete second parts of coordination structures

- Use syntactic rules to make certain deletions
- Delete second parts of coordination structures




- Use syntactic rules to make certain deletions
- Delete second parts of coordination structures



Recall the Gillick+Favre ILP:

Maximize:
$$\sum_{i} w_i c_i$$
 $s_j Occ_{ij} \leq c_i, \ \forall i,j$ Subject to: $\sum_{j} l_j s_j \leq L$ $\sum_{j} s_j Occ_{ij} \geq c_i \ \forall i$




Recall the Gillick+Favre ILP:

Berg-Kirkpatrick et al. (2011)

Maximize:
$$\sum_{i} w_i c_i$$
 $s_j Occ_{ij} \leq c_i, \ \forall i, j$ Subject to: $\sum_{i} l_j s_j \leq L$ $\sum_{j} s_j Occ_{ij} \geq c_i \ \forall i$

Now si variables are nodes or sets of nodes in the parse tree




Recall the Gillick+Favre ILP:

Berg-Kirkpatrick et al. (2011)

Maximize:
$$\sum_{i} w_i c_i$$
 $s_j Occ_{ij} \leq c_i, \ \forall i, j$
Subject to: $\sum_{i} l_j s_j \leq L$ $\sum_{j} s_j Occ_{ij} \geq c_i \ \forall i$


Now si variables are nodes or sets of nodes in the parse tree



Recall the Gillick+Favre ILP:

Maximize:
$$\sum_{i} w_i c_i$$
 $s_j Occ_{ij} \leq c_i, \quad \forall i, j$
Subject to: $\sum_{i} l_j s_j \leq L$ $\sum_{j} s_j Occ_{ij} \geq c_i \quad \forall i$

- Now si variables are nodes or sets of nodes in the parse tree
- New constraint: $s_2 \le s_1$




At least six people were killed and many others injured

Recall the Gillick+Favre ILP:

Maximize:
$$\sum_{i} w_i c_i$$
 $s_j Occ_{ij} \leq c_i, \ \forall i, j$
Subject to: $\sum_{i} l_j s_j \leq L$ $\sum_{j} s_j Occ_{ij} \geq c_i \ \forall i$

- Now si variables are nodes or sets of nodes in the parse tree
- New constraint: $s_2 \le s_1$ "s₁ is a prerequisite for s₂"



At least six people were killed and many others injured

This hasn't been Kellogg's year.

The oat-bran craze has cost it market share.

Its president quit suddenly.

And now Kellogg is canceling its new cereal plant, which would have cost \$1 billion.

This hasn't been Kellogg's year.

The oat-bran craze has cost it market share.

Its president quit suddenly.

This hasn't been Kellogg's year.

The oat-bran craze has cost it market share.

Its president quit suddenly.

This hasn't been Kellogg's year.

The oat-bran craze has cost it market share.

Its president quit suddenly.

This hasn't been Kellogg's year.


The oat-bran craze has cost it market share.

Its president quit suddenly.

This hasn't been Kellogg's year.

The oat-bran craze has cost it market share.


Its president quit suddenly.



This hasn't been Kellogg's year.

The oat-bran craze has cost it market share.


Its president quit suddenly.



This hasn't been Kellogg's year.

The oat-bran craze has cost it market share.


Its president quit suddenly.




This hasn't been Kellogg's year.

The oat-bran craze has cost Kellogg market share.


Its president quit suddenly.



- xalpha1 This hasn't been Kellogg's year.
- \mathcal{X}_2 The oat-bran craze has cost Kellogg market share.
- x_3 Its president quit suddenly.




- x_1 This hasn't been Kellogg's year.
- x_2 The oat-bran craze has cost Kellogg market share.
- x_3 Its president quit suddenly.



ILP:
$$\max_{\mathbf{x}} \left(w^{\mathsf{T}} f(\mathbf{x}) \right)$$

- x_1 This hasn't been Kellogg's year.
- x_2 The oat-bran craze has cost Kellogg market share.
- x_3 Its president quit suddenly.



And now Kellogg is canceling its new cereal plant, which would have cost \$1 billion.

ILP:
$$\max_{\mathbf{x}} \left(w^{\mathsf{T}} f(\mathbf{x}) \right)$$

s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

$$\max_{\mathbf{x}} \left(w^{\top} f(\mathbf{x}) \right)$$

```
s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent
```

$$\max_{\mathbf{x}} (w^{\top} f(\mathbf{x}))$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

Grammaticality constraints: allow cuts within sentences

$$\max_{\mathbf{x}} (w^{\top} f(\mathbf{x}))$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

Grammaticality constraints: allow cuts within sentences

Coreference constraints: do not allow pronouns that would refer to nothing

$$\max_{\mathbf{x}} (w^{\top} f(\mathbf{x}))$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

Grammaticality constraints: allow cuts within sentences

Coreference constraints: do not allow pronouns that would refer to nothing

▶ If we're confident about coreference, rewrite the pronoun (it → Kellogg)

$$\max_{\mathbf{x}} (w^{\top} f(\mathbf{x}))$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

Grammaticality constraints: allow cuts within sentences

Coreference constraints: do not allow pronouns that would refer to nothing

- ▶ If we're confident about coreference, rewrite the pronoun (it → Kellogg)
- Otherwise, force its antecedent to be included in the summary

$$\max_{\mathbf{x}} (w^{\top} f(\mathbf{x}))$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

Now uses a feature-based model, where features identify good content

$$\max_{\mathbf{x}} (w^{\top} f(\mathbf{x}))$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

Now uses a feature-based model, where features identify good content

f (And now Kellogg is canceling its new cereal plant) =

$$\max_{\mathbf{x}} \left(w^{\top} f(\mathbf{x}) \right)$$

s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

Now uses a feature-based model, where features identify good content

f (And now Kellogg is canceling its new cereal plant) = \langle

$$\max_{\mathbf{x}} \left(w^{\top} f(\mathbf{x}) \right)$$

s.t. summary(\mathbf{x}) obeys length limit summary(x) is grammatical summary(x) is coherent

Now uses a feature-based model, where features identify good content

(And now Kellogg is canceling its new cereal plant) =

Centrality:

[(NumContentWords=4)]

$$\max_{\mathbf{x}} \left(w^{\top} f(\mathbf{x}) \right)$$

s.t. summary(\mathbf{x}) obeys length limit summary(x) is grammatical summary(x) is coherent

Now uses a feature-based model, where features identify good content

(And now Kellogg is canceling its new cereal plant) =

$$\max_{\mathbf{x}} \left(w^{\top} f(\mathbf{x}) \right)$$

s.t. summary(\mathbf{x}) obeys length limit summary(x) is grammatical summary(x) is coherent

Now uses a feature-based model, where features identify good content

(And now Kellogg is canceling its new cereal plant) =

 \prod (FirstWord=And)

$$\max_{\mathbf{x}} \left(w^{\top} f(\mathbf{x}) \right)$$

s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent

$$\max_{\mathbf{x}} (w^{\top} f(\mathbf{x}))$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent


► Train on a large corpus of New York Times documents with summaries (100,000 documents)


$$\max_{\mathbf{x}} \left(w^{\top} f(\mathbf{x}) \right)$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent


- ▶ Train on a large corpus of New York Times documents with summaries (100,000 documents)
- Structured SVM with ROUGE as loss function


$$\max_{\mathbf{x}} (w^{\top} f(\mathbf{x}))$$
 s.t. summary(\mathbf{x}) obeys length limit summary(\mathbf{x}) is grammatical summary(\mathbf{x}) is coherent


- ▶ Train on a large corpus of New York Times documents with summaries (100,000 documents)
- Structured SVM with ROUGE as loss function
 - Augment the ILP to keep track of which bigrams are included or not, use these for loss-augmented decode














Where We are At

- Extractive systems for multi-document summarization
- Extractive + compressive systems for single-document summarization
- Single-document summarization with neural networks

Where We are At


- Extractive systems for multi-document summarization
- Extractive + compressive systems for single-document summarization
- ▶ Single-document summarization with neural networks ←

Neural Summarization

Extractive paradigm isn't all that flexible, even with compression

- Extractive paradigm isn't all that flexible, even with compression
- Training is hard! ILPs are hard! Maybe just use seq2seq?

- Extractive paradigm isn't all that flexible, even with compression
- Training is hard! ILPs are hard! Maybe just use seq2seq?
- Train to produce summary based on document



Chopra et al. (2016)

▶ Task: generate headline from first sentence of article (can get lots of data!)

▶ Task: generate headline from first sentence of article (can get lots of data!)

I(1): brazilian defender pepe is out for the rest of the season with a knee injury, his porto coach jesualdo ferreira said saturday.

G: football: pepe out for season

A+: ferreira out for rest of season with knee injury

R: brazilian defender pepe out for rest of season with knee injury

sentence

reference

no attention

with attention

▶ Task: generate headline from first sentence of article (can get lots of data!)

I(1): brazilian defender pepe is out for the rest of the season with a knee injury, his porto coach jesualdo ferreira said saturday.

G: football: pepe out for season

A+: ferreira out for rest of season with knee injury

R: brazilian defender pepe out for rest of season with knee injury

sentence

reference

no attention

with attention

Works pretty well, though these models can generate incorrect summaries (who has the knee injury?)

Chopra et al. (2016)

▶ Task: generate headline from first sentence of article (can get lots of data!)

I(1): brazilian defender pepe is out for the rest of the season with a knee injury, his porto coach jesualdo ferreira said saturday.

G: football: pepe out for season

A+: ferreira out for rest of season with knee injury

R: brazilian defender pepe out for rest of season with knee injury

sentence

reference

no attention

with attention

- Works pretty well, though these models can generate incorrect summaries (who has the knee injury?)
- What happens if we try this on a longer article?


Chopra et al. (2016)

Original Text (truncated): lagos, nigeria (cnn) a day after winning nigeria's presidency, muhammadu buhari told cnn's christiane amanpour that he plans to aggressively fight corruption that has long plagued nigeria and go after the root of the nation's unrest. buhari said he'll "rapidly give attention" to curbing violence in the northeast part of nigeria, where the terrorist group boko haram operates. by cooperating with neighboring nations chad, cameroon and niger, he said his administration is confident it will be able to thwart criminals and others contributing to nigeria's instability. for the first time in nigeria's history, the opposition defeated the ruling party in democratic elections. *buhari* defeated incumbent goodluck jonathan by about 2 million votes, according to nigeria's independent national electoral commission. the win comes after a long history of military rule, coups and botched attempts at democracy in africa's most populous nation.

Baseline Seq2Seq + Attention: UNK UNK says his administration is confident it will be able to destabilize nigeria's economy. UNK says his administration is confident it will be able to thwart criminals and other nigerians. he says the country has long nigeria and nigeria's economy.

What's wrong with this summary?

Pointer-Generator Model



See et al. (2017)

Solutions: copy mechanism, coverage, just like in MT...

Baseline Seq2Seq + Attention: UNK UNK says his administration is confident it will be able to destabilize nigeria's economy. UNK says his administration is confident it will be able to thwart criminals and other nigerians. he says the country has long nigeria and nigeria's economy.


Pointer-Gen: *muhammadu buhari* says he plans to aggressively fight corruption in the northeast part of nigeria. he says he'll "rapidly give attention" to curbing violence in the northeast part of nigeria. he says his administration is confident it will be able to thwart criminals.

Pointer-Gen + Coverage: *muhammadu buhari* says he plans to aggressively fight corruption that has long plagued nigeria. he says his administration is confident it will be able to thwart criminals. the win comes after a long history of military rule, coups and botched attempts at democracy in africa's most populous nation.

Things might still go wrong, no way of preventing this...


Neural Abstractive Systems

How abstractive is this, anyway?



See et al. (2017)

Neural Extractive Systems



Nallapati et al. (2017)


Neural Systems: Results

	ROUGE		
	1	2	L
abstractive model (Nallapati et al., 2016)*	35.46	13.30	32.65
seq-to-seq + attn baseline (150k vocab)	30.49	11.17	28.08
seq-to-seq + attn baseline (50k vocab)	31.33	11.81	28.83
pointer-generator	36.44	15.66	33.42
pointer-generator + coverage	39.53	17.28	36.38
lead-3 baseline (ours)	40.34	17.70	36.57
lead-3 baseline (Nallapati et al., 2017)*	39.2	15.7	35.5
extractive model (Nallapati et al., 2017)*	39.6	16.2	35.3

- Copy mechanism and coverage help substantially
- ▶ Abstractive systems don't/barely beat a "lead" baseline on ROUGE


See et al. (2017)

Challenges of Summarization




▶ True abstraction?

Challenges of Summarization



- True abstraction?
 - Not really necessary for articles

Challenges of Summarization



- ▶ True abstraction?
 - Not really necessary for articles
 - Generating from structured information can usually be done with templates...

Takeaways

Extractive systems built on heuristics / ILPs work pretty well

Compression can make things better, especially in the single-document setting

Neural systems (like MT models) can do abstractive summarization, but they often just copy inputs (or deviate from inputs in bad ways)