In [1]:

```
#-*coding:utf-8 -*-

import pathlib
import random
from functools import reduce
from collections import defaultdict

import pandas as pd
import geopandas as gpd
import folium
import shapely
import numpy as np
from IPython.display import display
import matplotlib.pyplot as plt
from tqdm.notebook import tqdm
import xgboost
import sklearn.cluster
import tensorflow as tf
import matplotlib as mpl
import seaborn as sns

from matplotlib import style
from mpl_toolkits.mplot3d import axes3d
from pandas import DataFrame
from geoband import API
from folium import Map, CircleMarker, Vega, Popup
from vincent import Bar
import math
```

In [2]:

```
input_path = pathlib.Path('./input')
if not input_path.is_dir():
    input_path.mkdir()

from geoband.API import *
GetCompasData('SBJ_2102_001', '1', '1.  _  .csv')
GetCompasData('SBJ_2102_001', '2', '2.  _  .csv')
GetCompasData('SBJ_2102_001', '3', '3.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '4', '4.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '5', '5.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '6', '6.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '7', '7.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '8', '8.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '9', '9.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '10', '10.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '11', '11.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '12', '12.  _  (  )_  .csv')
GetCompasData('SBJ_2102_001', '13', '13.  _  _  .csv')
GetCompasData('SBJ_2102_001', '14', '14.  _  .csv')
GetCompasData('SBJ_2102_001', '15', '15.  _  _  .csv')
GetCompasData('SBJ_2102_001', '16', '16.  _  _  .geojson')
GetCompasData('SBJ_2102_001', '17', '17.  _  _  .csv')
GetCompasData('SBJ_2102_001', '18', '18.  _  (2017~2020).csv')
GetCompasData('SBJ_2102_001', '19', '19.  _  _  _  .geojson')
GetCompasData('SBJ_2102_001', '20', '20.  _  .csv')
GetCompasData('SBJ_2102_001', '21', '21.  _  .csv')
GetCompasData('SBJ_2102_001', '22', '22.  _  _  .csv')
GetCompasData('SBJ_2102_001', '23', '23.  _  _  .geojson')
GetCompasData('SBJ_2102_001', '24', '24.  _  _  .geojson')
GetCompasData('SBJ_2102_001', '25', '25.  _  _  _  .csv')
GetCompasData('SBJ_2102_001', '26', '26.  _  .csv')
GetCompasData('SBJ_2102_001', '27', '27.  _  _  .csv')
GetCompasData('SBJ_2102_001', '28', '28.  _  _  _  .csv')
GetCompasData('SBJ_2102_001', '29', '29.  _  (  ).csv')
GetCompasData('SBJ_2102_001', '30', '30.  _  (  ).geojson')
GetCompasData('SBJ_2102_001', '31', '31.  _  (  ).geojson')
GetCompasData('SBJ_2102_001', '32', '32.  _  (  ).geojson')
GetCompasData('SBJ_2102_001', '33', '33.  _  .geojson')
GetCompasData('SBJ_2102_001', '34', '34.  _  _  .zip')

for path in list(input_path.glob('*.csv')) + list(input_path.glob('*.geojson')):
    print(path)
```

```
input/1.  _  .csv
input/10.  _  (  )_  .csv
input/11.  _  (  )_  .csv
input/12.  _ (  )_  .csv
input/14.  _  .csv
input/13.  _  _  .csv
input/15.  _  _  .csv
input/18.  _  (2017~2020).csv
input/17.  _  _  .csv
input/2.  _  .csv
input/20.  _  .csv
input/21.  _  .csv
input/22.  _  _  .csv
input/25.  _ _  _  .csv
input/26.  _  .csv
input/27.  _  _  .csv
input/28.  _  _  _  .csv
input/29.  _  (  ).csv
input/3.  _  (  )_  .csv
input/4.  _  (  )_  .csv
input/5.  _  (  )_  .csv
input/6.  _  (  )_  .csv
input/7.  _  (  )_  .csv
input/8.  _  (  )_  .csv
input/9.  _  (  )_  .csv
input/16.  _  _  .geojson
input/19.  _  _  _  .geojson
input/23.  _  _  .geojson
input/24.  _  _  .geojson
input/30.  _  (  ).geojson
input/31.  _  (  ).geojson
input/32.  _  (  ).geojson
input/33.  _  .geojson
```

In [ ]:

```
```

In [ ]:

```
```

In [3]:

```
#
  _  = pd.read_csv(input_path.joinpath('3.  _  (  )_  .csv'), encoding = 'utf-8' )
  _

#
for i in range(len(  _  ['  ''])):
      _  ['  ''][i] =  _  ['  ''][i][7:]

# col
  _  .columns

#
  _  ['  (  )'] =  _  ['  (  )'].apply(lambda x: float(x.split()[0].replace(',','')))
data_  =  _  .groupby('  ')['  (  )'].mean()
data_

#
import matplotlib
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")

#
ax = data_  .plot(kind ='bar', title ='          ', figsize =(15, 5), legend=True, fontsize = 10, color='indigo')
ax.set_xlabel('  ', fontsize = 12)
ax.set_ylabel('        ', fontsize = 12)
ax.legend(['  '], fontsize=12)
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:7: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame
```

```
See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  import sys
```

Out[3]:

```
<matplotlib.legend.Legend at 0x7f1f090d0f28>
```



In [4]:

```
#
    _  = pd.read_csv(input_path.joinpath('4.  _     (  )_    .csv'), thousands = ',', encoding = 'utf-8' )
    _

#
for i in range(len(     _ ['   '])):
        _ ['   '][i] =      _ ['   '][i][7:]

# col
    _  .columns

#
data_     =     _  .groupby('   ')['    (  )'].mean()
data_

#
import matplotlib
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")

#
ax = data_     .plot(kind ='bar', title ='              ', figsize =(15, 5), legend=True, fontsize = 10, color='deepskyblue')
ax.set_xlabel('  ', fontsize = 12)
ax.set_ylabel('          ', fontsize = 12)
ax.legend(['    '], fontsize=12)
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:7: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  import sys
```

Out[4]:

```
<matplotlib.legend.Legend at 0x7f1e627e8978>
```



In [5]:

```
#
    _  = pd.read_csv(input_path.joinpath('5.  _    (  )_   .csv'), encoding = 'utf-8' )
    _

#
for i in range(len(    _ ['   ']  )):
        _ ['   '][i] =     _ ['   '][i][7:]

# col
    _  .columns

#
    _ ['    (  )'] =     _ ['    (  )'].apply(lambda x: float(x.split()[0].replace(',','')))
data_     =     _ .groupby('   ')['    (  )'].mean()
data_

#
import matplotlib
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")

#
ax = data_    .plot(kind='bar', title='              ', figsize=(80,15), legend=True, fontsize=32, color='midnightblue')
ax.set_xlabel('  ',fontsize=30)
ax.set_ylabel('          ', fontsize=30)
ax.legend(['    '],fontsize=30)
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:7: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  import sys
```

Out[5]:

```
<matplotlib.legend.Legend at 0x7f1e6282e5c0>
```



In [6]:

```
#
    _  = pd.read_csv(input_path.joinpath('6.  _    (  )_   .csv'), encoding = 'utf-8' )
    _

#
for i in range(len(    _ ['   ']  )):
        _ ['   '][i] =     _ ['   '][i][7:]

# col
```

```
# col
   _  .columns

#
   _ ['    (  )'] =     _ ['    (  )'].apply(lambda x: float(x.split()[0].replace(',','')))
data_    =    _  .groupby('   ')['    (  )'].mean()
data_

#
import matplotlib
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")

#
ax = data_    .plot(kind ='bar', title ='             ', figsize =(15, 5), legend=True, fontsize = 10, color='palevioletred')
ax.set_xlabel('  ', fontsize = 12)
ax.set_ylabel('          ', fontsize = 12)
ax.legend(['    '], fontsize=12)
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:7: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  import sys
```

Out[6]:

```
<matplotlib.legend.Legend at 0x7f1e621c7fd0>
```



In [ ]:

```

```

,

In [7]:

```
#
  _   = pd.read_csv(input_path.joinpath('7.   _   (   )_    .csv'),thousands = ',',encoding='utf-8' )
  _

#
  _   .columns

#
for i in range(len(   _   ['    ''])):
      _   ['    ''][i] =    _   ['    ''][i][7:]

#       ,
data_   _    =    _   .groupby(['    ', '      '])[['    (  )', '   (  )']].mean()
data_   _    = data_   _   .unstack().fillna(0)
data_   _

data                  = data          ['    (  )' '   ']
```

```
data_  _  _  = data_  _  [' ( )',' ']
data_  _  = data_  _  [' ( )',' ']

#data_  _  [' ( )',' '] = data_  _
del(data_  _  [' ( )',' '])
del(data_  _  [' ( )',' '])

round(data_  _  ,2)

#
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")

#
ax = data_  _  .plot(kind ='bar', title ='              ', figsize =(15, 5), legend=True, fontsize = 10, color=[ 'dodgerblue', 'crimson'])
plt.plot(data_  _  , linestyle='--', color = 'orangered')
ax.set_xlabel('  ', fontsize = 12)
ax.set_ylabel('       (  )', fontsize = 12)
ax.legend([' ','  ', ' '], fontsize=12)

for i, v in enumerate(data_  _  [' ( )',' ']):
    ax.text(i-0.1, v+v*20, str(round(v, 1)))
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:10: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  # Remove the CWD from sys.path while we load stuff.
```



In [8]:

```
#
  _  = pd.read_csv(input_path.joinpath('8.  _  (  )_  .csv'),thousands = ',',encoding='utf-8' )
  _

#
  _  .columns

#
for i in range(len(  _  ['  ''])):
      _  ['  ''][i] =  _  ['  ''][i][7:]

#  ,
data_  _  =  _  .groupby(['  ', '  ''])[['  ( )', ' ( )']].mean()
data_  _  = data_  _  .unstack().fillna(0)
data_  _

data_  _  _  = data_  _  [' ( )',' ']
data_  _  _  = data_  _  [' ( )',' ']
data_  _  = data_  _  [' ( )',' ']

#data_  _  [' ( )',' '] = data_  _
del(data_  _  [' ( )',' '])
del(data_  _  [' ( )',' '])
```

```
round(data_    _  ,2)

#
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")

#
ax = data_    _  .plot(kind ='bar', title ='                ', figsize =(15, 5), legend=True, fontsize = 10, color=[ 'dodgerblue', 'crimson'])
plt.plot(data_    _  , linestyle='--', color = 'orangered')
ax.set_xlabel('  ', fontsize = 12)
ax.set_ylabel('          (  )', fontsize = 12)
ax.legend(['    ','    ', '    '], fontsize=12)

for i, v in enumerate(data_    _  [' ( )',' ']):
    ax.text(i-0.1, v+v*20, str(round(v, 1)))
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:10: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  # Remove the CWD from sys.path while we load stuff.
```



In [9]:

```
#
   _   = pd.read_csv(input_path.joinpath('9.  _    (  )_   .csv'),thousands = ',',encoding='utf-8' )
   _

#
   _   .columns

#
for i in range(len(    _  ['   ']):
       _  ['   '][i] =     _  ['   '][i][7:]

#      ,
data_    _   =     _   .groupby(['   ', '    '])[['  ( )', ' ( )']].mean()
data_    _   = data_    _   .unstack().fillna(0)
data_    _

data_    _  _     = data_    _  ['  ( )',' ']
data_    _  _  = data_    _  ['  ( )',' ']
data_    _   = data_    _  ['   ( )',' ']

#data_    _  ['  ( )',' '] = data_    _
del(data_    _  ['  ( )',' '])
del(data_    _  ['   ( )',' '])

round(data_    _  ,2)

#
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")

#
ax = data_    _  .plot(kind ='bar', title ='                ', figsize =(80, 15), legend=True, fontsize = 32, color=[ 'dodgerblue', 'crimson'])
```

```
plt.plot(data_    _ , linestyle='--', color = 'orangered')
ax.set_xlabel('  ', fontsize = 30)
ax.set_ylabel('          (   )', fontsize = 30)
ax.legend(['     ','     ', '      '], fontsize=20)

for i, v in enumerate(data_     _   ['  (  )','  ']):
    ax.text(i-0.1, v+v*20, str(round(v, 1)))
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:10: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  # Remove the CWD from sys.path while we load stuff.
```



In [10]:

```
#
   _    = pd.read_csv(input_path.joinpath('10.   _    (   )_    .csv'),thousands = ',',encoding='utf-8' )
   _

#
   _    .columns

#
for i in range(len(    _   ['    ''])):
       _   ['    ''][i] =     _   ['    ''][i][7:]

#       ,
data_    _    =     _    .groupby(['    ', '      '])[['    (  )', '  (  )']].mean()
data_    _     = data_    _    .unstack().fillna(0)
data_    _

data_    _   _       = data_    _   ['    (  )','  ']
data_    _    _    = data_    _    ['  (  )','  ']
data_    _     = data_    _    ['    (  )','  ']

#data_    _    ['    (  )','  '] = data_    _
del(data_    _    ['  (  )','  '])
del(data_    _    ['    (  )','  '])

round(data_    _    ,2)

#
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")

#
ax = data_    _    .plot(kind ='bar', title ='                  ', figsize =(15, 5), legend=True, fontsize = 10, color=[ 'dodgerblue', 'crimson'])
plt.plot(data_    _    , linestyle='--', color = 'orangered')
ax.set_xlabel('  ', fontsize = 12)
ax.set_ylabel('          (   )', fontsize = 12)
ax.legend(['     ','     ', '      '], fontsize=12)

for i, v in enumerate(data_     _   ['  (  )','  ']):
    ax.text(i+0.05, v+v*20, str(round(v, 1)))
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:10: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  # Remove the CWD from sys.path while we load stuff.
```



In [ ]:

```
```

geojson

In [11]:

```
_    = gpd.read_file(input_path.joinpath('19.  _  _     _ .geojson'))
_
```

Out[11]:

	gid	201710_20 _	201810_20 _	201910_20 _	202010_20 _	201710_30 _	201810_30 _	201910_30 _	202010_30 _	201710_40 _	...	202010_80 _	201710_90 _	20
0	667567	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
1	667568	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
2	668566	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
3	668567	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
4	668568	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	
47391	919332	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
47392	919333	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
47393	919334	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
47394	920332	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	
47395	920333	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	NaN	NaN	

gid	201710_20	201810_20	201910_20	202010_20	201710_30	201810_30	201910_30	202010_30	201710_40	...	202010_80	201710_90	20
47396 rows × 38 columns	–	–	–	–	–	–	–	–	–		–	–	

In [12]:

```
= gpd.read_file(input_path.joinpath('23.  _   _ .geojson'))
```

Out[12]:

	BDTYP_CD	BULD_NM	BULD_NM_DC	BULD_SE_CD	BUL_MAN_NO	EMD_CD	GRO_FLO_CO	LNBR_MNNM	LNBR_SLNO	UND_FLO_CO	
0	10299	None	None	0	55874	350	1	177	4	0	MUL
1	10299	None	None	0	55795	340	1	42	23	0	MUL
2	04401	None	None	0	55266	107	7	723	0	2	MUL
3	04001	None	None	0	60761	107	9	722	0	3	MUL
4	03999	None	None	0	55331	107	8	721	0	3	MUL
...	...	...	...	...	...	...	...	...	...	...	
54952	01001	None	None	0	36537	340	1	135	0	0	MUL
54953	14001	None	None	0	40633	340	1	135	0	0	MUL
54954	01001	None	None	0	19892	340	1	135	0	0	MUL
54955	14001	None	None	0	19893	340	1	135	0	0	MUL
54956	01001	119-1	None	0	54174	340	1	119	1	0	MUL

54957 rows × 11 columns

In [13]:

```
= gpd.read_file(input_path.joinpath('24.  _   _ .geojson'))
```

Out[13]:

	gid	val	geometry
0	667567	NaN	MULTIPOLYGON (((127.12716 36.70773, 127.12716 ...
1	667568	NaN	MULTIPOLYGON (((127.12716 36.70863, 127.12716 ...
2	668566	NaN	MULTIPOLYGON (((127.12829 36.70683, 127.12828 ...
3	668567	NaN	MULTIPOLYGON (((127.12828 36.70773, 127.12828 ...
4	668568	NaN	MULTIPOLYGON (((127.12828 36.70863, 127.12828 ...
...	...	...	...

	gid	val	geometry
47391	919332	NaN	MULTIPOLYGON (((127.40956 36.49642, 127.40956 ...
47392	919333	NaN	MULTIPOLYGON (((127.40956 36.49732, 127.40956 ...
47393	919334	NaN	MULTIPOLYGON (((127.40956 36.49823, 127.40955 ...
47394	920332	NaN	MULTIPOLYGON (((127.41067 36.49642, 127.41067 ...
47395	920333	NaN	MULTIPOLYGON (((127.41067 36.49732, 127.41067 ...

47396 rows × 3 columns

In [14]:

```
_  = gpd.read_file(input_path.joinpath('30.  _  (  ).geojson'))
_
```

Out[14]:

	SIG_CD	SIG_KOR_NM	geometry
0	36110		MULTIPOLYGON (((127.17841 36.59687, 127.17839 ...

In [15]:

```
_  = gpd.read_file(input_path.joinpath('31.  _  (  ).geojson'))
_
```

Out[15]:

	EMD_CD	EMD_KOR_NM	geometry
0	36110101		MULTIPOLYGON (((127.30833 36.47977, 127.30818 ...
1	36110102		MULTIPOLYGON (((127.30480 36.48845, 127.30480 ...
2	36110103		MULTIPOLYGON (((127.29383 36.48508, 127.29381 ...
3	36110104		MULTIPOLYGON (((127.27215 36.46388, 127.27197 ...
4	36110105		MULTIPOLYGON (((127.24631 36.46300, 127.24626 ...
5	36110106		MULTIPOLYGON (((127.25661 36.47033, 127.25653 ...
6	36110107		MULTIPOLYGON (((127.26603 36.49182, 127.26744 ...
7	36110108		MULTIPOLYGON (((127.23978 36.48556, 127.23966 ...
8	36110109		MULTIPOLYGON (((127.24003 36.48809, 127.24004 ...
9	36110110		MULTIPOLYGON (((127.25544 36.49534, 127.25543 ...
10	36110111		MULTIPOLYGON (((127.25357 36.50688, 127.25357 ...
11	36110112		MULTIPOLYGON (((127.23895 36.53520, 127.23960 ...
12	36110113		MULTIPOLYGON (((127.25238 36.51029, 127.25218 ...
13	36110114		MULTIPOLYGON (((127.25357 36.50688, 127.25348 ...
14	36110115		MULTIPOLYGON (((127.26859 36.53949, 127.26858 ...
15	36110116		MULTIPOLYGON (((127.27076 36.52337, 127.27005 ...
16	36110117		MULTIPOLYGON (((127.34569 36.51897, 127.34628 ...
17	36110118		MULTIPOLYGON (((127.31732 36.48175, 127.31730 ...
18	36110250		MULTIPOLYGON (((127.30663 36.60062, 127.30662

	EMD_CD	EMD_KOR_NM	geometry
19	36110310		MULTIPOLYGON (((127.28524 36.55518, 127.28605 ...
20	36110320		MULTIPOLYGON (((127.32202 36.58302, 127.32209 ...
21	36110330		MULTIPOLYGON (((127.36891 36.48959, 127.36891 ...
22	36110340		MULTIPOLYGON (((127.36098 36.49088, 127.36059 ...
23	36110350		MULTIPOLYGON (((127.23952 36.48582, 127.23966 ...
24	36110360		MULTIPOLYGON (((127.19288 36.60110, 127.19298 ...
25	36110370		MULTIPOLYGON (((127.19609 36.60448, 127.19604 ...
26	36110380		MULTIPOLYGON (((127.27948 36.63350, 127.27948 ...
27	36110390		MULTIPOLYGON (((127.20791 36.71901, 127.20781 ...

In [16]:

```
_  = gpd.read_file(input_path.joinpath('32.  _  (  ).geojson'))
_
```

Out[16]:

	ADM_DR_CD	ADM_DR_NM	geometry
0	2901011		MULTIPOLYGON (((127.29172 36.63614, 127.29203 ...
1	2901031		MULTIPOLYGON (((127.24092 36.46741, 127.24087 ...
2	2901032		MULTIPOLYGON (((127.35572 36.55450, 127.35568 ...
3	2901033		MULTIPOLYGON (((127.37706 36.56788, 127.37711 ...
4	2901034		MULTIPOLYGON (((127.36424 36.51353, 127.36375 ...
5	2901035		MULTIPOLYGON (((127.21187 36.57860, 127.21233 ...
6	2901036		MULTIPOLYGON (((127.21134 36.62035, 127.21169 ...
7	2901037		MULTIPOLYGON (((127.20998 36.71848, 127.21068 ...
8	2901038		MULTIPOLYGON (((127.25304 36.69594, 127.25410 ...
9	2901039		MULTIPOLYGON (((127.14980 36.72605, 127.14981 ...
10	2901053		MULTIPOLYGON (((127.26461 36.52069, 127.26459 ...
11	2901060		MULTIPOLYGON (((127.23853 36.53540, 127.23895 ...
12	2901056		MULTIPOLYGON (((127.24233 36.50869, 127.24234 ...
13	2901065		MULTIPOLYGON (((127.31207 36.50321, 127.31209 ...
14	2901062		MULTIPOLYGON (((127.26244 36.47868, 127.26244 ...
15	2901059		MULTIPOLYGON (((127.25182 36.52672, 127.25193 ...
16	2901061		MULTIPOLYGON (((127.26244 36.47868, 127.26181 ...
17	2901064		MULTIPOLYGON (((127.27743 36.47628, 127.27743 ...
18	2901066		MULTIPOLYGON (((127.29381 36.48496, 127.29381 ...

In [17]:

```
gpd.read_file(input_path.joinpath('32.  _  .geojson'))
```

```
= gpd.read_file(input_path.joinpath('33.  _  .geojson'))
```

Out[17]:

	PNU	JIBUN	geometry
0	3611037031101950001	195-1	MULTIPOLYGON (((127.17929 36.65234, 127.17930 ...
1	3611034029102230001	223-1	MULTIPOLYGON (((127.30726 36.46622, 127.30716 ...
2	3611034028101540000	154	MULTIPOLYGON (((127.30510 36.45196, 127.30502 ...
3	3611034029200630000	63	MULTIPOLYGON (((127.31121 36.47124, 127.31127 ...
4	3611037031104690001	469-1	MULTIPOLYGON (((127.16223 36.64483, 127.16220 ...
...	...	...	...
198804	3611038024200170001	17-1	MULTIPOLYGON (((127.25132 36.65408, 127.25186 ...
198805	3611038024200170008	17-8	MULTIPOLYGON (((127.25186 36.65394, 127.25191 ...
198806	3611038024200170009	17-9	MULTIPOLYGON (((127.25189 36.65385, 127.25221 ...
198807	3611038024200170002	17-2	MULTIPOLYGON (((127.24888 36.65086, 127.24884 ...
198808	3611038024200170010	17-10	MULTIPOLYGON (((127.25175 36.65324, 127.25172 ...

198809 rows × 3 columns

In [18]:

```
_    = gpd.read_file(input_path.joinpath('16.  _  _    .geojson'))
_
```

Out[18]:

	gid	ws_cnt	found_age_1	found_age_2	found_age_3	found_age_4	found_age_5	found_age_6	runoutmon	smbiz_yn	...	indcd_m_yn	in
0	667567	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	
1	667568	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	
2	668566	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	
3	668567	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	
4	668568	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	
...	...	...	...	...	...	...	...	...	...	...	...	...	...
47391	919332	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	
47392	919333	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	
47393	919334	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	
47394	920332	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	

	gid	ws_cnt	found_age_1	found_age_2	found_age_3	found_age_4	found_age_5	found_age_6	runoutmon	smbiz_yn	...	indcd_m_yn	in
47395	920333	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN	...	None	

47396 rows × 69 columns

In [ ]:

```
```

In [19]:

```
#
 = pd.read_csv(input_path.joinpath('14.  _  .csv'))
```

Out[19]:

												lon	lat
0	D		D21	/ /	D21A06	/	G47511		3611025000		90-1, ( )	127.298552	36.599920
1	D		D21	/ /	D21A02	/	G47511		3611037000		40, ( )	127.204298	36.682526
2	F		F15		F15A03		F42201	·	3611036000		322, ( )	127.280990	36.560523
3	Q		Q04		Q04A01		I56194		3611034000		61-3, ( )	127.270561	36.426637
4	D		D11		D11A03		G47599		3611025000		159, (, 2)	127.294177	36.602922
...	...	...	...	...	...	...	...	...	...	...	...	...	...
10768	D		D23	/	D23A04		G45211		3611025000		48-11, ( )	127.299415	36.593481
10769	L		L01		L01A01		L68221		3611034000		529, ( )	127.333858	36.480396
10770	Q		Q06		Q06A02		I56114		3611055000		13, ( )	127.235897	36.500933
10771	N	/ /	N02	/ /	N02A01		R91223		3611056000		51, ( )	127.289353	36.477949
10772	R	/	R05	-	R05A02	/ /	P85620		3611054000		3 160, (, 4)	127.243716	36.506156

10773 rows × 13 columns

In [20]:

```
#
data_  = pd.crosstab(  .  ,  .  , margins=True)
data_
```

Out[20]:

/ /				/	**All**
7	25	74	61	0	3	136	47	353
13	98	102	184	2	1	284	15	699
2	2	32	25	0	1	38	11	111
13	51	83	217	0	3	388	48	803
5	19	69	61	0	5	230	31	420
11	14	69	135	8	0	189	10	436
21	157	159	313	0	4	349	115	1118
0	11	44	38	0	0	81	38	212
1	4	22	43	1	0	87	7	165
3	13	38	45	0	6	115	57	277
1	28	37	56	3	0	67	2	194
0	15	14	46	3	0	71	7	156
5	40	50	162	7	0	164	16	444

	10	78	40	128	3	1	203	2	465
	2	5	22	53	6	0	51	4	143
	7	9	61	139	5	0	182	14	417
	97	105	574	1133	36	3	1402	203	3553
	1	20	48	87	0	3	131	56	346
	1	89	49	77	0	0	174	71	461
All	200	783	1587	3003	74	30	4342	754	10773

In [21]:

```
#
data_  _all = data_  ['All']
data_  _all
```

Out[21]:

```
      353
      699
      111
      803
      420
      436
     1118
      212
      165
      277
      194
      156
      444
      465
      143
      417
     3553
      346
      461
All  10773
Name: All, dtype: int64
```

In [22]:

```
#
  _  = gpd.read_file(input_path.joinpath('32.  _  (  ).geojson'))
  _

  _  ['lon'] = (  _  ['geometry'].bounds['maxx'] +  _  ['geometry'].bounds['minx'])/2
  _  ['lat'] = (  _  ['geometry'].bounds['maxy'] +  _  ['geometry'].bounds['miny'])/2
data_  _lon_lat =  _  [['ADM_DR_NM', 'lon', 'lat']]
data_  _lon_lat=data_  _lon_lat.rename(columns={'ADM_DR_NM':'  '})
data_  _lon_lat
```

Out[22]:

	lon	lat
0	127.282863	36.607199
1	127.279812	36.507771
2	127.330061	36.550175
3	127.381030	36.528753
4	127.290863	36.462920
5	127.207249	36.507231
6	127.247954	36.583444
7	127.199439	36.655099
8	127.253810	36.656332
9	127.167851	36.711410
10	127.265374	36.508349
11	127.236059	36.517374
12	127.247568	36.503792
13	127.307823	36.490650

	lon	lat
14	127.252152	36.488832
15	127.251252	36.517544
16	127.249586	36.473352
17	127.274502	36.470178
18	127.288813	36.478255

In [23]:

```
#          ,
data_    _info = pd.merge( data_    _all,data_    _lon_lat, on ="    ")
data_    _info
```

Out[23]:

	All	lon	lat
0	353	127.236059	36.517374
1	699	127.290863	36.462920
2	111	127.274502	36.470178
3	803	127.265374	36.508349
4	420	127.288813	36.478255
5	436	127.381030	36.528753
6	1118	127.252152	36.488832
7	212	127.307823	36.490650
8	165	127.167851	36.711410
9	277	127.251252	36.517544
10	194	127.279812	36.507771
11	156	127.330061	36.550175
12	444	127.247954	36.583444
13	465	127.207249	36.507231
14	143	127.253810	36.656332
15	417	127.199439	36.655099
16	3553	127.282863	36.607199
17	346	127.247568	36.503792
18	461	127.249586	36.473352

In [24]:

```
#
data_    =
data_    = data_    .sort_values(by='       ')
data_

data_    = data_    [['       ', '     ', 'lon', 'lat']]

#
data_    .rename(columns={'       ':'    '}, inplace = True)
data_
```

Out[24]:

			lon	lat
6091	/ /	16, ( )	127.236487	36.501126
153	/ /	565, ( )	127.220519	36.499410
9564	/ /	19, ( )	127.233984	36.505851
2597	/ /	233, ( )	127.296533	36.601936
3054	/ /	385-3, ( )	127.203729	36.496271
...	...	...	...	...
8580	/	157, ( )	127.262479	36.479318
1639	/	17, ( )	127.294190	36.595325
1642	/	2 64, ( )	127.289099	36.602117

				lon	lat
8606	/	62-15, ( )		127.251201	36.487016
10772	/	3 160, (,	4)	127.243716	36.506156

10773 rows × 4 columns

In [25]:

```
#
plt.figure(figsize= (15,6))
sns.countplot(data =     , x="    ", order=    ['    '].value_counts().index)
```

Out[25]:

<AxesSubplot:xlabel='   ', ylabel='count'>



In [ ]:

In [ ]:

In [ ]:

In [26]:

```
#   ,   ,          float
data_    _info['lon'] = data_    _info.lon.astype(float)
data_    _info['lat'] = data_    _info.lat.astype(float)
data_    _info['All'] = data_    _info.All.astype(float)
data_    _info

#
  _map = folium.Map(location = [data_    _info['lat'].mean(), data_    _info['lon'].mean()],zoom_start = 11)

for item in data_    _info.index:
    latitude = data_    _info.loc[item,'lat']
    longtitude = data_    _info.loc[item,'lon']
    popups = folium.Popup(data_    _info.loc[item, '    '], max_width=100)
    folium.CircleMarker([latitude, longtitude],
                        radius = data_    _info.loc[item,'All']/100,
                        popup = popups,
                        color = 'red',
                        fill = True).add_to(    _map)
  _map
```

Out[26]:

Make this Notebook Trusted to load map: File -> Trust Notebook

2

In [27]:

```
#
  _    = gpd.read_file(input_path.joinpath('32.  _    (   ).geojson'))
  _

data = data_    _info[['    ', 'All']]
data

#
 _map2 = folium.Map(location = [data_    _info['lat'].mean(), data_    _info['lon'].mean()],zoom_start = 11)

 _map2.choropleth(
  geo_data =     _   ,
  data = data,
  columns=['    ', 'All'],
  key_on = 'feature.properties.ADM_DR_NM',
  fill_color = 'BuPu',
  legend_name ='    ',
  )

 _map2
```



ureWarning: The choropleth method has been deprecated. Instead use the new C
notebook 'GeoJSON_and_choropleth' for how to do this.

In [ ]:

```
```

In [ ]:

```
```

In [28]:

```
data_     =
data_     = data_    [['        ', '     ', 'lon', 'lat']]

#
data_    .rename(columns={'        ':'    '}, inplace = True)
data_


#   ,
data_    ['lon'] = data_     .lon.astype(float)
data_    ['lat'] = data_     .lat.astype(float)


#

    _map = folium.Map(location = [data_     ['lat'].mean(), data_     ['lon'].mean()],zoom_start = 11)

for item in data_     .index:
    latitude = data_     .loc[item,'lat']
    longtitude = data_     .loc[item,'lon']

    if data_     .loc[item, '     '] == '  /  /  ':
        colors = 'dodgerblue'

    elif data_     .loc[item, '     '] == '    ':
        colors = 'burlywood'

    elif data_     .loc[item, '     '] == '     ':
        colors = 'gold'

    elif data_     .loc[item, '     '] == '  ':
        colors = 'darkolivegreen'

    elif data_     .loc[item, '     '] == '  /  ':
        colors = 'slategrey'

    elif data_     .loc[item, '     '] == '  ' :
        colors = 'salmon'

    elif data_     .loc[item, '     '] == '    ' :
        colors = 'blueviolet'

    elif data_     .loc[item, '     '] == '  ':
        colors = 'lihgtpink'
    popups = folium.Popup(data_     .loc[item, '      '], max_width=150)
```

```
    folium.CircleMarker([latitude, longtitude],
                        popup = popups,
                        color = colors,
                        fill = True).add_to(    _map)
    _map
```

```
/opt/app-root/lib/python3.6/site-packages/pandas/core/frame.py:4308: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  errors=errors,
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:10: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  # Remove the CWD from sys.path while we load stuff.
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:11: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  # This is added back by InteractiveShellApp.init_path()
```

Out[28]:

Make this Notebook Trusted to load map: File -> Trust Notebook

In [ ]:

```
```

In [29]:

```
  _

#

data_  _    =    _ [['   ', '    (  )']]
for i in range(len(data_   _   ['   ])):
    if len(data_   _    .loc[i, '   ]) == 9:
        data_   _   ['   ][i] = data_   _   ['   ][i][:5]
    elif len(data_   _    .loc[i, '   ]) == 8:

        if data_   _    .loc[i, '   ][1] == ' ':
```

```
        data_  _  [' ']][i] = data_  _  [' ']][i][:5]
    else:
        data_  _  [' ']][i] = data_  _  [' ']][i][:5]


data_  _
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:14: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy

/opt/app-root/lib/python3.6/site-packages/IPython/core/interactiveshell.py:3343: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  exec(code_obj, self.user_global_ns, self.user_ns)
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:12: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  if sys.path[0] == '':
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:8: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
```

Out[29]:

	( )
0	23000.0
1	32000.0
2	32500.0
3	25100.0
4	32250.0
...	...
18404	66800.0
18405	40000.0
18406	134000.0
18407	72800.0
18408	74800.0

18409 rows × 2 columns

In [30]:

```
#        ( )
data_  _    = data_  _   .groupby(data_  _  .  )['    ( )'].mean()
data_  _

data_  _    = data_  _   .reset_index()
data_  _

for i in range(len(data_  _  [' ']):
    data_  _  [' ']][i] =  data_  _  [' ']][i][1:]

data_  _
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:9: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  if __name__ == '__main__':
```

Out[30]:

	( )
0	54000.000000
1	34431.779738
2	13959.120370

	( )
2	13959.120370
3	10585.482759
4	62177.157095
5	73175.011976
6	44911.933291
7	57494.951456
8	65879.284211
9	7851.290323
10	66054.370662
11	56853.738302
12	6392.857143
13	35044.949764
14	39625.319905
15	6625.719101
16	11966.279070
17	2771.408451
18	5652.380952
19	7903.365385
20	16970.891432
21	39196.429032
22	40881.186555

In [31]:

```
#
 _   = gpd.read_file(input_path.joinpath('31.  _   (   ).geojson'))
 _
```

Out[31]:

	EMD_CD	EMD_KOR_NM	geometry
0	36110101		MULTIPOLYGON (((127.30833 36.47977, 127.30818 ...
1	36110102		MULTIPOLYGON (((127.30480 36.48845, 127.30480 ...
2	36110103		MULTIPOLYGON (((127.29383 36.48508, 127.29381 ...
3	36110104		MULTIPOLYGON (((127.27215 36.46388, 127.27197 ...
4	36110105		MULTIPOLYGON (((127.24631 36.46300, 127.24626 ...
5	36110106		MULTIPOLYGON (((127.25661 36.47033, 127.25653 ...
6	36110107		MULTIPOLYGON (((127.26603 36.49182, 127.26744 ...
7	36110108		MULTIPOLYGON (((127.23978 36.48556, 127.23966 ...
8	36110109		MULTIPOLYGON (((127.24003 36.48809, 127.24004 ...
9	36110110		MULTIPOLYGON (((127.25544 36.49534, 127.25543 ...
10	36110111		MULTIPOLYGON (((127.25357 36.50688, 127.25357 ...
11	36110112		MULTIPOLYGON (((127.23895 36.53520, 127.23960 ...
12	36110113		MULTIPOLYGON (((127.25238 36.51029, 127.25218 ...
13	36110114		MULTIPOLYGON (((127.25357 36.50688, 127.25348 ...
14	36110115		MULTIPOLYGON (((127.26859 36.53949, 127.26858 ...
15	36110116		MULTIPOLYGON (((127.27076 36.52337, 127.27005 ...
16	36110117		MULTIPOLYGON (((127.34569 36.51897, 127.34628

	EMD_CD	EMD_KOR_NM	geometry
16	36110117	...	...
17	36110118		MULTIPOLYGON (((127.31732 36.48175, 127.31730 ...
18	36110250		MULTIPOLYGON (((127.30663 36.60062, 127.30662 ...
19	36110310		MULTIPOLYGON (((127.28524 36.55518, 127.28605 ...
20	36110320		MULTIPOLYGON (((127.32202 36.58302, 127.32209 ...
21	36110330		MULTIPOLYGON (((127.36891 36.48959, 127.36891 ...
22	36110340		MULTIPOLYGON (((127.36098 36.49088, 127.36059 ...
23	36110350		MULTIPOLYGON (((127.23952 36.48582, 127.23966 ...
24	36110360		MULTIPOLYGON (((127.19288 36.60110, 127.19298 ...
25	36110370		MULTIPOLYGON (((127.19609 36.60448, 127.19604 ...
26	36110380		MULTIPOLYGON (((127.27948 36.63350, 127.27948 ...
27	36110390		MULTIPOLYGON (((127.20791 36.71901, 127.20781 ...

In [32]:

```
#
   _   ['lon']= (    _   ['geometry'].bounds['maxx'] +     _   ['geometry'].bounds['minx'])/2
   _   ['lat'] = (    _   ['geometry'].bounds['maxy'] +     _   ['geometry'].bounds['miny'])/2

data_   _lon_lat =     _   [['EMD_KOR_NM', 'lon', 'lat']]
data_   _lon_lat = data_   _lon_lat.rename(columns={'EMD_KOR_NM':'    '})
data_   _lon_lat
```

Out[32]:

	lon	lat
0	127.310382	36.491414
1	127.301194	36.485012
2	127.288813	36.478255
3	127.274502	36.470178
4	127.246671	36.471256
5	127.254392	36.477017
6	127.264276	36.486736
7	127.249013	36.484422
8	127.243697	36.493832
9	127.265374	36.500819
10	127.247569	36.503792
11	127.236093	36.517375
12	127.251275	36.517544
13	127.262456	36.515875
14	127.253918	36.534591
15	127.271144	36.527016
16	127.333018	36.525097
17	127.329770	36.496421
18	127.282863	36.607327
19	127.279813	36.507784
20	127.330061	36.550718
21	127.381030	36.528753
22	127.290864	36.462920
23	127.207249	36.507231
24	127.247954	36.583444
25	127.199440	36.655088

	lon	lat
26	127.253811	36.656332
27	127.167851	36.711410

In [33]:

```
#

data_ _ .loc[len(data_ _ )] = ['  ', 0]
data_ _ .loc[len(data_ _ )] = ['  ', 0]
data_ _ .loc[len(data_ _ )] = ['  ', 0]
data_ _ .loc[len(data_ _ )] = ['  ', 0]
data_ _ .loc[len(data_ _ )] = ['  ', 0]
data_ _ .loc[len(data_ _ )] = ['  ', 0]
data_ _
```

Out[33]:

	( )
0	54000.000000
1	34431.779738
2	13959.120370
3	10585.482759
4	62177.157095
5	73175.011976
6	44911.933291
7	57494.951456
8	65879.284211
9	7851.290323
10	66054.370662
11	56853.738302
12	6392.857143
13	35044.949764
14	39625.319905
15	6625.719101
16	11966.279070
17	2771.408451
18	5652.380952
19	7903.365385
20	16970.891432
21	39196.429032
22	40881.186555
23	0.000000
24	0.000000
25	0.000000
26	0.000000
27	0.000000
28	0.000000

In [34]:

```
data_ _ [' '][1] = ' '
data_ _ [' '][8] = ' '
data_ _ [' '][11] =' '
data_ _ [' '][14] =' '
data_ _ [' '][15] =' '
data_ _ [' '][16] =' '
data_ _ [' '][17]=' '
data_ _ [' '][18]=' '
```

/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:1: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

```
See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  """Entry point for launching an IPython kernel.
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:2: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy

/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:3: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  This is separate from the ipykernel package so we can avoid doing imports until
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:4: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  after removing the cwd from sys.path.
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:5: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  """
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:6: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy

/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:7: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  import sys
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:8: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
```

In [35]:

```
data_  _  _info = pd.merge(data_  _lon_lat, data_  _  , on ='  ', how="outer")
data_  _  _info
```

Out[35]:

	lon	lat	( )
0	127.310382	36.491414	57494.951456
1	127.301194	36.485012	NaN
2	127.288813	36.478255	NaN
3	127.274502	36.470178	73175.011976
4	127.246671	36.471256	54000.000000
5	127.246671	36.471256	0.000000
6	127.254392	36.477017	40881.186555
7	127.264276	36.486736	10585.482759
8	127.249013	36.484422	66054.370662
9	127.243697	36.493832	62177.157095
10	127.265374	36.500819	NaN
11	127.247569	36.503792	39196.429032
12	127.236093	36.517375	NaN
13	127.251275	36.517544	35044.949764
14	127.262456	36.515875	44911.933291
15	127.253918	36.534591	0.000000
16	127.271144	36.527016	0.000000
17	127.333018	36.525097	0.000000
18	127.329770	36.496421	0.000000
19	127.282863	36.607327	16970.891432
20	127.279813	36.507784	0.000000
21	127.330061	36.550718	39625.319905

	lon	lat	( )
22	127.381030	36.528753	65879.284211
23	127.290864	36.462920	34431.779738
24	127.207249	36.507231	11966.279070
25	127.247954	36.583444	6625.719101
26	127.199440	36.655088	5652.380952
27	127.253811	36.656332	2771.408451
28	127.167851	36.711410	56853.738302
29	NaN	NaN	13959.120370
30	NaN	NaN	7851.290323
31	NaN	NaN	6392.857143
32	NaN	NaN	7903.365385

In [36]:

```
#  ,    float
data_  _  _info['lon'] = data_  _  _info.lon.astype(float)
data_  _  _info['lat'] = data_  _  _info.lat.astype(float)
```

In [37]:

```
#
  _   = gpd.read_file(input_path.joinpath('31.  _   (  ).geojson'))
  _

   _map = folium.Map(location = [data_  _  _info['lat'].mean(), data_  _  _info['lon'].mean()] ,zoom_start = 11)

data = data_  _  _info[['  ','   (  )']]

folium.Choropleth(
   geo_data =    _  ,
   data = data,
   columns=['  ','   (  )'],
   key_on = 'feature.properties.EMD_KOR_NM',
   fill_color = 'BuPu',
```



In [ ]:

```

```

,

In [38]:

```
#
 = pd.read_csv(input_path.joinpath('20.  _  .csv') )


#
 = pd.read_csv(input_path.joinpath('21.  _  .csv') )
```

Out[38]:

0	201701	3				
1	201701	9				
2	201701	13				
3	201701	3				
4	201701	1				1
...	...	...	...	...	...	...
80987	202101	22				
80988	202101	2				1
80989	202101	35				
80990	202101	13				1
80991	202101	84				

80992 rows × 6 columns

In [39]:

```
#
data_   =  .groupby('     ')['   '].agg('sum')
data_

#
data_   =  .groupby('     ')['   '].agg('sum')
data_
```

Out[39]:

```
104194
 77692
 11042
 24195
150364
 63403
 36692
131275
 66903
 10559
 77777
 19753
 19127
 54553
 50845
 17857
 35215
393101
101396
 83269
Name:    , dtype: int64
```

In [40]:

```
#
ax = data_    .plot(kind ='bar',title ='         ', figsize =(15, 5), legend=True, fontsize = 10, color='white')
ax.plot(data_    , linestyle='--', color ='blue')
ax.plot(data_    , linestyle='--', color='red')

ax.set_xlabel('  ', fontsize = 12)
ax.set_ylabel('     ', fontsize = 12)
ax.legend([''     '], fontsize=12)
```

Out[40]:

<matplotlib.legend.Legend at 0x7f1e59008208>



In [ ]:

```

```

In [41]:

```
#
  = pd.read_csv(input_path.joinpath('12.   _  (  )_    .csv') , encoding='utf-8')

#
for i in range(len(  ['   ''])):
    ['   ''][i] =   ['   ''][i][8:12]
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:6: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
```

Out[41]:

					( )	( )	
0		-	201801	1	331.0	1,050	NaN
1		-	201801	1	330.0	1,190	NaN
2		-	201801	1	331.0	1,290	NaN
3		-	201801	1	2645.0	10,320	NaN
4		-	201801	1	1652.0	11,450	NaN
...	...	...	...	...	...	...	...	...	...
35672		8m	201712	30	155.0	3,525	NaN
35673		8m	201712	30	199.0	4,500	NaN

35674	8m	201712	30	324.0	4,998	NaN
35675	8m	201712	30	30.0	459	NaN
35676	8m	201712	31	364.0	22,000	NaN

35677 rows × 10 columns

In [42]:

```
pd.set_option('display.max_rows', 700)

#
  ['    ( )'] =   ['    ( )'].apply(lambda x: float(x.split()[0].replace(',','')))
data_   = round(  .groupby(['   ','  ''])[['    ( )','    ( )']].mean(),3)
data_   = data_  .reset_index()
data_
```

Out[42]:

	( )	( )
0	4341.750	32.935
1	48542.837	461.911
2	7507.750	89.330
3	769.556	10.837
4	190000.000	1397.900
5	79145.417	1386.710
6	26593.061	936.914
7	10039.000	265.000
8	25759.342	1184.218
9	14822.839	268.825
10	1041.949	38.188
11	14193.846	407.885
12	27482.000	273.420
13	129.000	2.364
14	28333.333	371.333
15	9444.073	1350.164
16	20762.500	392.375
17	18142.635	805.417
18	30000.000	300.000
19	11386.667	2816.000
20	55305.214	1722.143
21	422455.500	5105.667
22	41564.294	356.882
23	283.000	50.667
24	9333.667	261.667
25	404578.429	4588.286
26	567.000	36.000
27	45116.086	296.407
28	57472.187	563.240
29	2532.000	522.000
30	539130.750	2959.750
31	40453.718	848.910
32	23802.500	2403.833
33	24792.738	1254.615
34	9467.938	297.147
35	2715.809	120.009
36	16939.500	684.999
37	800.000	635.000
38	5906.932	1026.870

39	52329.250	746.700
40	15680.207	746.891
41	8300.000	684.000
42	18665.667	405.667
43	4418.389	130.167
44	1044.000	5.000
45	526990.000	9060.000
46	671.375	220.125
47	1446476.000	4211.000
48	109310.618	3001.560
49	16124.432	1440.765
50	8192.565	306.819
51	1605.250	193.785
52	5879.000	778.500
53	3703.312	994.035
54	21670.500	1171.250
55	14575.807	1238.976
56	43028.000	1665.650
57	4387.250	708.250
58	43027.050	336.278
59	1376042.500	2707.002
60	3561999.000	650000.000
61	30995.500	915.796
62	46301.344	1292.953
63	64567.307	1217.847
64	1144.700	58.105
65	8823.889	125.999
66	8392.352	688.958
67	24657.154	1859.885
68	27061.901	668.118
69	363.000	15.000
70	17910.000	203.555
71	1025.000	28.230
72	5110.455	126.909
73	36190.000	883.667
74	36252.091	1935.273
75	3146.800	334.400
76	33143.525	1962.033
77	21730.041	321.750
78	3263.004	67.649
79	24000.000	1587.000
80	15064.933	1002.253
81	4007.500	157.000
82	23548.984	718.900
83	5039.000	247.000
84	17666.667	649.667
85	1342.500	33.000
86	13762.667	173.511
87	28956.350	1362.554
88	8113.400	321.800
89	28386.029	1383.892
90	12318.337	357.688
91	1386.360	62.246
92	16316.225	571.575

93	5940.000	460.200
94	3090.000	134.250
95	32773.333	1450.667
96	6365.149	1136.630
97	15627.400	446.467
98	20112.262	921.078
99	22833.333	364.000
100	4530.000	394.111
101	435.407	21.369
102	430506.714	18138.714
103	18288.267	741.633
104	1500.000	509.000
105	28873.798	1203.600
106	16979.480	361.648
107	1356.200	59.667
108	13435.952	548.214
109	21750.000	618.600
110	14052.820	1078.746
111	1855.227	49.544
112	23515.618	782.244
113	5841.333	165.667
114	14012.000	579.000
115	3655.789	157.513
116	4867.000	72.000
117	264583.000	14230.750
118	16829.610	1958.695
119	988.333	281.000
120	16636.008	1647.628
121	7848.952	460.468
122	769.955	115.153
123	4237.733	497.667
124	1578.000	740.500
125	2630.000	352.000
126	3170.344	1286.666
127	29630.400	1987.834
128	11710.181	1160.431
129	4615.167	336.833
130	5197.333	422.333
131	2959.125	754.000
132	254277.108	8508.359
133	1152.779	126.782
134	12151.500	2202.000
135	11631.424	909.082
136	9594.786	349.843
137	1285.705	82.039
138	2867.962	446.853
139	1920.000	443.000
140	3373.968	1057.189
141	8952.872	352.872
142	9105.671	617.128
143	1556.667	168.667
144	5687.000	200.000
145	25400.000	696.000
146	67493.333	1996.400

147	26120.400	568.800
148	4302.944	482.056
149	43922.000	703.000
150	28969.820	702.055
151	29548.042	757.905
152	12050.295	151.459
153	989.070	25.215
154	990.000	198.000
155	6500.000	52.000
156	19583.500	897.500
157	7084.811	439.684
158	23097.429	455.143
159	34234.252	807.118
160	25015.667	266.667
161	5090.000	101.000
162	11500.000	150.500
163	344089.408	9120.551
164	35425.187	329.925
165	302024.463	2169.572

In [43]:

```
#       - ,   -
data_ _   = data_  [[' ', '    ( )']]
data_ _   = data_  [[' ', '    ( )']]
```

In [ ]:

```

```

In [ ]:

```

```

In [44]:

```
# 31.  _    (   ).geojson              ,
  _lon_lat = data_   _lon_lat
  _lon_lat
```

Out[44]:

	lon	lat
0	127.310382	36.491414
1	127.301194	36.485012
2	127.288813	36.478255
3	127.274502	36.470178
4	127.246671	36.471256
5	127.254392	36.477017
6	127.264276	36.486736
7	127.249013	36.484422
8	127.243697	36.493832
9	127.265374	36.500819
10	127.247569	36.503792
11	127.236093	36.517375
12	127.251275	36.517544

	lon	lat
13	127.262456	36.515875
14	127.253918	36.534591
15	127.271144	36.527016
16	127.333018	36.525097
17	127.329770	36.496421
18	127.282863	36.607327
19	127.279813	36.507784
20	127.330061	36.550718
21	127.381030	36.528753
22	127.290864	36.462920
23	127.207249	36.507231
24	127.247954	36.583444
25	127.199440	36.655088
26	127.253811	36.656332
27	127.167851	36.711410

In [45]:

```
data_ = data_ .reset_index()
data_
```

Out[45]:

	index	( )	( )
0	0	4341.750	32.935
1	1	48542.837	461.911
2	2	7507.750	89.330
3	3	769.556	10.837
4	4	190000.000	1397.900
5	5	79145.417	1386.710
6	6	26593.061	936.914
7	7	10039.000	265.000
8	8	25759.342	1184.218
9	9	14822.839	268.825
10	10	1041.949	38.188
11	11	14193.846	407.885
12	12	27482.000	273.420
13	13	129.000	2.364
14	14	28333.333	371.333
15	15	9444.073	1350.164
16	16	20762.500	392.375
17	17	18142.635	805.417
18	18	30000.000	300.000
19	19	11386.667	2816.000
20	20	55305.214	1722.143
21	21	422455.500	5105.667
22	22	41564.294	356.882
23	23	283.000	50.667
24	24	9333.667	261.667
25	25	404578.429	4588.286
26	26	567.000	36.000
27	27	45116.086	296.407
28	28	57472.187	563.240
29	29	2532.000	522.000
30	30	539130.750	2959.750
31	31	40453.718	848.910

	index	( )	()
32	32	23802.500	2403.833
33	33	24792.738	1254.615
34	34	9467.938	297.147
35	35	2715.809	120.009
36	36	16939.500	684.999
37	37	800.000	635.000
38	38	5906.932	1026.870
39	39	52329.250	746.700
40	40	15680.207	746.891
41	41	8300.000	684.000
42	42	18665.667	405.667
43	43	4418.389	130.167
44	44	1044.000	5.000
45	45	526990.000	9060.000
46	46	671.375	220.125
47	47	1446476.000	4211.000
48	48	109310.618	3001.560
49	49	16124.432	1440.765
50	50	8192.565	306.819
51	51	1605.250	193.785
52	52	5879.000	778.500
53	53	3703.312	994.035
54	54	21670.500	1171.250
55	55	14575.807	1238.976
56	56	43028.000	1665.650
57	57	4387.250	708.250
58	58	43027.050	336.278
59	59	1376042.500	2707.002
60	60	3561999.000	650000.000
61	61	30995.500	915.796
62	62	46301.344	1292.953
63	63	64567.307	1217.847
64	64	1144.700	58.105
65	65	8823.889	125.999
66	66	8392.352	688.958
67	67	24657.154	1859.885
68	68	27061.901	668.118
69	69	363.000	15.000
70	70	17910.000	203.555
71	71	1025.000	28.230
72	72	5110.455	126.909
73	73	36190.000	883.667
74	74	36252.091	1935.273
75	75	3146.800	334.400
76	76	33143.525	1962.033
77	77	21730.041	321.750
78	78	3263.004	67.649
79	79	24000.000	1587.000
80	80	15064.933	1002.253
81	81	4007.500	157.000
82	82	23548.984	718.900
83	83	5039.000	247.000
84	84	17666.667	649.667
85	85	1342.500	33.000

index	( )	()
86	13762.667	173.511
87	28956.350	1362.554
88	8113.400	321.800
89	28386.029	1383.892
90	12318.337	357.688
91	1386.360	62.246
92	16316.225	571.575
93	5940.000	460.200
94	3090.000	134.250
95	32773.333	1450.667
96	6365.149	1136.630
97	15627.400	446.467
98	20112.262	921.078
99	22833.333	364.000
100	4530.000	394.111
101	435.407	21.369
102	430506.714	18138.714
103	18288.267	741.633
104	1500.000	509.000
105	28873.798	1203.600
106	16979.480	361.648
107	1356.200	59.667
108	13435.952	548.214
109	21750.000	618.600
110	14052.820	1078.746
111	1855.227	49.544
112	23515.618	782.244
113	5841.333	165.667
114	14012.000	579.000
115	3655.789	157.513
116	4867.000	72.000
117	264583.000	14230.750
118	16829.610	1958.695
119	988.333	281.000
120	16636.008	1647.628
121	7848.952	460.468
122	769.955	115.153
123	4237.733	497.667
124	1578.000	740.500
125	2630.000	352.000
126	3170.344	1286.666
127	29630.400	1987.834
128	11710.181	1160.431
129	4615.167	336.833
130	5197.333	422.333
131	2959.125	754.000
132	254277.108	8508.359
133	1152.779	126.782
134	12151.500	2202.000
135	11631.424	909.082
136	9594.786	349.843
137	1285.705	82.039
138	2867.962	446.853
139	1920.000	443.000

index	( )	( )
140	3373.968	1057.189
141	8952.872	352.872
142	9105.671	617.128
143	1556.667	168.667
144	5687.000	200.000
145	25400.000	696.000
146	67493.333	1996.400
147	26120.400	568.800
148	4302.944	482.056
149	43922.000	703.000
150	28969.820	702.055
151	29548.042	757.905
152	12050.295	151.459
153	989.070	25.215
154	990.000	198.000
155	6500.000	52.000
156	19583.500	897.500
157	7084.811	439.684
158	23097.429	455.143
159	34234.252	807.118
160	25015.667	266.667
161	5090.000	101.000
162	11500.000	150.500
163	344089.408	9120.551
164	35425.187	329.925
165	302024.463	2169.572

In [46]:

```
#

data_   = data_ [data_ ['   '] == '   ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '    ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '   ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '   ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '   ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '   ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '   ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '    ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '   ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '   ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['   '] == '    ']
data_   = data_   .set_index('  ')
```

```
data_   = data_ [data_ ['  '] == '  ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['  '] == '  ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['  '] == '    ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['  '] == '    ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['  '] == '    ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['  '] == '    ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['  '] == '    ']
data_   = data_   .set_index('  ')

data_    = data_ [data_ ['  '] == '    ']
data_    = data_    .set_index('  ')

data_   = data_ [data_ ['  '] == '  ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['  '] == '  ']
data_   = data_   .set_index('  ')

data_   = data_ [data_ ['  '] == '  ']
data_   = data_   .set_index('  ')
```

In [47]:

```
#

  _   = Bar(data_   ['    (  )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 10, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 750, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 750, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 400, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_   ['    (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_   ['    ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
```

```
 _   = Bar(data_   ['   (  )'], width = 500, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 500, height = 200).axis_titles(x = '  ', y = '    ')

 _   = Bar(data_   ['   (  )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')

 _   = Bar(data_   ['   (  )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')

 _   = Bar(data_   ['   (  )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')

 _   = Bar(data_   ['   (  )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 650, height = 200).axis_titles(x = '  ', y = '    ')

 _   = Bar(data_   ['   (  )'], width = 700, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 700, height = 200).axis_titles(x = '  ', y = '    ')

  _   = Bar(data_    ['    (  )'], width = 550, height = 200).axis_titles(x = '  ', y = '    ')
  _   = Bar(data_    ['    ( )'], width = 550, height = 200).axis_titles(x = '  ', y = '    ')

 _   = Bar(data_   ['   (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')

 _   = Bar(data_   ['   (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')

 _   = Bar(data_   ['   (  )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
 _   = Bar(data_   ['   ( )'], width = 100, height = 200).axis_titles(x = '  ', y = '    ')
```

In [48]:

```
#

  _    = gpd.read_file(input_path.joinpath('31.    _    (    ).geojson'))
  _

 _map = folium.Map(location = [  _lon_lat['lat'].mean(),   _lon_lat['lon'].mean()], zoom_start = 11)

#
 _map.choropleth(
    geo_data =      _   ,
    key_on = 'feature.properties.EMD_KOR_NM',
    fill_color = 'White',
    fill_opacity = 0.3,
    legend_name ='     ',
    )

#              ,
for i in range(len(  _lon_lat['   '])):
    latitude_   =   _lon_lat['lat'][i]
    longtitude_   =   _lon_lat['lon'][i]

    latitude_   = (  _lon_lat['lat'][i]+0.002)
    longtitude_   = (  _lon_lat['lon'][i]+0.002)

    popups_   = folium.Popup(  _lon_lat['   '][i], max_width=100)
    popups_   = folium.Popup(  _lon_lat['   '][i], max_width=100)

    if(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=500).add_child(
            folium.Vega(   _  , width = 450, height = 250))
        popups_   = folium.Popup(max_width=500).add_child(
            folium.Vega(   _  , width = 450, height = 250))

    elif(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=800).add_child(
            folium.Vega(   _  , width = 750, height = 250))
        popups_   = folium.Popup(max_width=800).add_child(
            folium.Vega(   _  , width = 750, height = 250))

    elif(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _    , width = 150, height = 250))
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _    , width = 150, height = 250))

    elif(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _    , width = 150, height = 250))
        popups_   = folium.Popup(max_width=200).add_child(
```

```
        folium.Vega(   _   , width = 150, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=500).add_child(
        folium.Vega(   _   , width = 450, height = 250))
    popups_   = folium.Popup(max_width=500).add_child(
        folium.Vega(   _   , width = 450, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=500).add_child(
        folium.Vega(   _   , width = 450, height = 250))
    popups_   = folium.Popup(max_width=500).add_child(
        folium.Vega(   _   , width = 450, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=850).add_child(
        folium.Vega(   _   , width = 800, height = 250))
    popups_   = folium.Popup(max_width=850).add_child(
        folium.Vega(   _   , width = 800, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=500).add_child(
        folium.Vega(   _   , width = 450, height = 250))
    popups_   = folium.Popup(max_width=500).add_child(
        folium.Vega(   _   , width = 450, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=500).add_child(
        folium.Vega(   _   , width = 450, height = 250))
    popups_   = folium.Popup(max_width=500).add_child(
        folium.Vega(   _   , width = 450, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))
    popups_   = folium.Popup(max_width=200).add_child(
        folium.Vega(   _   , width = 150, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=600).add_child(
        folium.Vega(   _   , width = 550, height = 250))
    popups_   = folium.Popup(max_width=600).add_child(
        folium.Vega(   _   , width = 550, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=750).add_child(
        folium.Vega(   _   , width = 700, height = 250))
    popups_   = folium.Popup(max_width=750).add_child(
        folium.Vega(   _    , width = 700, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=800).add_child(
        folium.Vega(   _   , width = 750, height = 250))
    popups_   = folium.Popup(max_width=800).add_child(
        folium.Vega(   _   , width = 750, height = 250))

elif(  _lon_lat['   '][i] == '   '):
    popups_   = folium.Popup(max_width=800).add_child(
        folium.Vega(       , width = 750, height = 250))
```

```
        popups_   = folium.Popup(max_width=800).add_child(
            folium.Vega(   _   , width = 750, height = 250))

    elif(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=800).add_child(
            folium.Vega(   _   , width = 750, height = 250))
        popups_   = folium.Popup(max_width=800).add_child(
            folium.Vega(   _   , width = 750, height = 250))

    elif(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=800).add_child(
            folium.Vega(   _   , width = 780, height = 250))
        popups_   = folium.Popup(max_width=800).add_child(
            folium.Vega(   _   , width = 780, height = 250))

    elif(  _lon_lat['   '][i] == '    '):
        popups_   = folium.Popup(max_width=650).add_child(
            folium.Vega(    _    , width = 600, height = 250))
        popups_   = folium.Popup(max_width=650).add_child(
            folium.Vega(    _    , width = 600, height = 250))

    elif(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _   , width = 150, height = 250))
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _   , width = 150, height = 250))

    elif(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _   , width = 150, height = 250))
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _   , width = 150, height = 250))

    elif(  _lon_lat['   '][i] == '   '):
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _   , width = 150, height = 250))
        popups_   = folium.Popup(max_width=200).add_child(
            folium.Vega(   _   , width = 150, height = 250))

    folium.CircleMarker([latitude_  , longtitude_  ],
                        popup = popups_  ,
                        color = 'crimson',
                        fill = True).add_to(  _map)

    folium.CircleMarker([latitude_  , longtitude_  ],
                        popup = popups_  ,
                        color = 'midnightblue',
                        fill = True).add_to(  _map)

  _map
```

```
/opt/app-root/lib/python3.6/site-packages/folium/folium.py:415: FutureWarning: The choropleth  method has been deprecated. Instead use the new C
horopleth class, which has the same arguments. See the example notebook 'GeoJSON_and_choropleth' for how to do this.
  FutureWarning
```

Out[48]:

Make this Notebook Trusted to load map: File -> Trust Notebook

In [ ]:

```
```

In [ ]:

```
```

(- - / -)

In [49]:

```
#
   = pd.read_csv(input_path.joinpath('13.  _  _   .csv'))


#
for i in range(len(   ['   ']   )):
      ['   '][i] =    ['   '][i][8:]



#
  ['  '] = '  '
  ['    '] = 0
for i in range(len(   ['    ( )']   )):
   if    ['    ( )'][i]/3.3 < 10:
         ['  '][i] = '10    '
         ['    '][i] = 1
   elif   ['    ( )'][i]/3.3 < 20:
         ['  '][i] = '10  '
         ['    '][i] = 10
   elif   ['    ( )'][i]/3.3 < 30:
         ['  '][i] = '20  '
         ['    '][i] = 20
   elif   ['    ( )'][i]/3.3 < 40:
         ['  '][i] = '30  '
         ['    '][i] = 30
   elif   ['    ( )'][i]/3.3 < 50:
         ['  '][i] = '40  '
         ['    '][i] = 40
   elif   ['    ( )'][i]/3.3 < 60:
         ['  '][i] = '50  '
         ['    '][i] = 50
   elif   ['    ( )'][i]/3.3 < 70:
         ['  '][i] = '60  '
         ['    '][i] = 60
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:7: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  import sys
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:25: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:26: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:19: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:20: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame
```

A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:22: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:23: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:28: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:29: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:16: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  app.launch_new_instance()
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:17: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:31: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:32: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:34: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:35: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy

Out[49]:

				( )	( )			/			
0			19 ( )	105.6138	37,725	5	201710	11	NaN	30	30
1			19 ( )	59.6506	22,169	2	201710	13	NaN	10	10
2			19 ( )	59.6506	22,569	17	201710	13	NaN	10	10
3			19 ( )	84.9544	33,572	16	201710	14	NaN	20	20
4			19 ( )	84.9544	32,072	12	201710	14	NaN	20	20
...	...	...	...	...	...	...	...	...	...	...	...
7413			M5	84.4700	41,220	12	202005	18	NaN	20	20
7414		6-4	L1	84.9500	43,954	4	202003	7	NaN	20	20
7415		6-4	L1	59.0000	49,000	12	202007	6	NaN	10	10
7416		6-4	M1	112.8900	84,000	3	202007	9	NaN	30	30
7417		6-4	M1	84.9500	56,672	21	202009	17	NaN	20	20

7418 rows × 11 columns

In [50]:

```
#    -   - / -
  ['    ( )'] =    ['    ( )'].apply(lambda x: float(x.split()[0].replace(',',"")))
data_    = round(    .groupby(['   ','   ',' /   ','  ']))[['    ( )']].mean(),3)
data_
```

Out[50]:

( )

/		( )
19 /	10	24573.667
	20	33793.462
	30	38117.167
19 ( )	10	25477.764
	20	35283.886
	30	40881.593
1 (1)	30	42998.462
2	60	63900.000
2 (2)	30	49333.000
(2 ,1-1,M6)	30	37598.000
18	30	41137.222
18 ( )	30	39489.599
	40	65683.333
1 ( )	30	43532.500
1	20	48184.500
	30	54319.000
2	20	60034.000
	30	71972.000
	20	49344.000
HO1	20	47325.000
	30	57820.000
SR	10	11608.148
	10	26500.000
2	10	12768.100
	10	11000.000
2	10	13009.143
	10	12442.000
	10	11222.429
	10	19505.000
	10	13233.333
11 ( )	20	36883.915
12 (2-1,)	10	33440.600
	20	43755.500
	30	48539.800
1 (2-1,)	10	30387.931
	20	38982.308
	30	45357.896
	40	45143.000
	50	40251.000
2 (2-1 ,)	20	38196.027
	30	43488.000
	40	50066.000
3 (2-1)	10	27757.952
	20	38429.018
	30	41987.200
	20	31730.000
4 (2-1, e)	10	25357.000
	20	47526.000
	20	33526.000

5 (2-1,)		**10**	29381.000
	/	**20**	40391.467
		30	52541.850
		40	53663.000
6 (2-1)		**10**	28243.191
		20	41588.951
		30	50459.628
		40	48800.000
8 (2-1,)		**10**	32879.114
10 (2-1,)		**20**	44399.931
		30	49265.133
11 ( )		**20**	42412.000
1		**20**	42940.000
		30	40201.000
		30	50000.000
2		**20**	43407.125
3		**10**	27002.000
		20	40738.500
4		**10**	31387.000
5 ( )		**30**	65413.000
6		**10**	21400.000
		20	46786.667
		30	56080.000
8 ( )		**10**	39952.000
e (3-1M4)		**30**	46451.000
		40	67046.000
(3-1 M2)		**10**	14153.000
		10	27805.000
		20	35628.590
(3-1,L3)		**10**	26187.080
		20	36635.288
S (3-1 M6)		**20**	40372.177
		30	47278.500
		50	45000.000
		20	39625.271
		30	76266.667
1		**20**	49362.000
3		**10**	27649.333
		20	34439.667
4		**20**	53200.000
		30	52250.000
11 ( )		**20**	34628.273
(1-4 H1)		**20**	34963.962
		10	13000.000
4-1 M2		**20**	41756.831
		30	50005.179
		40	86646.000
(L4)		**20**	29928.667
		10	27271.000
(4-1 M3)		**10**	35142.000
		20	42125.500
		30	50000.000
1		**20**	56661.500
2		**10**	30112.556

	20	37509.000
3	20	46494.000
	30	59191.333
	10	14973.800
	10	13355.000
4-1 L2	10	30798.008
	20	41439.950
	30	37523.000
4-1 M1	20	46899.081
	30	65450.500
	40	80660.000
3-2 M3 1	10	29086.449
	20	38301.725
3-2 H1	20	40566.910
	30	48323.348
	20	37450.000
2 (3-2 C2-4)	10	8000.000
(3-2 L2)	20	38202.105
	30	42800.938
	20	35091.605
	30	42791.600
	30	42550.000
(3-2,L3)	20	39204.000
	30	45343.606
	20	38985.500
	30	44300.000
I	10	8500.000
4 (3-2 M1)	10	33743.524
	20	42240.000
4	20	32880.556
	30	43790.660
7	20	52425.000
	30	59226.667
10 (S)	20	40500.000
	30	47800.000
1 ( )	10	32786.600
	20	41483.500
	10	31450.000
5 ( )	30	46890.000
6 ( )	20	45390.000
	30	48230.000
8 ( )	20	38358.333
	30	44150.000
12 (2-2,)	10	31533.800
	20	41120.143
	30	65613.000
1 ( )	20	35475.058
	30	42587.000
	30	47890.000
2 ( )	10	27940.450
	20	35364.909
4 ( )	20	35572.143

	30	40188.611
5 ( ) /	10	28148.260
	20	36582.043
	30	38615.625
6 ( )	20	33098.333
	30	44920.286
9 (2-2)	20	44571.000
	30	51507.231
10 ( )	10	34941.000
	20	48251.000
12 ( )	10	31292.889
	20	35730.500
13 (,H1)	20	38155.772
14 ( )	30	55500.000
1 ( )	20	38917.000
	30	46006.154
2 ( )	10	30343.125
	20	39110.000
3 (&)	20	36492.500
	30	49430.000
3 ( )	20	35844.103
	30	41820.667
4 (&)	20	35781.375
	30	41601.429
5 ( )	10	29747.500
	20	40000.000
	30	41590.000
6 ( )	30	48650.000
9 ( )	30	46944.500
(M3)	10	32918.781
	20	46403.385
	30	52969.000
(M4) 11	20	52044.857
	30	55909.667
(M5) 14	20	50262.667
	30	56209.833
1	20	47133.333
	30	57000.000
5 ( )	10	26948.462
	20	34970.000
6 ( )	10	29335.455
	20	36767.000
	20	40000.000
S	20	40286.161
	30	50711.400
	10	11500.000
C3-3 L2	10	11140.000
	10	25336.774
	20	34449.500
3-3 M6	10	26067.909
	20	32103.742
H3	20	31050.000
S- 1-5 H9	20	47224.000

		40	87055.000
	2	20	46195.000
LH 1-3	M1	20	27200.000
	9	30	49200.000
	L1	20	41490.000
	M1	20	37215.000
	M5	20	41220.000
6-4	L1	10	35911.333
		20	43954.000
6-4	M1	20	46892.000
		30	64929.500

In [ ]:

```
```

In [51]:

```
#  ['    ( )'] =    ['    ( )'].apply(lambda x: float(x.split()[0].replace(',','')))
data_    = round(    .groupby(['   ','   ',' /   ','  ']))[['    ( )', '     ']].mean(),3)
data_
```

Out[51]:

	19	10	24573.667	10
		20	33793.462	20
		30	38117.167	30
	19 ( )	10	25477.764	10
		20	35283.886	20
		30	40881.593	30
	1 (1)	30	42998.462	30
	2	60	63900.000	60
	2 (2)	30	49333.000	30
(	2 ,1-1,M6)	30	37598.000	30
	18	30	41137.222	30
	18 ( )	30	39489.599	30
		40	65683.333	40
	1 ( )	30	43532.500	30
	1	20	48184.500	20
		30	54319.000	30
	2	20	60034.000	20
		30	71972.000	30
		20	49344.000	20
	HO1	20	47325.000	20
		30	57820.000	30
	SR	10	11608.148	1
		10	26500.000	10
	2	10	12768.100	1
		10	11000.000	1
	2	10	13009.143	1

		( )	
/	10	12442.000	1
	10	11222.429	1
	10	19505.000	10
	10	13233.333	1
11 ( )	20	36883.915	20
12 (2-1,)	10	33440.600	10
	20	43755.500	20
	30	48539.800	30
1 (2-1,)	10	30387.931	10
	20	38982.308	20
	30	45357.896	30
	40	45143.000	40
	50	40251.000	50
2 (2-1 ,)	20	38196.027	20
	30	43488.000	30
	40	50066.000	40
3 (2-1)	10	27757.952	10
	20	38429.018	20
	30	41987.200	30
	20	31730.000	20
4 (2-1, e)	10	25357.000	10
	20	47526.000	20
	20	33526.000	20
5 (2-1,)	10	29381.000	10
	20	40391.467	20
	30	52541.850	30
	40	53663.000	40
6 (2-1)	10	28243.191	10
	20	41588.951	20
	30	50459.628	30
	40	48800.000	40
8 (2-1,)	10	32879.114	10
10 (2-1,)	20	44399.931	20
	30	49265.133	30
11 ( )	20	42412.000	20
1	20	42940.000	20
	30	40201.000	30
	30	50000.000	30
2	20	43407.125	20
3	10	27002.000	10
	20	40738.500	20
4	10	31387.000	10
5 ( )	30	65413.000	30
6	10	21400.000	10
	20	46786.667	20
	30	56080.000	30
8 ( )	10	39952.000	10
e (3-1M4)	30	46451.000	30
	40	67046.000	40
(3-1 M2)	10	14153.000	1
	10	27805.000	10
	20	35628.500	20

	20	35628.590	20
(3-1,L3)	**10**	26187.080	10
	20	36635.288	20
S (3-1 M6)	**20**	40372.177	20
	30	47278.500	30
	50	45000.000	50
	20	39625.271	20
	30	76266.667	30
1	**20**	49362.000	20
3	**10**	27649.333	10
	20	34439.667	20
4	**20**	53200.000	20
	30	52250.000	30
11 ( )	**20**	34628.273	20
(1-4 H1)	**20**	34963.962	20
	10	13000.000	10
4-1 M2	**20**	41756.831	20
	30	50005.179	30
	40	86646.000	40
(L4)	**20**	29928.667	20
	10	27271.000	10
(4-1 M3)	**10**	35142.000	10
	20	42125.500	20
	30	50000.000	30
1	**20**	56661.500	20
2	**10**	30112.556	10
	20	37509.000	20
3	**20**	46494.000	20
	30	59191.333	30
	10	14973.800	1
	10	13355.000	10
4-1 L2	**10**	30798.008	10
	20	41439.950	20
	30	37523.000	30
4-1 M1	**20**	46899.081	20
	30	65450.500	30
	40	80660.000	40
3-2 M3 1	**10**	29086.449	10
	20	38301.725	20
3-2 H1	**20**	40566.910	20
	30	48323.348	30
	20	37450.000	20
2 (3-2 C2-4)	**10**	8000.000	1
(3-2 L2)	**20**	38202.105	20
	30	42800.938	30
	20	35091.605	20
	30	42791.600	30
	30	42550.000	30
(3-2,L3)	**20**	39204.000	20
	30	45343.606	30
	20	38985.500	20
	30	44300.000	30
I	**10**	8500.000	1

4 (3-2 M1)	**10**	33743.524	10
/	**20**	42240.000	20
4	**20**	32880.556	20
	30	43790.660	30
7	**20**	52425.000	20
	30	59226.667	30
10 (S)	**20**	40500.000	20
	30	47800.000	30
1 ( )	**10**	32786.600	10
	20	41483.500	20
	10	31450.000	10
5 ( )	**30**	46890.000	30
6 ( )	**20**	45390.000	20
	30	48230.000	30
8 ( )	**20**	38358.333	20
	30	44150.000	30
12 (2-2,)	**10**	31533.800	10
	20	41120.143	20
	30	65613.000	30
1 ( )	**20**	35475.058	20
	30	42587.000	30
	30	47890.000	30
2 ( )	**10**	27940.450	10
	20	35364.909	20
4 ( )	**20**	35572.143	20
	30	40188.611	30
5 ( )	**10**	28148.260	10
	20	36582.043	20
	30	38615.625	30
6 ( )	**20**	33098.333	20
	30	44920.286	30
9 (2-2)	**20**	44571.000	20
	30	51507.231	30
10 ( )	**10**	34941.000	10
	20	48251.000	20
12 ( )	**10**	31292.889	10
	20	35730.500	20
13 (,H1)	**20**	38155.772	20
14 ( )	**30**	55500.000	30
1 ( )	**20**	38917.000	20
	30	46006.154	30
2 ( )	**10**	30343.125	10
	20	39110.000	20
3 (&)	**20**	36492.500	20
	30	49430.000	30
3 ( )	**20**	35844.103	20
	30	41820.667	30
4 (&)	**20**	35781.375	20
	30	41601.429	30
5 ( )	**10**	29747.500	10
	20	40000.000	20
	30	41590.000	30
6 ( )	**30**	48650.000	30
9 ( )	**30**	46944.500	30

		(M3)	10	32918.781 10
		/	20	46403.385 20
			30	52969.000 30
		(M4) 11	20	52044.857 20
			30	55909.667 30
		(M5) 14	20	50262.667 20
			30	56209.833 30
		1	20	47133.333 20
			30	57000.000 30
		5 ( )	10	26948.462 10
			20	34970.000 20
		6 ( )	10	29335.455 10
			20	36767.000 20
			20	40000.000 20
		S	20	40286.161 20
			30	50711.400 30
			10	11500.000 1
		C3-3 L2	10	11140.000 1
			10	25336.774 10
			20	34449.500 20
		3-3 M6	10	26067.909 10
			20	32103.742 20
		H3	20	31050.000 20
		S- 1-5 H9	20	47224.000 20
			40	87055.000 40
		2	20	46195.000 20
		LH 1-3 M1	20	27200.000 20
		9	30	49200.000 30
		L1	20	41490.000 20
		M1	20	37215.000 20
		M5	20	41220.000 20
		6-4 L1	10	35911.333 10
			20	43954.000 20
		6-4 M1	20	46892.000 20
			30	64929.500 30

In [52]:

```
#
data_  = data_  .reset_index()
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
data_  _  = data_  [data_  ['  '] == '  ']
```

In [53]:

```
#
import matplotlib
matplotlib.font_manager._rebuild()
plt.rc("font", family="Malgun Gothic")
```

```
# ' '   , ' '   ,
  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.xticks(rotation = 45)
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')


  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.xticks(rotation = 45)
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.xticks(rotation = 90)
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.xticks(rotation = 45)
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.xticks(rotation = 90)
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.xticks(rotation = 90)
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.xticks(rotation = 90)
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.xticks(rotation = 45)
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')

  _scatter = plt.figure(figsize=(15,4))
  _scatter = plt.scatter(data_  _  ['   '],data_  _  ['   (  )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['    ']*3, alpha = 0.5)
  _scatter = plt.xlabel('   ')
  _scatter = plt.ylabel('    (  )')
  _scatter = plt.title('   ')
```

```
_scatter = plt.figure(figsize=(15,4))
_scatter = plt.scatter(data_  _  ['  '],data_  _  ['   ( )'], c = data_  _  [' /   ']==' ', edgecolors='grey', linewidth=2, s=data_  _  ['   ']*3, alpha = 0.5)
_scatter = plt.xlabel('  ')
_scatter = plt.ylabel('   ( )')
_scatter = plt.title('  ')
```








대평동
거래금액(만원)
70000
60000
50000
40000
30000
20000
e편한세상 세종 리버파크 (3-1M4)
세종 베아채 (3-1 M2블록)
세종시 우남퍼스트빌 (3-1,L3)
세종중흥S클래스 (3-1생활권 M6블록)
신동아 파밀리에 3차 (세종 3 - 1 M 3)
해들마을1단지
해들마을3단지
해들마을4단지
단지명


도담동
거래금액(만원)
34950
34900
34850
34800
34750
34700
34650
도램마을11단지(반도유보라)
세종 반도유보라(1-4생활권 H1)
단지명


반곡동
거래금액(만원)
90000
80000
70000
60000
50000
40000
30000
20000
10000
더스테이빌딩
세종4-1생활권 M2블록 리슈빌수자인
세종더샵예미지(L4블록)
세종더샵예미지(행복도시4-1 M3)
수루배마을1단지
수루배마을2단지
수루배마을3단지
씨즈파크뷰
캐슬 파밀리에 디아트 세종4-1 L2
캐슬 파밀리에 디아트 세종4-1 M1
단지명


보람동
거래금액(만원)
60000
50000
40000
30000

세종 대방노블랜드3-2 M3 호려울마을1
세종 대방디엠시티3-2생활권 H1블록
세종 스타힐타워2 (3-2생활권 C2-4블록)
세종 제일풍경채(3-2생활권 L2블럭)
세종 중흥 S 클래스 에코시티 (3 - 2)
세종시 모아엘가더테라스(3-2,L3)
세종중흥 S 클래스 리버뷰 2 차 (M 4 블록)
스타힐타워 I
신동아 파밀리에4차(세종3-2 M1)
호려울마을 4단지 센트럴파크
호려울마을 7단지
호려울마을10단지(중흥S클래스)
호려울마을1단지(대방노블랜드)
호려울마을5단지(제일풍경채)
호려울마을6단지(모아엘가)
호려울마을8단지(중흥 에코시티)
단지명

새롬동
거래금액(만원)
65000
60000
55000
50000
45000
40000
35000
30000
새뜸마을 12단지(2-2, 예미지)
새뜸마을 1단지(메이저시티)
새뜸마을 2단지(메이저시티)
새뜸마을 4단지(캐슬파밀리에)
새뜸마을 5단지(메이저시티)
새뜸마을 6단지(메이저시티)
새뜸마을 9단지 (2-2 예미지)
새뜸마을10단지(더샵힐스테이트)
새뜸마을12단지(금성백조예미지)
새뜸마을13단지(트리쉐이드,H1블록)
새뜸마을14단지(더샵힐스테이트)
새뜸마을1단지(메이저시티)
새뜸마을2단지(메이저시티)
새뜸마을3단지(캐슬&파밀리에)
새뜸마을3단지(캐슬파밀리에)
새뜸마을4단지(캐슬&파밀리에)
새뜸마을5단지(메이저시티)
새뜸마을6단지(메이저시티)
새뜸마을9단지(금성백조예미지)
세종더샵힐스테이트(M3)
세종더샵힐스테이트(M4) 새뜸마을 11단지
세종더샵힐스테이트(M5) 새뜸마을 14단지
단지명

소담동
거래금액(만원)
50000
40000
30000
20000
10000
새뜸마을1단지
새뜸마을5단지(한양수자인엘시티)
새뜸마을6단지(한신더휴펜타힐스)
중흥S클래스 에듀마크
파스트시티
한양수자인엘시티C3-3 L2블럭
행정도시3-3생활권 M6블록 공공분양
힐스테이트 세종 리버파크 H3블록
단지명

어진동
거래금액(만원)
85000
80000
75000
70000
65000
60000
55000


50000
45000
세종 중흥S-클래스1-5 H9센텀뷰
세종 한신더휴 리저브2
단지명


종촌동
50000
45000
40000
35000
30000
거래금액(만원)
LH 1-3생활권 M1블록
가재마을9단지
단지명


집현동
41000
40000
39000
38000
거래금액(만원)
세종 더휴 에미지 L1
세종 어울림 파밀리에센트럴M1
세종 하늘채 센트레빌 M5블록
단지명


해밀동
65000
60000
55000
50000
45000
40000
35000
거래금액(만원)
세종 마스터힐스 6-4생활권 L1블록
세종 마스터힐스 6-4생활권 M1블록
단지명

In [ ]:

In [ ]:

In [ ]:

In [ ]:

In [54]:

```
#
 _  = pd.read_csv(input_path.joinpath('22.  _  _   .csv'))

#
for i in range(  _ .shape[1]):
   if(  _ .columns[i] != '  '):
       _data =  _ .columns[i][7:]
        _  =  _ .rename({  _ .columns[i]:  _data }, axis = 'columns')
 _
```

Out[54]:

	(_ _)	( )	(0~9)	(10~19)	(20~29)	(30~39)	(40~49)	(50~59)	(60~69)	...	(10~19)	(20~29)	(30~39)	(40~49)	(50~59)	(60~69)	(70~79)	(80~89)	(9
0	121937	121937	17864	13917	13463	22372	23665	15288	8922	...	21252	18385	31411	33519	21592	15113	7736	4672	
1	23529	23529	2525	2473	3461	3783	4126	3393	2131	...	2050	2811	2436	3186	3110	2676	1725	930	
2	1463	1463	56	93	220	176	263	296	203	...	54	156	104	109	210	221	138	102	
3	1828	1828	87	123	210	228	247	368	318	...	63	112	116	123	245	307	224	212	
4	3554	3554	235	287	472	505	588	650	396	...	170	255	274	314	457	511	353	251	
5	5033	5033	263	287	616	620	767	1013	814	...	206	369	354	387	715	836	606	437	
6	3427	3427	132	199	540	510	574	648	451	...	144	371	272	294	556	514	302	244	
7	4182	4182	222	328	532	526	616	770	637	...	200	312	268	355	524	657	517	338	
8	3312	3312	194	285	403	392	520	642	431	...	172	230	197	273	454	453	377	300	
9	2124	2124	67	97	245	225	289	488	385	...	56	119	92	125	287	374	259	208	
10	1464	1464	89	126	190	170	273	264	184	...	96	110	71	133	190	190	150	130	
11	17376	17376	3185	2466	1760	3364	3790	1833	662	...	1662	838	1412	2327	1221	607	271	136	
12	0	0	0	0	0	0	0	0	0	...	1997	2002	3141	3036	1582	839	281	139	
13	15108	15108	2633	1930	1569	3111	3218	1573	666	...	2630	2438	3977	4249	2183	1190	550	322	
14	24906	24906	5273	3370	1963	5463	5369	2016	1042	...	2075	874	1907	3091	1225	613	237	107	
15	14631	14631	2903	1853	1282	3299	3025	1334	602	...	2119	1411	2886	3138	1597	1049	432	225	
16	0	0	0	0	0	0	0	0	0	...	2337	1352	3562	3714	1796	1240	429	145	
17	0	0	0	0	0	0	0	0	0	...	1755	1611	3967	3050	1845	901	308	143	
18	0	0	0	0	0	0	0	0	0	...	1238	981	2001	1930	1128	672	220	109	

	(_ _)	( )	(0~9)	(10~19)	(20~29)	(30~39)	(40~49)	(50~59)	(60~69)	...	(10~19)	(20~29)	(30~39)	(40~49)	(50~59)	(60~69)	(70~79)	(80~89)	(9
19	0	0	0	0	0	0	0	0	0	...	527	648	1150	948	840	418	114	80	
20	0	0	0	0	0	0	0	0	0	...	1701	1385	3224	2737	1427	845	243	114	

21 rows × 1249 columns

In [55]:

```
#
data_ _ = _ .transpose().reset_index()[1:]
data_ _ = data_ _ .rename(columns={'index':' _ ',0:'  ', 1:'  ', 2:'  ',3:'  ', 4:'  ',5:'  ',6:'  ',7:'  ',8:'  ',9:'  ', 10:'  ', 11:'  ',12:'  ', 13:'  ',14:'
 ',15:'  ',16:'  ',17:'  ',18:'  ',19:'  ',20:'  '})
data_ _

# _ /
data_ _ = data_ _ .groupby([' _ ']).sum()
data_ _ = data_ _ .reset_index()
data_ _
```

Out[55]:

	_										...							
0	(0~9)	1068348	98161	2432	2895	9920	9413	5547	9776	6931	...	84654	140764	119449	107492	129029	140166	71053
1	(100 _)	65	31	0	0	0	2	0	0	15	...	1	0	0	0	0	0	6
2	(10~19)	873399	111294	3500	4244	10979	11887	8454	13032	12078	...	87026	94979	104514	102776	95367	90385	36346
3	(20~29)	803633	170854	9651	9238	22897	25818	25763	24541	17666	...	45950	87742	80562	43552	59842	52828	35863
4	(30~39)	1320393	154401	9868	8810	21926	26071	25103	23501	16257	...	76014	181140	143090	91676	141095	146844	91318
5	(40~49)	1447894	185701	11605	10713	26492	32478	27450	29107	23090	...	120268	158174	162372	142768	149064	146257	69352
6	(50~59)	941561	165861	14794	16179	30934	46129	31899	36738	29295	...	60284	82853	86751	58104	68877	59675	40088
7	(60~69)	571311	113362	11271	16376	21500	42037	24203	32489	22971	...	23909	39480	38244	24116	35468	38027	20088
8	(70~79)	268077	61655	5573	8352	13664	23460	12377	18811	13816	...	9842	11340	16650	8460	15748	13741	5944
9	(80~89)	97687	22901	2214	4285	6220	9659	6166	9239	7596	...	2604	2214	5128	2370	3582	2793	842
10	(90~99)	9272	2220	151	371	579	948	500	629	524	...	410	367	733	378	371	306	164
11	( )	7401640	1086441	71059	81463	165111	227902	167462	197863	150239	...	510962	799053	757493	581692	698443	691022	371064
12	(_ _)	7401640	1086441	71059	81463	165111	227902	167462	197863	150239	...	510962	799053	757493	581692	698443	691022	371064
13	(0~9)	1021119	92339	2198	3676	8999	9047	5742	10056	6682	...	81472	135568	113496	99664	125795	132264	68255
14	(100 _)	1287	305	27	37	33	168	75	99	44	...	56	11	22	19	74	53	27
15	(10~19)	863678	106080	3091	3266	9896	10854	7941	10708	10117	...	86555	100561	103621	97259	97265	91377	38437
16	(20~29)	783021	137593	6416	6377	13801	19884	17750	16165	13393	...	46402	105031	99105	44047	68819	59221	39401
17	(30~39)	1395810	135713	5318	6472	13392	18702	12660	15800	11304	...	93442	197704	166400	117728	166160	167244	96306
18	(40~49)	1335969	160539	5389	7009	17194	20527	14452	18354	16043	...	120602	158077	162154	143942	142859	141143	67090

19	(50~59)	876874	153402	10568	12349	23748	36730	25761	29030	23339	:::	55132	86362	82211	51278	71620	67768	41089
20	(60~69)	585313	116640	9207	14090	22451	37505	22001	29053	21048	...	26658	42358	43537	25924	42415	44795	20907
21	(70~79)	333202	79031	6910	11176	17996	29263	14586	24448	19401	...	12577	13316	22148	10876	18311	14793	6405
22	(80~89)	200244	40276	5325	10181	10743	19997	10653	14873	13141	...	7077	7622	13353	5764	9414	5277	3242
23	(90~99)	33938	6540	809	1781	1228	3482	1353	2496	2571	...	1089	1623	2189	1428	1464	1248	885
24	( )	7430455	1028458	55258	76414	139481	206159	132974	171082	137083	...	531062	848233	808236	597929	744196	725183	382044
25	( )	7430455	1028458	55258	76414	139481	206159	132974	171082	137083	...	531062	848233	808236	597929	744196	725183	382044

26 rows × 22 columns

In [60]:

```
#
#
data_  _ [' '] = ' '
for i in range(13):
    data_  _ [' '][i] = ' '

#
for i in range(len(data_  _ [' '])):
    data_  _ [' _ '][i] = data_  _ [' _ '][i][3:]
    data_  _ [' _ '][i] = data_  _ [' _ '][i][:-1]

data_  _  = data_  _ .rename(columns = {' _ ' : '  '})

data_  _
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:5: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  """
```

```
---------------------------------------------------------------------------
KeyError                                  Traceback (most recent call last)
/opt/app-root/lib/python3.6/site-packages/pandas/core/indexes/base.py in get_loc(self, key, method, tolerance)
   2897             try:
-> 2898                 return self._engine.get_loc(casted_key)
   2899             except KeyError as err:

pandas/_libs/index.pyx in pandas._libs.index.IndexEngine.get_loc()

pandas/_libs/index.pyx in pandas._libs.index.IndexEngine.get_loc()

pandas/_libs/hashtable_class_helper.pxi in pandas._libs.hashtable.PyObjectHashTable.get_item()

pandas/_libs/hashtable_class_helper.pxi in pandas._libs.hashtable.PyObjectHashTable.get_item()

KeyError: ' _ '

The above exception was the direct cause of the following exception:

KeyError                                  Traceback (most recent call last)
<ipython-input-60-b674317d559e> in <module>
      7 #
      8 for i in range(len(data_  _ [' '])):
----> 9     data_  _ [' _ '][i] = data_  _ [' _ '][i][3:]
     10     data_  _ [' _ '][i] = data_  _ [' _ '][i][:-1]
     11

/opt/app-root/lib/python3.6/site-packages/pandas/core/frame.py in __getitem__(self, key)
   2904             if self.columns.nlevels > 1:
   2905                 return self._getitem_multilevel(key)
-> 2906             indexer = self.columns.get_loc(key)
   2907             if is_integer(indexer):
   2908                 indexer = [indexer]

/opt/app-root/lib/python3.6/site-packages/pandas/core/indexes/base.py in get_loc(self, key, method, tolerance)
```

```
  2898                 return self._engine.get_loc(casted_key)
  2899             except KeyError as err:
-> 2900                 raise KeyError(key) from err
  2901
  2902         if tolerance is not None:

KeyError: ' _ '
```

In [ ]:

```
data_ _ ['  '] = 0
for i in range(len(data_ _ ['  '])):
    print(data_ _ ['   '][i])
    if(data_ _ ['   '][i] == '0~9 '):
        data_ _ ['  '][i] = 1
    elif(data_ _ ['   '][i] == '10~19 '):
        data_ _ ['  '][i] = 10
    elif(data_ _ ['   '][i] == '20~29 '):
        data_ _ ['  '][i] = 20
    elif(data_ _ ['   '][i] == '30~39 '):
        data_ _ ['  '][i] = 30
    elif(data_ _ ['   '][i] == '40~49 '):
        data_ _ ['  '][i] = 40
    elif(data_ _ ['   '][i] == '50~59 '):
        data_ _ ['  '][i] = 50
    elif(data_ _ ['   '][i] == '60~69 '):
        data_ _ ['  '][i] = 60
    elif(data_ _ ['   '][i] == '70~79 '):
        data_ _ ['  '][i] = 70
    elif(data_ _ ['   '][i] == '80~89 '):
        data_ _ ['  '][i] = 80
    elif(data_ _ ['   '][i] == '90~99 '):
        data_ _ ['  '][i] = 90
    elif(data_ _ ['   '][i] == '100 _ '):
        data_ _ ['  '][i] = 100
data_ _

#
data_ _  = data_ _ [[' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',
       ' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',
       ' ',' ',' ']]
data_ _
```

In [ ]:

In [ ]:

In [ ]:

In [58]:

```
#       _ _
data_ _  = data_ _ .drop(index=[11, 12, 24, 25], axis = 0)
data_ _

#
data_ _  = data_ _ .reset_index()

data_ _
```

Out[58]:

0	98161	2432	2895	9920	9413	5547	9776	6931	2526	3406	84654	140764	119449	107492	129029	140166	71053	89357	23215
1	31	0	0	0	2	0	0	15	0	0	1	0	0	0	0	0	6	0	10

2	111294	3500	4244	10979	11887	8454	13032	12078	3884	5316	87026	94979	104514	102776	95367	90385	36346	55603	13858
3	170854	9651	9238	22897	25818	25763	24541	17666	10019	8464	45950	87742	80562	43552	59842	52828	35863	49287	17553
4	154401	9868	8810	21926	26071	25103	23501	16257	9363	6635	76014	181140	143090	91676	141095	146844	91318	101265	32025
5	185701	11605	10713	26492	32478	27450	29107	23090	12224	11531	120268	158174	162372	142768	149064	146257	69352	92247	23627
6	165861	14794	16179	30934	46129	31899	36738	29295	22082	12658	60284	82853	86751	58104	68877	59675	40088	52809	19082
7	113362	11271	16376	21500	42037	24203	32489	22971	20599	9541	23909	39480	38244	24116	35468	38027	20088	25277	8948
8	61655	5573	8352	13664	23460	12377	18811	13816	11400	5679	9842	11340	16650	8460	15748	13741	5944	7874	2662
9	22901	2214	4285	6220	9659	6166	9239	7596	5070	2615	2604	2214	5128	2370	3582	2793	842	1489	540
10	2220	151	371	579	948	500	629	524	255	196	410	367	733	378	371	306	164	99	70
11	92339	2198	3676	8999	9047	5742	10056	6682	2283	3596	81472	135568	113496	99664	125795	132264	68255	86762	21241
12	305	27	37	33	168	75	99	44	125	62	56	11	22	19	74	53	27	47	0
13	106080	3091	3266	9896	10854	7941	10708	10117	3478	5293	86555	100561	103621	97259	97265	91377	38437	55780	13755
14	137593	6416	6377	13801	19884	17750	16165	13393	6614	6258	46402	105031	99105	44047	68819	59221	39401	52586	17909
15	135713	5318	6472	13392	18702	12660	15800	11304	5098	4838	93442	197704	166400	117728	166160	167244	96306	113290	32437
16	160539	5389	7009	17194	20527	14452	18354	16043	7491	7884	120602	158077	162154	143942	142859	141143	67090	87802	24090
17	153402	10568	12349	23748	36730	25761	29030	23339	15566	9841	55132	86362	82211	51278	71620	67768	41089	54639	19713
18	116640	9207	14090	22451	37505	22001	29053	21048	17408	8641	26658	42358	43537	25924	42415	44795	20907	27124	9731
19	79031	6910	11176	17996	29263	14586	24448	19401	12028	7841	12577	13316	22148	10876	18311	14793	6405	8404	2693
20	40276	5325	10181	10743	19997	10653	14873	13141	10518	5720	7077	7622	13353	5764	9414	5277	3242	4704	1832
21	6540	809	1781	1228	3482	1353	2496	2571	1560	564	1089	1623	2189	1428	1464	1248	885	1036	466

In [ ]:

```
data_ _ = data_ _ [[' ',' ',' '' ',' ',' '' '' '' '' '' ',' ',' '' ',' ',' '' ',' '' '' '' '' '' '' '' '' '']]
data_ _
```

In [ ]:

```
data_ _ _ = data_ _ [:11]
data_ _ _ = data_ _ _ .transpose()
data_ _ _ = data_ _ _ [1:].reset_index()

data_ _ _ = data_ _ _ .rename(columns = {'index':' ',0:1,1:100,2:10,3:20,4:30,5:40,6:50,7:60,8:70,9:80,10:90})
data_ _ _ = data_ _ _ [[1,10,20,30,40,50,60,70,80,90,100]]
data_ _ _
```

In [ ]:

```
data_ _ _ = data_ _ [11:]
data_ _ _ = data_ _ _ .transpose()
data_ _ _ = data_ _ _ [1:].reset_index()

data_ _ _ = data_ _ _ .rename(columns = {'index':' ',11:1,12:100,13:10,14:20,15:30,16:40,17:50,18:60,19:70,20:80,21:90})
data_ _ _ = data_ _ _ [[1,10,20,30,40,50,60,70,80,90,100]]
data_ _ _
```

In [59]:

```
# ( ) -
style.use('seaborn-talk')
fig = plt.figure(figsize = (70,23))
ax = fig.add_subplot(111, projection ='3d')

# x : /y : /z :
j = 0
#colors = ['red','red','red','red','red','red','red','red','red','red']
colors = ['lightcoral','tomato','sandybrown','moccasin', 'burlywood','khaki','yellowgreen','lightgreen','paleturquoise','skyblue','royalblue', 'lavender', 'medi
umpurple', 'plum', 'pink', 'violet', 'lightsteelblue', 'slategrey', 'darkslategray', 'navy']
#colors = ['blue','blue','blue','blue','blue','blue','blue','blue','blue','blue']
address = [' ',' ','' ',' ',' ','' '' '' '' '' '' '' '' '' '' '' '' '' '' '' '' '' '' '']
#age = ['10 _ ','10 ','20 ','30 ','40 ','50 ','60 ','70 ','80 ','90 ','100 _ ']
age=[1,10,20,30,40,50,60,70,80,90,100]

for c, r in zip(colors, [0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19]):
    indexs = age
    tmp = data_ _ _ .iloc[j]
    tmp = tmp.reset_index()
    #print(tmp)
```

```
    tmp = np.array(tmp[j].tolist())
    #tmp
    heights = tmp
    #print( r, indexs, heights, c)
    ax.plot(indexs, heights, zs = r, zdir = 'y', color = c, alpha = 0.7)
    j = j+1

ax.set_yticklabels(address, fontsize = 17, rotation = -20)
#ax.set_yticklabels(['    ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' '])
ax.set_yticks(np.arange(0,20,1))
ax.set_xticklabels(age,rotation = 45, fontsize = 23)
ax.set_ylabel('  ')
ax.set_xlabel('  ')
ax.set_zlabel('   ')
```

```
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:29: UserWarning: FixedFormatter should only be used together with FixedLocator
/opt/app-root/lib/python3.6/site-packages/ipykernel_launcher.py:31: UserWarning: FixedFormatter should only be used together with FixedLocator
```

Out[59]:

Text(0.5, 0, '   ')



In [ ]:

```
# ( )  -
style.use('seaborn-talk')
fig = plt.figure(figsize = (70,23))
ax = fig.add_subplot(111, projection ='3d')

# x :   / y :   / z :
j = 0
#colors = ['red','red','red','red','red','red','red','red','red','red']
colors = ['indianred','red','chocolate','darkorange', 'gold', 'darkgoldenrod', 'darkkhaki','olivedrab','chartreuse','darkseagreen','aquamarine','mediumturquoise', 'aqua', 'deepskyblue', 'dodgerblue', 'mediumslateblue', 'darkviolet', 'fuchsia', 'deeppink', 'crimson', 'gray']
#colors = ['blue','blue','blue','blue','blue','blue','blue','blue','blue','blue']
address = ['    ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ']
#age = ['10    ','10 ','20 ','30 ','40 ','50 ','60 ','70 ','80 ','90 ','100     ']
```

```
age=[1,10,20,30,40,50,60,70,80,90,100]

for c, r in zip(colors, [0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19]):
    indexs = age
    tmp = data_   _  _  .iloc[j]
    tmp = tmp.reset_index()
    #print(tmp)
    tmp = np.array(tmp[j].tolist())
    #tmp
    heights = tmp
    #print( r, indexs, heights, c)
    ax.plot(indexs, heights, zs = r, zdir = 'y', color = c, alpha = 0.7)
    j = j+1

ax.set_yticklabels(address, fontsize = 17, rotation = -20)
#ax.set_yticklabels(['    ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' '])
ax.set_yticks(np.arange(0,20,1))
ax.set_xticklabels(age,rotation = 45, fontsize = 23)
ax.set_ylabel('  ')
ax.set_xlabel('  ')
ax.set_zlabel('   ')
```

In [ ]:

In [ ]: