Corpus audit of 1 October 2026: two-axis scores for all 175 notes, the uncorrected errors they expose, and where the drift sits

Historical scope. These internal model scores and reported errors describe the October 1 source versions, including filenames subsequently consolidated. They are not independent peer review or current verdicts on canonical arguments. Maintained statements incorporate later corrections; use the catalog to resolve former names. The original score table remains a provenance record.

Result. Every maintained note was read in full and scored from 1 to 10 for interestingness and for correctness of its own derivations by Claude Opus 5.5 under one fixed rubric; Claude Fable 5.1 then reviewed the condensed statements of the 26 notes scored 6 or more for interest against their sources and the trap list of `LLM.md` §4. Three findings matter for the programme.

1. **The spine is sound.** The Newton recording results, the refinement and gauge insertion results and the strong-coupling constants score 8 or 9 for correctness; the reviewer found one false claim among the 26 selected statements (item (a) below) and no reintroduced trap.
2. **Twenty-four notes, as read on October 1, carried uncorrected overclaims or inconsistent numbers** (correctness 6 or below, four of them at 4). Twenty of the twenty-four belong to the Hamiltonian, flow and large-field mass-gap attack that preceded the 17 September change of direction, routes that the position note §3 lists as closed. The closure is recorded in the map; the route notes' own texts keep the claims that the closure withdrew. That is the drift: supersession lives in the map and in `LLM.md`, while the superseded notes still read as live results.
3. **Interest is concentrated.** The scorer put 26 notes at 6 or above and none above 7; 70 of 175 notes are maps or calculations (kind counts below). The distributions are a calibration of what an outside expert would take from the corpus, under the rubric stated in §1, and settle nothing about novelty.

The two digests built from the scores, *The most interesting results* (26 notes) and *Interesting and correct results* (the 22 of them scored 8 or more for correctness), are published on the director's personal site as phone-format PDFs with a landing page that tabulates every score: `https://lxbifi11.bifi.unizar.es/navstokgap/`. The repository keeps the scores here, in §4, and the corrections to make, in §3.

1. Method and reading labels

Six Opus readers worked in parallel on alphabetical batches of about 62,000 words each, each note read line by line, with no scripts for mathematics (project rule). The rubric's anchors: interest 9 or 10 for a theorem with a surprising conclusion or a precise closure of a natural route, 7 or 8 for a solid nontrivial theorem, construction or decisive obstruction with explicit constants, 5 or 6 for useful supporting work, below that for bookkeeping; correctness 9 or 10 for complete proofs at the stated level with every hypothesis stated where used, 7 or 8 for essentially correct with minor gaps, 5 or 6 where a step is unjustified or claims outrun proofs, 4 or below for a substantive error or an unmarked superseded claim. Correctness was scored on the current text, so a note that was wrong and now carries a dated correction is scored on the corrected text. Each reader also wrote a 60 to 260 word condensed statement per note and a one-line reason for each score; the reasons are quoted in §3 for the low scores.

The reviewer (Fable) read the 26 selected statements against the notes' lead sections and theorem statements, checked the arithmetic of the constants that appear in them, and checked them against the 26 traps of `LLM.md` §4. Items marked *verified* below were checked by the reviewer from the note's own formulas; items marked *reported* are the scorer's reasons, quoted

and unverified here. Reading label for this note: scorer full-read of every note; reviewer passage-level reads of the 26 selected notes and grep-level checks of the notes in §3.

Scores are a model's reading with reasons on file. They are not refereeing, and a high correctness score means a complete derivation at the level the note states, which may be conditional, formal or a reading.

2. Distributions

Interest: 1: 3, 2: 8, 3: 41, 4: 58, 5: 39, 6: 21, 7: 5. Correctness: 4: 4, 5: 6, 6: 14, 7: 27, 8: 59, 9: 65. Kind: calculation: 44, construction: 13, exploratory: 5, map: 26, obstruction: 24, reading: 12, theorem: 51. Status as read by the scorer: conditional: 18, conjectural: 4, mixed: 39, none: 16, proved: 96, superseded: 2.

Selected for the digests (interest 6 or more): `mark-cost-and-statistical-floor`, `planck-gap-paper` and `planck-gap-probabilistic` at 7; the other 23 at 6. Of the 26, the four below 8 for correctness are `planck-gap-paper` (7), `four-dimensional-composition` (7), `su2-midplane-small-field` (7) and `planck-gap-derivation` (6).

3. Errors and overclaims found

3a. Verified by the reviewer

(a) **`planck-gap-derivation`, boxed area forms off by a factor 2.** The note's theorem $F^2\tau^3 > 9m\kappa$ with $\tau\Delta E = F^2\tau^3/(2m) = (3F/v)A$ and $A = vF\tau^3/(6m)$ gives $A > 3v\kappa/(2F)$; the box states $A > 3v\kappa/F$. Corollary 3's two-mark upper value is likewise $6v\kappa/F$, stated as $12v\kappa/F$. The theorems themselves (constants 9 and 36) hold. The digest on the site carries the corrected values and a reviewer's note. The interval model is in any case superseded by the Gaussian mark model of mark-cost-and-statistical-floor and the Planck paper, where $\kappa \geq \hbar/2$ holds for every probe state, and the note should open by saying so.

(b) **`strong-coupling-target-box`, the $q = 4$ tolerance column disagrees with the note's own criterion.** From $e\,\eta\,2^q \leq 0.15g^2 - 384e/g^2$ (the note's own criterion) one gets $\eta \leq 0.105$ at $g^2 = 100$ and $\eta \leq 0.570$ at $g^2 = 200$; the table prints 0.29 and 0.62. The $q = 8$ column checks.

(c) **`small-field-step-decay-and-threshold`, abstract and body disagree on constants.** The abstract quotes an error density 10^{-12}; §3 derives 1.1×10^4 and 10^{-13}. The scorer also reports that §3 sums an ℓ^∞ decay with the ℓ^1 product formula, undercounting by about 24; that step is reported, unverified here.

3b. Reported by the scorer, with the scorer's reason

- `flow-instability-large-field` (I 5, C 4): Proposition 1 (symmetry of M) is correct. The sharpness claim fails on the note's own formula: with the Landau level gB included, $\omega^2 = k_\parallel^2 - gB$, so the growth rate is gB, half the Duhamel exponent $2\|G\|$. A symmetric operator of norm $\|M\|$ need not attain $+\|M\|$. Section 4's 'sharp' crossover inherits this; the text carries no correction.
- `large-field-action-lower-bound` (I 3, C 4): Proposition 1 is correct in the continuum. Proposition 2 fails: a field constant on the block and zero outside violates the Bianchi identity, and flowing at radius equal to the block size changes the block integral by order one, not $O(a/\ell)$. Section 3's descent argument is a non sequitur. Section 4 imports the unsupported 'sharp $e^{2\eta}$' claim.

- `mass-gap-conditional-theorem` (I 4, C 4): The decay-to-gap transfer and rate bookkeeping in §3 are fine. But §4's 'nothing else is missing' and 'a proof consists of H1 and H2' overclaim: continuum existence, OS axioms and nontriviality are not implied. Existence of the renormalized interaction and gauge-theory strong mixing are glossed. The later rejection of physical-coupling H2 certification is not marked.
- `schur-error-ultraviolet` (I 5, C 4): Lemma 1' and the oscillator derivative check. Section 4's own sum gives theta ~ g^2 (Lambda L)^3, an extensive vacuum-shift slope, not the stated g^2 (Lambda L)^2, so the regime g « 1/N_s in Section 5 appears wrong (g « N_s^{-3/2}). The Berry coefficient seems to drop the four charge/polarization copies. The fixed-lattice theorem is asserted but unproved.
- `gapped-set-critical-coupling` (I 4, C 5): Proposition 1 is fine. Proposition 2's proof is heuristic: it equates finite-volume gap closing with infinite-volume degeneracy or diverging length, and ignores massless phases that fill intervals of coupling. Section 4 calls the compact $U(1)$ transition second order with a Maxwell limit at g_c, against lattice evidence of weak first order. The dated Wilson $SU(N \geq 5)$ precision is present.
- `ground-state-measure-transfer` (I 4, C 5): Proposition 1 is standard and correct. The claim that isotropic Wilson-measure estimates hold 'verbatim' ignores that the Hamiltonian limit is the anisotropic $a_t \to 0$ measure. The bound $\mathbb{P} \lesssim e^{-c\eta^2/g(\ell)^2}$ in section 3 is a heuristic presented as available. The section 4 competition is marked superseded in part; the action display carries a stray factor.
- `large-field-entropy-count` (I 4, C 5): The Landau degeneracy, the longitudinal disc count, $\mathcal{N} = \eta^2/(8\pi^2)$ and the ratio $2\pi^2/g^2$ are arithmetically correct. The convergence claims in §§3–4 ('settles', sum converges for $g^2 < 2\pi^2$) rest on an unproved bounded-factor-per-mode premise and on counting only constant-background modes. Proposition 1 is trivial.
- `mass-gap-position` (I 4, C 5): Internal numbers disagree: the strong threshold appears as g^2>=176, >444 and >=1056; the weak side as 1/g^{2>~10}2 and as g^{2~10}-12. 'Large-field region closed in measure' exceeds the cost and entropy ingredients cited. 'Exhaust the methods built from operator norms' generalizes from five specific closures.
- `strong-coupling-target-box` (I 5, C 5): The criterion e eta 2^q <= 0.15 g^2 - 384e/g^2 and the q=8 column check. The q=4 column does not: at g^2=100 the criterion gives 0.105, the table 0.29; at 200 it gives 0.57, the table 0.62. Tolerances 'divided by 24 at the listed couplings' fail, since 24*384e/g^2 exceeds 0.15g^2 there. The Proposition claims more than the cyclic-subspace criterion.
- `typical-field-strength-window` (I 4, C 5): The free-field integral, the range condition $\kappa^2 \geq g/4\pi + 1/2$ and the Gaussian tail estimate check, with $\hbar$ absorbed into g^2. The claims that the Hamiltonian route terminates and that no measure exists ignore the vacuum state's configuration distribution. A top box flags the lattice correction, but the title, section 4 and section 5 still state the superseded conclusion.
- `abelian-misses-the-box` (I 4, C 6): b_0=11/(16 pi^2) and 2 b_0 log 2=0.0966 check. The U(1) rerun of the expansion is asserted 'verbatim' without the threshold computed. 'Gapped set is (g_c,infinity)' (intro, §2) overclaims: no monotonicity or single transition is proved. 'All three isolations are b_0 statements' (§3) is an unlabelled reading.
- `action-floor-yang-mills-gap` (I 5, C 6): Prop. 1, Thm 2, Prop. 4 and the Bohr-Sommerfeld levels check. Remark 3 counts only the x-valley (both valleys double the constant; growth law unaffected). Prop. 5's d=4 row drops 1/g^2, which by the table's own convention has action dimension, so 'no constant at all' in d=4 is inconsistent.
- `agmon-ground-state-suppression` (I 3, C 6): Lemma 1 and Corollary 2 are correct; Corollary 2 with rho=(1-delta)d needs epsilon tied to delta, left implicit. The distance step (§2) is a labelled scaling argument. The correction box flags that only the global excess is controlled, yet §3-§4 still state local consequences (finite exponential local moments) that

do not follow.

- `confinement-scale-bands` (I 5, C 6): Table entries (r_0/a, m a=4.21/(r_0/a), sigma a$^{2=1.35/(r_0/a)}$2), g^2=6/beta, the 444 threshold and the area-law values check; a dated caveat flags the softened glueball near beta=5.7. Treating a coarse Wilson loop as polymer activity (§2b) is heuristic. 'Six blocking steps is the whole problem' overstates: the weak side's 'perturbative in kind' doublings are unproved.
- `flow-before-decimation` (I 4, C 6): The invariance proposition is correct as stated. The sweeping claim that every norm-based criterion is exhausted outruns it, since a conjugated Hamiltonian can be split differently. The addendum's local $e^{-\lambda n}$ ground-state suppression is superseded by the later Agmon-global correction and is not marked as such here.
- `flow-jacobian-truncation-error` (I 5, C 6): Proposition 2's Kato-Duhamel bound is correct. Proposition 1 handles the gauge-fixing term loosely ('to the same order'). The truncation error is a kernel-tail heuristic, not an operator relative bound. The Sharpness box repeats the instability note's unsupported claim of growth rate exactly $2\|G\|$. The lattice-step pessimism is correctly flagged as corrected.
- `intermediate-region-finite-verification` (I 5, C 6): The decay-to-gap step via reflection positivity is sound. The lead's claim that the problem 'reduces to' two numbers is weakened only in §4b. The lead says gauge invariance is no obstruction, while §5 admits Elitzur empties the single-link form; the tension is left unresolved. Box sizes are corrected in a later note, flagged here. Literature is at metadata level.
- `large-field-operator-inequality` (I 5, C 6): Propositions 1 and 2 (min-max and the ground-state-transform trial state) are correct, and the IMS arithmetic giving $C_L = 32\pi^2 c_0^2/3$ checks. The link-derivative bound behind $|\nabla f_B|^2$ is heuristic. The claim that every Hamiltonian route loses a surface term is shown for one crude trial construction only; window constants are crude.
- `lattice-truncation-uniform` (I 5, C 6): Coupling cancellation in the lattice flow and the compactness bound are correct, and exponential locality of the linearized flow over unit time is standard. The Proposition's proof is a sketch: a kernel tail is equated with a relative operator error, the Jacobian potential from ρ_t is not treated, and 'K=3 suffices' is asserted without values for C, c.
- `planck-gap-derivation` (I 6, C 6): Lemmas 1-3, Theorem 1 (constant 9) and Theorem 2 (36) check. The area forms are off by a factor 2: since (3F/v)A = tau Delta E, the bound is A > 3v kappa/(2F), and Corollary 3's upper value is 6v kappa/F. The note omits the later reinstatement of a quantum kappa = hbar/2.
- `small-field-step-decay-and-threshold` (I 5, C 6): The soft-constraint gap 2/9 at a>=130 and the rate 1.7e-3 check, as do the strip facts (a),(b) of §2 for a one-direction shift. §3 sums an l-infinity decay with the l1 product coth^4, undercounting by about 24. The abstract quotes 2e4 and 1e-12, while §3 and its table give 1.1e4 and 1e-13. 'Closed' outruns a heuristic estimate.
- `strong-coupling-threshold-explicit` (I 5, C 6): The Kotecky–Preiss chain checks: degree 80, c~220, rho<=8e-4, t_0>=7.1, e^{64 t_0}, beta_*~e^{-465}, g_0^2~1e101. §3's 40–70 is an estimate that multiplies the per-site beta=54/g^4, which already sums three plaquettes, by a further coordination 12. The text does not point to the later rigorous 388/79. The weak-side figure 1/g^2~1e2 predates the small-field note's 1e-12.
- `su3-constants` (I 3, C 6): b_0=11/(16 pi^2), 51/121, 54/g^4, the 8/3 g^2 flux loop, v<=96e c/g^2, Haar variance 1/2, the Delta V identity and the doubling table check. The blocking paragraph writes beta_direct=24/g^4; the cited note's 32N/(C_2 g^4) gives 72/g^4, which is needed for 3M^2/8. 'Equivalence of T2' with no zero-temperature transition' is asserted as standing without proof.
- `what-would-unblock` (I 4, C 6): Most citations and characterizations are accurate at metadata level. The infrared-bound paragraph gives the wrong reason: Froehlich–Simon–

Spencer cover O(N) spins, so failure stems from the non-quadratic plaquette interaction. Section 6 states as fact that coarse effective interactions enter the completely analytical set. Item 1 is half-retracted in place while the opening still says 'exactly two things'.

3c. Smaller slips reported in notes scoring 7 or above

The scorers' closing reports name slips that leave each note's main result standing. All are reported, unverified here, except where marked.

- `three-dimensional-gap-one-function` and `low-dimensional-mass-gap` (§7, the Göpfert–Mack quotation): the Debye-mass formula $m_D^2 = (2\beta/a^3)e^{-\beta v(0)/2}$ with dimensionless β carries the wrong power of a; a^{-2} is right (verified here by dimensions: with dimensionless β the right-hand side has dimension length^{-3} and a Debye mass squared needs length^{-2}).
- `newton-mark-floor`: the three-mark side remark should give $F^2\tau^3 > 64\, m\Lambda p$, stated as 128.
- `planck-gap-probabilistic`: Proposition 4 uses a Helstrom constant $x^2/4$ where the bound is $x^2/2$ (constant only); the aperture hypothesis should be stated on the hybrid states.
- `rotation-composition-universality`: the middle expression of eq. (8) has $+i$ for $-i$; the final expression and conclusion stand.
- `weak-coupling-feshbach-reduction`: in the order table the $[a,a]\cdot[\tilde{A},\tilde{A}]$ part of W_3 is quadratic in the fluctuations and of order $g^{4/3}$, stated as $g^{7/3}$.
- `wilson-strong-coupling-explicit`: the all-representation weight bound needs $|\int \prod \chi_r| \le \prod d_r$, giving $\sum d_r^2 c_r = e^{\beta w}$; the threshold 1056 stands.
- `finiteness-half-flowed-susceptibility`: an inline correction removes the g^2 prefactor, but the summary and status table were not updated.
- `dimension-ladder`: one sentence states the Layer 1 conjecture as settled.
- `lieb-robinson-kogut-susskind`: the §4 condition should read $g^{8/3} < N$.
- `holography-lowest-dimensions`: the entanglement asymptotics should carry $+1$ in place of $\log(1/d_1)$.
- `sun-midpoint-centre` §6: a broken `\frac` renders as "rac13"; `su2-midplane-small-field`: §9 is unrefereed and §§27–31 are internally checked only (status, recorded in the note).

Two items the scorers could not check: the Newton Project paragraphs cited by `newton-NATP00385-audit`, and the proof behind the routing stub `ordered-beam-preparation`, which sits in `papers/collision-action-relaxation.tex`.

3d. Where the drift sits

Of the 24 notes above, 20 are mass-gap route notes written before 17 September (Hamiltonian flow, large-field region, Agmon, blocking, truncation, Schur and threshold notes); mass-gap-position §3 closes their routes and `LLM.md` §4 records the traps, but the notes themselves still state their conclusions in the lead and keep inconsistent thresholds (176, 444 and 1056 for the Wilson strong-coupling gap appear with different labels across `mass-gap-position`, `su3-constants` and `strong-coupling-threshold-explicit`). The other four are `planck-gap-derivation` (item (a)), `action-floor-yang-mills-gap` (a $d = 4$ row that drops $1/g^2$), `abelian-misses-the-box` (a gapped set stated without monotonicity) and `what-would-unblock` (a wrong reason for the failure of infrared bounds). The repository's own convention for a withdrawn claim is a dated correction box at the top of the note; applying it to the 24 notes, with the unified thresholds, would remove the drift without deleting the record.

4. Scores for every note

Interest (I) and correctness (C) from 1 to 10; status and kind as read by the scorer.

Note	I	C	Status	Kind
abelian-misses-the-box	4	6	mixed	map
action-floor-yang-mills-gap	5	6	mixed	theorem
action-scale-dilation	4	9	proved	obstruction
action-scale-obstructions	4	8	mixed	map
action-unit-dimensional-selection	5	9	proved	theorem
additive-noise-marks	5	9	proved	theorem
agmon-global-not-local	5	8	proved	obstruction
agmon-ground-state-suppression	3	6	mixed	calculation
ancient-cuts-provenance	2	8	none	reading
arrow-not-sling	4	7	none	reading
autonomous-finite-readout	5	9	proved	construction
block-apparatus-composition	3	8	proved	calculation
blocking-criterion-monotone	5	7	proved	obstruction
blocking-step-obstruction	3	7	superseded	exploratory
bound-orbit-action-observable	3	9	proved	calculation
bounded-acceleration-return	3	9	proved	calculation
bridge-crossover	1	8	none	map
calibrated-canonical-ambiguity	3	8	proved	construction
calibrated-displacement-ambiguity	4	9	proved	obstruction
calibration-tolerance-recovery	4	9	proved	theorem

Note	I	C	Status	Kind
causal-force-information	3	9	proved	calculation
checkerboard-dynamics	4	9	proved	calculation
classical-cut-state	4	9	proved	calculation
classical-orientation-closure	4	9	proved	obstruction
classical-readout-refinement	3	9	proved	construction
clock-position-local-recovery	3	9	proved	theorem
closed-orbit-force-action	4	9	proved	theorem
comparison-and-bridges	3	9	none	map
composition-crossover-gap-checks	3	7	mixed	calculation
composition-universality	4	9	conditional	theorem
cone-time-refinement	2	8	none	map
confinement-scale-bands	5	6	mixed	map
conservative-harmonic-receiver	4	8	mixed	calculation
correlated-calibration-response	3	8	conditional	calculation
cut-measure-newton	6	9	proved	theorem
cut-paradox-two-faces	5	8	proved	theorem
cut-point-consistency	4	9	proved	calculation
dimension-ladder	5	7	conjectural	map
discrete-substrate-actors	3	7	none	exploratory
dobrushin-uniqueness-wilson	5	9	proved	theorem
energy-constrained-apparatus-ambiguity	3	9	proved	obstruction

Note	I	C	Status	Kind
energy-depot-action-selection	4	9	proved	calculation
final-clock-momentum-recovery	3	9	proved	theorem
finite-depth-spin-gap	2	9	proved	calculation
finite-horizon-minimax	4	9	proved	theorem
finite-precision-cut	3	9	proved	calculation
finiteness-half-flowed-susceptibility	5	7	conditional	theorem
fixed-coupling-calibration	4	8	proved	calculation
fixed-force-small-circles	5	9	proved	obstruction
fixed-preparation-ambiguity	5	9	proved	theorem
flow-before-decimation	4	6	mixed	obstruction
flow-conjugation-truncation	5	7	mixed	obstruction
flow-instability-large-field	5	4	mixed	obstruction
flow-jacobian-truncation-error	5	6	mixed	calculation
flowed-bound-free-field	4	9	proved	calculation
four-dimensional-composition	6	7	mixed	theorem
four-dimensional-parallel-log	6	8	conditional	calculation
full-apparatus-preparation-ambiguity	5	9	proved	theorem
full-clock-phase-recovery	4	8	proved	calculation
full-pointer-recovery	4	8	proved	calculation
galileo-two-path-interference	6	9	conditional	theorem
gapped-set-critical-coupling	4	5	mixed	map

Note	I	C	Status	Kind
gaussian-blocking-coupling	4	8	proved	calculation
global-clock-speed-ambiguity	4	8	proved	construction
ground-state-measure-transfer	4	5	mixed	exploratory
halving-atlas	4	8	mixed	map
hamiltonian-finite-closure	4	9	proved	obstruction
hamiltonian-moment-descent	4	9	proved	construction
hidden-clock-ambiguity	4	9	proved	construction
holography-lowest-dimensions	3	7	none	reading
i003-double-limit-rigidity	3	7	conjectural	exploratory
indistinguishable-phase-bound	4	9	proved	theorem
interacting-ising-gap	3	9	proved	theorem
intermediate-region-finite-verification	5	6	conjectural	map
ising-foundational-value	2	8	none	map
ising-hermitian-transfer	3	9	proved	construction
jacobi-kernels-distinguishability	1	8	none	map
kogut-susskind-strong-coupling-explicit	6	8	proved	theorem
large-field-action-lower-bound	3	4	mixed	calculation
large-field-entropy-count	4	5	conjectural	exploratory
large-field-operator-inequality	5	6	mixed	obstruction
lattice-gap-upper-bounds	6	8	mixed	theorem
lattice-truncation-uniform	5	6	mixed	obstruction

Note	I	C	Status	Kind
leibniz-continuity-records	6	8	conditional	reading
lieb-robinson-kogut-susskind	5	7	proved	theorem
local-detector-coincidences	4	9	proved	theorem
low-dimensional-mass-gap	6	8	mixed	theorem
magnetic-energy-identities	4	8	proved	obstruction
mark-cost-and-statistical-floor	7	8	proved	theorem
mass-gap-conditional-theorem	4	4	conditional	map
mass-gap-obligations-lattice	4	7	mixed	map
mass-gap-openings	5	7	mixed	map
mass-gap-position	4	5	mixed	map
mechanical-interference-action	4	9	proved	obstruction
millennium-problem-definitions	2	8	none	reading
minimax-composition	4	8	proved	calculation
moment-hierarchy-upper-bounds	4	9	conditional	theorem
necessity-unit-and-indeterminacy	5	8	proved	theorem
newton-NATP00385-audit	3	7	none	reading
newton-indeterminacy-routes	6	8	conditional	theorem
newton-insertion-action	5	9	proved	calculation
newton-mark-floor	5	7	mixed	theorem
newton-record-parallel-move	3	8	proved	calculation

Note	I	C	Status	Kind
ordered-beam-preparation	1	7	none	map
passive-threshold-events	3	9	proved	obstruction
physical-cut-speed	3	9	proved	obstruction
planck-gap-derivation	6	6	mixed	theorem
planck-gap-paper	7	7	mixed	theorem
planck-gap-probabilistic	7	8	proved	theorem
polyakov-average-gap-bound	4	8	proved	theorem
polygon-lift-phase	6	9	proved	theorem
position-preparation-ambiguity	3	7	proved	construction
principia-constant-force-action	3	9	proved	calculation
principia-fifth-postulate	6	8	proved	theorem
quantum-exclusion-premises	3	8	none	reading
radiation-noise-action-selection	4	9	proved	obstruction
reachable-cut-composition	3	9	proved	calculation
reasons-to-stop-as-research	4	8	mixed	map
receding-centre-area-audit	3	9	proved	calculation
reciprocal-coupling-normalization	2	9	proved	calculation
record-costs-disturbance	6	8	proved	theorem
record-costs-recoil	6	8	proved	theorem
record-distance-path-length	6	8	proved	theorem
refinement-composition-and-limit	5	8	proved	construction
refinement-results	4	8	mixed	map

Note	I	C	Status	Kind
relativistic-kepler-threshold	4	9	proved	calculation
reversible-generator-constraints	3	9	proved	reading
reversible-interaction-premise	3	8	conditional	reading
rivero-1998-conjecture-central-forces	5	9	proved	theorem
rotation-composition-universality	4	8	conditional	theorem
schur-error-ultraviolet	5	4	mixed	obstruction
score-constrained-ensemble	5	8	proved	construction
sed-closure-under-recording	7	8	mixed	obstruction
sed-zeta-radiation-link	4	8	conditional	reading
series-parallel-gauge-refinement	7	8	mixed	theorem
shared-readiness-chsh	2	9	proved	reading
shared-record-budget	3	8	proved	calculation
shared-resource-events	2	9	proved	calculation
single-calibration-fibres	3	8	proved	construction
small-field-step-decay-and-threshold	5	6	mixed	obstruction
small-field-step-gaussian	4	7	mixed	calculation
spin-action-patching	3	9	proved	calculation
stabilized-topology-action-scale	3	9	proved	calculation
static-composition-classics	3	7	none	map
stochastic-route-velocitas-ultima	5	9	conditional	theorem
strong-coupling-target-box	5	5	conditional	theorem

Note	I	C	Status	Kind
strong-coupling-threshold-explicit	5	6	mixed	calculation
strong-coupling-uniform-gap	4	8	proved	theorem
su2-midplane-order-t	6	8	conditional	calculation
su2-midplane-small-field	6	7	mixed	construction
su2-midpoint-exact	5	9	proved	calculation
su3-constants	3	6	mixed	map
sun-midpoint-centre	6	8	proved	theorem
superdeterminism-floor	5	8	conditional	theorem
susceptibility-gap	3	9	proved	theorem
tangent-groupoid-trajectories	5	7	mixed	reading
telegraph-return-bridge	6	9	proved	calculation
thermal-receiver-reliability	4	9	proved	calculation
thermodynamic-records-no-floor	4	8	proved	obstruction
three-body-cut-memory	4	9	proved	calculation
three-calibration-global-recovery	4	7	proved	theorem
three-continuum-limits	4	8	mixed	map
three-dimensional-gap-one-function	4	7	conditional	map
topological-sector-action-selection	4	9	proved	obstruction
torus-valley-potential	5	8	proved	calculation
two-calibration-branches	4	8	proved	construction
two-position-recovery	3	9	proved	calculation
two-regulator-audit	3	8	proved	map
typical-field-strength-window	4	5	superseded	obstruction

Note	I	C	Status	Kind
uv-halving-ir-confinement	4	7	none	map
villain-monopole-refinement	6	9	proved	theorem
weak-coupling-feshbach-reduction	5	7	conditional	theorem
what-would-unblock	4	6	none	map
wilson-strong-coupling-explicit	5	8	proved	calculation
zero-spacing-any-action	6	8	mixed	theorem

5. Consequence for STATE

The two proof goals are unaffected: the Newton recording spine and the refinement and gauge spine are the notes the scorer could follow to the end. The pending work this audit creates is corrective: dated correction boxes in the 24 notes of §3b, the slips of §3c, the factor-2 fix in `planck-gap-derivation`, the $q = 4$ column in `strong-coupling-target-box`, the abstract of `small-field-step-decay-and-threshold`, and one set of strong-coupling thresholds with their labels in `mass-gap-position` and `su3-constants`. STATE gains one line pointing here.