eSuite Synchronization Document

Open API & Webhook Integration Guide

Version 2.0.0

RESTRICTED — Limited disclosure

July 10, 2026

Table of Contents

1. Overview 5
2. Environments & Base URL 6
Production 6
Sandbox / Staging 6
3. Authentication 7
3.1 `Authorization` (Go) 7
3.2 `X-Signature` (Go) 7
3.3 Example headers 7
3.4 Auth failure responses 8
4. Request format 9
4.1 Push (create / update / delete) 9
4.2 Pull (read master data) 9
5. Idempotency 10
6. Response format (synchronous) 11
Common HTTP codes 11
7. Data limits & guidelines 12
8. Entity index 13
Push (POST — write) 13
Pull (GET — read) 14
9. Push entities — PUSH to eSuite 16
9.1 Branch — `/branches` 16
9.2 Product Category — `/product-category` 17
9.3 Product Brand — `/product-brand` 17
9.4 Product UOM Level — `/uom-level` (alias `/product-uom-level`) 17
9.5 Product UOM — `/products/uom` 18
9.6 Product — `/product` 18
9.7 Product Variant — `/product-variant` 20
9.8 Customers — `/customers` 20
9.9 Salesman — `/salesman` 22
9.10 Salesman Division — `/salesman-division` 23
9.11 Warehouse — `/warehouse` 23
9.12 Location — `/location` 24

9.13 Pricelist — /pricelists ... 24
9.14 Customer Group — /customergroup ... 24
9.15 Product Group — /productgroup ... 25
9.16 Stock Adjustment — /stock-matrix ... 25
9.17 Goods Receipt — /goods-receipt ... 26
9.18 Deliveries — /deliveries ... 26
9.19 Quotation — /quotations ... 26
9.20 Sales Order — /sales-order ... 27
9.21 Invoice — /invoice ... 28
9.22 Register Payment — /register-payment ... 29
9.23 Bills — /bills ... 29
9.24 Promotion — /promotion ... 30
9.25 Promotion Type — /promotion-type ... 31
9.26 Call Plan — /call-plan ... 31
9.27 Aged Customer Balance — /customer-aging ... 31
10. Pull entities — READ from eSuite ... 33
11. Read-back snapshots & payload structures ... 34
11.1 Customers — sample ... 34
11.2 Quotation — structure ... 35
11.3 Sales Order — structure ... 35
11.4 Register Payment — structure ... 35
11.5 Bills — structure ... 35
11.6 Promotion — sample ... 35
12. NOO flow (New Outlet Opening) / new customers ... 37
18. Changelog vs v1.0.0 ... 38

Version: 2.0.0

Status: RESTRICTED — Limited disclosure, restricted to the community

Supersedes: v1.0.0 (007/WT/ITSEC/IX/2025, 15 September 2025)

Source of truth: `esuite-webhook-service` (inbound webhook gateway)

> Reference for third-party clients building a **syncer** that pushes data from their platform (SAP, EDS, Accurate, NiFi, partner ERP, …) into eSuite, and for reading master/reference data back out. Regenerated from the live `esuite-webhook-service` code. Where v1.0.0 diverged from the running service this version corrects it — see Changelog.

1. Overview

eSuite exposes a **passive inbound webhook API**. Clients call it; eSuite does not poll the client. Two interaction modes:

- **Push (write):** client `POST`s entity data (create / update / delete via the `event` field). eSuite authenticates, deduplicates, stores idempotently, and routes the payload to the owning downstream service (sales, inventory, accounting, marketing, ework, hermes, shipment) over RabbitMQ or gRPC.
- **Pull (read):** client `GET`s master / reference data (currency, tax, UOM, departments, administrative areas, …) needed to build valid push payloads (to obtain the eSuite `id` of a UOM, tax, payment method, etc.).

A successful `POST` means the payload was accepted, authenticated, deduplicated, and published downstream — **not** that the owning service finished persisting it. Downstream processing is asynchronous.

2. Environments & Base URL

All webhook routes are served under the prefix `/v1/webhook`.

Production

Region	Base URL
Indonesia	`https://openapi.esuite.edot.id/v1/webhook/<url>`
Malaysia	`https://openapi.esuite.edot.my/v1/webhook/<url>`

Sandbox / Staging

Region	Base URL
Indonesia	`https://openapi-stg.esuite.edot.id/v1/webhook/<url>`
Malaysia	`https://openapi-stg.esuite.edot.my/v1/webhook/<url>`

`<url>` is the entity path from §8 (e.g. `customers`, `sales-order`).

> **Internal ports:** REST native `4001`, Fiber `4000`. Clients hit the public `openapi` host; never use ports directly.

3. Authentication

Every request (push and pull) MUST send **four** headers. Any missing/failing → `401`.

Header	Required	Description
`Authorization`	Yes	`Basic base64(client_id:client_secret)`. Credentials issued by the eSuite team.
`X-Signature`	Yes	Base64 of `HMAC-SHA256(raw_request_body, client_secret)`.
`X-Timestamp`	Yes	EPOCH seconds. Must be within **±300 s (5 min)** of server time.
`X-Request-ID`	Yes	Client-generated unique id, **16–64 chars**. Idempotency key (see §5).

> **Signature key =** `client_secret` (the password half of the Basic credential), signing the **exact raw request body bytes**. For `GET` the body is empty → sign the empty string.

3.1 Authorization (Go)

```
func main() {
    client := &http.Client{}
    req, _ := http.NewRequest(method, url, payload)
    req.Header.Add("Authorization", "Basic "+basicAuth(clientID, clientSecret))
    resp, _ := client.Do(req)
}

func basicAuth(username, password string) string {
    auth := username + ":" + password
    return base64.StdEncoding.EncodeToString([]byte(auth))
}
```

3.2 X-Signature (Go)

```
data := `{"event":"upsert","data":[...]}` // the EXACT bytes sent as the body

mac := hmac.New(sha256.New, []byte(clientSecret)) // key = client_secret
mac.Write([]byte(data))
xSignature := base64.StdEncoding.EncodeToString(mac.Sum(nil))
// e.g. "P9Znhp0yxUWdpUgLTtRBRnt2CuWf/XWLsnnOiLNGmVk="
```

> Sign the byte-for-byte body actually transmitted. Re-serializing JSON (key order / whitespace) between signing and sending breaks the check → `401 Invalid Signature`.

3.3 Example headers

```
Authorization: Basic ****
```

```
X-Signature:   P9Znhp0yxUWdpUgLTtRBRnt2CuWf/XWLsnnOiLNGmVk=
X-Timestamp:   1724740727
X-Request-ID:  ABC123456789DEF0
Content-Type:  application/json
```

3.4 Auth failure responses

Condition	HTTP	Message
Missing `Authorization`	401	`Authorization required (Code:130)`
Not `Basic` / bad base64 / malformed	401	`Invalid authorization header (Code:1130/2130/3130)`
Unknown client_id / secret	401	`Invalid authorization header (Code:4130)`
Timestamp outside ±5 min	401	`Request expired`
Signature mismatch	401	`Invalid Signature`
Duplicate `X-Request-ID`	400	`request id already exists`

4. Request format

4.1 Push (create / update / delete)

- **Method:** `POST`
- **Headers:** four auth headers + `Content-Type: application/json`
- **Body:** `{ "event": "init | upsert | delete", "data": [ { /* entity */ } ] }`

The `event` field is the action selector, carried through to the owning downstream service.

event	Meaning
`init`	Initial / bulk seed (first-time load).
`upsert`	Continuous integration: create if new (by `external_code`) else update.
`delete`	Soft-delete / deactivate the referenced records.

> **Delete uses `POST`, not HTTP `DELETE`.** The service exposes no `DELETE` verb. To delete, `POST` to the same entity endpoint with `"event":"delete"` and only the key(s):

```
curl --location 'https://openapi.esuite.edot.id/v1/webhook/branches' \
--header 'X-Request-ID: 123123' \
--header 'Authorization: Basic XXXXX' \
--header 'X-Signature: P9Znhp0yxUWdpUgLTtRBRnt2CuWf/XWLsnnOiLNGmVk=' \
--header 'X-Timestamp: 1724740727' \
--header 'Content-Type: application/json' \
--data '{
  "event": "delete",
  "entity": "branch",
  "data": [ { "external_code": "01J5A30ZD9P4079AVC38345FWH" } ]
}'
```

4.2 Pull (read master data)

- **Method:** `GET`
- **Headers:** four auth headers (sign empty body).
- **Query:** `page`, `limit` where supported; pagination returned in `meta`.

5. Idempotency

Every push is deduplicated on **(`X-Request-ID`, entity, company)**. Replaying the same `X-Request-ID` for the same entity + company → `400 request id already exists`, no reprocessing.

- Generate a fresh `X-Request-ID` per new payload (16–64 chars).
- Reuse the same id when retrying a failed/timed-out request to prevent double-application.

6. Response format (synchronous)

```
{
  "status": 200,
  "message": "",
  "data": "success",
  "meta": { "total": 0, "limit": 0, "page": 0, "total_page": 0 }
}
```

Field	Type	Notes
`status`	int	Mirrors the HTTP status.
`message`	string	Error detail when `status` != 200; empty on success.
`data`	any	`"success"` on push; record list on `GET`.
`meta`	object	Pagination, present on list (`GET`) responses.

Common HTTP codes

Code	Meaning
200	Accepted (published downstream) / list returned.
400	Bad request: invalid JSON, or duplicate `X-Request-ID`.
401	Auth / signature / timestamp failure (see §3.4).
404	Unknown route or unsupported method.
500	Internal error while publishing / processing.

Deprecated (v1.0.0 "Status Receiver"): v1.0.0 described an async callback in which eSuite `POST`s an insertion-status report `{requestId, message, statusCode, entity, errors[]}` to a client-hosted endpoint. The current service reports status **synchronously** in the response above; **no outbound status callback to the client exists in the current code.** Do not build a client-side receiver expecting eSuite to call it. Reconcile via the pull (`GET`) endpoints. Historical shape, for reference only:

```
// success
{ "requestId": "12345abcde", "message": "Data processed successfully", "statusCode": 200,
"entity": "Customer", "errors": [] }
// failed
{ "requestId": "67890fghij", "message": "Data insertion failed", "statusCode": 500, "entity":
"Product",
  "errors": [ { "errorCode": "ERR001", "errorMessage": "Missing required field: product_name" }
] }
```

7. Data limits & guidelines

- **Max 5,000 records** per request. Split larger loads into sequential ≤ 5,000 batches.
- `init` **is all-or-nothing:** if validation fails, the whole dataset is rejected — no partial application.
- Implement retry + backoff on `5xx` / timeout, reusing the same `X-Request-ID`.
- `external_code` is the client-side unique key for upsert/delete matching on nearly every entity — keep it stable and unique.
- Referenced eSuite objects are passed as `{ "id": "<esuite_id>" }`; obtain those ids from the pull endpoints (§10).

8. Entity index

Push (POST — write)

Entity	Path	Events	Owner
Branch	`/branches`	init/upsert/delete	inventory/core
Product Category	`/product-category`	init/upsert	inventory
Product Brand	`/product-brand`	init/upsert	inventory
Product UOM Level	`/uom-level` (alias `/product-uom-level`)	init/upsert	inventory
Product UOM	`/products/uom`	init/upsert	inventory
Product	`/product`	init/upsert/delete	inventory
Product Variant	`/product-variant`	init/upsert	inventory
Customers	`/customers`	init/upsert/delete	sales
Salesman	`/salesman`	init/upsert	ework/HR
Salesman Division	`/salesman-division`	init/upsert	ework
Employee	`/employee` (alias `/employees`)	init/upsert	ework/HR
Warehouse	`/warehouse`	init/upsert	inventory
Location	`/location`	init/upsert	inventory
Pricelist	`/pricelists`	init/upsert	sales
Customer Group	`/customergroup`	init/upsert	sales
Product Group	`/productgroup`	init/upsert	inventory
Stock Adjustment	`/stock-matrix`	init/upsert	inventory
Goods Receipt	`/goods-receipt`	init/upsert	inventory
Deliveries	`/deliveries`	init/upsert	inventory/shipment
Quotation	`/quotations`	init/upsert/delete	sales
Quotation ext-code update	`/quotations/update/external-code`	POST	sales
Sales Order	`/sales-order`	init/upsert/delete	sales
Sales Order ext-code update	`/sales-order/update/external-code`	POST	sales
Invoice	`/invoice`	init/upsert	accounting

Register Payment	`/register-payment`	init/upsert	accounting
Bills	`/bills`	init/upsert	accounting
Promotion	`/promotion`	init/upsert/delete	marketing
Promotion Type	`/promotion-type`	init/upsert	marketing
Call Plan	`/call-plan`	POST	ework
Aged Customer Balance	`/customer-aging`	init/upsert	accounting

Pull (GET — read)

Reference data	Path
UOM Category	`/uom-category`
UOM	`/uom`
Payment Method	`/payment-method`
Payment Provider	`/payment-provider`
Payment Terms	`/payment-terms`
Product Type	`/product-type`
Product Attribute	`/products/attribute`
Order Source	`/order-source`
Order Type	`/order-type`
Currency	`/currency`
Tax	`/tax`
Department	`/departments`
Job Position	`/job-positions`
Administrative Areas	`/administrative-areas`
Storage Condition	`/storage-condition`
Temperature Condition	`/temperature-condition`
Industry	`/industry`
Bank Account	`/bank-account`
Vendor	`/vendor`
Stock (list)	`/stock-matrix`
Health (no auth)	`/health`

Push endpoints also accept `GET` to list their own records (`/branches`, `/customers`, `/product`, `/quotations`, `/sales-order`, `/invoice`, `/bills`, `/register-payment`, `/warehouse`, `/product-variant`, `/customergroup`, `/productgroup`, `/pricelists`, `/location`, `/uom-level`, `/goods-receipt`, `/deliveries`, `/salesman-division`, `/employee`, `/promotion`).

9. Push entities — PUSH to eSuite

For every entity below: `init` seeds data; the identical object with `"event":"upsert"` is the continuous-integration path. Delete = same endpoint, `"event":"delete"`, key field(s) only. All curls omit the four auth headers for brevity — they are always required (see §3).

9.1 Branch — `/branches`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique; upsert/delete key.
`name`	String	Yes	Branch name.
`address`	Object	Yes	City, country, district, geo coordinates.
`ework_setting`	Object	Cond.	Required when `attendance_configuration` & `visit_configuration` enabled.

Init — Indonesia (`POST https://openapi.esuite.edot.id/v1/webhook/branches`)

```
{
  "event": "init",
  "data": [
    {
      "name": "Branch",
      "status": "active",
      "parent_branch": { "id": "66fd6444ea847e3059d1a80f" },
      "basic_info": {
        "external_code": "123",
        "sales_organization": { "id": "01J95F2HXNJN9GB2E5NBQE6CMC" },
        "timezone": { "id": "6639f8486218d49a92a1d1fd" },
        "working_day": {
          "end":   { "day": 1, "hour": "17:00", "name": "Monday" },
          "start": { "day": 1, "hour": "08:00", "name": "Monday" }
        }
      },
      "address": {
        "country":  { "name": "Indonesia", "code": "ID" },
        "province": { "name": "DKI Daerah Khusus Ibukota JAKARTA", "code": "V31" },
        "state":    { "name": "", "code": "" },
        "city":     { "name": "JAKARTA SELATAN", "code": "V3171" },
        "district": { "name": "SETIABUDI", "code": "V317402" },
        "location": { "name": "", "code": "" },
        "zone":     { "name": "SETIA BUDI", "code": "V31740201" },
        "street_address": "Jalan",
        "geo": { "lat": "1", "long": "1" },
        "postal_code": "12910"
      },
      "coverage": {
        "district": [ { "id": "V317402", "name": "SETIABUDI" } ],
        "zone":     [ { "id": "V31740201", "name": "SETIA BUDI" } ],
        "tags": []
```

```
      },
      "ework_setting": {
        "attendance_configuration": { "unit": { "id": "664219e2236dfcd5a400000c", "name":
"Metre", "format": "m" }, "radius": 5000 },
        "visit_configuration":      { "unit": { "id": "664219e2236dfcd5a400000c", "name":
"Metre", "format": "m" }, "radius": 5000 }
      }
    }
  ]
}
```

Init — Malaysia: identical body; `POST https://openapi.esuite.edot.my/v1/webhook/branches`.

Continuous integration (upsert): identical body with `"event": "upsert"` (ID & MY hosts).

9.2 Product Category — `/product-category`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique.
`name`	String	Yes	Category name (unique identifier).
`status`	String	No	`active` / `inactive`.
`parent`	Object	No	Nest under another category.

Init

```
{ "event": "init",
  "data": [
    { "external_code": 123123, "name": "Test", "status": "active", "parent": { "id":
"6641917e236dfcd5a4000003" } },
    { "external_code": 123123, "name": "Test", "status": "active", "parent": { "id":
"6641917e236dfcd5a4000003" } }
  ] }
```

Upsert

```
{ "event": "upsert",
  "data": [ { "external_code": 123123, "name": "Test", "status": "active", "parent": { "id":
"6641917e236dfcd5a4000003" } } ] }
```

9.3 Product Brand — `/product-brand`

Required fields: `external_code` (String), `name` (String); `status` optional; `parent` optional.

Init

```
{ "event": "init",
  "data": [ { "external_code": "", "name": "Test", "status": "active", "parent": { "id": "" } }
] }
```

Upsert: identical body with `"event": "upsert"`.

9.4 Product UOM Level — `/uom-level` (alias `/product-uom-level`)

Required fields: `external_code`, `name`; `status` optional.

Init

```
{ "event": "init",
  "data": [
    { "external_code": "", "name": "Small",  "description": "", "status": "active" },
    { "external_code": "", "name": "Medium", "description": "", "status": "active" },
    { "external_code": "", "name": "Large",  "description": "", "status": "active" }
  ] }
```

Upsert: identical body with `"event": "upsert"`.

9.5 Product UOM — `/products/uom`

Required fields

Field	Type	Required	Description
`uom_category_id`	String	Yes	UOM Category id.
`uom_category_code`	String	Yes	UOM Category code.
`code`	String	No	Auto-generated if empty.
`name`	String	Yes	Name.
`format`	String	Yes	Format.
`format_numbering`	Object	Yes	—
`format_numbering.ratio`	float64	Yes	Ratio.
`format_numbering.type`	enum	Yes	`reference` | `bigger` | `smaller`
`format_numbering.rounding`	float64	Yes	Rounding.
`uom_category`	Object	Yes	—
`uom_category.id`	String	Yes	UOM Category id.

Init

```
{ "event": "init",
  "data": [ {
    "company_id": "123456",
    "uom_category_id": "66418ef1236dfcd5a4000005",
    "uom_category_code": "UC-002",
    "code": "UM-0003", "name": "Gram", "format": "g",
    "format_numbering": { "ratio": 1, "type": "decimal", "rounding": 2 },
    "uom_category": { "id": "664f4c344a985c8818e9a97d" }
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.6 Product — `/product`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique.
`name`	String	Yes	Product name.
`status`	String	No	`active` / `inactive`.
`product_type`	Object	Yes	Competitor / Consumable / Services / Storable Product.
`product_category`	Object	Yes	Category the product belongs to.
`uom_levels`	Object	Yes	Units the product is measured/tracked in.

Init


```
{ "event": "init",
  "data": [ {
    "external_code": "65464",
    "name": "AMO CSD Cola 330ml (12 pcs)",
    "status": "active",
    "image_url": "https://api-esuitedev.edot.id/zeus/v1/file/media/image/1718699202005769916-
3D-AMO-CSD-Cola-535ml230x300.png",
    "product_type":     { "id": "664191ad236dfcd5a4000003" },
    "product_category": { "id": "01J0N79WY7FB9H80AX8603MM58" },
    "product_brand":    { "id": "01J0N7A34S8H67AC94V1AB662V" },
    "industry":         { "id": "65e6d06942f6da01aefafced" },
    "cost": 2400, "base_price": 2800,
    "base_uom":     { "id": "664219e2236dfcd5a4000019" },
    "purchase_uom": { "id": "664219e2236dfcd5a4000019" },
    "uom_levels": [
      { "id": "01J0N7BNWR4PC21Q2E7PY58SKV", "uom": { "id": "664219e2236dfcd5a4000019" }, "qty":
1, "convertion": 1 },
      { "id": "01J0Q54MATZVN3CS8R9PNVPRDS", "uom": { "id": "664219e2236dfcd5a4000008" }, "qty":
1, "convertion": 1 }
    ],
    "attributes": [ { "id": "01J9K9SEB8S2YC08PCACWEE67J", "values": ["Merah"] } ],
    "variants": [ {
      "id": "667145485ef562a5cb6b2576",
      "name": "AMO CSD Cola 330ml (12 pcs)",
      "cost": 0, "extra_price": 0, "sku": "", "barcode": "", "status": "active",
      "attributes": [ { "id": "01J9K9SEB8S2YC08PCACWEE67J" } ]
    } ],
    "inventory": {
      "weight": { "nett": 1, "gross": 1, "uom": { "id": "664219e2236dfcd5a4000019" } },
      "volume": {
        "product_volume":   { "length": 1, "width": 1, "height": 1, "volume": 1, "uom": { "id":
"664219e2236dfcd5a4000019" } },
        "packaging_volume": { "length": 1, "width": 1, "height": 1, "volume": 1, "uom": { "id":
"664219e2236dfcd5a4000019" } }
      },
      "storage": {
        "storage_condition":     { "id": "" },
        "temperature_condition": { "id": "01J9K9TSWCWS4KN3GXJMAETY0R" },
        "shelf": { "shelf_life": 1, "uom": { "id": "01J9K6GX6WCSNWCVTA728BN23Q" } }
      }
    },
    "currency": { "id": "6671428f5b65066248af9095" }
```

```
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.7 Product Variant — `/product-variant`

Required fields: `external_code`, `name`, `product_type`, `product_category`, `product`.

Init

```
{ "event": "init",
  "data": [ {
    "product": { "id": "66c82bc93cdac0361df90f55" },
    "external_code": "65464",
    "name": "AMO CSD Cola 330ml (12 pcs)",
    "status": "active",
    "image_url": "https://api-esuitedev.edot.id/zeus/v1/file/media/image/1718699202005769916-
3D-AMO-CSD-Cola-535ml230x300.png",
    "product_type":     { "id": "664191ad236dfcd5a4000003" },
    "product_category": { "id": "01J5A30ZD9P4079AVC38345FWH" },
    "product_brand":    { "id": "01J5D606GGV2N1FBNVXK2ZDRP8" },
    "industry":         { "id": "65e6d07742f6da01aefafcef" },
    "sku": "", "barcode": "", "cost": 0, "base_price": 0, "extra_price": 0,
    "base_uom":     { "id": "664219e2236dfcd5a4000007" },
    "purchase_uom": { "id": "664219e2236dfcd5a4000007" },
    "uom_levels": [ { "id": "01J0N7BNWR4PC21Q2E7PY58SKV", "uom": { "id":
"664219e2236dfcd5a4000007" }, "qty": 1, "convertion": 1 } ],
    "inventory": {
      "weight": { "nett": 1, "gross": 1, "uom": { "id": "664219e2236dfcd5a4000019" } },
      "volume": {
        "product_volume":   { "length": 1, "width": 1, "height": 1, "volume": 1, "uom": { "id":
"664219e2236dfcd5a4000019" } },
        "packaging_volume": { "length": 1, "width": 1, "height": 1, "volume": 1, "uom": { "id":
"664219e2236dfcd5a4000019" } }
      },
      "storage": {
        "storage_condition":     { "id": "" },
        "temperature_condition": { "id": "01J9K9TSWCWS4KN3GXJMAETY0R" },
        "shelf": { "shelf_life": 1, "uom": { "id": "01J9K6GX6WCSNWCVTA728BN23Q" } }
      }
    },
    "currency": { "id": "6671428f5b65066248af9095" }
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.8 Customers — `/customers`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique.
`name`	String	Yes	Customer name.
`type`	String	Yes	`company` / `individual`.
`status`	String	No	`active` / `inactive`.

Init — Indonesia (`POST https://openapi.esuite.edot.id/v1/webhook/customers`)

```
{
```

```
  "event": "init",
  "data": [
    {
      "name": "John Doe",
      "email": "john.doe@gmail.com",
      "website": "", "code": "", "external_code": "",
      "type": "company", "phone": "", "mobile": "",
      "dialing_code_phone": "+62",
      "flag_phone":
"https://upload.wikimedia.org/wikipedia/commons/9/9f/Flag_of_Indonesia.svg",
      "dialing_code_mobile": "+62",
      "flag_mobile":
"https://upload.wikimedia.org/wikipedia/commons/9/9f/Flag_of_Indonesia.svg",
      "tax_number": "", "pkp": false,
      "language": { "id": "" }, "image_url": "", "status": "active",
      "customer_groups": [ { "id": "" } ],
      "contacts": [ {
        "title": { "name": "Mr." }, "name": "abc", "job_position": "abc",
        "nik": "123", "phone": "812235456454", "email": "",
        "key": "01J9TKPYWAZ8WB139YTJTVPM6X"
      } ],
      "accounting_entries": { "receivable_code": "0011020101", "payable_code": "21100010" },
      "invoice": {
        "receiveable": { "credit_limit": 998322, "credit_used": 0, "credit_balance": 0 },
        "bank_accounts": [],
        "tax": {
          "id": "66fca845ea847e305972f48d",
          "country": { "id": "ID", "name": "Indonesia", "code": "ID" },
          "city": {
            "id": "V3276",
            "country": { "code": "ID", "name": "Indonesia" },
            "name": "KOTA DEPOK", "code": "V3276", "type": "city", "level": "1",
            "area": [
              { "id": "66388b83236dfcd5a4006c13", "name": "JAWA BARAT", "code": "V32", "type":
"province", "level": "0" },
              { "id": "66388b84236dfcd5a400851a", "name": "KOTA DEPOK", "code": "V3276",
"type": "city", "level": "1" }
            ]
          },
          "address": "abc"
        },
        "currency": { "id": "6707502749f9d46ca45dad9d" }
      },
      "addresses": [ {
        "administrative_level": [
          { "id": "66388b7f236dfcd5a4000000", "name": "ACEH", "code": "V11", "type":
"province", "level": "0", "postal_code": "" },
          { "id": "66388b7f236dfcd5a4000001", "name": "KAB ACEH SELATAN", "code": "V1103",
"type": "city", "level": "1", "postal_code": "" },
          { "id": "66388b7f236dfcd5a400000a", "name": "KLUET UTARA", "code": "V110102", "type":
"district", "level": "2", "postal_code": "" },
          { "id": "66388b7f236dfcd5a400000c", "name": "KRUENG BATEE", "code": "V11010202",
"type": "sub_district", "level": "3", "postal_code": "23771" }
        ],
        "address_type": { "id": "01J0N6QJPVTEMYV5C5PAP0QWTP", "name": "Others", "code": "AD-
001", "status": "active" },
        "country": { "id": "ID", "name": "Indonesia", "code": "ID" },
        "longitude": 0, "latitude": 0, "street_address": "", "image": "",
        "is_primary_address": false, "path": ""
      } ],
      "sales": {
        "branchs":   [ { "id": "66fd6444ea847e3059d1a80f" } ],
        "salesmans": [ { "id": "66ffc8b65d527ea5fa9372be" } ],
        "payment_term": { "id": "01J95F2J1KX1P618TJQHYYJEKV" }
      },
      "price_list": { "id": "66fd7862ea847e3059dc88be" },
      "document": [ {
        "id": "01J69D8QKR8N2124QK0PC8RYCE",
        "document_name": { "id": "", "name": "" },
```

```
        "attachment_name": "", "url": "", "value": ""
      } ],
      "entity_type": "customer",
      "currency": { "id": "6671428f5b65066248af9095" }
    }
  ]
}
```

Init — Malaysia: identical structure with MY administrative levels (state/city/location/ postal_code), country `MY`; `POST https://openapi.esuite.edot.my/v1/webhook/customers`. Example MY `addresses[].administrative_level`:

```
[
  { "id": "6645a52b236dfcd5a400be26", "name": "Kedah", "code": "MY02", "type": "state",
"level": "0", "postal_code": "" },
  { "id": "6645a52b236dfcd5a400bb1d", "name": "Jitra", "code": "MY02002", "type": "city",
"level": "1", "postal_code": "" },
  { "id": "6645a52b0b4f3a40cb493011", "name": "Bandar Baru Darulaman", "code": "MY020030669",
"type": "location", "level": "2", "postal_code": "" },
  { "id": "6645a52b0b4f3a40cb493011", "name": "06000", "code": "06000", "type": "postal_code",
"level": "3", "postal_code": "06000" }
]
```

Upsert: identical body with `"event": "upsert"` (ID & MY).

9.9 Salesman — `/salesman`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique.
`name`	String	Yes	Employee name.
`status`	String	No	`active` / `inactive`.
`title`	String	Yes	Honorific (Mr/Mrs/Ms).
`employee_id`	String	Yes	Org employee id.
`salesman_division`	Object	Yes	Division the salesman operates in.
`department`	Object	Yes	Department.
`job_position`	Object	Yes	Role.
`branches`	Array<Object>	Yes	Branches the salesman covers.

Init

```
{ "event": "init",
  "data": [ {
    "external_code": "", "name": "Salesman", "title": "Mrs.",
    "employee_id": "EMPDEV-000013", "employee_number": "EMP-00018",
    "identity_number": "", "email": "", "photo": "",
    "status": "active", "employee_status": "Full-Time",
    "tax_number": "", "phone_number": "",
    "department":   { "id": "01J0N6QKQXHZF39YBG7FBA5QPV" },
```

```
    "job_position": { "id": "01J0N6QNMKZMVND5HS7T92ERMA" },
    "branches":     [ { "id": "667145f85b65066248af909e" } ],
    "join_date": "", "resign_date": "",
    "salesman_division": [ { "id": "667142817051bde6fb193686" } ],
    "supervisor": { "id": "66ac56a66f6b103355e40748" },
    "dialing_code": "", "flag": ""
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.10 Salesman Division — `/salesman-division`

Required fields: `external_code`, `name`, `code` (≤20 chars, upper-case + 0-9); `status` optional.

Init

```
{ "event": "init",
  "data": [ {
    "name": "D1", "code": "D1", "external_code": "123", "status": "active",
    "product_groups": [ { "id": "6707751364e2b04201977d9b" } ],
    "employees": [ { "id": "66ffc87e5d527ea5fa937232" } ]
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.11 Warehouse — `/warehouse`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique.
`name`	String	Yes	Warehouse name.
`status`	String	No	`active` / `inactive`.
`owner_type`	String	Yes	`Company` / `Vendor` / `Customer`.
`short_name`	String	Yes	Abbreviated name.

Init — Indonesia (`POST https://openapi.esuite.edot.id/v1/webhook/warehouse`)

```
{
  "event": "init",
  "data": [ {
    "name": "Warehouse", "short_name": "wh",
    "address": {
      "street_address": "a",
      "country":  { "id": "ID", "name": "Indonesia", "code": "" },
      "province": { "id": "66388b7f236dfcd5a4000000", "name": "ACEH", "code": "V11", "type":
"province", "level": "0" },
      "city":     { "id": "66388b7f236dfcd5a40002aa", "name": "KAB ACEH TIMUR", "code":
"V1105", "type": "city", "level": "1" },
      "district": { "id": "66388b7f236dfcd5a40002ab", "name": "DARUL AMAN", "code": "V110301",
"type": "district", "level": "2" },
      "sub_district": { "id": "66388b7f236dfcd5a40002b2", "name": "SEUNEUBOK TEUNGOH", "code":
"V11030107", "type": "sub_district", "level": "3" },
      "administrative_level": [
        { "id": "V11", "name": "ACEH", "code": "V11", "type": "province", "level": "0" },
        { "id": "V1105", "name": "KAB ACEH TIMUR", "code": "V1105", "type": "city", "level":
"1" },
```

```
        { "id": "V110301", "name": "DARUL AMAN", "code": "V110301", "type": "district",
"level": "2" },
        { "id": "V11030107", "name": "SEUNEUBOK TEUNGOH", "code": "V11030107", "type":
"sub_district", "level": "3" }
      ],
      "longitude": 1, "latitude": 1
    },
    "branches": [ { "id": "66fd6444ea847e3059d1a80f" } ],
    "customer": { "id": "67077b3f4ac4448695caead0" },
    "owner_type": "Customer",
    "use_owner_address": true,
    "removal_strategy": { "id": "66739e274cb7bdc2f49f6b26" }
  } ] }
```

Init — Malaysia: identical body; `POST https://openapi.esuite.edot.my/v1/webhook/warehouse`.

Upsert: identical body with `"event": "upsert"` (ID & MY).

9.12 Location — `/location`

Required fields: `external_code`, `name`; `status` optional.

Init

```
{ "event": "init",
  "data": [ {
    "name": "Location",
    "parent": { "id": "" },
    "type": { "id": "663a02088e35cb03f2e03736" },
    "salesman": { "id": "" }
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.13 Pricelist — `/pricelists`

Required fields: `external_code`, `name`; `status` optional.

Init

```
{ "event": "init",
  "data": [ {
    "name": "Picelist", "status": "active",
    "effective_date": { "start_date": 1727715600, "end_date": 1730307600 },
    "currency": { "id": "66fca8440ff4c357a35d9fdc" },
    "product": [ {
      "id": "66fcd320ea847e30598be415",
      "key": "01J9TP9QTSRYCVNPJ6PA8BYWPB",
      "variant": [
        { "id": "66fcd320ea847e30598be423", "base_price": 0, "store_price": 100 },
        { "id": "66fcd320ea847e30598be43a", "base_price": 0, "store_price": 100 },
        { "id": "66fcd320ea847e30598be44f", "base_price": 3000, "store_price": 3100 }
      ],
      "min_base_price": 0, "max_base_price": 3000, "min_store_price": 0, "max_store_price": 0
    } ],
    "branch": [ { "id": "66fd6444ea847e3059d1a80f" } ],
    "customer_group": [ { "id": "66fd6444ea847e3059d1a80f" } ]
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.14 Customer Group — `/customergroup`

Required fields: `external_code`, `name`; `status` optional.

Init

```
{ "event": "init",
```

```
  "data": [ {
    "name": "Customer Group",
    "parent": { "id": "66e17dba41c43c4af6a263ac" },
    "external_code": "123", "status": "active",
    "customers": [ { "id": "66ff9fbb993a3879e6e4f64c", "added_at": 1728631792 } ],
    "transaction_rules": {
      "enable_scheduled_update": true, "order_source": "esuite",
      "interval": "15m", "start_time": "17:00", "end_time": "23:00", "timezone": "UTC",
      "filter_conditions": [
        { "code": "trx_amount", "name": "Transaction Amount", "type": "range", "unit":
"currency",
          "value": { "start": "10000", "end": "10000", "duration": "", "list": [] } },
        { "code": "trx_count", "name": "Transaction Count", "type": "range", "unit":
"transactions",
          "value": { "start": "1", "end": "1", "duration": "", "list": [] } }
      ]
    },
    "basic_transaction": { "currency": { "id": "66e17e071ab63170facb2893" } }
  } ] }
```


Upsert: identical body with `"event": "upsert"`.

9.15 Product Group — `/productgroup`

Required fields: `external_code`, `name`.

Init


```
{ "event": "init",
  "data": [ {
    "name": "Product Group",
    "parent": { "id": "66fca84303a799d8fd7aafa4" },
    "external_code": "123",
    "product_variants": [ { "id": "66fcd320ea847e30598be44f", "added_at": 1728556952 } ]
  } ] }
```


Upsert: identical body with `"event": "upsert"`.

9.16 Stock Adjustment — `/stock-matrix`

Required fields

Field	Type	Required	Description
`product_variant`	Object	Yes	Product variant.
`uom`	Object	Yes	Unit of measure.
`warehouse`	Object	Yes*	Warehouse (or `location`).
`location`	Object	Yes*	Storage location.
`free_to_use`	Number	Yes	Available/unreserved quantity.
`on_hand`	Number	Yes	Total physical quantity.
`quantity`	Number	Yes	Change applied by the adjustment.

Init

```
{ "event": "init",
  "data": [ {
    "external_code": "123",
    "product_variant": { "id": "66e1994b9cd86dfeafb3538f" },
    "uom": { "id": "664219e2236dfcd5a4000001" },
    "location": { "id": "670350aa07a76756a9abec59" },
    "free_to_use": 100, "on_hand": 100, "quantity": 100,
    "batch": { "code": "Batch1", "expiry_date": "30/09/2024" }
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.17 Goods Receipt — `/goods-receipt`

Required fields: `external_code`, `schedule_date`, `product_variants`, `receive_from`, `location`.

Init

```
{ "event": "init",
  "data": [ {
    "external_code": "123",
    "receive_from": { "id": "66f22bdf977242b0ac82e6a3" },
    "schedule_date": { "date": "2024-10-10T17:00:00.000Z", "time_zone": "+7" },
    "source_document": { "value": "", "attachment": "" },
    "product_variants": [ {
      "id": "66e1994b9cd86dfeafb3538f", "demand": 1,
      "uom": { "id": "664219e2236dfcd5a4000001" },
      "batch": { "code": "Batch1", "expiry_date": "30/09/2024" }
    } ],
    "note": "",
    "location": { "id": "670350aa07a76756a9abec59" }
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.18 Deliveries — `/deliveries`

Required fields: `external_code`, `schedule_date`, `product_variants`, `delivery_to`, `location`.

Init

```
{ "event": "init",
  "data": [ {
    "external_code": "123",
    "delivery_to": { "id": "66e1936541c43c4af6a263cc" },
    "schedule_date": { "date": "2024-10-10T17:00:00.000Z", "time_zone": "+7" },
    "source_document": { "value": "", "attachment": "", "id": "" },
    "product_variants": [ {
      "id": "66e1994b9cd86dfeafb3538f", "demand": 1,
      "uom": { "id": "664219e2236dfcd5a4000001" },
      "batch": { "code": "Batch1", "expiry_date": "2024-09-30" }
    } ],
    "note": "",
    "location": { "id": "670350aa07a76756a9abec59" }
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.19 Quotation — `/quotations`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id,

			unique.
`order_type`	Object	Yes	Type of order.
`customer`	Object	Yes	Customer.
`branch`	Object	Yes	Branch.
`order_date`	String	Yes	Order/quotation date.
`order_source`	Object	Yes	esuite / ework / partner.
`payment_term`	Object	Yes	e.g. net 30 days.
`payment_method`	Object	Yes	credit card / bank transfer / cash.
`product_variant`	Array<Object>	Yes	Line items.
`product_variant.uom`	Object	Yes	Unit of measure.
`product_variant.qty`	Integer	Yes	Quantity.

Init

```
{ "event": "init",
  "data": [ {
    "external_code": "123",
    "order_type": { "id": "66e17db941c43c4af6a263a1" },
    "customer":   { "id": "66e1936541c43c4af6a263cc" },
    "branch":     { "id": "66c41c999400fdd437136403" },
    "order_date": "2024-10-10T17:00:00.000Z", "timezone": "-",
    "order_source":  { "id": "01J7GD66X3VXKYZG6BKS5FJ7P9" },
    "payment_term":  { "id": "01J7GD66ZB1RK51JMQ9ERBVV86" },
    "employee":      { "id": "66e182b8951ceab6552aee22" },
    "payment_method": { "id": "66e2b07146c32e605eab18de", "provider": { "id":
"66e17dbaea847e3059b08999" } },
    "source_document": { "value": "", "attachment": "" },
    "delivery_fee": 0, "admin_fee": 0,
    "product_variant": [ {
      "id": "66e1994b9cd86dfeafb3538f", "qty": 1,
      "uom": { "id": "664219e2236dfcd5a4000001" },
      "tax": { "id": "66e17dbaea847e3059b089bd" },
      "promo_sku": 0
    } ],
    "promotion": [], "promo_code": "",
    "currency": { "id": "66e17e071ab63170facb2893" }
  } ] }
```

Upsert: identical body with `"event": "upsert"`. **Auxiliary:** `POST /quotations/update/external-code` to patch an existing quotation's external code.

9.20 Sales Order — `/sales-order`

Required fields: same as Quotation (`external_code`, `order_type`, `customer`, `branch`, `order_date`, `order_source`, `payment_term`, `payment_method`, `product_variant[]` with `uom` + `qty`).

Init

```
{ "event": "init",
  "data": [ {
    "external_code": "123",
```

```
    "order_type": { "id": "66e17db941c43c4af6a263a1" },
    "customer":   { "id": "66e1936541c43c4af6a263cc" },
    "branch":     { "id": "66c41c999400fdd437136403" },
    "order_date": "2024-10-10T17:00:00.000Z", "timezone": "-",
    "order_source":  { "id": "01J7GD66X3VXKYZG6BKS5FJ7P9" },
    "payment_term":  { "id": "01J7GD66ZB1RK51JMQ9ERBVV86" },
    "employee":      { "id": "66e182b8951ceab6552aee22" },
    "payment_method": { "id": "66e2b07146c32e605eab18de", "provider": { "id":
"66e17dbaea847e3059b08999" } },
    "source_document": { "value": "", "attachment": "" },
    "delivery_fee": 0, "admin_fee": 0,
    "product_variant": [ {
      "id": "66e1994b9cd86dfeafb3538f", "qty": 1,
      "uom": { "id": "664219e2236dfcd5a4000001" },
      "tax": { "id": "66e17dbaea847e3059b089bd" },
      "promo_sku": 0
    } ],
    "promotion": [], "promo_code": "",
    "currency": { "id": "66e17e071ab63170facb2893" }
  } ] }
```

Upsert: identical body with `"event": "upsert"`. **Auxiliary:** `POST /sales-order/update/external-code`. See §12 NOO flow.

9.21 Invoice — `/invoice`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique.
`branch`	Object	Yes	Branch.
`invoice_date`	String	Yes	Invoice date.
`due_date`	String	Yes	Payment due date.
`customer`	Object	Yes	Customer.
`order_source`	Object	Yes	esuite / ework / partner.
`payment_term`	Object	Yes	e.g. net 30 days.
`payment_method`	Object	Yes	credit card / bank / cash.
`product_order`	Array<Object>	Yes	Line items.
`product_order.uom`	Object	Yes	Unit of measure.
`product_order.qty`	Integer	Yes	Quantity.

Init

```
{ "event": "init",
  "data": [ {
    "external_code": "123", "invoice_number": "",
    "branch": { "id": "66c41c999400fdd437136403" },
    "invoice_date": "2024-10-10T17:00:00.000Z",
    "due_date": "2024-10-10T17:00:00.000Z",
    "customer": { "id": "66e1936541c43c4af6a263cc" },
```

```
    "order_source":  { "id": "01J7GD66X3VXKYZG6BKS5FJ7P9" },
    "payment_terms": { "id": "01J7GD66ZB1RK51JMQ9ERBVV86" },
    "payment_method": { "id": "66e2b07146c32e605eab18de", "provider": [ { "id":
"66e17dbaea847e3059b08999" } ] },
    "source_document": { "value": "", "attachment": [] },
    "employee": { "id": "66e182b8951ceab6552aee22" },
    "delivery_fee": "0", "admin_fee": "0",
    "currency": { "id": "66e17e071ab63170facb2893" },
    "product_order": [ {
      "id": "66e1994b9cd86dfeafb3538f", "qty": "1",
      "uom": { "id": "664219e2236dfcd5a4000001" },
      "promo_sku": "0", "tax": { "id": "66e17dbaea847e3059b089bd" }
    } ],
    "promotion": []
  } ] }
```


Upsert: identical body with `"event": "upsert"`.

9.22 Register Payment — `/register-payment`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique.
`payment_date`	String	Yes	—
`payment_method`	Object	Yes	—
`partner`	Object	Yes	Payment partner.
`type`	String	Yes	`send` / `receive`.
`amount`	String	Yes	—
`branch`	Object	Yes	Branch.

Init


```
{ "event": "init",
  "data": [ {
    "external_code": "123",
    "payment_date": "2024-10-10T17:00:00.000Z",
    "register_payment_number": "", "reference": "",
    "payment_method": { "id": "66e2b07146c32e605eab18de", "provider": [ { "id":
"66e17dbaea847e3059b08999" } ] },
    "partner": { "id": "66e1936541c43c4af6a263cc" },
    "amount_in_currency": "", "amount": "1.000.000", "status": "draft",
    "currency": { "id": "66e17e071ab63170facb2893" },
    "type": "send",
    "bank_account": { "name": "1234567890" },
    "memo": "", "document": null,
    "source_document": { "value": "", "attachment": [] },
    "branch": { "id": "66c41c999400fdd437136403" }
  } ] }
```


Upsert: identical body with `"event": "upsert"`.

9.23 Bills — `/bills`

Required fields

Field	Type	Required	Description
`external_code`	String	Yes	External 3rd-party id, unique.
`branch`	Object	Yes	Branch.
`bill_date`	String	Yes	Bill date.
`due_date`	String	Yes	Payment due date.
`vendor`	Object	Yes	Vendor.
`order_source`	Object	Yes	esuite / ework / partner.
`payment_term`	Object	Yes	e.g. net 30 days.
`payment_method`	Object	Yes	credit card / bank / cash.
`product_order`	Array<Object>	Yes	Line items.
`product_order.uom`	Object	Yes	Unit of measure.
`product_order.qty`	Integer	Yes	Quantity.

Init

```
{ "event": "init",
  "data": [ {
    "external_code": "123", "bill_number": "",
    "branch": { "id": "66c41c999400fdd437136403" },
    "bill_date": "2024-10-10T17:00:00.000Z",
    "due_date": "2024-10-10T17:00:00.000Z",
    "vendor": { "id": "66e1936541c43c4af6a263cc" },
    "order_source":  { "id": "01J7GD66X3VXKYZG6BKS5FJ7P9" },
    "payment_terms": { "id": "01J7GD66ZB1RK51JMQ9ERBVV86" },
    "employee": { "id": "66e182b8951ceab6552aee22" },
    "payment_method": { "id": "66e2b07146c32e605eab18de", "provider": [ { "id":
"66e17dbaea847e3059b08999" } ] },
    "source_document": { "value": "", "attachment": [] },
    "delivery_fee": "0", "admin_fee": "0",
    "currency": { "id": "66e17e071ab63170facb2893" },
    "product_order": [ {
      "id": "66e1994b9cd86dfeafb3538f", "qty": "1",
      "uom": { "id": "664219e2236dfcd5a4000001" },
      "promo_sku": "0", "tax": { "id": "66e17dbaea847e3059b089bd" }
    } ],
    "promotion": []
  } ] }
```

Upsert: identical body with `"event": "upsert"`.

9.24 Promotion — `/promotion`

> v1.0.0 marked promotion `[PHASE 3]` (draft). It is now live.

Init

```
{
  "event": "init",
```

```
  "data": [ {
    "status": "need-approval",
    "campaigntype_id": 818, "bu_id": 5,
    "platform_id": "01J66Q4SHGG1S3WMV3AMT6Z58C", "platform_name": "esuite",
    "campaign_name": "test", "campaign_term": "<p>1213</p>", "campaign_image_id": null,
    "voucher_quota": "123", "voucher_quota_user": "1",
    "discount_type": "manual", "voucher_code": "123a124", "campaign_mark": "",
    "valid_start": "2024-09-04 09:53:00", "valid_end": "2024-09-13 09:55:00",
    "display_voucher": false, "target_user": "All User",
    "discount": [
      { "min_transaction": 123, "max_transaction": 1234, "value_type_diskon": "fixed",
"discount_type": "amount", "min_discount": 12, "max_discount": null, "seq": 1 },
      { "min_transaction": 12415, "max_transaction": 125245, "value_type_diskon": "fixed",
"discount_type": "amount", "min_discount": 12315, "max_discount": null, "seq": 2 }
    ],
    "covered_byseller": "0", "covered_bycompany": "100",
    "usage_id": 2, "voucher_usage_id": 9, "vouchertype_id": 3, "transaction_type_id": 7,
    "otp_validation": false, "allow_comb_voucher": true, "allow_combination_id": 6,
    "rules": [], "trx_type": "SHOPPING_COST", "order_type": "DELIVERY",
    "store_type": [ { "id": "66cc257acc6a3d3d3a6f87bc", "name": "Channel Type" } ],
    "official_store": [],
    "product_division": [ { "id": "66d7c0a570b0c0f240e9f001", "name": "ProductGroup1" } ],
    "product_category": [ { "id": "6641917e236dfcd5a4000002", "name": "Expenses" } ],
    "product_store": [ { "id": "66e460a3e22e68666cad4c0e", "name": "Produk Sultan (123)" } ],
    "product_store_unit": [ { "id": "01J6XEGD0BTHRVA7VYZ4Y9T9XA", "name": "UoM1tes" } ],
    "timezone": { "id": "6639f8486218d49a92a1d1fd", "code": "TZ-0494", "value": "Asia/Jakarta",
"description": "West Indonesia Time", "offset_in_hour": 7 }
  } ]
}
```


Upsert: wrap in `{ "event": "upsert", "data": [ { ...same object... } ] }`.

9.25 Promotion Type — `/promotion-type`

`POST` upsert. Simpler object than promotion (per marketing contract). New in v2.0.0.

9.26 Call Plan — `/call-plan`

`POST` only, owned by ework. New in v2.0.0 (schema per ework contract).

9.27 Aged Customer Balance — `/customer-aging`

Required fields

Field	Type	Required	Description
`customer_code`	String	Yes	Customer id from external 3rd party.
`doc_no`	String	Yes	Unique invoice/credit-note number.
`type`	String	Yes	`IN` (Invoice) / `CN` (Credit Note).
`bp_ref`	String	No	Optional customer reference code.
`status`	String	Yes	`Paid` / `Unpaid` (Unpaid appears in aging report).
`amount_due`	Number	Yes	Amount owed.

`posting_date`	Number	Yes	EPOCH; document creation date.
`due_date`	Number	Yes	EPOCH; payment deadline.

Init


```
{ "event": "init",
  "data": [ {
    "customer_code": "P809", "type": "IN", "doc_no": "1170000042",
    "bp_ref": "2300410495", "amount_due": -25420, "status": "Unpaid",
    "posting_date": 1742509745, "due_date": 1742509745
  } ] }
```


Upsert


```
{ "event": "upsert",
  "data": [ {
    "customer_code": "P809", "type": "IN", "doc_no": "1170000042",
    "bp_ref": "2300410495", "amount_due": -25420, "status": "Paid",
    "posting_date": 1742509745, "due_date": 1742509745
  } ] }
```

10. Pull entities — READ from eSuite

Use these to resolve eSuite `id`s referenced in push payloads, or to reconcile state. All require the four auth headers (sign empty body). Most support `?page=&limit=` and return `meta` pagination. Method: `GET`.

Reference data	Path
UOM Category	`/uom-category`
UOM	`/uom`
Payment Method	`/payment-method`
Payment Provider	`/payment-provider`
Payment Terms	`/payment-terms`
Product Type	`/product-type`
Product Attribute	`/products/attribute`
Order Source	`/order-source`
Order Type	`/order-type`
Currency	`/currency`
Tax	`/tax`
Department	`/departments`
Job Position	`/job-positions`
Administrative Areas	`/administrative-areas`
Storage Condition	`/storage-condition`
Temperature Condition	`/temperature-condition`
Industry	`/industry`
Bank Account	`/bank-account`
Vendor	`/vendor`
Stock (list)	`/stock-matrix`

Example:

```
curl --location 'https://openapi.esuite.edot.id/v1/webhook/uom?page=1&limit=50' \
--header 'X-Request-ID: ABC123456789DEF0' \
--header 'Authorization: Basic XXXXX' \
--header 'X-Signature: <hmac of empty body>' \
--header 'X-Timestamp: 1724740727'
```

Response envelope: `{ status, message, data: [...records...], meta: { total, limit, page, total_page } }`.

Health check (no auth): `GET https://openapi.esuite.edot.id/v1/webhook/health`.

11. Read-back snapshots & payload structures

`GET` list endpoints return the full persisted snapshot. Each record carries `id`, `name`, `status`, timestamps (`created_at` / `updated_at` as EPOCH `int64`), `created_by` / `updated_by`, and nested relationships. Below are the reference snapshot + structure for the main transactional entities (verbatim from the eSuite data model).

11.1 Customers — sample


```
{
  "entity": "Customers",
  "event": "",
  "data": [ {
    "id": "1", "name": "Ahmad Bhd", "status": "active",
    "image_url": "https://example.com/image/ahmad_bhd.png",
    "type": "company", "entity_type": "customer",
    "code": "MY-AH01", "external_code": "EXT-001", "reference_id": "REF-0001",
    "phone": "+60312345678", "mobile": "+60123456789", "email": "contact@ahmad_bhd.com",
    "created_at": 1700000000, "created_by": 10001, "updated_at": 1700000000, "updated_by":
10001,
    "customer_groups": [ { "id": "1", "name": "VIP Customers" } ],
    "addresses": [ {
      "id": "1",
      "address_type": { "id": "1", "name": "Office" },
      "street_address": "No. 1, Jalan Ampang, Kuala Lumpur",
      "country": { "id": "MY", "name": "Malaysia", "code": "MY" },
      "longitude": 101.7123, "latitude": 3.1585, "is_primary_address": true,
      "image": "https://example.com/image/address_office.png",
      "administrative_level": [ { "id": "KL01", "name": "Kuala Lumpur", "code": "KL", "type":
"city", "level": "1" } ]
    } ],
    "contacts": [ { "id": "1", "title": { "id": "1", "name": "Mr." }, "name": "Ahmad Zaki",
"job_position": "CEO", "nik": "1234567890", "phone": "+60312345678", "email":
"ahmad.zaki@ahmad_bhd.com" } ],
    "invoice": {
      "receiveable": { "account": { "id": "R001", "name": "Receivable Account", "code": "RA-
001" }, "credit_limit": 100000.00, "credit_used": 50000.00, "credit_balance": 50000.00 },
      "payable":     { "account": { "id": "P001", "name": "Payable Account", "code": "PA-001" }
},
      "bank_accounts": [ { "id": "1", "name": "Maybank", "account_number": "1234567890",
"account_name": "Ahmad Bhd", "is_verify": true, "status": "active" } ],
      "tax": { "id": "GST001", "name": "GST", "country": { "id": "MY", "name": "Malaysia",
"code": "MY" }, "city": { "id": "KL01", "name": "Kuala Lumpur", "code": "KL" }, "address": "No.
1, Jalan Ampang, Kuala Lumpur" },
      "currency": { "id": "MYR", "name": "Malaysian Ringgit", "symbol": "RM" }
    },
    "company": { "id": "1", "name": "Ahmad Bhd", "job_position": "CEO", "title": { "id": "1",
"name": "Mr." }, "nik": "1234567890" },
    "pending_change_requests": [ { "id": "1", "created_at": 1700000000, "author": { "id":
"10001", "name": "Admin User", "type": "system" } } ],
    "dialing_code_phone": "+60", "flag_phone": "🇲🇾", "dialing_code_mobile": "+60",
"flag_mobile": "🇲🇾"
  } ]
}
```


Structure: `{ entity, event, data: [{ id, name, status, image_url, type, entity_type, code, external_code, reference_id, phone, mobile, email, created_at:int64, created_by:int64, updated_at:int64, updated_by:int64, customer_groups[], addresses[{address_type, street_address, country, longitude:float64, latitude:float64, is_primary_address:bool, image, administrative_level[]}], contacts[], invoice{receivable{account, credit_limit:float64, credit_used:float64, credit_balance:float64}, payable{account}, bank_accounts[], tax, currency}, company,`

`pending_change_requests[], dialing_code_phone, flag_phone, dialing_code_mobile, flag_mobile } ] }`.

11.2 Quotation — structure

`{ entity, event, data: { id, quotation_number, order_date, reference_id, customer{id, name, type, address{id, formatted_address}}, branch, order_source, payment_term, payment_method{id, name, type}, source_document, product_variant[{id, name, qty:int64, convertion:float64, uom, tax{...}, price_before_tax:float64, base_price, price, discount_sku, promo_sku, total_price}], promotion[{id, code, name, type, value:float64}], external_code, delivery_fee, admin_fee, tax, employee, total_price_before_tax, total_tax, total_price, total_discount, total_promotion, final_price, status, created_at, created_by, updated_at, updated_by, embedded_code, promo_code, currency, order_type } }`.

11.3 Sales Order — structure

Superset of Quotation plus: `journal_items[]`, `fulfillment[{product_id, product_name, description, quantity, delivered, invoiced}]`, `deliveries[{id, name, count}]`, `payments[]`, `invoices[{id, name, count}]`, `pos{queue_number, terminal_id, journal}`.

11.4 Register Payment — structure

`{ entity, event, data: { id, company_id, reference_id, register_payment_number, partner, branch, type, payment_date, currency{id, name, symbol}, amount, amount_in_currency, reference, source_document{id, type, value, attachment[{path, filename}]}, journal, payment_method{id, name, provider[]}, bank_account{id, name, number}, memo, status, invoice[], bill[], journal_entry[], receipt{temporary_doc_key, receipt_doc_key}, created_at, created_by, updated_at, updated_by } }`.

11.5 Bills — structure

`{ entity, event, data: { id, bill_number, company_id, branch, reference_id, bill_date, due_date, vendor{id, name, type, address}, order_source, journal, payment_terms, payment_method{provider[]}, source_document{value, attachment[]}, promo_code, product_order[{id, name, qty, base_price, conversion, uom, tax{tax_grid, computation, type, amount, include_in_price, distribution_for_invoices[]}, price_before_tax, price, discount_sku, promo_sku, total_price, account{id, code, name}}], promotion[], total_price_before_tax, total_tax, total_price, total_discount, total_promotion, delivery_fee, admin_fee, tax, final_price, journal_items[], fulfillment[{product_id, product_name, description, quantity, delivered, billed}], status, payment_status, payments_partial{payment_paid[], amount_due}, payments[], journal_entry[], created_at, created_by, updated_at, updated_by, currency, employee } }`.

11.6 Promotion — sample


```
{
  "entity": "Promotion",
  "event": "",
  "data": {
    "_id": "promo12345", "code": "PROMO2024", "name": "Summer Sale",
    "description": "Exclusive summer sale with discounts up to 50%.",
    "start_date": { "$date": "2024-08-01T00:00:00.000Z" },
    "end_date":   { "$date": "2024-08-31T23:59:59.000Z" },
    "period_type": "Fixed", "promotion_type": "Discount", "promotion_platform": "Online",
    "budget_limit": 10000, "promo_eligibility": "All Customers", "calculation_level":
"Individual",
    "is_include_tax": true, "banner": "https://example.com/banner.jpg",
```

```
    "customer": { "quota_limit": 100, "quota_type": "Monthly", "target_customer": "New
Customers" },
    "branch": { "target_branch": "All", "quota_per_day": 50, "quota_per_branch": 200 },
    "salesman": { "target_salesman": "All", "salesman_division_ids": [ "division1", "division2"
] },
    "voucher": { "is_enable_voucher_code": true, "voucher_code_type": "Unique",
"universal_voucher_code": "SUMMER2024", "prefix_code": "SUM", "max_voucher_usage": 1000,
"total_voucher": 5000 },
    "created_at": 1690944000, "created_by": "admin", "updated_at": 1690944000, "updated_by":
"admin",
    "deleted_at": null, "deleted_by": "",
    "limit": { "code": "1001", "name": "Limit 1" },
    "rules": { "code": "2001", "name": "Rules 1" }
  }
}
```

12. NOO flow (New Outlet Opening) / new customers

Sync flow for onboarding a customer created in the field (ework):

1. Salesman creates the customer in ework; eSuite sets status `WAITING_FOR_APPROVAL`.
2. Salesman creates a quotation for that customer; saved in eSuite, forwarded to client/SAP as a Sales Order with status `PENDING`.
3. The new customer is also synced to the client via the customer flow.
4. Client/SAP decision:
   - **Approve** → client `POST`s a Sales Order (`/sales-order`) → eSuite flips customer `WAITING_FOR_APPROVAL` → `ACTIVE`.
   - **Reject** → client sets the Sales Order status to `CANCELLED` → eSuite flips customer `WAITING_FOR_APPROVAL` → `INACTIVE`.

18. Changelog vs v1.0.0

Area	v1.0.0	v2.0.0 (current)
Base path prefix	`/v1/<entity>`	**`/v1/webhook/<entity>`**
Branch path	`/branch`	`/branches`
Pricelist path	`/pricelist`	`/pricelists`
Quotation path	`/quotation`	`/quotations`
Salesman division	`/salesmandivision`	`/salesman-division`
Customer group	`/customergroups`	`/customergroup`
Promotion path	`/promotions`	`/promotion` (+ `/promotion-type`)
Delete mechanism	HTTP `DELETE` + body	**`POST` with `"event":"delete"`** (no `DELETE` verb exists)
Status reporting	Async "Status Receiver" callback to client	**Synchronous** `{status,message,data,meta}`; no callback found
Signature key	"YOUR_SECRET_KEY"	Explicitly the **`client_secret`** (Basic password half)
Timestamp window	±5 min	±5 min (±300 s) — confirmed
Promotion status	`[PHASE 3]` draft	Live
New push entities	—	`/product-variant`, `/salesman-division`, `/employee`, `/call-plan`, `/promotion-type` (plus already-listed invoice/bills/register-payment/goods-receipt/deliveries/stock-matrix/customer-aging)
New pull entities	—	`/uom`, `/uom-category`, `/currency`, `/tax`, `/payment-method`, `/payment-provider`, `/payment-terms`, `/product-type`, `/products/attribute`, `/order-source`, `/order-type`, `/departments`, `/job-positions`, `/administrative-areas`, `/storage-condition`, `/temperature-condition`, `/industry`, `/bank-account`,

		`/vendor`