


## Hasil Konfigurasi



Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x 1265 v 21 [Room] 07:33:30

www.Aryadi.com

IT

Server0

Physical Config Services Desktop Programming Attributes

Command Prompt

```
ping statistics for 192.168.20.201:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\>ping 192.168.10.10

Pinging 192.168.10.10 with 32 bytes of data:
Reply from 192.168.10.10: bytes=32 time=13ms TTL=128
Reply from 192.168.10.10: bytes=32 time=20ms TTL=128
Reply from 192.168.10.10: bytes=32 time=20ms TTL=128
Reply from 192.168.10.10: bytes=32 time=20ms TTL=128

Ping statistics for 192.168.10.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 13ms, Maximum = 20ms, Average = 18ms
C:\>ping 192.168.99.1

Pinging 192.168.99.1 with 32 bytes of data:
Reply from 192.168.99.1: bytes=32 time=3ms TTL=255
Reply from 192.168.99.1: bytes=32 time=3ms TTL=255
Reply from 192.168.99.1: bytes=32 time=3ms TTL=255
Reply from 192.168.99.1: bytes=32 time=3ms TTL=255

Ping statistics for 192.168.99.1:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping 172.16.30.193
```

Time 01:44:52

Realtime Simulation

Scenario 0

New Delete

Toggle PDU List Window

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x 1402 v 325 [Room] 07:24:00

www.Aryadi.com

IT

Server0

Physical Config Services Desktop Programming Attributes

Command Prompt

```
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping 172.16.30.193

Pinging 172.16.30.193 with 32 bytes of data:
Reply from 172.16.30.193: bytes=32 time=3ms TTL=255
Reply from 172.16.30.193: bytes=32 time=3ms TTL=255
Reply from 172.16.30.193: bytes=32 time=3ms TTL=255
Reply from 172.16.30.193: bytes=32 time=3ms TTL=255

Ping statistics for 172.16.30.193:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping 172.16.40.177

Pinging 172.16.40.177 with 32 bytes of data:
Reply from 172.16.40.177: bytes=32 time=3ms TTL=255
Reply from 172.16.40.177: bytes=32 time=3ms TTL=255
Reply from 172.16.40.177: bytes=32 time=3ms TTL=255
Reply from 172.16.40.177: bytes=32 time=3ms TTL=255

Ping statistics for 172.16.40.177:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>
```

Time 01:44:15

Realtime Simulation

Scenario 0

New Delete

Toggle PDU List Window

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

#### Peralatan yang dibutuhkan

1. Router
2. Server
3. 2 buah PC
4. 1 buah Laptop
5. ISP
6. AP
7. Switch
8. Kabel LAN
9. Konektor