

Catalyst — Change Summary

Participant UX updates, Upcoming calendar, and navbar cleanup

Report date: 26 September 2026 | Frontend: E:\Catalyst | Backend: E:\Catalyst_backend

Executive summary: All feature work was done in the frontend. The backend repository is clean: no backend model, controller, or route was changed. The frontend continues to use the existing `GET /api/organizer/events/public` endpoint.

1. Scope and outcome

Item	Result
Frontend files changed	11 source files plus the local <code>.env</code> configuration file.
Backend files changed	None. <code>E:\Catalyst_backend</code> has a clean Git working tree.
Discover	Live public-event loading, keyword search, category/education/event/date filters, compact filter panel, loading and error states.
Upcoming	Live deadline list replaced with a month calendar, selected-day panel, event/deadline markers, and due-this-week list.
Navbar	Persistent search input and notification bell button removed. No replacement feature was added.
Not implemented	Application/profile update system, new application form, new backend application model/route, notification backend.

2. Complete changed-file inventory

#	File	Feature / purpose	What changed
1	<code>.env</code>	Local API configuration	Local frontend API base configuration is modified. Secret values are intentionally not reproduced in this report.
2	<code>src/models/data/categories.js</code>	Shared competition metadata	Canonical categories, aliases, education levels, event types, category label resolution, and category matching helpers.
3	<code>src/controllers/competitionController.js</code>	Shared filter/form metadata	Exports the shared category, education-level, and event-type constants instead of duplicating hardcoded values.
4	<code>src/views/pages/organizer/CreateCompetitionPage.jsx</code>	Organizer event-type form	Event type buttons now use the shared <code>EVENT_TYPES</code> list.
5	<code>src/views/components/discover/CategoryFilter.jsx</code>	Category chips	Single-row horizontal scrolling, <code>className</code> support, and <code>aria-pressed</code> state.
6	<code>src/views/components/discover/CompetitionCard.jsx</code>	Category display	Uses <code>getCategoryLabel()</code> for consistent category labels.
7	<code>src/views/components/discover/CompetitionGrid.jsx</code>	No-results state	Clear-filter button and improved no-results copy.
8	<code>src/views/pages/participant/DiscoverPage.jsx</code>	Discover search/filter UX	Live API data mapping, keyword search, category/education/event/date filters, collapsible filter panel, active count, loading/error states.
9	<code>src/views/pages/participant/CompetitionDetailPage.jsx</code>	Event ID compatibility	Fallback lookup for both <code>id</code> and MongoDB <code>_id</code> .
10	<code>src/views/pages/participant/UpcomingPage.jsx</code>	Deadline calendar	Live events, month grid, event/deadline markers, month navigation, Today button, selected-day details, due-this-week list and countdown.
11	<code>src/views/components/layout/Navbar.jsx</code>	Navbar cleanup	Removed the persistent search input and the notification bell button.
12	<code>src/views/components/layout/DashboardLayout.jsx</code>	Layout prop cleanup	Removed the <code>notificationCount</code> prop and its forwarding to <code>Navbar</code> .

3. Feature-to-file map

Feature	Primary file(s)
Keyword search	DiscoverPage.jsx
Category filter	DiscoverPage.jsx, CategoryFilter.jsx, categories.js
Education level filter	DiscoverPage.jsx, categories.js
Event type filter	DiscoverPage.jsx, categories.js
Date range filter	DiscoverPage.jsx
Calendar view	UpcomingPage.jsx
Due this week	UpcomingPage.jsx
Event date / deadline markers	UpcomingPage.jsx
Selected-day details	UpcomingPage.jsx
Notification removal	Navbar.jsx, DashboardLayout.jsx
Shared organizer options	categories.js, competitionController.js, CreateCompetitionPage.jsx

4. Actual code excerpts

The following are the main changed sections. Unchanged surrounding markup and styling are omitted.

4.1 Navbar — search and notification removal

File: `src/views/components/layout/Navbar.jsx`

```
import {
  Compass, Heart, ListChecks, CircleUserRound,
- Search, Bell, Menu, X, LogOut, ChevronRight,
+ Menu, X, LogOut, ChevronRight,
} from "lucide-react";

export function Navbar({
  activeId = "discover",
  onNavigate,
  bookmarkCount = 0,
  user,
- notificationCount = 0,
}) {
```

The old read-only “Search competitions...” input and the Bell button with its count badge were deleted from the right side of the navbar.

4.2 DashboardLayout — notification prop removal

File: `src/views/components/layout/DashboardLayout.jsx`

```
- * @param {number} notificationCount
...
- notificationCount = 0,
...
<Navbar
  activeId={activeNavId}
  onNavigate={onNavigate}
  bookmarkCount={bookmarkCount}
  user={displayUser}
- notificationCount={notificationCount}
/>
```

4.3 Shared category metadata

File: `src/models/data/categories.js`

```

export const CATEGORY_OPTIONS = [
  { id: "hackathon", label: "Hackathon", aliases: ["Hackathons"] },
  { id: "innovation", label: "Innovation" },
  { id: "business", label: "Business" },
  { id: "programming", label: "Programming" },
  { id: "technology", label: "Technology" },
  { id: "case-competition", label: "Case Competition" },
  { id: "entrepreneurship", label: "Entrepreneurship" },
  { id: "design", label: "Design" },
  { id: "science", label: "Science" },
  { id: "olympiad", label: "Olympiad", aliases: ["Olympiads"] },
  { id: "other", label: "Other" },
];

export const CATEGORIES = [
  { id: "all", label: "All" },
  ...CATEGORY_OPTIONS,
];

export const CATEGORY_VALUES = CATEGORY_OPTIONS.map(({ label }) => label);
export const EDUCATION_LEVELS = ["School", "College", "University", "Graduate", "Open to All"];
export const EVENT_TYPES = ["Online", "Offline", "Hybrid"];

```

```

export function getCategoryLabel(category) {
  const normalized = normalizeCategory(category);
  const match = CATEGORY_OPTIONS.find((entry) => categoryValues(entry).includes(normalized));
  return match?.label || category || "Other";
}

export function categoryMatches(category, selectedId) {
  if (!selectedId || selectedId === "all") return true;
  const selected = CATEGORIES.find((entry) => entry.id === selectedId);
  if (!selected) return false;
  return categoryValues(selected).includes(normalizeCategory(category));
}

```

4.4 Shared controller and organizer form

File: src/controllers/competitionController.js

```

import {
  CATEGORY_VALUES,
  EDUCATION_LEVELS as FILTER_EDUCATION_LEVELS,
  EVENT_TYPES as FILTER_EVENT_TYPES,
} from "../models/data/categories";

export const CATEGORIES = CATEGORY_VALUES;
export const EDUCATION_LEVELS = FILTER_EDUCATION_LEVELS;
export const EVENT_TYPES = FILTER_EVENT_TYPES;

```

File: src/views/pages/organizer/CreateCompetitionPage.jsx

```
import {
  CATEGORIES, EDUCATION_LEVELS, EVENT_TYPES, PRESET_BANNERS,
  ...
} from '../../controllers/competitionController';

{EVENT_TYPES.map((type) => (
  <button
    key={type}
    type="button"
    onClick={() => setFormData((prev) => ({ ...prev, eventType: type })))}
  >
    {type}
  </button>
))}
```

4.5 Category filter, card, and grid

File: CategoryFilter.jsx

```
export function CategoryFilter({ categories, activeId, onChange, className = "" }) {
  return (
    <div className={cn("flex min-w-0 gap-2 overflow-x-auto pb-1", className)}>
      {categories.map(({ id, label }) => {
        const isActive = id === activeId;
        return (
          <button
            key={id}
            type="button"
            aria-pressed={isActive}
            onClick={() => onChange(id)}
          >
            {label}
          </button>
        );
      })}
    </div>
  );
}
```

File: CompetitionCard.jsx

```
import { getCategoryLabel } from "../../models/data/categories";
...
const categoryLabel = getCategoryLabel(category);
...
<Badge variant="category">{categoryLabel}</Badge>
```

File: CompetitionGrid.jsx

```
export function CompetitionGrid({ competitions, onSelect, onClearFilters }) {
  if (competitions.length === 0) {
    return (
      ...
      {onClearFilters && (
        <button type="button" onClick={onClearFilters}>
          Clear all filters
        </button>
      )}
    );
  }
}
```

4.6 DiscoverPage — filters

File: src/views/pages/participant/DiscoverPage.jsx

```
const DEFAULT_FILTERS = {
  category: "all",
  educationLevel: "",
  eventType: "",
  dateField: "eventDate",
  fromDate: "",
  toDate: "",
};

const DATE_FIELDS = [
  { value: "eventDate", label: "Event date" },
  { value: "deadline", label: "Registration deadline" },
];
```

```
const filteredCompetitions = useMemo(() => {
  const queryTerms = normalizeText(searchQuery).split(/\s+/).filter(Boolean);

  return competitions.filter((competition) => {
    const searchText = getSearchText(competition);
    const matchesSearch =
      queryTerms.length === 0 || queryTerms.every((term) => searchText.includes(term));
    const matchesEventType =
      !filters.eventType ||
      normalizeText(competition.eventType) === normalizeText(filters.eventType);

    return (
      matchesSearch &&
      categoryMatches(competition.category, filters.category) &&
      matchesEducationLevel(competition, filters.educationLevel) &&
      matchesEventType &&
      matchesDateRange(competition, filters)
    );
  });
}, [competitions, filters, searchQuery]);
```

```
<CategoryFilter
  categories={CATEGORIES}
  activeId={filters.category}
  onChange={(id) => updateFilter("category", id)}
  className="pr-1"
/>

<button
  type="button"
  onClick={() => setIsFilterOpen((open) => !open)}
  aria-expanded={isFilterOpen}
  aria-controls="competition-filters-panel"
>
  <SlidersHorizontal size={15} />
  <span>Filters</span>
  {activeFilterCount > 0 && <span>{activeFilterCount}</span>}
</button>
```

```
<CompetitionGrid
  competitions={filteredCompetitions}
  onSelect={(competition) => navigate(`/competition/${competition.id}`)}
  onClearFilters={hasActiveFilters ? clearFilters : undefined}
/>
```

4.7 UpcomingPage — calendar and due-this-week

File: `src/views/pages/participant/UpcomingPage.jsx`

```

const DUE_WINDOW_DAYS = 7;
const DATE_PLACEHOLDERS = new Set(["tba", "open", "draft", "closed"]);
const WEEKDAY_LABELS = ["Mon", "Tue", "Wed", "Thu", "Fri", "Sat", "Sun"];

function parseDate(value) {
  const text = String(value ?? "").trim();
  if (!text || DATE_PLACEHOLDERS.has(normalizeText(text))) return null;

  const dateOnly = /^(\d{4})-(\d{1,2})-(\d{1,2})(?:$|T|\s)/.exec(text);
  const date = dateOnly
    ? new Date(Number(dateOnly[1]), Number(dateOnly[2]) - 1, Number(dateOnly[3]))
    : new Date(text);

  return Number.isNaN(date.getTime()) ? null : startOfDay(date);
}

function getCalendarDays(month) {
  const firstDay = new Date(month.getFullYear(), month.getMonth(), 1);
  const mondayOffset = (firstDay.getDay() + 6) % 7;

  return Array.from({ length: 42 }, (_, index) => {
    const day = new Date(month.getFullYear(), month.getMonth(), 1 - mondayOffset + index);
    return startOfDay(day);
  });
}

```

```

function toCalendarCompetition(event, today) {
  if (!event || typeof event !== "object") return null;
  if (event.status && event.status !== "Published") return null;

  const parsedEventDate = parseDate(event?.eventDate);
  const parsedDeadline = parseDate(event?.deadline);
  const eventDate = parsedEventDate && parsedEventDate >= today ? parsedEventDate : null;
  const deadline = parsedDeadline && parsedDeadline >= today ? parsedDeadline : null;
  if (!eventDate && !deadline) return null;

  return {
    id: event.id ?? event._id,
    title: event.title || "Untitled competition",
    eventDate,
    deadline,
    deadlineForCountdown: getCountdownDeadline(event.deadline),
    ...
  };
}

```

```

const eventsByDay = useMemo(() => {
  const grouped = new Map();

  const addEntry = (date, competition, calendarType) => {
    if (!date) return;
    const key = dateKey(date);
    const entries = grouped.get(key) || [];
    entries.push({ ...competition, calendarType, calendarDate: date });
    grouped.set(key, entries);
  };

  calendarCompetitions.forEach((competition) => {
    addEntry(competition.eventDate, competition, "event");
    addEntry(competition.deadline, competition, "deadline");
  });

  return grouped;
}, [calendarCompetitions]);

```

```
const dueCompetitions = useMemo(
  () =>
    calendarCompetitions
      .filter((competition) => {
        if (!competition.deadline) return false;
        const time = getTimeRemaining(competition.deadlineForCountdown);
        return !time.isPast && Number.isFinite(time.days) && time.days <= DUE_WINDOW_DAYS;
      })
      .sort((first, second) => first.deadline.getTime() - second.deadline.getTime()),
  [calendarCompetitions],
);
```

```
{dayEntries.slice(0, 3).map((entry) => (
  <span
    key={` ${entry.id}-${entry.calendarType}`}
    className={cn(
      "h-1.5 w-1.5 rounded-full",
      isSelected
        ? "bg-text-primary"
        : entry.calendarType === "deadline"
          ? "bg-danger"
          : "bg-sand",
    )}
  />
))}
```

Calendar navigation uses Today, previous month, and next month controls. Clicking a competition navigates to its detail page. The due-this-week list renders a `CountdownTimer`.

4.8 CompetitionDetailPage — ID fallback

File: `src/views/pages/participant/CompetitionDetailPage.jsx`

```
const found = res.data.find((event) => (event.id || event._id) === id);
```

5. Backend status

No backend code was changed. The frontend uses the existing public events endpoint already present in the backend.

Backend file	Status	Purpose
<code>E:\Catalyst_backend\models\event.js</code>	Unchanged	Existing event fields such as <code>eventDate</code> , <code>deadline</code> , and <code>status</code> .
<code>E:\Catalyst_backend\controllers\organizer_event.js</code>	Unchanged	Existing public events response.
<code>E:\Catalyst_backend\routes\organizer_routes.js</code>	Unchanged	Existing public events route.
<code>src/models/api/competitionApi.js</code>	Unchanged	Frontend wrapper for <code>getPublicEvents()</code> .

```
competitionApi.getPublicEvents()

// Backend endpoint used by the frontend:
// GET /api/organizer/events/public
```

6. Verification results

Check	Result
<code>npm run build</code>	Passed
Calendar grid and due-window check	Passed
Public events API check	Passed
Changed feature files targeted ESLint	Passed; no new errors
<code>git diff --check</code>	No whitespace errors ; only LF/CRLF warnings from Git.
Backend Git status	Clean

7. Remaining pre-existing lint issues

These were present before the current Discover/Upcoming/Navbar work and were not changed:

File	Issue
<code>src/controllers/competitionController.js:206</code>	Four unused variables: <code>_ignoredId</code> , <code>_ignoredMongoId</code> , <code>createdAt</code> , <code>updatedAt</code> .
<code>src/models/contexts/OrganizerContext.jsx:58</code>	<code>react-hooks/set-state-in-effect</code> .
<code>src/views/pages/organizer/CreateCompetitionPage.jsx:11</code>	Unused <code>ImageIcon</code> and <code>X</code> imports.

8. Explicitly not implemented

- My Applications flow or in-app application form.
- Application/profile update system.
- New application model or API route.
- Notification backend or replacement notification feature.
- Any commit or unrelated refactor.

9. Reproduce the full diff locally

To see the complete line-by-line diff without showing the private `.env` value:

```
cd E:\Catalyst
git diff -- . "!.env"
```

This report summarizes the current working tree. It intentionally omits environment secrets and does not claim any backend implementation that was not changed.