COMMUNITY DISASTER VOLUNTEER HUB

CDVH 03

Floods, Flash Floods, and Riverine Emergencies

Hazard/domain: riverine flood, flash flood, urban flood, dam-related release
Geographic scope: India and Kerala watersheds, urban drainage and river corridors

Document ID	CDVH-03-KB
Version	1.1.0
Compiled / reviewed for consistency	2026-10-16
Intended audience	Public, volunteers, community coordinators and RAG developers
Use limitation	Educational reference; not a live alert, operational order, professional inspection, medical treatment or legal advice
Research status	Official source pages and source limitations are listed in this document

Safety rule: if a person is in immediate danger or a current evacuation instruction applies, take protective action and contact local emergency services. Do not wait for a chatbot to complete an assessment.

Contents and document use

Document ID CDVH-03-KB | Version 1.1.0 | Source access date 2026-10-16

How to use this document

Sections are designed to be retrieved independently. Preserve the hazard, geography, time period, conditions and source context when indexing. This PDF is reference material; current warnings, road closures, shelter status and live environmental readings require a current authorized source.

Section map

Section	Page
01 Core science and definitions	3
02 Causes, contributing factors, and mechanisms	4
03 Indicators, warning signs, and limitations	5
04 Location-specific risk assessment	6
05 Prevention and mitigation	7
06 Preparedness and readiness	8
07 Immediate response procedures	9
08 Evacuation and protective actions	10
09 Volunteer and responder coordination	11
10 Vulnerable populations and inclusive planning	12
11 Recovery and lessons learned	13
12 Complex scenarios and chatbot guardrails	14
Frequently asked questions (24)	15-18
Glossary and interpretation rules	19
References and source notes	20

Additional components: 24 FAQs, a glossary, references and source/update limitations.

Risk concepts

Susceptibility describes relative tendency for a place to experience a process. Hazard concerns the potentially damaging event and its characteristics over a defined period. Exposure concerns people and assets in harm's way. Vulnerability describes conditions that increase susceptibility to harm. Capacity includes resources and abilities that help reduce consequences. Risk concerns potential adverse consequences considering these dimensions and uncertainty. A susceptibility map is not an imminent-event forecast; a low map class is not a guarantee of safety.

01 Core science and definitions

Document 03 | Section 01 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Flooding occurs when water exceeds the capacity of rivers, drainage systems, floodplains or coastal barriers. Riverine floods may propagate downstream over time; flash floods can rise rapidly in small catchments, steep channels and urban areas. Water depth, speed, debris, contamination and hidden road damage create life-threatening conditions. Local rainfall may not match upstream rainfall, so a dry sky at one location does not eliminate river-flood risk.

Use the terms in this section carefully. A hazard description identifies the physical or operational process; it does not by itself establish that a particular household will be affected. For public guidance, name the process, the relevant geography and the time horizon before discussing consequences. In technical subjects, define abbreviations and preserve the unit, scale or jurisdiction that gives a term its meaning.

For a retrieved passage about riverine flood, flash flood, urban flood, dam-related release, the minimum useful context is: what process is being discussed, where the statement applies, whether it is general or current, who issued the information, and what practical decision the reader is trying to make. A passage missing one of these may still explain a concept, but it should not be used alone for an operational decision.

Flood language should distinguish inundation from flash flooding, riverine flooding and drainage backup. The word 'upstream' is meaningful only when the places share a connected watercourse or basin; a map point near a river can still be at a different elevation or behind a divide.

Decision aid

Term	Meaning for decision support	Do not infer
Hazard / process	What could cause harm and how it may operate	That harm is occurring at a named house now
Exposure	People, buildings, services or livelihoods in the affected area	That all exposed people have equal vulnerability
Vulnerability / capacity	Conditions that can increase harm or improve coping	That a map or average describes every person
Risk statement	Potential consequences over a stated period and context	An exact probability without suitable evidence

Practical checks

- Write the geography and time window near the claim.
- Attribute official instructions to the issuing authority and preserve issue time.
- Keep uncertain inference separate from observation and published guidance.

Supporting source identifiers: [S01], [S02], [S04], [S12]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

02 Causes, contributing factors, and mechanisms

Document 03 | Section 02 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Relevant factors include rainfall amount and distribution, upstream tributaries, catchment saturation, elevation, floodplain shape, drainage capacity, land cover, tide or storm surge where relevant, reservoir operations and official dam-release information. Blocked drains and development in natural flow paths can worsen urban flooding. Straight-line distance from a flood incident is less useful than river-network connectivity and elevation.

A useful explanation separates background susceptibility, a trigger, a pathway of impact and exposed assets. The word 'cause' should be used with care: several conditions may contribute, and the data available to a chatbot may not establish which factor controlled an individual event. The relevant scientific mechanism for riverine flood, flash flood, urban flood, dam-related release must be matched to the actual site or system rather than assumed from a neighbouring district.

When explaining a possible event, show how evidence links each stage. For example, a regional weather event may create a broad loading or stress condition, but local terrain, drainage, construction, infrastructure condition or exposure can change the result. In other topics, the same logic applies to river-network routing, coastal water levels, building response, fire spread or gaps in a technical data pipeline. A plausible pathway is not proof that the pathway will occur.

An upstream rise can travel along a connected river reach, but arrival and severity depend on hydrograph shape, tributaries, reservoir operations, floodplain storage, channel capacity and local topography. Do not reduce a basin-scale process to kilometres between two map pins.

Decision aid

Stage	Question to ask	Evidence limitation
Precondition	What makes this place or system susceptible?	May be incompletely mapped or not visible
Trigger	What recent forcing or failure could initiate change?	A trigger rarely determines the exact outcome alone
Pathway	How could the process reach people/assets?	Terrain, network or building connection matters
Consequence	Who or what could be affected, and how?	Exposure and protective capacity vary locally

Practical checks

- Use 'may contribute' when the evidence is conditional.
- Do not assert a single cause from timing alone.
- Route technical mechanism questions to qualified authorities when site-specific judgment is necessary.

Supporting source identifiers: [S01], [S02], [S04], [S12]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

03 Indicators, warning signs, and limitations

Document 03 | Section 03 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Watch official flood forecasts, river-gauge trends, warning sirens and district messages. Direct warning signs include rapid water rise, water entering roads or homes, strong flow, debris in water, drain backflow, damaged embankments and unusual sounds near channels. Never approach a riverbank, bridge or culvert to measure water. Conditions can change faster than a visual estimate can safely capture.

Warning signs are observations that can justify protective action or reporting; they are not a complete diagnostic test. The evidence may be early, ambiguous or absent. A checklist cannot promise that an event will be detected before it becomes dangerous. Users should observe from a safe location and report what they saw, where and when, without approaching the hazard to obtain a clearer picture.

The safest public workflow is to separate direct observation from a forwarded message, a model interpretation and an official bulletin. Record the time, approximate place, direction of change and whether the observation is continuing. If the sign suggests immediate danger, first move away by a safe route and alert appropriate emergency services; the chatbot should not ask for photos or multiple confirmations before recommending that action.

A useful flood report records the river or crossing name when known, approximate location, observation time, direction of change and whether a route is covered. Never enter moving water to measure its depth or film it, and do not ask a user to do so.

Decision aid

Evidence type	Useful interpretation	Safe next action
Direct, changing physical sign	May indicate a developing local danger	Move away if threatened; report from safety
Official alert or order	Authoritative for its stated area/time and instruction	Follow it; verify updates as appropriate
Third-party message / screenshot	Unverified until source and timestamp are checked	Do not forward as fact; verify through official channel
No visible sign / no alert	Absence of evidence, not proof of safety	Use other relevant evidence and current guidance

Practical checks

- Never enter, cross or approach a hazard to verify a sign.
- Do not require every listed sign to be present.
- Explain when signs are nonspecific and why qualified assessment may be needed.

Supporting source identifiers: [S01], [S02], [S04], [S12]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

04 Location-specific risk assessment

Document 03 | Section 04 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Ask whether the user is upstream or downstream, connected to the same river or tributary, in a low-lying area, behind or below an embankment, or near a drainage choke point. Check official forecast location, gauge timestamp, expected range if published, rainfall upstream and evacuation orders. A map can be outdated or too coarse; no flood-zone boundary guarantees that water will not reach a particular building.

A preliminary risk screen should answer four distinct questions: what is the hazard or process; what present evidence describes it; which people or assets may be exposed; and what conditions make the consequences more or less severe. Static maps and regional alerts are inputs, not individual guarantees. State the observation date, map scale or forecast period, geographic coverage and uncertainty whenever known.

For an upstream flood report, check whether the village lies downstream on the connected river or tributary, its elevation, current river forecasts, rain across the basin, and official release/evacuation notices. A nearby event across a ridge or in another basin may not propagate to the village, while distant upstream water can still arrive.

A flood location assessment should check whether the user's village lies on the connected downstream network, the terrain and likely inundation route, current river information and official alerts. If those data are unavailable, do not estimate water arrival time from distance alone.

Decision aid

Evidence	What it can support	What it cannot establish alone
Susceptibility / hazard map	Relative spatial screening under a method and scale	Exact event time or guaranteed household safety
Current official warning	Action and forecast for its stated validity/area	Conditions beyond its coverage or after expiry
Local observation	A potentially important current sign	Complete scientific diagnosis or probability
Validated local model	Quantitative estimate if model is fit for task	Certainty outside training/validation conditions

Practical checks

- Do not invent risk percentages from distance or a map color.
- Compare the source timestamp and locality before combining evidence.
- If immediate danger is reported, give protective action before optional assessment questions.

Supporting source identifiers: [S02], [S04], [S12], [S18]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

05 Prevention and mitigation

Document 03 | Section 05 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Risk reduction includes keeping drains clear through authorized maintenance, preserving floodplains, managing solid waste, improving stormwater design, elevating critical services where professionally designed, and avoiding construction in high-risk flow paths. Communities should not alter riverbanks, embankments or sluices themselves. Electrical and sanitation systems need flood-resilient design and safe shutdown plans.

Mitigation is most effective when it changes the actual pathway to harm rather than merely improving the appearance of safety. Options may include land-use controls, maintenance, resilient design, drainage or vegetation management, monitoring, warning access and safer work practices, depending on the hazard. Measures that require engineering, geotechnical, structural, electrical, medical or legal judgment must be designed or approved by qualified people.

Flood mitigation should consider basin and neighbourhood drainage together. Blocking a drain, building a barrier or moving debris may redirect water toward another property. Elevation, drainage maintenance, floodplain planning, resilient utilities and early evacuation planning should be guided by local engineering and authority procedures.

For riverine flood, flash flood, urban flood, dam-related release, apply the section's principle to the actual mechanism, location and time horizon. Record what is observed, what is sourced, what is inferred and what is unknown. Do not extend a general rule beyond its stated scope; use local official instructions for decisions that depend on present conditions.

Decision aid

Mitigation layer	Purpose	Governance check
Avoid exposure	Keep people/assets out of known dangerous pathways	Use current land-use and authority guidance
Reduce vulnerability	Improve structures, services or protections	Use applicable code and qualified design
Monitor and warn	Provide lead time and actionable messages	Validate system coverage and alert reach
Maintain / review	Prevent deterioration and detect new conditions	Assign responsibility, budget and review date

Practical checks

- Prefer risk reduction that does not transfer danger to neighbours.
- Do not offer a remote certification of a site, structure or utility.
- Keep technical intervention separate from low-risk household actions.

Supporting source identifiers: [S02], [S04], [S12], [S18]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

06 Preparedness and readiness

Document 03 | Section 06 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Know multiple routes to higher, officially designated safe ground. Store clean water, medicines, lighting, phone power, basic food, documents in waterproof storage and protective footwear. Move livestock and essential supplies only when safe and early. Keep children away from drains and floodwater. Check on neighbours without entering water or exposing helpers to a second emergency.

Preparedness works only when it can be performed under adverse conditions: darkness, rain, power loss, network outage, road disruption, caregiving responsibilities and limited cash or transport. A household or community plan should identify who receives warnings, who needs help, where to move, what to carry and how to reunite if devices fail. Keep essentials accessible rather than locked behind a single person or device.

Before the relevant season or event, confirm contact details, alert subscriptions, household medications and support needs, alternate routes, transport options and shelter information through an official source. Do not assume that a shelter listed in an old plan is open today. Practice roles and update them when a road, residence, caregiver or mobility need changes.

For riverine flood, flash flood, urban flood, dam-related release, apply the section's principle to the actual mechanism, location and time horizon. Record what is observed, what is sourced, what is inferred and what is unknown. Do not extend a general rule beyond its stated scope; use local official instructions for decisions that depend on present conditions.

Decision aid

Time	Readiness action	Verification
Before the risk season	Check supplies, contacts, routes and support roles	Use current authority/shelter information
At warning stage	Charge devices, monitor updates and prepare to move	Confirm geographic coverage and issue time
When instructed to act	Take the stated protective action promptly	Do not wait for optional chatbot analysis
After an exercise/event	Record what failed and revise the plan	Set an owner and due date for each fix

Practical checks

- Make the plan accessible to children, older adults and people with disabilities.
- Include a no-network communication method.
- Keep sensitive medical or identity details private; share only what is needed for assistance.

Supporting source identifiers: [S02], [S04], [S12], [S18]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

07 Immediate response procedures

Document 03 | Section 07 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Never walk, swim or drive through floodwater. Do not touch wet electrical equipment or fallen wires. Turn off utilities only if the switch is reachable without contact with water and doing so is safe; otherwise wait for trained responders. Avoid contaminated water, wash exposed skin, and follow official advice on drinking water and returning home.

Response advice must be ordered by urgency. Protect life and avoid turning a bystander into another casualty; use the appropriate emergency channel; follow current official instructions; communicate location and observations from safety; and leave technical tasks to qualified responders. The chatbot should not claim it dispatched help, checked live conditions or sent an alert unless an authorized integration confirms that action.

When a user reports a rapidly worsening condition, keep the initial response short and direct. Give the first safe action before explaining scientific background or asking for a detailed location. A broad location can help identify the relevant authority, but exact coordinates should not be required to recommend avoiding an immediate hazard. Once the person is safe, gather only additional details that affect the next decision.

For riverine flood, flash flood, urban flood, dam-related release, apply the section's principle to the actual mechanism, location and time horizon. Record what is observed, what is sourced, what is inferred and what is unknown. Do not extend a general rule beyond its stated scope; use local official instructions for decisions that depend on present conditions.

Decision aid

Priority	Action	Boundary
1. Protect	Move away from immediate danger by a safe route	Do not cross the hazard or retrieve belongings
2. Alert	Contact current local emergency/response channels	Do not imply the chatbot called on the user's behalf
3. Inform	Give approximate location, time and observed condition	Report facts separately from assumptions
4. Reassess	Follow responders and current updates	Do not return or begin technical rescue without clearance

Practical checks

- Do not delay action to complete a risk score.
- Do not enter unstable slopes, floodwater, smoke, rubble or electrically unsafe areas.
- If the route is compromised, report the obstacle from safety and follow authorized instructions.

Supporting source identifiers: [S02], [S04], [S12], [S18]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

08 Evacuation and protective actions

Document 03 | Section 08 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

If an evacuation order applies, leave before routes are cut off and follow designated higher-ground routes. Do not shelter under bridges, in drainage channels or in low-lying basements. Do not cross flowing water even when its depth appears small. If trapped by rising water, move to higher safe ground where possible and call emergency services with a precise location.

Evacuation depends on timing, route condition, destination and the person's ability to move. A familiar route can become dangerous because of the same event that triggered the evacuation. Use current official route instructions and never infer that a route is safe because it was usable yesterday. If movement is ordered, arrange assistance early and do not wait for a perfect checklist when a threat is immediate.

A decision to shelter in place is hazard-specific and should not be invented by the chatbot. It may be safer for some threats and unsafe for others. The answer must distinguish an official instruction to evacuate, an instruction to remain indoors, a blocked route and a person who sees immediate danger. If an official destination is inaccessible, contact the responsible authority rather than improvising through a dangerous area.

For riverine flood, flash flood, urban flood, dam-related release, apply the section's principle to the actual mechanism, location and time horizon. Record what is observed, what is sourced, what is inferred and what is unknown. Do not extend a general rule beyond its stated scope; use local official instructions for decisions that depend on present conditions.

Decision aid

Situation	Safer response principle	Do not
Explicit evacuation order	Follow it using the stated route and timing	Delay to pack nonessential items
Immediate visible danger	Move away if a safe path exists and alert responders	Wait for a model or all warning signs
Route appears blocked	Stop before entering the hazard and report it	Cross floodwater or unstable ground
All-clear not received	Remain cautious and follow official updates	Return because conditions look calm

Practical checks

- Plan for essential medicines, mobility aids, children, older adults and pets where relevant.
- Keep family meeting and reunification arrangements simple.
- Do not promise that a shelter has space without current confirmation.

Supporting source identifiers: [S02], [S04], [S12], [S18]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

09 Volunteer and responder coordination

Document 03 | Section 09 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Volunteers should distribute information and supplies from safe dry areas, log tasks and coordinate through official relief structures. No untrained volunteer should enter floodwater, fast-flowing channels, damaged bridges, wells or electrically hazardous areas. Rescue in water requires trained personnel, flotation equipment, risk assessment and command authorization.

Community volunteers are most effective when they fill defined support roles and remain within training, equipment and supervision. Proximity to an incident, local familiarity or good intentions do not confer technical rescue capability. Each task needs an assigning supervisor, boundaries, communication method, buddy or accountability procedure, stop-work trigger and safe withdrawal plan.

Examples of safer support may include relaying verified messages, helping an authorized distribution point, translating warnings, assisting with registration under privacy rules, checking on neighbours from safe locations and reporting obstructions. Unsafe self-assigned activities include entering unstable structures, approaching an active landslide, wading into floodwater, going near live wires or attempting rescue from fire, smoke or chemical release. Escalate specialist work to trained responders.

For riverine flood, flash flood, urban flood, dam-related release, apply the section's principle to the actual mechanism, location and time horizon. Record what is observed, what is sourced, what is inferred and what is unknown. Do not extend a general rule beyond its stated scope; use local official instructions for decisions that depend on present conditions.

Decision aid

Task type	Volunteer boundary	Stop / withdraw when
Information relay	Repeat authorized messages with timestamp and area	Message is unverified or outside assigned role
Logistics / welfare	Work at an authorized safe location	Crowding, contamination or scene hazard increases
Observation / reporting	Observe from safety; report facts and time	Closer approach is needed to get more evidence
Technical rescue	Only trained, equipped, authorized teams	Any task exceeds training, command or PPE

Practical checks

- Check in, remain accountable and report back before leaving an assignment.
- Use clear identification without impersonating an official.
- Keep emergency access routes clear and protect affected people's privacy.

Supporting source identifiers: [S01], [S02], [S04]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

10 Vulnerable populations and inclusive planning

Document 03 | Section 10 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Evacuation planning should include wheelchair-accessible vehicles, assistance animals, continuity of medicines, communication devices, infants, people requiring dialysis or oxygen, and people who lack private transport. Shelters must consider toilets, privacy, disability access, infection prevention and family unity. Never publish a list of vulnerable people with personal identifiers in an open channel.

Inclusive risk communication must fit the person, not just the average user. An alert is ineffective if it cannot be heard, seen, understood, reached in time or acted upon. Plan with people who have mobility, sensory, cognitive, language, health, caregiving or transport needs. Avoid assumptions based on age or diagnosis; ask what practical help is needed and preserve the person's agency and privacy.

For India and Kerala watersheds, urban drainage and river corridors, plan several ways to communicate and move: audible and visual messages, plain language, local-language translations, trusted community networks, accessible transport, caregivers, mobility aids, backup charging and alternatives for people without smartphones. The plan should consider medication continuity and service animals where applicable, without asking users to disclose unnecessary private health information in a public chatbot.

For riverine flood, flash flood, urban flood, dam-related release, apply the section's principle to the actual mechanism, location and time horizon. Record what is observed, what is sourced, what is inferred and what is unknown. Do not extend a general rule beyond its stated scope; use local official instructions for decisions that depend on present conditions.

Decision aid

Need / barrier	Planning measure	Check
Mobility or transport	Accessible transport, assistance role and a route without avoidable barriers	Can the person use the route in time?
Hearing / vision	Text, audio, visual and person-to-person warning options	Is the message perceivable and understandable?
Language / literacy	Plain language, local translation, tested instructions	Can the person explain the action back?
Health / caregiving	Medicine continuity and caregiver coordination	Can essential support travel with the person?

Practical checks

- Offer choices and confirm consent when it is possible.
- Do not publish home coordinates, diagnosis or beneficiary data openly.
- Treat inaccessible warning reach as a system failure, not user failure.

Supporting source identifiers: [S01], [S02], [S04]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

11 Recovery and lessons learned

Document 03 | Section 11 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

Floodwater can carry sewage, chemicals, sharp debris and electrical hazards. Re-enter only when authorities say it is safe; have qualified personnel inspect structures, wiring and gas systems. Use official potable-water advice, discard contaminated food, dry wet materials safely and document damage only from safe areas. Check official health guidance on cleanup, mould and infection risks.

Recovery should move from immediate relief to safe restoration, rehabilitation and longer-term risk reduction. A cleaned room, reopened road or absent smoke does not prove that a structure, slope, water source or utility is safe. Re-entry and reconstruction decisions may require formal inspection, testing, repair standards or permission from the responsible authority. Record which decision is confirmed and which remains provisional.

A fair recovery system documents needs and assistance transparently while protecting privacy. Track who has received support and who has not been reached, distinguish estimated losses from verified assessments, and provide accessible complaint routes. Recovery planning should consider housing, water, sanitation, health, education, livelihoods, environment and psychosocial support together instead of treating each as a separate checklist.

For riverine flood, flash flood, urban flood, dam-related release, apply the section's principle to the actual mechanism, location and time horizon. Record what is observed, what is sourced, what is inferred and what is unknown. Do not extend a general rule beyond its stated scope; use local official instructions for decisions that depend on present conditions.

Decision aid

Stage	Main concern	Evidence / safeguard
Immediate relief	Safe shelter, water, health, information and protection	Current needs and official coordination
Damage assessment	Document loss without entering unsafe places	Source, date, assessor and uncertainty
Re-entry / repair	Confirm hazards and systems are safe enough	Authorized inspection or testing when required
Build back better	Reduce repeated exposure and vulnerability	Qualified design, community input and maintenance

Practical checks

- Do not guarantee compensation eligibility or payment timing without current rules.
- Keep survivor records secure and collect only necessary data.
- Review whether rebuilding reduces risk rather than recreating it.

Supporting source identifiers: [S01], [S02], [S04]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

12 Complex scenarios and chatbot guardrails

Document 03 | Section 12 | Hazard/domain: riverine flood, flash flood, urban flood, dam-related release | Scope: India and Kerala watersheds, urban drainage and river corridors

A user says a river is flooding upstream while their village is several kilometres away. The answer should not guess from distance. Determine whether the village is downstream on the connected river, current gauge/forecast and elevation, while telling the user to follow official evacuation alerts and never cross floodwater. If water is rising quickly near the home, prioritize movement to safe higher ground and emergency contact.

The scenario should be handled with an evidence-first response. Separate what the user directly observed, what the official source says, what the model can infer and what remains unknown. Offer the safest supported next step first; then explain which additional evidence would materially change the assessment. Never convert a similarity to a past case, a nearby incident, a map color, a sensor threshold or a vector score into a guaranteed outcome.

Expected answer: river connectivity, elevation, basin rainfall, gauge/forecast information and official instructions determine relevance. Do not guess arrival time without current data. If water rises quickly nearby, move to a safe higher place by an appropriate route and never cross the water.

For riverine flood, flash flood, urban flood, dam-related release, apply the section's principle to the actual mechanism, location and time horizon. Record what is observed, what is sourced, what is inferred and what is unknown. Do not extend a general rule beyond its stated scope; use local official instructions for decisions that depend on present conditions.

Decision aid

Response element	What a safe answer should include	What it must avoid
Immediate action	Protective step if danger is plausible now	Waiting for analysis or more signs
Known evidence	User observation and current applicable official source	Treating a screenshot or old PDF as live
Uncertainty	Specific unknowns and their relevance	Invented probability or false reassurance
Follow-up	One detail that materially changes guidance	Unnecessary precise location or private data

Practical checks

- State the limit of the available information plainly.
- Use a current official source when time-sensitive information is required and available.
- If no live check occurred, say it was not checked.

Supporting source identifiers: [S01], [S02], [S04]. Full titles, publishers, dates, URLs and limitations appear in References and source notes.

Frequently asked questions

General guidance only; follow current instructions from responsible authorities.

Q1. Will an upstream flood reach my village?

It depends on river/tributary connection, elevation, rainfall, channel capacity and official forecasts. Check the current CWC/state/district warnings; never enter floodwater. Source trail: [S01], [S02], [S04], [S12]

Q2. Is shallow-looking floodwater safe to cross?

No. Flow strength, hidden holes, debris, contamination and electrical hazards can be underestimated. Do not walk, swim or drive through floodwater. Source trail: [S01], [S02], [S04], [S12]

Q3. What if my area is dry but the river upstream is rising?

Local dry weather does not eliminate downstream flood risk. Check current river-gauge and official warning updates and prepare to move if advised. Source trail: [S01], [S02], [S04], [S12]

Q4. What are the main factors for assessing riverine flood, flash flood, urban flood, dam-related release risk?

Ask whether the user is upstream or downstream, connected to the same river or tributary, in a low-lying area, behind or below an embankment, or near a drainage choke point. Check official forecast location, gauge timestamp, expected range if published, rainfall upstream and evacuation orders. A map can be outdated or too coarse; no flood-zone boundary guarantees that water will not reach a particular building. Source trail: [S01], [S02], [S04], [S12]

Q5. Which warning signs matter for riverine flood, flash flood, urban flood, dam-related release?

Watch official flood forecasts, river-gauge trends, warning sirens and district messages. Direct warning signs include rapid water rise, water entering roads or homes, strong flow, debris in water, drain backflow, damaged embankments and unusual sounds near channels. Never approach a riverbank, bridge or culvert to measure water. Conditions can change faster than a visual estimate can safely capture. Source trail: [S01], [S02], [S04], [S12]

Q6. What is the main immediate response for riverine flood, flash flood, urban flood, dam-related release?

Never walk, swim or drive through floodwater. Do not touch wet electrical equipment or fallen wires. Turn off utilities only if the switch is reachable without contact with water and doing so is safe; otherwise wait for trained responders. Avoid contaminated water, wash exposed skin, and follow official advice on drinking water and returning home. Source trail: [S01], [S02], [S04], [S12]

Frequently asked questions (continued)

Document 03 | Questions 7-12

Q7. How should a household prepare for riverine flood, flash flood, urban flood, dam-related release?

Know multiple routes to higher, officially designated safe ground. Store clean water, medicines, lighting, phone power, basic food, documents in waterproof storage and protective footwear. Move livestock and essential supplies only when safe and early. Keep children away from drains and floodwater. Check on neighbours without entering water or exposing helpers to a second emergency. Source trail: [S02], [S04], [S12], [S18]

Q8. What can volunteers safely do during riverine flood, flash flood, urban flood, dam-related release?

Volunteers should distribute information and supplies from safe dry areas, log tasks and coordinate through official relief structures. No untrained volunteer should enter floodwater, fast-flowing channels, damaged bridges, wells or electrically hazardous areas. Rescue in water requires trained personnel, flotation equipment, risk assessment and command authorization. Source trail: [S02], [S04], [S12], [S18]

Q9. How should people needing additional assistance be included?

Evacuation planning should include wheelchair-accessible vehicles, assistance animals, continuity of medicines, communication devices, infants, people requiring dialysis or oxygen, and people who lack private transport. Shelters must consider toilets, privacy, disability access, infection prevention and family unity. Never publish a list of vulnerable people with personal identifiers in an open channel. Source trail: [S02], [S04], [S12], [S18]

Q10. What should happen after the event?

Floodwater can carry sewage, chemicals, sharp debris and electrical hazards. Re-enter only when authorities say it is safe; have qualified personnel inspect structures, wiring and gas systems. Use official potable-water advice, discard contaminated food, dry wet materials safely and document damage only from safe areas. Check official health guidance on cleanup, mould and infection risks. Source trail: [S02], [S04], [S12], [S18]

Q11. Does distance alone prove safety or danger?

No. Distance by itself does not establish risk. Evaluate the hazard-specific spatial connection, local conditions, time window, official warning and relevant observations. Source trail: [S02], [S04], [S12], [S18]

Q12. Can an exact probability be given from these documents?

Only if a suitable validated, current and location-relevant model or authoritative forecast explicitly supports it. Otherwise the system must state uncertainty and avoid invented percentages. Source trail: [S02], [S04], [S12], [S18]

Frequently asked questions (continued)

Document 03 | Questions 13-18

Q13. Does the absence of an official warning guarantee safety?

No. Monitoring and communication can be incomplete or delayed. Credible direct signs and immediate danger require protective action and contact with the responsible authority. Source trail: [S02], [S04], [S12], [S18]

Q14. What information should a follow-up question request?

Only details that change advice, such as broad locality, time window, relevant slope/river/coastal connection, current signs and whether danger is happening now. Avoid unnecessary personal data. Source trail: [S02], [S04], [S12], [S18]

Q15. What if maps and observed conditions disagree?

Do not dismiss immediate danger because a static map is reassuring. Report from safety, follow current official instructions and note map date, scale and uncertainty. Source trail: [S02], [S04], [S12], [S18]

Q16. What if current alerts cannot be accessed?

State explicitly that live alerts were not checked, provide conservative general safety guidance and direct the user to the relevant official source or emergency service. Source trail: [S02], [S04], [S12], [S18]

Q17. Can a photograph prove that a site or structure is safe?

No. Images may omit key features and cannot substitute for site inspection, qualified assessment or live situational information. Source trail: [S01], [S02], [S04]

Q18. Where can the public find authoritative information?

Start with the relevant official Indian/state/district authority and technical agency listed in the source register; verify the publication date, geographic coverage and current status. Source trail: [S01], [S02], [S04]

Frequently asked questions (continued)

Document 03 | Questions 19-24

Q19. Can old case studies be used as a forecast?

No. Case studies describe past conditions and lessons, not the exact timing or outcome of a future event. Source trail: [S01], [S02], [S04]

Q20. What should users avoid doing?

Do not enter or approach dangerous areas, cross floodwater, inspect unstable slopes, enter damaged buildings or exceed volunteer training. Follow official instructions. Source trail: [S01], [S02], [S04]

Q21. How should conflicting official messages be handled?

Compare issuing agency, timestamp, geography and scope. Follow the current directly applicable emergency instruction while seeking clarification without delaying life safety. Source trail: [S01], [S02], [S04]

Q22. Can the chatbot confirm that emergency services were called?

Only when an authorized connected service actually confirms the action. Otherwise it should direct the user to call the service directly. Source trail: [S01], [S02], [S04]

Q23. Are the PDFs a live monitoring system?

No. They are static reference documents. Current forecasts, alerts, road closures and shelter availability require a verified live integration or direct official check. Source trail: [S01], [S02], [S04]

Q24. What is a common unsafe assumption about riverine flood, flash flood, urban flood, dam-related release?

A common unsafe assumption is treating incomplete information as certainty. A user says a river is flooding upstream while their village is several kilometres away. The answer should not guess from distance. Determine whether the village is downstream on the connected river, current gauge/forecast and elevation, while telling the user to follow official evacuation alerts and never cross floodwater. If water is rising quickly near the home, prioritize movement to safe higher ground and emergency contact. Follow current official guidance and disclose uncertainty. Source trail: [S01], [S02], [S04]

Glossary and interpretation rules

Hazard: A potentially damaging process, phenomenon or human activity.

Exposure: People, infrastructure, housing, production capacity and other tangible human assets in hazard-prone areas.

Vulnerability: Physical, social, economic or environmental conditions that increase susceptibility to harm.

Susceptibility: Relative tendency of an area or system to experience a process; not a forecast of immediate occurrence.

Capacity: Resources, systems, relationships and abilities available to manage a hazard and reduce harm.

Forecast: A statement about possible future conditions over a specified place and time, based on data and a method.

Official warning: A communication from a responsible authority describing a hazard and recommended action for stated coverage and validity.

Evacuation: Protective movement away from a threatened area by an appropriate route.

Residual risk: Risk remaining after prevention or mitigation; never automatically zero.

Uncertainty: Limits in data, model assumptions, observations, timing, geography or inference.

RAG: Retrieval-Augmented Generation: retrieval supplies source passages that help ground a model response.

Source provenance: Information identifying the origin, issuer, date, version and context of a claim.

Site-specific assessment: Evaluation using local conditions, current evidence and the competence needed for the decision.

References and source notes

Document CDVH-03-KB | Version 1.1.0 | Access date 2026-10-16. Official sources may change; re-check currentness before operational use. The source list is not a claim that every linked attachment was completely extracted and reviewed.

[S01] Kerala State Disaster Management Authority guidelines index - KSDMA. Publication/revision date: Index includes 2026 Orange Book of Disaster Management, Edition 8 (individual attachment date must be checked). URL: https://sdma.kerala.gov.in/guidelines/. Accessed 2026-10-16.

Use and limitation: Current index lists the 2026 Orange Book and other guidance; individual linked documents require independent version review.

[S02] Kerala State Disaster Management Plan index - KSDMA. Publication/revision date: Not confirmed during this build. URL: https://sdma.kerala.gov.in/disaster-management-plans/. Accessed 2026-10-16.

Use and limitation: Index page; plans may be older than the current operational situation.

[S04] Standard Operating Procedure for Flood Forecasting - Central Water Commission. Publication/revision date: April 2020. URL: https://cwc.gov.in/sites/default/files/sopapril2020final.docx.pdf. Accessed 2026-10-16.

Use and limitation: April 2020 SOP reviewed through its official source page; station lists and contacts may be out of date.

[S12] Floodwater after a disaster or emergency: safety guidance - U.S. Centers for Disease Control and Prevention. Publication/revision date: Reviewed August 2026. URL: https://www.cdc.gov/floods/safety/floodwater-after-a-disaster-or-emergency-safety.html. Accessed 2026-10-16.

Use and limitation: Reviewed August 2026 according to the source page; U.S.-specific health guidance adapted only as general principles.

[S18] India Meteorological Department main portal - India Meteorological Department. Publication/revision date: Not confirmed during this build. URL: https://mausam.imd.gov.in/. Accessed 2026-10-16.

Use and limitation: Use for current official forecasts and warnings; this knowledge library does not itself provide live alert data.

[S20] Emergency Response Support System 112 - Government of India. Publication/revision date: Not confirmed during this build. URL: https://112.gov.in/. Accessed 2026-10-16.

Use and limitation: Official nationwide emergency response portal; test/verify local access practices before publishing local workflows.

[S21] Kerala emergency directory 2026 - KSDMA. Publication/revision date: Not confirmed during this build. URL: https://sdma.kerala.gov.in/wp-content/uploads/2026/06/Directory-wpn.pdf. Accessed 2026-10-16.

Use and limitation: 2026 directory surfaced on KSDMA site; numbers and staffing can change and must be rechecked before each release.

Citation and update policy

Source identifiers are printed near relevant content and map to this list. For operationally consequential claims, verify the original source, its current status, publication/revision date, geography and relevant section. Do not invent page numbers or infer that a linked attachment was reviewed where the build record says it was unavailable.

Research limitation

This is an educational draft reference corpus, not a formally certified emergency manual. Some official web pages were inspected, but not every listed attachment was downloaded and fully extracted. The source register in this PDF records known limitations. Expert review remains necessary for medical, engineering, geotechnical, GIS, legal and operational content. Static PDFs do not provide live alerts or site-specific predictions.