


IAM TASK

1. Create one IAM user and assign EC2 and S3 full access roles.


STEPS:

- Went to IAM service in aws console > user > Create user> selected user credential
- Selected policy s3 full access and ec2 full access
- Clicked to create user the it has given me a link for IAM user login, copied link.
- Using link accessed the page by selecting user name and password.
- After successfully logged in to the user, check with s3 and ec2 instances.

Selected the policy which I have to give to the user from the policy list



User credential while creating user given below screenshots.



1
2
3

1. Specify user details

2. Assign permissions

3. Review and create

Review and create

Review your choices. After you create the user, you can view and download the autogenerated password, if enabled.

User details

User name

ARJM

Console password type

None

Require password reset

No

Permissions summary

Name	Type	Used as
AmazonEC2FullAccess	AWS managed	Permissions policy
AmazonS3FullAccess	AWS managed	Permissions policy

Tags - optional

Tags are key-value pairs you can add to AWS resources to help identify, organize, or search for resources. Choose any tags you want to associate with this user.

No tags associated with the resource.

Add new tag


You can add up to 50 more tags.

Cancel

Previous

Create user


Logged into user profile using credential which I have provided while creating user



Checked the status of s3 full access

The screenshot shows the "Create bucket" page in the AWS Management Console. The page is titled "Create bucket" and includes a "General configuration" section. The "AWS Region" is set to Europe (Stockholm) eu-north-1. The "Bucket type" is set to "General purpose". The "Bucket name" is "amazon-s3-demo-bucket". The "Copy settings from existing bucket" section is optional. The "Object Ownership" section is also visible.


Able to launch ec2 instance as I provided full access while creating user



2. Create one group in IAM and assign read access for EC2.


- Went to IAM service in AWS console and clicked on group tab
- Clicked on create a group and provided group name and then selected user for my group.
- Provided policy 'read only ec2 access.'

Below image we can see I have created a group called MY_GROUP1




Given read only access to ec2 as we see in the screen shot

☐	AmazonConnectReadOnlyAccess	AWS managed	None	Grants permission to view the A
☐	AmazonDevOpsGuruReadOnlyAccess	AWS managed	None	Provides read only access to Am
☐	AmazonDocDBElasticReadOnlyAccess	AWS managed	None	Provides read-only access to Am
☐	AmazonDocDBReadOnlyAccess	AWS managed	None	Provides read-only access to Am
☐	AmazonDynamoDBReadOnlyAccess	AWS managed	None	Provides read only access to Am
☒	AmazonEC2ReadOnlyAccess	AWS managed	None	Provides read only access to Am
☐	AmazonEKSMCPReadOnlyAccess	AWS managed	None	Provides read-only access to the
☐	AmazonElasticCacheReadOnlyAccess	AWS managed	None	Provides read only access to Am
☐	AmazonElasticFileSystemClientReadOnlyAccess	AWS managed	None	Provides read only client access




Below screenshot confirms that user group has only read only option can not launch instance



3. Create a new user named "Devops" and add to the group created in task 2.

- Added user in group called MY_GROUP. New user called Devops



4. Write a bash script to create an IAM user with VPC full access.

- I have created bash script for an iam user with vpc full access.
- I have created a bash script and given execution permission and run it.

```

ArjumandM@Arjumand MINGW64 ~ (master)
$ aws configure
AWS Access Key ID [*****3HCO]: AKIAZ4PGZRDE5NVJU3AX
AWS Secret Access Key [*****6utr]: 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
Default region name [us-east-1]: us-east-1
Default output format [json]: json

ArjumandM@Arjumand MINGW64 ~ (master)
$ vi vpc_user

ArjumandM@Arjumand MINGW64 ~ (master)
$ vi vpc_user

ArjumandM@Arjumand MINGW64 ~ (master)
$ cat vpc_user
#!/bin/bash

# Script to create IAM user with VPC Full Access

USER_NAME="vpc-user"

echo "Creating IAM user: $USER_NAME ..."
aws iam create-user --user-name "$USER_NAME"

echo "Attaching AmazonVPCFullAccess policy..."
aws iam attach-user-policy --user-name "$USER_NAME" \
    --policy-arn arn:aws:iam::aws:policy/AmazonVPCFullAccess

# OPTIONAL: Create password for console login
PASSWORD="Password@123"

echo "Creating login password for IAM user..."
aws iam create-login-profile \
    --user-name "$USER_NAME" \
    --password "$PASSWORD" \
    --password-reset-required

echo "IAM user '$USER_NAME' created successfully with VPC Full Access!"

```

```

#!/bin/bash

# Script to create IAM user with VPC Full Access

USER_NAME="vpc-user"

echo "Creating IAM user: $USER_NAME ..."
aws iam create-user --user-name "$USER_NAME"

echo "Attaching AmazonVPCFullAccess policy..."
aws iam attach-user-policy --user-name "$USER_NAME" \
    --policy-arn arn:aws:iam::aws:policy/AmazonVPCFullAccess

# OPTIONAL: Create password for console login
PASSWORD="Password@123"

echo "Creating login password for IAM user..."
aws iam create-login-profile \
    --user-name "$USER_NAME" \
    --password "$PASSWORD" \
    --password-reset-required

echo "IAM user '$USER_NAME' created successfully with VPC Full Access!"


```

```

ArjumandM@Arjumand MINGW64 ~ (master)
$ ./create_iam_vpc_user.sh
bash: ./create_iam_vpc_user.sh: No such file or directory

ArjumandM@Arjumand MINGW64 ~ (master)
$ ./vpc_user
Creating IAM user: vpc-user ...
{
  "User": {
    "Path": "/",
    "UserName": "vpc-user",
    "UserId": "AIDAZ4PGZRDE57IB57NOQ",
    "Arn": "arn:aws:iam::679625722057:user/vpc-user",
    "CreateDate": "2025-11-27T10:51:28+00:00"
  }
}
Attaching AmazonVPCFullAccess policy...
Creating login password for IAM user...
{
  "LoginProfile": {
    "UserName": "vpc-user",
    "CreateDate": "2025-11-27T10:51:33+00:00",
    "PasswordResetRequired": true
  }
}
IAM user 'vpc-user' created successfully with VPC Full Access!



```




5. Create an IAM policy to allow EC2 access for a specific user in specific regions only.

STEPS:

- I have created my own json script which allow only north Virginia region only.
- I have attached this script with my existing user which I have created
- Location for policy (IAM > Policy > create policy > write script in json > next > Give any name without any spaces and special characters to the policy and create.



Selected the third option attach directly and then click next



Successfully attached the policy to the user

Policy name	Type	Attached via
 AmazonEC2ReadOnlyAccess	AWS managed	Group MY_GROUP
 MyCustomregionpolicy	Customer managed	Directly

Permissions boundary (not set)

6. We have two accounts: Account A and Account B. Account A user should access an S3 bucket in Account B.

Account A user Needs access to an s3 bucket in account B

Step 1: Identify both AWS Accounts

You need: Account A = My account

Account B = Friends account

Account A (N.Virginia --- us-east-1)

Account user: Devops

Account ID: AccountA-ID <my-id>

Account B (Bucket lives here)

S3 bucket name: my-bucket-b

Account ID: AccountB-ID <friends-id>

Step 2: Go to Account B → Open the S3 bucket

Log in to Account B

Go to S3

Select the bucket → example: my-bucket-b

Open Permissions tab





Edit Bucket Policy

This is where we will allow Account A.

Step 3: Add a Bucket Policy to Allow Account A User

Paste this JSON in Account B bucket policy

Replace <AccountA-ID> and <bucket-name> with real values



IAM > Users > devops > Create policy

Step 1
Specify permissions

Step 2
Review and create

Review and create

Review the permissions, specify details, and tags.

Policy details

Policy name
Enter a meaningful name to identify this policy.

Maximum 128 characters. Use alphanumeric and "+, @, -" characters.

Permissions defined in this policy

Permissions defined in this policy document specify which actions are allowed or denied. To define permissions for an IAM identity (user, user group, or role), attach a policy to it

Allow (1 of 454 services) Show remaining 453 services

Service	Access level	Resource	Request condition
S3	Limited: List, Read	Multiple	None

Cancel Previous Create policy

```
waseemakram@waseem downloads % aws s3 ls s3://friend-cross-bucket

2025-11-28 12:36:24    1237950 Bash_script -2.pdf
waseemakram@waseem downloads %
```