


BOM AND PIN OUT SHEET



ABBREVIATION	DESCRIPTION	COLOR	MATERIAL
1-BLACK	OUTER HOUSING KEYING OPTION 1	BLACK	PA66 GF35
2-BLACK	OUTER HOUSING KEYING OPTION 2	BLACK	PA66 GF35
3-BLACK	OUTER HOUSING KEYING OPTION 3	BLACK	PA66 GF35
4-BLACK	OUTER HOUSING KEYING OPTION 4	BLACK	PA66 GF35
5-BLACK	OUTER HOUSING KEYING OPTION 5	BLACK	PA66 GF35
IH	INNER HOUSING	BLACK	PA66 GF35
LA	LEVER ARM	GRAY	PA66 GF35
LE	LEVER - END LATCH	GRAY	PA66 GF35
LT	LEVER - TOP LATCH	GRAY	PA66 GF35
M	MAT SEAL	GREEN	INHERENTLY LUBRICATED SILICONE
NIL - GRAY	OUTER HOUSING KEYING OPTION NIL	GRAY	PA66 GF35
PLR	TPA/PLR	GRAY	PA66 GF35
R	RING SEAL	GREEN	INHERENTLY LUBRICATED SILICONE

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	CUSTOMER PART NUMBER	COMPONENT								BLOCKED TERMINALS																				STATUS	COMMENTS					
			THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.								CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																										
			OUTER HOUSING KEY/COLOR	INNER HOUSING	PLR	LEVER	LEVER ARM (x/2)	MAT SEAL	RING SEAL																												
GPCM RCPT CONN 95 CKT END LVR KEY 1/95	349740001	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/69	349740002	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	3	-	5	-	-	-	9	-	-	12	13	14	15	-	-	-	78	-	-	-						
										-	-	18	-	-	-	-	-	24	-	-	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										31	-	-	-	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										46	-	-	-	-	-	-	-	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										61	-	-	64	-	-	-	-	-	70	71	72	73	74	75	-	-	-	-	-	-	-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/66	349740003	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	3	-	5	-	-	-	9	-	-	12	13	14	15	-	-	-	78	-	-	-						
										-	-	18	-	-	-	-	-	24	-	-	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										31	-	-	-	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										46	47	48	-	-	-	-	-	54	-	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										61	-	-	64	-	-	-	-	-	70	71	72	73	74	75	-	-	-	-	-	-	-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/76	349740004	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	3	-	5	-	7	-	-	10	-	-	-	-	15	-	-	-	78	-	-	-						
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										46	-	48	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										61	-	63	64	-	-	67	-	69	-	-	-	-	74	75	-	-	-	-	-	-	-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/78	349740005	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	3	-	5	-	-	-	9	-	-	12	13	14	-	-	-	-	-	-	-							
										-	-	18	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
										61	-	-	64	-	-	-	-	-	70	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT END LVR KEY 1/75	349740006	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	3	-	5	-	-	-	9	-	-	12	13	14	-	-	-	-	-	-	-							
										-	-	18	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
										31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
										46	47	48	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
										61	-	-	64	-	-	-	-	-	70	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
GPCM RCPT CONN 95 CKT END LVR KEY 1/82	349740007	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	3	-	5	-	7	-	-	10	-	-	-	-	-	-	-	-	-	-	-							
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
										-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
										-	-	48	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
										-	-	63	64	-	-	67	-	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	CUSTOMER PART NUMBER	COMPONENT							BLOCKED TERMINALS																	STATUS	COMMENTS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.							CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			OUTER HOUSING KEY/COLOR	INNER HOUSING	PLR	LEVER	LEVER ARM (x/2)	MAT SEAL	RING SEAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
GPCM RCPT CONN 95 CKT END LVR KEY 1/77	349740008	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	3	-	5	-	7	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	CUSTOMER PART NUMBER	COMPONENT							BLOCKED TERMINALS																	STATUS	COMMENTS									
			THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.							CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																											
			OUTER HOUSING KEY/COLOR	INNER HOUSING	PLR	LEVER	LEVER ARM (x/2)	MAT SEAL	RING SEAL																												
GPCM RCPT CONN 95 CKT END LVR KEY 1/74	349740018	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	3	-	5	-	7	-	-	10	-	-	-	-	15	-	-	78	-	-	SALEABLE							
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-			-	-	-	-	-	-
										46	-	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-
										61	-	63	64	65	-	67	68	69	-	-	-	-	74	75	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/76	349740019	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	3	-	5	-	7	-	-	10	-	-	-	-	-	-	-	-	-	-	SALEABLE							
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-			-	-	-	-	-	-
										46	-	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-
										61	-	63	64	-	66	67	68	69	-	-	-	-	74	75	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/84	349740020	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78	-	-	SALEABLE								
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	55	56	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	62	63	64	-	-	-	68	69	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/79	349740021	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78	-	-	SALEABLE									
										16	-	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	55	56	-	-	-	-	-	-	-			-	-	-	-	-	-	-	
										-	62	63	64	-	-	67	68	69	-	-	-	-	74	75	-	-	-			-	-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/77	349740022	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78	-	-	SALEABLE									
										16	-	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	55	56	57	-	-	-	-	-	-			-	-	-	-	-	-	-	
										-	62	63	64	-	66	67	68	69	-	-	-	-	74	75	-	-	-			-	-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/74	349740023	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	3	-	-	-	-	-	9	10	-	12	-	-	-	-	-	-	-	SALEABLE								
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	47	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	64	65	-	-	68	69	-	71	-	-	-	74	75	-	-	-			-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT END LVR KEY 1/67	349740024	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	3	-	-	-	-	-	9	10	-	12	-	-	-	-	-	-	-	SALEABLE								
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	47	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	64	65	-	-	68	69	70	71	72	73	74	75	-	-	-	-			-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/82	349740025	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	SALEABLE								
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	64	65	-	-	68	-	-	71	-	-	-	74	75	-	-	-			-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/79	349740026	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	SALEABLE								
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	47	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	64	65	-	-	68	-	-	71	-	-	-	74	75	-	-	-			-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/83	349740027	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78	-	-	SALEABLE								
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	55	56	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	62	63	64	-	-	67	68	69	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	CUSTOMER PART NUMBER	COMPONENT							BLOCKED TERMINALS																	STATUS	COMMENTS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.							CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			OUTER HOUSING KEY/COLOR	INNER HOUSING	PLR	LEVER	LEVER ARM (x/2)	MAT SEAL	RING SEAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
GPCM RCPT CONN 95 CKT END LVR KEY 1/79	349740028	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	CUSTOMER PART NUMBER	COMPONENT							BLOCKED TERMINALS																				STATUS	COMMENTS							
			THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.							CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																												
			OUTER HOUSING KEY/COLOR	INNER HOUSING	PLR	LEVER	LEVER ARM (x/2)	MAT SEAL	RING SEAL																													
GPCM RCPT CONN 95 CKT END LVR KEY 1/78	349740038	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	78	-	-	SALEABLE								
										16	-	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										46	-	-	-	-	-	-	-	-	-	55	56	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										61	62	63	64	-	-	67	68	69	-	-	-	-	-	-	74	75	-	-	-			-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/80	349740039	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	47	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	64	65	-	-	68	69	-	-	-	-	-	74	75	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/83	349740040	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	64	65	-	-	68	69	-	-	-	-	-	74	75	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/80	349740041	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	47	48	-	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	64	65	-	-	68	69	-	-	-	-	-	74	75	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/68	349740042	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	3	-	-	-	-	-	9	10	-	12	-	-	-	15	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	30	-	-	-	-	-	-			-	-	-	-	-	
										31	-	-	-	-	-	-	-	-	-	-	-	-	-	45	-	-	-	-	-	-			-	-	-	-	-	
										-	47	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	64	65	-	-	68	69	70	71	72	73	74	75	-	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/82	349740043	N/A	1-BLACK	IH	PLR	LE	LA	M	R	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78	-	-	SALEABLE							
										16	-	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	55	56	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	62	63	64	-	-	67	68	69	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/74	349740044	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	15	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	30	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	-	-	-	-	-	-			-	-	-	-	-	
										-	47	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	64	65	-	-	68	69	70	-	72	73	74	75	-	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 1/77	349740045	N/A	1-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	15	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	25	-	-	-	-	30	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-		
										-	-	-	64	65	-	-	68	69	70	-	72	73	74	75	-	-	-	-	-	-			-	-	-	-	-	-
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/95	349741001	N/A	1-BLACK	IH	PLR	LT	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-		
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/66	349741002	N/A	1-BLACK	IH	PLR	LT	LA	M	R	-	-	3	-	-	-	-	-	9	-	-	12	13	14	15	-	-	78	-	-	SALEABLE								
										-	-	18	-	-	-	-	-	24	-	-	27	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										31	32	-	-	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										46	47	48	-	-	-	-	-	54	-	56	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	
										61	-	-	64	-	-	-	-	-	70	71	72	73	74	75	-	-	-	-	-			-	-	-	-	-	-	-

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	CUSTOMER PART NUMBER	COMPONENT							BLOCKED TERMINALS																				STATUS	COMMENTS						
			THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.							CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																											
			OUTER HOUSING KEY/COLOR	INNER HOUSING	PLR	LEVER	LEVER ARM (x/2)	MAT SEAL	RING SEAL																												
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/69	349741003	N/A	1-BLACK	IH	PLR	LT	LA	M	R	-	-	3	-	-	-	-	-	9	-	-	12	13	14	15	-	-	78	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	-	-	27	-	-	-	-	-	83	-	-								
										31	32	-	-	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-
										46	-	-	-	-	-	-	-	54	-	-	-	-	-	-	-	-	-	-	87			88	-	-	-	-	
										61	-	-	64	-	-	-	-	-	70	71	72	73	74	75	-	-	-	-	-			-	-	-	-	-	
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/75	349741004	N/A	1-BLACK	IH	PLR	LT	LA	M	R	-	-	3	-	-	-	-	-	9	-	-	12	13	14	-	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	83			-	-				
										31	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-		
										46	47	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	87			88	-	-	-	-	
										61	-	-	64	-	-	-	-	-	70	71	-	-	-	-	-	-	-	-	-			-	-	-	-		
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/78	349741005	N/A	1-BLACK	IH	PLR	LT	LA	M	R	-	-	3	-	-	-	-	-	9	-	-	12	13	14	-	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	83			-	-				
										31	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-		
										46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87			88	-	-	-	-	
										61	-	-	64	-	-	-	-	-	-	70	71	-	-	-	-	-	-	-	-			-	-	-	-		
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/65	349741006	N/A	1-BLACK	IH	PLR	LT	LA	M	R	-	-	3	-	-	-	-	-	9	-	-	12	13	14	15	-	-	78	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	-	-	27	-	-	-	-	-	-	-	83			-	-				
										31	32	-	-	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-		
										46	47	48	-	-	-	-	-	54	-	56	-	-	-	-	-	-	-	-	87			88	-	-	-	-	
										61	-	-	64	-	-	-	-	-	70	71	72	73	74	75	-	-	-	-	-			-	-	95			
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/77	349741007	N/A	1-BLACK	IH	PLR	LT	LA	M	R	1	-	3	-	-	-	7	-	-	10	-	-	-	-	15	-	-	78	-	-	SALEABLE							
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-				
										-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-	-			-	-	-			
										46	-	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-			-	-	-			
										61	-	63	64	-	-	67	-	69	-	-	-	-	74	75	-	-	-	-	-			-	-	-			
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/80	349741008	N/A	1-BLACK	IH	PLR	LT	LA	M	R	1	-	3	-	-	-	7	-	-	10	-	-	13	-	-	-	-	-	-	SALEABLE								
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-					
										-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-			-	-	-				
										46	-	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-			-	-	-				
										61	-	63	64	-	-	67	-	69	-	-	-	-	-	-	-	-	-	-			-	-	-				
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/78	349741009	N/A	1-BLACK	IH	PLR	LT	LA	M	R	1	-	3	-	-	-	7	-	-	10	-	-	-	-	-	-	-	-	-	SALEABLE								
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-					
										-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-			-	-	-				
										46	-	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-			-	-	-				
										61	-	63	64	-	66	67	-	69	-	-	-	-	74	75	-	-	-	-			-	-	-				
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/76	349741010	N/A	1-BLACK	IH	PLR	LT	LA	M	R	1	-	3	-	-	-	7	-	-	10	-	-	-	-	15	-	-	78	-	-	SALEABLE							
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-					
										-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-	-			-					
										46	-	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-			-					
										61	-	63	64	65	-	67	-	69	-	-	-	-	74	75	-	-	-	-	-			-					
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/77	349741011	N/A	1-BLACK	IH	PLR	LT	LA	M	R	1	-	3	-	-	-	7	-	-	10	-	-	-	-	15	-	-	78	-	-	SALEABLE							
										16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
										-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-	-	-	-								
										46	-	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-								
										61	-	63	64	-	-	67	-	69	-	-	-	-	74	75	-	-	-	-	-								
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/75	349741012	N/A	1-BLACK	IH	PLR	LT	LA	M	R	-	-	3	-	-	-	-	-	9	-	-	12	13	14	-	-	-	-	-	-	SALEABLE							
										-	-	18	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	83			-	-				
										31	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-				
										46	47	48	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	87			88	-	-			
										61	-	-	64	-	-	-	-	-	70	71	-	-	-	-	-	-	-	-	-			-	-				

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	CUSTOMER PART NUMBER	COMPONENT							BLOCKED TERMINALS																	STATUS	COMMENTS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.							CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			OUTER HOUSING KEY/COLOR	INNER HOUSING	PLR	LEVER	LEVER ARM (x/2)	MAT SEAL	RING SEAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/81	349741013	N/A	1-BLACK	IH	PLR	LT	LA	M	R	1	-	3	-	-	-	7	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	CUSTOMER PART NUMBER	COMPONENT							BLOCKED TERMINALS																	STATUS	COMMENTS								
			THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.							CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																										
			OUTER HOUSING KEY/COLOR	INNER HOUSING	PLR	LEVER	LEVER ARM (x/2)	MAT SEAL	RING SEAL																											
GPCM RCPT CONN 95 CKT TOP LVR KEY 1/74	349741023	N/A	1-BLACK	IH	PLR	LT	LA	M	R	-	-	3	-	-	-	-	-	9	-	-	12	13	14	-	-	-	-	-	-							
										-	-	18	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										31	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										46	47	48	-	-	-	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
										61	-	-	64	-	-	-	-	-	69	70	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GPCM RCPT CONN 95 CKT END LVR KEY 2/95	349742001	N/A	2-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT TOP LVR KEY 2/95	349743001	N/A	2-BLACK	IH	PLR	LT	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT END LVR KEY 3/95	349744001	N/A	3-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT TOP LVR KEY 3/95	349745001	N/A	3-BLACK	IH	PLR	LT	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT END LVR KEY 4/95	349746001	N/A	4-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT TOP LVR KEY 4/95	349747001	N/A	4-BLACK	IH	PLR	LT	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT TOP LVR KEY 4/55	349747002	N/A	4-BLACK	IH	PLR	LT	LA	M	R	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	15	-	-	-	80							
										-	17	-	-	20	-	-	-	24	-	-	-	-	29	-	-	-	-	85	-							
										-	-	-	-	-	36	37	-	-	-	-	42	43	44	45	-	-	-	-	-	-	-	-	-	-		
										46	47	48	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT END LVR KEY 5/95	349748001	N/A	5-BLACK	IH	PLR	LE	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GPCM RCPT CONN 95 CKT TOP LVR KEY 5/95	349749001	N/A	5-BLACK	IH	PLR	LT	LA	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
										-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	