





118W Option Degree Shown Below



ABBREVIATION	DESCRIPTION	COLOR	MATERIAL
CVR-BLACK	COVER-BLACK	BLACK	PA66 GF35
CVR-DARK GRAY	COVER-DARK GRAY	DARK GRAY	PA66 GF35
CVR-LIGHT GRAY	COVER-LIGHT GRAY	LIGHT GRAY	PA66 GF35
CVR-BLUE	COVER-BLUE	BLUE	PA66 GF35
C-HSG-A0	CONNECTOR HOUSING KEY A - WDC OPT 0 - CLOSED	BLACK	PA66 GF35
C-HSG-B0	CONNECTOR HOUSING KEY B - WDC OPT 0 - CLOSED	BLACK	PA66 GF35
C-HSG-C0	CONNECTOR HOUSING KEY C - WDC OPT 0 - CLOSED	BLACK	PA66 GF35
C-HSG-D0	CONNECTOR HOUSING KEY D - WDC OPT 0 - CLOSED	BLACK	PA66 GF35
C-HSG-A180	CONNECTOR HOUSING KEY A - WDC OPT 180 - CLOSED	BLACK	PA66 GF35
C-HSG-B180	CONNECTOR HOUSING KEY B - WDC OPT 180 - CLOSED	BLACK	PA66 GF35
C-HSG-C180	CONNECTOR HOUSING KEY C - WDC OPT 180 - CLOSED	BLACK	PA66 GF35
C-HSG-D180	CONNECTOR HOUSING KEY D - WDC OPT 180 - CLOSED	BLACK	PA66 GF35
T-HSG-F-3	TERMINAL HOUSING FRONT-3	BLACK	PA66 GF35
T-HSG-R-3	TERMINAL HOUSING REAR -3	BLACK	PA66 GF35
T-HSG-R-PTD	TERMINAL HOUSING REAR -PTD	BLACK	PA66 GF35
ISL-4	INDEPENDENT SECONDARY LOCK (ISL-4)	NATURAL	PA66 GF50
ISL-PTD	INDEPENDENT SECONDARY LOCK (ISL)-PTD	NATURAL	PA66 GF50
WD	WIRE DRESS	BLACK	PBT GF30
RS-2	SLIDE RIGHT - 2	BLACK	PBT W/PTFE GF30
LS-2	SLIDE LEFT - 2	BLACK	PBT W/PTFE GF30
MAL	LEVER	BLACK	PA66 GF35
CPA-2	CONNECTOR POSITION ASSURANCE (CPA) REV2	RED	PPE/PA GF 10
M	MAT SEAL - LARGE WIRE	RUST RED	INHERENTLY LUBRICATED SILICONE
R	RING SEAL	BLUE	INHERENTLY LUBRICATED SILICONE

FOR ADDITIONNAL INFORMATION SEE 2128050002 PSD 001

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT											BLOCKED TERMINALS																				STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY								
		THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						WIRE DRESS								
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																															
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050101	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050201	WD										
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050102	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050202	WD										
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-

[illegible]

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT											BLOCKED TERMINALS																				STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY	
		THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						WIRE DRESS	
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								
118W KEY C, LGRY, WDC OPT 0 DEGREES	2128050111	CVR-LIGHT GREY	C-HSG-C0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY D, BLU, WDC OPT 0 DEGREES	2128050112	CVR-BLUE	C-HSG-D0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050113	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050114	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY C, LGRY, WDC OPT 180 DEGREES	2128050115	CVR-LIGHT GREY	C-HSG-C180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY D, BLU, WDC OPT 180 DEGREES	2128050116	CVR-BLUE	C-HSG-D180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050117	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	-	3	-	21	-	23	-	25	-	27	-	29	-	31	-	33	-	100	-	102	PLANNED OBSOLESCENCE		WD
													-	6	-	8	47	-	49	-	51	-	53	-	55	-	57	-	59	103	-	105	-			
													9	-	11	-	-	61	-	63	-	65	-	67	-	69	-	71	-	-	108	-	110			
													-	14	-	16	73	-	75	-	77	-	79	-	81	-	83	-	85	111	-	113	-			
													17	-	19	-	-	87	-	89	-	91	-	93	-	95	-	97	-	-	116	-	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050118	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD	
													5	6	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-	103	104	105				106
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-				-
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-

[illegible]

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT											BLOCKED TERMINALS																		STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY							
		THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																				WIRE DRESS							
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																												
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050128	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	-	-	32	33	-	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050228	WD				
													5	6	7	8	47	48	49	50	-	-	53	54	55	-	-	-	-	-	-	103	104				105	106		
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-				-	-		
													13	-	-	-	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-				-	-		
													17	-	-	-	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-				-	-	-	
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050129	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050229	WD				
													5	6	7	8	-	-	-	50	-	-	53	54	55	-	-	-	-	-	-	103	104				105	106		
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-				-	-		
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	-	-	85	-	-	-	-				-	-		
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-				-	-		
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050130	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD					
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-				-	-	-		
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109				-	-	-	-	
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	-	-	111	112	113				114	-	-	-	-
													-	-	19	20	-	-	88	89	90	-	92	-	94	95	96	97	98	-	-	-				-	-	-	-	
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050131	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD					
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-				-	-	-		
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109				-	-	-	-	
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113				114	-	-	-	-
													-	-	19	20	-	-	88	89	90	-	92	-	94	95	96	97	98	-	-	-				-	-	-	-	
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050132	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE		WD				
													5	6	7	8	-	-	-	50	-	-	53	54	55	-	-	-	-	-	-	103	104				105	106		
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-				-	-		
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	-	-	-	-	-	-	-				-	-		
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-				-	-		
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050133	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050233	WD					
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-				-	101	102		
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109				-	-	-	105	106
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113				114	-	-	-	-
													-	-	19	20	-	-	-	89	90	-	92	-	-	-	96	97	98	-	-	-				-	-	-	-	
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050134	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD					
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109				-	-	-	-	-
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113				114	-	-	-	-
													-	-	-	-	-	-	-	89	90	-	92	-	94	95	96	97	98	-	-	-				-	-	-	-	
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050135	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE		WD				
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	-	-	103	104				105	106		
													-	-	-	-	60	61	62	63	64	65	-	67	68	69	70	71	72	-	-	-	-				-	-		
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-				-	-		
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-				-	-		

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT											BLOCKED TERMINALS																				STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY																
		THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						WIRE DRESS																
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																																							
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050136	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050236	WD															
													34	35	36	-	-	39	40	41	42	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-					
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-				-	-	-	-	-	-	-	-	-	-	-	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	-	82	83	-	-	111	112	113				114	-	-	-	-	-	-	-	-	-	-	-	-		
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050137	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD															
													34	35	-	-	-	-	-	-	41	42	-	-	-	-	46	-	103	104	105	106	-				-	-	-	-	-	-	-	-	-	-	-				
													5	6	7	8	-	-	49	50	-	52	53	54	55	-	-	58	59	103	104	105	106				-	-	-	-	-	-	-	-	-	-	-	-	-		
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-		
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-		
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050138	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD															
													34	35	-	-	-	-	-	-	41	42	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-			
													5	6	7	8	-	-	49	50	-	52	53	54	-	-	-	58	59	103	104	105	106				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050139	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050239	WD													
													34	35	36	-	-	-	-	-	-	-	-	-	42	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-				
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-		
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-	-	-				-	-	-	-	-	-	-	-	-	-	-		
													13	14	15	16	73	-	75	76	-	-	-	-	-	-	82	83	-	-	111	112	113	114	-				-	-	-	-	-	-	-	-	-	-	-	-	
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050140	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	29	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE		WD															
													34	-	-	-	-	-	-	-	41	42	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-			
													5	6	7	8	-	-	-	50	-	-	53	54	55	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-		
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-		
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	-	-	85	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-		
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050141	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050241	WD															
													34	35	-	-	-	-	-	-	41	42	-	-	-	46	-	103	104	105	106	-	-				-	-	-	-	-	-	-	-	-	-	-	-			
													5	6	7	8	-	-	49	50	-	52	53	54	55	-	-	58	59	103	104	105	106				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050142	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD															
													34	35	36	37	-	39	40	41	42	43	-	-	46	-	103	104	105	106	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-		
													5	6	7	8	-	-	49	50	-	52	53	54	55	56	57	58	59	103	104	105	106				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
													-	-	15	16	73	74	75	-	77	78	79	80	81	82	83	84	85	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050143	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD															
													-	-	-	-	-	-	-	-	39	40	41	42	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-		
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-	-	-	-	-	-		
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
													13	14	15	16	73	-	75	76	-	-	-	-	-	-	-	-	-	-	111	112	113				114	-	-	-	-	-	-	-	-	-	-	-	-	-	

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT											BLOCKED TERMINALS																				STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY	
		THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						WIRE DRESS	
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050144	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	-	-	26	27	-	29	30	31	-	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
													5	6	7	8	-	-	49	50	-	52	53	54	55	-	-	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-			
													-	-	-	-	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050145	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	29	30	31	-	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
													5	6	7	8	-	-	49	50	-	52	53	54	55	-	-	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-			
													-	-	-	-	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050146	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-	PLANNED OBSOLESCENCE		WD
													34	35	36	37	38	-	-	-	-	43	44	-	46											
													-	-	-	-	-	48	49	50	51	52	53	-	55	56	57	58	59	-	-	-	-			
													-	-	-	-	60	-	62	63	-	65	-	-	68	69	70	71	72	-	-	-	-			
													-	-	15	-	73	74	-	76	-	78	-	-	-	82	-	-	-	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050147	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	29	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050248	WD	
													34	-	36	-	-	-	-	-	42	-	-	-	-											
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	-				-
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109				-
													13	14	15	16	73	-	75	76	-	-	-	-	82	83	84	85	111	112	113	114				
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050148	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD	
													34	35	-	-	38	-	-	41	42	-	-	-	-											
													5	6	7	8	-	-	49	50	-	52	-	54	-	-	-	58	59	103	104	105				106
													-	-	-	-	60	61	62	63	64	65	-	67	68	69	70	71	72	-	-	-				-
													13	-	-	16	-	74	75	-	-	-	-	80	81	-	83	-	-	-	-	-				-
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050149	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD
													34	35	36	-	-	-	-	-	42	-	-	-	-											
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	74	75	76	-	-	-	-	82	83	84	85	111	112	113	114				
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050150	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	30	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050247	WD
													34	-	36	37	-	39	40	41	42	43	44	-	-											
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	14	15	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050151	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE		WD
													34	-	-	-	38	-	-	41	42	-	-	-	-											
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	59	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	-	-	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-			

[illegible]

[illegible]

[illegible]

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT											BLOCKED TERMINALS																		STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY							
		THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																				WIRE DRESS							
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																												
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050245	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	30	31	32	33	-	100	101	102							
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106							
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-							
													13	14	15	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
													17	18	19	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050246	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	-	-	-	-	-	-	101	102							
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	105	106
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-							
													13	14	15	16	73	74	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114							
													-	-	19	20	-	-	-	89	90	-	-	-	94	95	96	97	-	-	-	-	-	118						
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050247	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	30	31	32	33	-	100	101	102							
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106							
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-							
													13	14	15	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-							
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-							
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050248	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	29	-	-	-	-	-	-	-								
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	-	-	-						
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-							
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114							
													-	-	19	20	-	-	-	89	90	-	92	-	94	95	96	97	98	-	-	-	-							
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050249	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	-	31	32	33	-	100	101	102							
													5	6	7	8	-	-	49	50	-	52	-	54	-	-	-	58	59	103	104	105	106							
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-							
													13	-	-	16	-	74	75	-	-	-	-	80	81	-	83	-	-	-	-	-	-							
													17	-	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-							
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050250	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102							
													5	6	7	8	-	-	49	50	-	52	-	-	-	-	-	58	59	103	104	105	106							
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-							
													13	-	-	16	-	74	75	-	-	-	-	80	81	-	83	-	-	-	-	-	-							
													17	-	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-							
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050251	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	21	-	-	24	25	-	-	28	-	-	-	-	-	-	-									
													34	35	-	-	-	39	40	41	-	-	-	-	-	-	-	-	-	-	-	-	-							
													-	-	-	-	47	48	-	-	51	-	53	54	-	56	57	58	59	-	-	-	-							
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-							
													-	-	-	-	73	74	75	76	77	78	79	80	81	-	-	-	-	-	112	-	-							
													-	-	-	-	86	87	88	89	90	91	92	-	94	-	-	-	-	115	116	117	118							