molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV



ABBREVIATION	DESCRIPTION	COLOR	MATERIAL
CVR-BLACK	COVER-BLACK	BLACK	PA66 GF35
CVR-DARK GRAY	COVER-DARK GRAY	DARK GRAY	PA66 GF35
CVR-LIGHT GRAY	COVER-LIGHT GRAY	LIGHT GRAY	PA66 GF35
CVR-BLUE	COVER-BLUE	BLUE	PA66 GF35
C-HSG-A0	CONNECTOR HOUSING KEY A - WDC OPT 0 - CLOSED	BLACK	PA66 GF35
C-HSG-B0	CONNECTOR HOUSING KEY B - WDC OPT 0 - CLOSED	BLACK	PA66 GF35
C-HSG-C0	CONNECTOR HOUSING KEY C - WDC OPT 0 - CLOSED	BLACK	PA66 GF35
C-HSG-D0	CONNECTOR HOUSING KEY D - WDC OPT 0 - CLOSED	BLACK	PA66 GF35
C-HSG-A180	CONNECTOR HOUSING KEY A - WDC OPT 180 - CLOSED	BLACK	PA66 GF35
C-HSG-B180	CONNECTOR HOUSING KEY B - WDC OPT 180 - CLOSED	BLACK	PA66 GF35
C-HSG-C180	CONNECTOR HOUSING KEY C - WDC OPT 180 - CLOSED	BLACK	PA66 GF35
C-HSG-D180	CONNECTOR HOUSING KEY D - WDC OPT 180 - CLOSED	BLACK	PA66 GF35
T-HSG-F-3	TERMINAL HOUSING FRONT-3	BLACK	PA66 GF35
T-HSG-R-3	TERMINAL HOUSING REAR -3	BLACK	PA66 GF35
T-HSG-R-PTD	TERMINAL HOUSING REAR -PTD	BLACK	PA66 GF35
ISL-4	INDEPENDENT SECONDARY LOCK (ISL-4)	NATURAL	PA66 GF50
ISL-PTD	INDEPENDENT SECONDARY LOCK (ISL)-PTD	NATURAL	PA66 GF50
WD	WIRE DRESS	BLACK	PBT GF30
RS-2	SLIDE RIGHT - 2	BLACK	PBT W/PTFE GF30
LS-2	SLIDE LEFT - 2	BLACK	PBT W/PTFE GF30
MAL	LEVER	BLACK	PA66 GF35
CPA-2	CONNECTOR POSITION ASSURANCE (CPA) REV2	RED	PPE/PA GF 10
M	MAT SEAL - LARGE WIRE	RUST RED	INHERENTLY LUBRICATED SILICONE
R	RING SEAL	BLUE	INHERENTLY LUBRICATED SILICONE

118W Option Degree Shown Below



FOR ADDITIONNAL INFORMATION SEE 2128050002 PSD 001

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT (THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.)											BLOCKED TERMINALS (CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION; CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION)																					STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																							WIRE DRESS
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050101	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050201	WD
																	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050102	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050202	WD
																	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											BLOCKED TERMINALS CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								WIRE DRESS
118W KEY C, LGRY, WDC OPT 0 DEGREES	2128050103	CVR-LIGHT GREY	C-HSG-C0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050203	WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY D, BLU, WDC OPT 0 DEGREES	2128050104	CVR-BLUE	C-HSG-D0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050204	WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050105	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050205	WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050106	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050206	WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY C, LGRY, WDC OPT 180 DEGREES	2128050107	CVR-LIGHT GREY	C-HSG-C180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050207	WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY D, BLU, WDC OPT 180 DEGREES	2128050108	CVR-BLUE	C-HSG-D180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050208	WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050109	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050209	WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050110	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT (THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.)											BLOCKED TERMINALS (CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION; CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION)																							STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																									WIRE DRESS
118W KEY C, LGRY, WDC OPT 0 DEGREES	2128050111	CVR-LIGHT GREY	C-HSG-C0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY D, BLU, WDC OPT 0 DEGREES	2128050112	CVR-BLUE	C-HSG-D0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050113	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050114	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY C, LGRY, WDC OPT 180 DEGREES	2128050115	CVR-LIGHT GREY	C-HSG-C180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY D, BLU, WDC OPT 180 DEGREES	2128050116	CVR-BLUE	C-HSG-D180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050117	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	-	3	-	21	-	23	-	25	-	27	-	29	-	31	-	33	-	100	-	102	PLANNED OBSOLESCENCE		WD
																	-	35	-	37	-	39	-	41	-	43	-	45	-							
													-	6	-	8	47	-	49	-	51	-	53	-	55	-	57	-	59	103	-	105	-			
													9	-	11	-	-	61	-	63	-	65	-	67	-	69	-	71	-	-	108	-	110			
													-	14	-	16	73	-	75	-	77	-	79	-	81	-	83	-	85	111	-	113	-			
													17	-	19	-	-	87	-	89	-	91	-	93	-	95	-	97	-	-	116	-	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050118	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD
																	-	-	-	-	-	-	-	-	-	-	-	-	-							
													5	6	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											BLOCKED TERMINALS CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								WIRE DRESS
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050119	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-		
													13	14	15	16	-	-	-	-	-	-	-	-	-	-	-	-	-	111	112	113	114		
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050120	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46						
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106		
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110		
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114		
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	-		
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050121	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	-	-	-	42	43	44	45	46						
													-	-	-	-	47	48	49	50	51	52	53	54	55	56	57	58	59	-	-	-	-		
													-	-	-	12	-	61	62	63	-	65	66	67	68	69	70	71	72	-	-	-	-		
													-	14	15	16	73	74	75	76	-	-	79	80	81	82	-	-	-	-	-	113	114		
													-	18	19	20	86	87	88	89	-	-	92	93	94	95	-	-	-	-	-	-	-		
118W KEY B, BLACK, WDC OPT 0 DEGREES	2128050122	CVR-BLACK	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	-	-	-	42	43	44	45	46						
													-	-	-	-	47	48	49	50	51	52	53	54	55	56	57	58	59	-	-	-	-		
													-	-	-	12	-	61	62	63	-	65	66	67	68	69	70	71	72	-	-	-	-		
													-	14	15	16	73	74	75	76	-	-	79	80	81	82	-	-	-	-	-	113	114		
													-	18	19	20	86	87	88	89	-	-	92	93	94	95	-	-	-	-	-	-	-		
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050123	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050223	WD
																	34	35	36	37	38	-	-	-	42	43	44	45	46						
													-	-	-	-	-	48	49	50	51	52	53	54	55	56	57	58	59	-	-	-	-		
													-	-	-	12	-	61	62	63	-	65	66	67	68	69	70	71	72	-	-	-	-		
													-	14	15	16	73	74	75	76	-	-	79	80	81	82	-	-	-	-	-	113	114		
													-	18	19	20	86	87	88	89	-	-	92	93	94	95	-	-	-	-	-	-	-		
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050125	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	101	102	PLANNED OBSOLESCENCE		WD
																	-	-	36	-	-	-	-	-	42	-	-	-	-						
													5	6	-	-	47	-	49	50	51	-	-	-	-	-	-	-	-	-	-	105	106		
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-		
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114		
													-	-	19	20	-	-	-	89	90	-	92	-	-	-	96	97	98	-	-	117	-		
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050126	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050223	WD
																	34	35	36	37	38	-	-	-	42	43	44	45	46						
													-	-	-	-	-	48	49	50	51	52	53	54	55	56	57	58	59	-	-	-	-		
													-	-	-	12	-	61	62	63	-	65	66	67	68	69	70	71	72	-	-	-	-		
													-	14	15	16	73	74	75	76	-	-	79	80	81	82	-	-	-	-	-	113	114		
													-	18	19	20	86	87	88	89	-	-	92	93	94	95	-	-	-	-	-	-	-		
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050127	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	101	102	PLANNED OBSOLESCENCE		WD
																	-	-	36	-	-	-	-	-	42	-	-	-	-						
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	105	106		
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-		
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114		
													-	-	19	20	-	-	-	89	90	-	92	-	-	-	96	97	98	-	-	-	-		

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT (THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.)											BLOCKED TERMINALS (CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION; CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION)																						STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								WIRE DRESS
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050128	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	-	-	32	33	-	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050228	WD
																	34	-	-	-	-	-	-	41	42	-	-	-	-							
													5	6	7	8	47	48	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	-	-	-	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-			
													17	-	-	-	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050129	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050229	WD
																	34	-	-	-	-	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	-	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	-	-	85	-	-	-	-			
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050130	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050230	WD
																	34	35	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	-	-	111	112	113	114			
													-	-	19	20	-	-	88	89	90	-	92	-	94	95	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050131	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD
																	34	35	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114			
													-	-	19	20	-	-	88	89	90	-	92	-	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050132	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE		WD
																	-	35	36	-	-	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	-	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	-	-	-	-	-	-	-			
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050133	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050233	WD
																	-	-	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	105	106			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114			
													-	-	19	20	-	-	-	89	90	-	92	-	-	-	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050134	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050234	WD
																	-	-	-	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114			
													-	-	-	-	-	-	-	89	90	-	92	-	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050135	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050235	WD
																	34	-	-	-	-	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	-	67	68	69	70	71	72	-	-	-	-			
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-			
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											BLOCKED TERMINALS CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																							STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																												WIRE DRESS
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050136	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050236	WD
																	34	35	36	-	-	39	40	41	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	103	104	105	106			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	-	-	111	112	113	114			
													-	-	19	20	-	-	88	89	90	91	92	-	94	95	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050139	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050239	WD
																	34	35	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	-	-	111	112	113	114			
													-	-	19	20	86	-	88	89	90	-	92	-	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050140	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	29	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	-	-	-	-	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	-	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	-	-	85	-	-	-	-			
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050141	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050241	WD
																	34	35	-	-	-	-	-	41	42	-	-	-	46							
													5	6	7	8	-	-	49	50	-	52	53	54	55	-	-	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-			
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-			
													17	18	-	20	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050142	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	-	39	40	41	42	43	-	-	46							
													5	6	7	8	-	-	49	50	-	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-			
													-	-	15	16	73	74	75	-	77	78	79	80	81	82	83	84	85	-	-	-	-			
													17	-	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050143	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	26	27	28	29	30	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	-	-	-	-	-	39	40	41	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	103	104	105	106			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	-	-	-	-	111	112	113	114			
													-	-	19	20	-	-	88	89	90	91	92	-	-	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050144	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	-	-	26	27	-	29	30	31	-	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	-	-	-	-	-	41	42	-	-	-	46							
													5	6	7	8	-	-	49	50	-	52	53	54	55	-	-	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-			
													-	-	-	-	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-			
													-	-	-	-	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050145	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	29	30	31	-	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	-	-	-	-	-	41	42	-	-	-	46							
													5	6	7	8	-	-	49	50	-	52	53	54	55	-	-	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-			
													-	-	-	-	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-			
													-	-	-	-	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											BLOCKED TERMINALS CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																								STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																												WIRE DRESS
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050146	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-	PLANNED OBSOLESCENCE		WD
																	34	35	36	37	38	-	-	-	-	43	44	-	46							
													-	-	-	-	-	48	49	50	51	52	53	-	55	56	57	58	59	-	-	-	-				
													-	-	-	-	60	-	62	63	-	65	-	-	68	69	70	71	72	-	-	-	-				
													-	-	15	-	73	74	-	76	-	78	-	-	-	82	-	-	-	-	-	-	-				
													17	18	19	-	86	87	88	89	-	91	-	-	-	95	-	-	-	-	-	-	-				
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050147	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	29	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050248	WD
																	34	-	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	-	-				
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-				
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114				
													-	-	19	20	-	-	-	89	90	-	92	-	94	95	96	97	98	-	-	-	-				
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050148	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	-	31	32	33	99	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	-	-	38	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	49	50	-	52	-	54	-	-	-	58	59	103	104	105	106				
													-	-	-	-	60	61	62	63	64	65	-	67	68	69	70	71	72	-	-	-	-				
													13	-	-	16	-	74	75	-	-	-	-	80	81	-	83	-	-	-	-	-	-				
													17	-	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-				
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050149	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	-	-	-	-	-	-	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	105	106				
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-				
													13	14	15	16	73	74	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114				
													-	-	19	20	-	-	-	89	90	-	-	-	94	95	96	97	98	-	-	-	118				
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050150	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	30	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050247	WD
																	34	-	36	37	-	39	40	41	42	43	44	-	-							
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106				
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-				
													13	14	15	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-				
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-				
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050151	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	PLANNED OBSOLESCENCE		WD
																	34	-	-	-	38	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	59	103	104	105	106				
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-				
													13	-	-	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-				
													17	-	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-				
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050152	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PLANNED OBSOLESCENCE		WD
																	34	-	36	-	-	-	-	-	-	-	-	-	-							
													5	6	-	-	-	-	-	-	51	-	-	-	55	-	-	-	-	-	-	-	-				
													9	10	-	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-				
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114				
													-	-	19	20	-	-	-	89	90	-	-	-	94	95	96	97	-	-	-	-	-				
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050153	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	21	-	-	24	25	-	-	28	-	-	-	-	-	-	-	101	102	PLANNED OBSOLESCENCE		WD
																	34	35	-	-	-	39	40	41	-	-	-	-	-							
													-	-	-	-	47	48	49	-	51	-	53	54	-	56	57	58	59	-	-	-	-				
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-				
													-	-	-	-	73	74	75	76	77	78	79	80	81	-	-	-	-	-	112	-	-				
													-	-	-	-	86	87	88	89	90	91	92	-	94	-	-	-	-	115	116	117	118				

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT (THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.)											BLOCKED TERMINALS (CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION; CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION)																							STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																									WIRE DRESS
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050154	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-	PLANNED OBSOLESCENCE	SEE PN 2128050254	WD
																	34	35	36	37	38	-	-	-	-	43	44	-	46							
													-	-	-	-	-	48	49	50	51	52	53	-	55	56	57	58	59	-	-	-	-			
													-	-	-	-	60	61	62	63	-	65	-	-	68	69	70	71	72	-	-	-	-			
													13	14	15	-	73	74	-	76	-	78	79	-	-	82	-	-	-	-	-	-	-			
													17	18	19	-	86	87	88	89	-	91	92	-	-	95	-	-	-	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050155	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	-	-	-	-	-	-	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050246	WD
																	34	35	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	105	106			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	74	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114			
													-	-	19	20	-	-	-	89	90	-	-	-	94	95	96	97	-	-	-	-	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050156	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-3	ISL-4	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	21	-	-	24	25	-	-	28	-	-	-	-	-	-	-	101	102	PLANNED OBSOLESCENCE	SEE PN 2128050240	WD
																	34	35	36	37	-	39	40	41	-	-	-	-	-							
													-	-	-	-	47	48	49	-	51	-	53	54	55	56	57	58	59	-	-	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	109	110			
													-	-	-	-	73	74	75	76	77	78	79	80	81	-	-	-	-	-	112	-	-			
													-	-	-	-	-	87	-	89	90	91	92	-	94	-	-	-	-	115	116	117	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050201	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
																	-	-	-	-	-	-	-	-	-	-	-	-	-							
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050202	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
																	-	-	-	-	-	-	-	-	-	-	-	-	-							
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY C, LGRY, WDC OPT 0 DEGREES	2128050203	CVR-LIGHT GREY	C-HSG-C0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
																	-	-	-	-	-	-	-	-	-	-	-	-	-							
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY D, BLU, WDC OPT 0 DEGREES	2128050204	CVR-BLUE	C-HSG-D0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
																	-	-	-	-	-	-	-	-	-	-	-	-	-							
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050205	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
																	-	-	-	-	-	-	-	-	-	-	-	-	-							
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											BLOCKED TERMINALS CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								WIRE DRESS
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050206	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY C, LGRY, WDC OPT 180 DEGREES	2128050207	CVR-LIGHT GREY	C-HSG-C180	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY D, BLU, WDC OPT 180 DEGREES	2128050208	CVR-BLUE	C-HSG-D180	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050209	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	21	22	23	24	25	26	27	28	29	30	31	32	33	99	100	101	102		SALEABLE		WD
																	34	35	36	37	38	39	40	41	42	43	44	45	46							
													5	6	7	8	47	48	49	50	51	52	53	54	55	56	57	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	109	110			
													13	14	15	16	73	74	75	76	77	78	79	80	81	82	83	84	85	111	112	113	114			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	115	116	117	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050223	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-		SALEABLE		WD
																	34	35	36	37	38	-	-	-	42	43	44	45	46							
													-	-	-	-	-	48	49	50	51	52	53	54	55	56	57	58	59	-	-	-	-			
													-	-	-	12	-	61	62	63	-	65	66	67	68	69	70	71	72	-	-	-	-			
													-	14	15	16	73	74	75	76	-	-	79	80	81	82	-	-	-	-	-	113	114			
													-	18	19	20	86	87	88	89	-	-	92	93	94	95	-	-	-	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050228	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	-	-	32	33	-	100	101	102		SALEABLE		WD
																	34	-	-	-	-	-	-	41	42	-	-	-	-							
													5	6	7	8	47	48	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	-	-	-	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-			
													17	-	-	-	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050229	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102		SALEABLE		WD
																	34	-	-	-	-	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	-	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	-	-	85	-	-	-	-			
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050230	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-		SALEABLE		WD
																	34	35	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	-	-	111	112	113	114			
													-	-	19	20	-	-	88	89	90	-	92	-	94	95	96	97	98	-	-	-	-			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											BLOCKED TERMINALS CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								WIRE DRESS
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050233	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	101	102	SALEABLE		WD
													-	-	-	-	-	-	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	105	106			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114			
													-	-	19	20	-	-	-	89	90	-	92	-	-	-	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050234	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
													-	-	-	-	-	-	-	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114			
													-	-	-	-	-	-	-	89	90	-	92	-	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050235	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	SALEABLE		WD
																	34	-	-	-	-	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	-	67	68	69	70	71	72	-	-	-	-			
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-			
													17	18	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 180 DEGREES	2128050236	CVR-DARK GREY	C-HSG-B180	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	26	27	28	29	30	31	32	33	99	100	101	102	SALEABLE		WD
																	34	35	36	-	-	39	40	41	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	103	104	105	106			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	-	-	111	112	113	114			
													-	-	19	20	-	-	88	89	90	91	92	-	94	95	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050239	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALEABLE		WD
																	34	35	36	-	-	-	-	-	42	-	-	-	-							
													5	6	-	-	47	-	-	50	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	-	-	111	112	113	114			
													-	-	19	20	86	-	88	89	90	-	92	-	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050240	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	21	-	-	24	25	-	-	28	-	-	-	-	-	-	-	101	102	SALEABLE		WD
																	34	35	36	37	-	39	40	41	-	-	-	-	-							
													-	-	-	-	47	48	49	-	51	-	53	54	55	56	57	58	59	-	-	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	109	110			
													-	-	-	-	73	74	75	76	77	78	79	80	81	-	-	-	-	-	112	-	-			
													-	-	-	-	-	87	-	89	90	91	92	-	94	-	-	-	-	115	116	117	118			
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050241	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	29	30	31	32	33	99	100	101	102	SALEABLE		WD
																	34	35	-	-	-	-	-	41	42	-	-	-	46							
													5	6	7	8	-	-	49	50	-	52	53	54	55	-	-	58	59	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	107	108	-	-			
													13	14	-	16	-	74	75	-	-	-	-	80	81	82	83	84	85	-	-	-	-			
													17	18	-	20	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050242	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	SALEABLE		WD
																	34	35	-	-	38	-	-	41	42	-	-	-	-							
													5	6	7	8	-	-	49	50	-	52	-	54	-	-	-	58	59	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	-	-	16	-	74	75	-	-	-	-	80	81	-	83	-	-	-	-	-	-			
													17	-	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											BLOCKED TERMINALS CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								WIRE DRESS
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050243	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	-	-	-	-	-	-	29	30	31	32	33	-	-	101	102	SALEABLE		WD
																	34	35	36	37	-	39	40	41	42	43	44	45	46						
													-	-	-	-	47	48	49	50	51	-	53	54	-	56	57	58	59	103	-	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	109	110			
													-	-	-	-	73	74	75	76	77	78	79	80	81	82	83	84	85	-	112	-	-			
													-	-	-	-	86	87	88	89	90	91	-	-	94	95	96	97	98	115	116	117	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050244	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	SALEABLE		WD
																	34	35	-	-	38	-	-	41	42	-	-	-	-						
													5	6	7	8	-	-	49	50	-	52	-	54	-	-	-	58	59	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	-	-	16	-	74	75	-	-	-	-	80	81	-	83	-	-	-	-	-	-			
													17	-	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050245	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	30	31	32	33	-	100	101	102	SALEABLE		WD
																	34	-	36	37	-	39	40	41	42	43	44	-	-						
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	14	15	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
													17	18	19	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050246	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	-	-	-	-	-	-	101	102	SALEABLE		WD
																	34	35	36	-	-	-	-	-	42	-	-	-	-						
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	105	106			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	74	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114			
													-	-	19	20	-	-	-	89	90	-	-	-	94	95	96	97	-	-	-	-	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050247	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	1	2	3	4	-	-	23	24	-	26	27	-	-	30	31	32	33	-	100	101	102	SALEABLE		WD
																	34	-	36	37	-	39	40	41	42	43	44	-	-						
													5	6	7	8	-	-	49	50	-	-	53	54	55	-	-	-	-	103	104	105	106			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	14	15	16	-	74	75	-	-	-	-	80	81	82	83	-	-	-	-	-	-			
													17	18	19	20	86	87	88	89	90	91	92	93	94	95	96	97	98	-	-	-	-			
118W KEY B, DGRY, WDC OPT 0 DEGREES	2128050248	CVR-DARK GREY	C-HSG-B0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	22	23	-	-	-	-	-	29	-	-	-	-	-	-	-	-	SALEABLE		WD
																	34	-	36	-	-	-	-	-	42	-	-	-	-						
													5	6	-	-	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	-	-			
													9	10	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	107	-	109	-			
													13	14	15	16	73	-	75	76	-	-	-	-	-	82	83	84	85	111	112	113	114			
													-	-	19	20	-	-	-	89	90	-	92	-	94	95	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050249	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	-	-	-	-	-	31	32	33	-	100	101	102	SALEABLE		WD
																	34	35	-	-	38	-	-	41	42	-	-	-	-						
													5	6	7	8	-	-	49	50	-	52	-	54	-	-	-	58	59	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	-	-	16	-	74	75	-	-	-	-	80	81	-	83	-	-	-	-	-	-			
													17	-	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050250	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	-	26	27	-	-	-	31	32	33	-	100	101	102	SALEABLE		WD
																	34	35	-	-	38	-	-	41	42	-	-	-	-						
													5	6	7	8	-	-	49	50	-	52	-	-	-	-	-	58	59	103	104	105	106			
													-	-	-	-	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													13	-	-	16	-	74	75	-	-	-	-	80	81	-	83	-	-	-	-	-	-			
													17	-	-	20	-	-	-	-	-	-	-	-	-	-	96	97	98	-	-	-	-			

molex

MXGenV SEALED RCPT ASSY (118 WAY)

BOM & PIN OUT SHEET FOR PV

ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	COMPONENT THE PRESENCE OF AN ABBREVIATION INDICATES THE PRESENCE OF THAT COMPONENT.											BLOCKED TERMINALS CAVITY WITH A NUMBER INDICATES BLOCKED TERMINAL POSITION CAVITY WITHOUT A NUMBER INDICATES OPEN TERMINAL POSITION																						STATUS	COMMENTS	INTEGRAL COMPONENTS SOLD SEPARATELY
		COVER KEY/ COLOR	CONNECTOR HOUSING	TERMINAL HOUSING FRONT	TERMINAL HOUSING REAR	ISL	RIGHT SLIDE	LEFT SLIDE	MATE ASSIST LEVER	CPA	MAT SEAL	RING SEAL																								WIRE DRESS
118W KEY A, BLACK, WDC OPT 180 DEGREES	2128050251	CVR-BLACK	C-HSG-A180	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	21	-	-	24	25	-	-	28	-	-	-	-	-	-	-	101	102	SALEABLE		WD
																	34	35	-	-	-	39	40	41	-	-	-	-	-						
													-	-	-	-	47	48	-	-	51	-	53	54	-	56	57	58	59	-	-	-	-			
													9	10	11	12	60	61	62	63	64	65	66	67	68	69	70	71	72	-	-	-	-			
													-	-	-	-	73	74	75	76	77	78	79	80	81	-	-	-	-	-	112	-	-			
													-	-	-	-	86	87	88	89	90	91	92	-	94	-	-	-	-	115	116	117	118			
118W KEY A, BLACK, WDC OPT 0 DEGREES	2128050254	CVR-BLACK	C-HSG-A0	T-HSG-F-3	T-HSG-R-PTD	ISL-PTD	RS-2	LS-2	MAL	CPA-2	M	R	-	-	-	-	-	-	23	24	25	-	-	-	-	-	-	32	33	-	-	-	-	SALEABLE		WD
																	34	35	36	37	38	-	-	-	-	43	44	-	46							
													-	-	-	-	-	48	49	50	51	52	53	-	55	56	57	58	59	-	-	-	-			
													-	-	-	-	60	61	62	63	-	65	-	-	68	69	70	71	72	-	-	-	-			
													13	14	15	-	73	74	-	76	-	78	79	-	-	82	-	-	-	-	-	-	-			
													17	18	19	-	86	87	88	89	-	91	92	-	-	95	-	-	-	-	-	-	-			