CouriersPlease

Delivery Choices

API Documentation

Version Control

Version	Date	Notes	Author
1.0.0	22/02/2020	Initial version.	Jacinto Santamaria (CouriersPlease)
1.0.1	02/10/2026	Document update	Silvio Mueller (CouriersPlease)

Contents

Contents

Version Control 2

Contents 3

Overview 4

Format 4

URLs 4

Sandbox 4

https://api-test.couriersplease.com.au/v2/domestic/locateParcel?trackingCode=..... **Error! Bookmark not defined.**

Production 4

Security 4

API Access 4

Authentication 5

Encryption 5

API Request 6

Parameters 6

Sample Request HTTP 6

Request URL 6

Request Header 6

Request Body 6

Sample request using CURL 6

API Response 7

API Response Codes 7

API Response Object 8

Sample Response (200 - Success) Consignment Number 10

Sample Response (200 - Success) Label Number ..... **Error! Bookmark not defined.**

Sample Response (200 - Success) No Data ..... **Error! Bookmark not defined.**

Sample Response (200 - Success) No Scan Events Connote. ..... **Error! Bookmark not defined.**

Sample Response (200 - Success) No Scan Events Label 12

Sample Response (401 - Unauthorized) 13

Sample Response (400 – Bad Request) 13

Sample Response (500 – Error) 13

Trouble Shooting 14

Possible causes of errors. 14

Possible Solutions to Errors 15

Overview

This document defines the API in which customers can obtain a Collection Point ID and Collection Point details

If a sender would like to drop off a parcel, for collection by Couriers Please, at a HUBBED Collection point then the sender will need to provide a HUBBED Location ID.

If a sender would like to Couriers Please to deliver a parcel, for collection by the receiver, at a HUBBED Collection point then the sender will need to provide a HUBBED Location ID.

Format

Request	JSON	
Response	JSON	XML Response Discontinued 2024
HTTP Method	GET	
Authorization	BASIC	Combination of account number and API Key

URLs

Sandbox

While developing and testing use the sandbox URL:

https://api-test.couriersplease.com.au/v2/domestic/deliveryOptions?postcode=&countryCode=AU

Production

After deploying to live use the production URL:

https://api.couriersplease.com.au/v2/domestic/deliveryOptions?postcode=&countryCode=AU

Security

API Access

API security is controlled by CouriersPlease. CouriersPlease controls the following:

1. Access to Sandbox environment.
2. Access to Production environment.
3. Access to each individual API.
4. Hourly/Daily/Monthly limits.

If you require security changes then please contact CouriersPlease API support:

Email apisupport@couriersplease.com.au or connect@couriersplease.com.au

Authentication

API Validation is performed through HTTP Basic Authentication using the CouriersPlease Account Number and Authorization Token.

Username: CouriersPlease Account Number

Password: Sandbox or Production Token provided from the CouriersPlease API Developer Portal

When using HTTP Basic Authentication, the Username and Password must be Base64 encoded in the header.

If your CouriersPlease Account Number is W99999 and your token is ABC123456789 your Authentication Header would be “Authorization: Basic W99999:ABC123456789” before encoding it. Once encoded, it should look as follows: “Authorization: Basic Vzk5OTk5OkFCQzEyMzQ1Njc4OQ==”

Encryption

The API Endpoints and Portal are encrypted using SSL as follows:

SSL Attribute	SSL Detail
Signature Hash Algorithm	sha256
Public Key	RSA (2048 Bits)

API Request

This section contains the parameters and examples of a Domestic Quote API request

Parameters

Name	Type	Content
postcode	Integer	A valid Australian postcode
countryCode	String	Always = AU

Sample Request HTTP

Below is a sample request that returns JSON. The HTTP Request Header must contain application (example: “Accept: application/json”). The username and password are Base64 encoded in the authorization header as specified in the Authentication section of this document.

Request URL

GET https://api-test.couriersplease.com.au/v2/domestic/deliveryOptions?postcode=2000&countryCode=AU HTTP/1.1

Request Header

Host: api-test.couriersplease.com.au
Accept: application/json
Content-Type: application/json
Authorization: Basic Vzk5OTk5OkFCQzEyMzQ1Njc4OQ==

Request Body

This API does not require a body.

Sample request using CURL

```
curl --location 'https://api-test.couriersplease.com.au/v2/domestic/deliveryOptions?postcode=2000&countryCode=AU' \
--header 'Authorization: Basic MTEyOTI2ODI5OkIxQTRENjI3MzUxM0I4RkY2RUU4QzU5MzEzREM4N0Q0RkEwNEM4OTZGM0VENDE4MjQ5MTBGQ0IxNzA0MUFDNEU=' \
--header 'Accept: application/json'
```

API Response

Each request will return both an HTTP Status Code and a Response Code, which can be used to understand if the request was successfully processed. The response code will be in JSON.

API Response Codes

Code	Response
200	Success
401	Authentication failed
403	Requesting server IP address is blocked
404	No data found
429	Number of allowable requests exceeded
500	Error in process or service unavailable

Note. If a request is successful, but no results are returned, then check that the postcode is valid.

Check the trouble shooting guide at the end of this document for more information.

API Response Object

A successful API response, where HTTPS Status Code = 200 and Response Code = SUCCESS, will return an object with field names as follows:

Field	Content	Example
droplocation_id	ID of the Drop Off Collection Point. This value is used in the field pickupDeliveryChoiceID	5645
hubbedlocation_id	ID of the Delivery Collection Point. This value is used in the field destinationDeliveryChoiceID	5645
storeDlb	Location Barcode for Couriers Please	AU007218
name	Name of Store	Society Convenience Store
enabled	Indicates if the store is accepting parcels (true/false)	TRUE
showonmap	Collection Points can request not to be displayed on a map (true/false)	TRUE
printingEnabled	Store can print the label for the sender when they drop off the parcel (true/false)	FALSE
packingEnabled	Store can provide packaging (true/false)	FALSE
operatingHours	List of times the collection point is open for business	"Sun: 09:30-16:00, Mon: 08:30-17:00"
storeType	Mostly Community. May be a petrol station or locker	Community
phone	Phone Number	0415 105 494
latitude	GPS Coordinate	-34.0842234
longitude	GPS Coordinate	150.8285015
availableDelivery	Information not available	Always null
special_instructions	Instructions for accessing store	Entry via Martin Place
service_type	Information not available	Always null
storeIcon	Information not available	Always null
lastModifiedDate	Last date details were updated	Always null
timezone	Time Zone	AEDT
offset	Offset from Universal Time	"+10:00"

distanceFromSearchedLocationInKm	Distance from postcode in Km	0
address	***Object/Array. May contain multiple addresses***	
city	Suburb	Sydney
state	State	NSW
postcode	Postcode	2000
street1	First Street address	Shop 407 Australia Square
street2	Second Street addess	null
country	Country	Australia
channel	***Object/Array. Store information***	Please ignore
LocationType	***Object/Array. Store information***	
id	ID for store type (1-10)	4
name	ID name	Convenience
products	***Object/Array. Product information. This information indicates if they accept missed deliveries or drop offs***	
id	ID for Product Name	3
productname	Name of Product/feature	Missed Delivery Send Return
status	Indicates the product is available (true/false)	TRUE
services	***object/Array. Service information***	
id	ID for services	2
name	Name of service	Over the Counter
openingDays	Information not available	Always null
businessHours	***Object/Array. Operating hours***	
day	Day of the week	Saturday
open_time	opening time	7:30
close_time	Closing time	17:30
courier	Information not available	Always null
locationCourierData	Information not available	Always null

Sample Response (200 – Success)


```
{
  "responseCode": "200",
  "responseMessage": "Success",
  "pageNo": 1,
  "perPageRecords": 20,
  "totalPages": 1,
  "totalRecords": 6,
  "data": [
    {
      "droplocation_id": 3725,
      "hubbedlocation_id": 3725,
      "storeDlb": "AU005596",
      "name": "Society Convenience Store",
      "enabled": true,
      "showonmap": true,
      "printingEnabled": false,
      "packingEnabled": false,
      "operatingHours": "Sun: Closed, Mon: 07:00-19:00, Tue: 07:00-19:00, Wed: 07:00-19:00, Thu: 07:00-19:00, Fri: 07:00-19:00, Sat: 07:00-15:00",
      "storeType": "Community",
      "phone": "0292314644",
      "latitude": -33.8688081,
      "longitude": 151.2108817,
      "availableDelivery": null,
      "special_instructions": "",
      "service_type": null,
      "storeIcon": null,
      "lastModifiedDate": null,
      "timezone": "AEDT",
      "offset": "+10:00",
      "distanceFromSearchedLocationInKm": 0.0,
      "address": {
        "city": "Sydney",
        "state": "NSW",
        "postcode": "2000",
        "street1": "169 Phillip St",
        "street2": null,
        "country": "Australia"
      },
      "channel": {
        "channel_id": 6,
        "channel_name": "Community",
        "logo": "https://d2dlvq2n7741dv.cloudfront.net/assets/png/parcelpoint-p.png",
        "active": false,
        "marker_active": "https://d2dlvq2n7741dv.cloudfront.net/assets/png/HubbedLogo-active-new.png",
        "marker_inactive": "https://d2dlvq2n7741dv.cloudfront.net/assets/png/HubbedLogo-inactive-new.png"
      },
      "locationType": {
        "id": 4,
```

```
    "name": "Convenience"
  },
  "products": [
    {
      "id": 1,
      "productname": "Click and Collect",
      "status": true
    },
    {
      "id": 3,
      "productname": "Missed Delivery",
      "status": true
    },
    {
      "id": 4,
      "productname": "Return",
      "status": true
    },
    {
      "id": 5,
      "productname": "Send",
      "status": true
    }
  ],
  "services": [
    {
      "id": 2,
      "name": "Over the counter"
    }
  ],
  "openingDays": null,
  "businessHours": [
    {
      "day": "Sunday",
      "open_time": "Closed",
      "close_time": "Closed"
    },
    {
      "day": "Monday",
      "open_time": "07:00",
      "close_time": "19:00"
    },
    {
      "day": "Tuesday",
      "open_time": "07:00",
      "close_time": "19:00"
    },
    {
      "day": "Wednesday",
      "open_time": "07:00",
      "close_time": "19:00"
    },
    {
```

```
            "day": "Thursday",
            "open_time": "07:00",
            "close_time": "19:00"
          },
          {
            "day": "Friday",
            "open_time": "07:00",
            "close_time": "19:00"
          },
          {
            "day": "Saturday",
            "open_time": "07:00",
            "close_time": "15:00"
          }
        ],
        "courier": null,
        "locationCourierData": null
    },
}
```


Note 1: Multiple collection points may be returned for a single postcode.

Note 2: For Drop Offs the Collection Point must have the following product available.


```
{
            "id": 5,
            "productname": "Send",
            "status": true
 }
```


Sample Response (404 – No Data) No Records Found.

Note: Not all Postcodes have an available collection point nearby. The below response was for postcode 0812


```
  {
  "responseCode": "404",
  "responseMessage": "No record found.",
  "pageNo": null,
  "perPageRecords": null,
  "totalPages": null,
  "totalRecords": null,
  "data": null,
  "filterDropdownsSetting": null
}
```

Sample Response (401 - Unauthorized)

{
"responseCode": "UNAUTHORIZED",
"msg": "Not a valid token.",
"data": ""
}

(Note: An invalid API key was used)

Sample Response (400 – Bad Request)

This can only happen with this API if the URL is incorrect.

Example:

https://api.couriersplease.com.au/v2/domestic/delivery/Options?postcode=2560&countryCode=AU

There is a forward slash in the word delivery/Options which is not supposed to be there.

{
"responseCode": "INVALID_INPUT",
"msg": "Tracking code missing.",
"data": null
}

Sample Response (500 – Error)

{
"responseCode": "500",
"msg": "Internal Server Error",
"data": null
}

(Note: API was offline)

Trouble Shooting

This section highlights the possible causes of API errors and possible solutions for them.

Further assistance can be obtained by sending an email to the below addresses:

Email apisupport@couriersplease.com.au or connect@couriersplease.com.au

Possible causes of errors.

Below is a table of errors and possible causes. The following page has a list of possible solutions.

Error Code	Value	Possible Causes
400	Bad Request	Error in URL
401	Unauthorised	Using Test credentials in Production environment. Using Production credentials in Test environment. Incorrect Account Number or API Key. Incorrect Authentication Type.
403	Forbidden	Invalid character (example: /) in request body. Incomplete request. Incorrect request structure. Requesting Server Address may be blocked
404	Not found	Postcode may not have any available Collection Points Postcode or Country code may be invalid.
408	Request Timeout	API is not responding (various reasons). Too many requests being passed at the same time.
500	Internal Server Error	Server may be offline

Possible Solutions to Errors

The table below contains to most common solutions to API errors.

Error Code	Value	Possible Solutions
400	Bad Request	Check URL for error
401	Unauthorised	Check the credentials being used are correct Contact Couriers Please to confirm credentials
403	Forbidden	Check request for errors such as invalid characters. Check hosting server is not in a blacklisted country.
404	Not found	Check postcode and Country Code.
408	Request Timeout	Test using a single request to see if API is online Check with Couriers Please API Support.
500	Internal Server Error	Check API parameters are correct. Check availability of service with Couriers Please