

```

1 #include<stdio.h>
2 #include<conio.h>
3 #include<math.h>
4 float sumaver(int x,int y)
5 {
6     float avg;
7     int sum=0;
8     sum=x+y;
9     printf("The sum is : %d\n",sum);
10    avg=(x+y)/2;
11    return avg;
12 }
13 void printeven(int x,int y)
14 {
15     int i;
16     printf("The even numbers between two greatest numbers are : \n");
17     if(y%2==0)
18     {
19         for(i=y;i<=x;i=i+2)
20         {
21             printf("%d\n",i);
22         }
23     }
24     else
25     {
26         for(i=y+1;i<=x;i=i+2)
27         {
28             printf("%d\n",i);
29         }
30     }
31 }
32 int main()
33 {
34     int a,b,c;
35     printf("Enter the three numbers : \n");
36     scanf("%d%d%d",&a,&b,&c);
37     int x,y;
38     if(a>b&&a>c)
39     {
40         x=a;
41         if(b>c)
42         {
43             y=b;
44         }
45         else
46             y=c;

```

```
47 }
48 else if(b>a&&b>c)
49 {
50     x=b;
51     if(a>c)
52     {
53         y=a;
54     }
55     else
56     {
57         y=c;
58     }
59 }
60 else if(c>a&&c>b)
61 {
62     x=c;
63     if(a>b)
64     {
65         y=a;
66     }
67     else
68     {
69         y=b;
70     }
71 }
72 float avg=sumaver(x,y);
73 printf("The average is : %f\n",avg);
74 printeven(x,y);
75 return 0;
76 }
```