Arjun Gahane

PRN:25070521135

PPS 8.1.1

Algorithm

1. Start
2. Input n (dimension of matrix) 3. Input first matrix A (n × n)
3. Input second matrix B (n × n)
4. Initialize result matrix result with 0s
5. For each row i from 0 to n-1 o For each column j from 0 to n-1
6. For each k from 0 to n-1
7. result[i][j] += A[i][k] × B[k][j]
8. Print the result matrix
9. End

Flowchart:





PPS 8.1.2

Algorithm

1. Start
2. Input `start` and `end`
3. Set `found = False`
4. For each number `num` from `start` to `end`:
5. If `num > 1`:

   ○ Set `is_prime = True` ○ For `i` from `2` to √`num`:

   - If `num % i == 0`: ▪ Set `is_prime = False` ▪ Break loop ○ If `is_prime == True`:
   - Print `num`
   - Set `found = True` If `found == False`:

6. Print `"No primes"`
7. End

Flowchart:



CODETANTRA Home

arjun.gahane.batch2025@sitnagpur.siu.edu.in Support Logout

8.1.2. Prime Numbers in a Given Range 00:11

Write a Python program to print all prime numbers within a given range (inclusive of both start and end values).

Input Format:

- First line contains an integer representing the start of the range.
- Second line contains an integer representing the end of the range.

Output Format:

- Print all prime numbers in the given range (including start and end if they are prime). Print each prime number on a separate line.
- If no prime numbers exist in the range, print: "No primes".

Sample Test Cases +

Explorer

primeNu...

Submit

Debugger

```python
start = int(input())
end = int(input())

found = False

for num in range(start, end + 1):
    if num > 1:
        is_prime = True
        for i in range(2, int(num ** 0.5) + 1):
            if num % i == 0:
                is_prime = False
                break
        if is_prime:
            print(num)
            found = True
```

```
10
20
11
13
17
19
=== YOUR PROGRAM HAS ENDED ===
```