ALLSAFE Security Analysis Report: clean_activity.csv

- Analysis ID: ds-6eaacd9a439f
- Report ID: RPT-28C7F15520
- Generated: 2026-10-31T04:31:16.634174+00:00
- Log file: clean_activity.csv
- Log type: Mixed: Application security events, Network flow events, Endpoint and process events
- Analysis started: 2026-10-31T04:31:15.997469+00:00
- Analysis completed: 2026-10-31T04:31:16.525978+00:00

Overall security assessment

NO THREATS DETECTED

No suspicious activity was detected by the enabled detection engines during this analysis. This does not guarantee that the environment is completely free of threats.

Executive summary

clean_activity.csv: 400 of 400 records were processed, producing 0 alert(s) and 0 incident(s). No incident was created. 0 recommended action(s) are waiting for an analyst. No action has changed a real system.

Threat overview

- Attack categories: none
- Rules fired: none

Processing summary

- Status: COMPLETED
- Total uploaded records: 400
- Successfully processed records: 400
- Rejected records: 0
- Duplicate records: 0

Data quality

- Malformed records: 0
- Invalid timestamps: 0
- Missing timestamps: 0
- Flows with no timestamp, kept: 0
- Missing optional values: src_ip 79, dst_ip 305, user 95
- Fields with no equivalent in the common schema: none

Detection engines

Executed

- IOC enrichment: evaluated 321 of 400 event(s), 0 finding(s)
- IOA behavior rules: evaluated 400 of 400 event(s), 0 finding(s)
- UEBA baselines: evaluated 205 of 400 event(s), 0 finding(s)
- Anomaly model: evaluated 400 of 400 event(s), 0 finding(s)

Skipped or failed

- Supervised ML (saved network model) (SKIPPED): This data has no records with all 78 CIC-IDS2017 flow features the model needs. Logs of other kinds are never fed to it.

Finding classification

- Confirmed detections: 0 alert(s) over 0 event(s), 0 incident(s)
- Suspicious activity: 0 alert(s) over 0 event(s), 0 anomaly window(s), 0 flow(s) classified as attacks
- Benign activity (normal events): 400 event(s). These events triggered no applicable detection condition. That is not proof they are safe.
- Data quality issues: 0 bad record(s), 0 duplicate(s)
- Detection limitations: 1
  - Supervised ML (saved network model): This data has no records with all 78 CIC-IDS2017 flow features the model needs. Logs of other kinds are never fed to it.

Detection results

- Alerts: 0
- Incidents: 0

IOC matches (0)

- 321 event(s) were checked against the threat intelligence database.
- No known indicator was matched. This does not mean these events are safe: the feed only holds known indicators.

IOA rule matches (0)

- None.

UEBA findings (0)

- None.

ML classification results

- The saved network model classified nothing in this data. See the detection engines above for why.

Anomaly detection results

- Unusual activity windows: 0. Statistically unusual activity, not confirmed attacks.

Incident investigation

No incident was created.

Affected users and hosts

- Users: none named
- Hosts: none named

Risk analysis

- Severity distribution (alerts): none
- Incident risk distribution: CRITICAL 0, HIGH 0, MEDIUM 0, LOW 0
- Alert risk distribution: CRITICAL 0, HIGH 0, MEDIUM 0, LOW 0
- Risk is an investigation priority, not the probability that an attack is real. Each incident above lists the factors behind its score.

MITRE ATT&CK mappings

- None.

Recommended remediation

Historical analysis is read-only. Nothing below has been done, and any disruptive step needs an analyst to approve it.

- None required by these findings.

Recommended actions (simulation only)

- None.

Analyst decisions

- None yet.

Model performance

- Event level: TP 0, FP 0, FN 0, TN 400, precision not measurable, recall not measurable, F1 not measurable, false-positive rate 0.0
- Alert level: TP 0, FP 0, FN 0, precision not measurable, recall not measurable, F1 not measurable
- Incident level: TP 0, FP 0, FN 0, precision not measurable, recall not measurable, F1 not measurable
- Detection latency: not measurable, because no attack was detected
- These numbers come from labelled data, and risk scores play no part in them.

Known limitations

- Detection combines behavior rules, threat intelligence matches, statistical baselines and two models. None of them proves an attack happened, and none proves that one did not.
- The saved network model runs only on flow data with its 78 CIC-IDS2017 features. It has not been validated here, no preprocessing pipeline was saved with it, and its output is uncalibrated, so no accuracy or prediction confidence is claimed.
- The anomaly model was trained on synthetic normal activity, and does not run on live telemetry. Its findings are statistical anomalies, not confirmed attacks.
- Threat intelligence only covers known indicators, and the bundled feed is synthetic. No match does not mean an event is safe.
- Performance metrics compare results with labels on synthetic or supplied data. They do not predict performance on real attacks.
- The synthetic scenarios and the detection rules were written by the same team, so scenario results show the pipeline works as designed.
- Behavioral checks need history. An entity with too little history is not judged.
- Window-based rules cite every matching event in their window, so a normal event inside an attack window counts as an event-level false positive.
- Risk is an investigation priority, not the probability that an attack is real.

- Historical analysis is read-only. Every response action is a recommendation that needs an analyst, and runs only in simulation. No firewall, account, host or process is changed.
- Analyst names are self-reported: there are no user accounts.