BASH CASES:

1.

```
harish129@66c459cb7f2a51a: ~/practise/case-statements
  GNU nano 7.2                                  case1.sh
#!/bin/bash

echo "Do you know Java Programming?"
read -p "Yes/No? :" Answer
case $Answer in
    Yes|yes|y|Y)
        echo "That's amazing."
        echo
        ;;
    No|no|N|n)
        echo "It's easy. Let's start learning from javatpoint."
        ;;
esac

                                   [ Read 14 lines ]
^G Help      ^O Write Out   ^W Where Is    ^K Cut       ^T Execute     ^C Location    M-U Undo       M-A Set Mark   M-] To Bracket
^X Exit      ^R Read File   ^\ Replace     ^U Paste     ^J Justify     ^/ Go To Line  M-E Redo       M-6 Copy       ^Q Where Was
```

OUTPUT:

```
harish129@66c459cb7f2a51a: ~/practise/case-statements
harish129@66c459cb7f2a51a:~/practise/case-statements$ ./case1.sh
Do you know Java Programming?
Yes/No? :Yes
That's amazing.

harish129@66c459cb7f2a51a:~/practise/case-statements$ sudo nano case1.sh
harish129@66c459cb7f2a51a:~/practise/case-statements$ ./case1.sh
Do you know Java Programming?
Yes/No? :no
It's easy. Let's start learning from javatpoint.
harish129@66c459cb7f2a51a:~/practise/case-statements$
```

2.


harish129@66c459cb7f2a51a: ~/practise/case-statements
GNU nano 7.2
case2.sh *
#!/bin/bash
echo "Which Operating System are you using?"
echo "Windows, Android, Chrome, Linux, Others?"
read -p "Type your OS Name:" OS
case $OS in
Windows|windows)
echo "That's common. You should try something new."
echo
;;
Android|android)
echo "This is my favorite. It has lots of applications."
echo
;;
Chrome|chrome)
echo "Cool!!! It's for pro users. Amazing Choice."
echo
;;
Linux|linux)
echo "You might be serious about security!!"
echo
;;
*)
echo "Sounds interesting. I will try that.
echo
;;
esac
^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-] To Bracket
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was
Type here to search
ENG US
16:02
27-01-2025

OUTPUT:


harish129@66c459cb7f2a51a: ~/practise/case-statements
harish129@66c459cb7f2a51a:~/practise/case-statements$ sudo nano case2.sh
harish129@66c459cb7f2a51a:~/practise/case-statements$ ./case2.sh
Which Operating System are you using?
Windows, Android, Chrome, Linux, Others?
Type your OS Name:Android
This is my favorite. It has lots of applications.
harish129@66c459cb7f2a51a:~/practise/case-statements$ ./case2.sh
Which Operating System are you using?
Windows, Android, Chrome, Linux, Others?
Type your OS Name:Linux
You might be serious about security!!
harish129@66c459cb7f2a51a:~/practise/case-statements$ ./case2.sh
Which Operating System are you using?
Windows, Android, Chrome, Linux, Others?
Type your OS Name:Windows
That's common. You should try something new.
harish129@66c459cb7f2a51a:~/practise/case-statements$
Type here to search
ENG US
16:04
27-01-2025

For Loops:

1.


harish129@66c459cb7f2a51a: ~/practise/for-loops
GNU nano 7.2
loop1.sh *
#!/bin/bash
#This is the basic example of 'for loop'.
learn="Start learning from Javatpoint."
for learn in $learn
do
echo $learn
done
echo "Thank You."
^G Help
^O Write Out
^W Where Is
^K Cut
^T Execute
^C Location
M-U Undo
M-A Set Mark
M-] To Bracket
^X Exit
^R Read File
^\ Replace
^U Paste
^J Justify
^/ Go To Line
M-E Redo
M-6 Copy
^Q Where Was
Type here to search
ENG
US
17:28
27-01-2025


harish129@66c459cb7f2a51a: ~/practise/for-loops
harish129@66c459cb7f2a51a:~/practise/for-loops$ sudo nano loop1.sh
[sudo] password for harish129:
harish129@66c459cb7f2a51a:~/practise/for-loops$ sudo chmod a+x loop1.sh
harish129@66c459cb7f2a51a:~/practise/for-loops$ ./loop1.sh
Start
learning
from
Javatpoint.
Thank You.
harish129@66c459cb7f2a51a:~/practise/for-loops$
Type here to search
ENG
US
17:28
27-01-2025

2.

```
harish129@66c459cb7f2a51a: ~/practise/for-loops
  GNU nano 7.2                                   loop2.sh *
#!/bin/bash
#This is the basic example to print a series of numbers from 1 to 10.

for num in {1..10}
do
    echo $num
done

echo "Series of numbers from 1 to 10."

^G Help      ^O Write Out   ^W Where Is   ^K Cut       ^T Execute   ^C Location   M-U Undo     M-A Set Mark   M-] To Bracket
^X Exit      ^R Read File   ^\ Replace    ^U Paste     ^J Justify   ^/ Go To Line M-E Redo     M-6 Copy       ^Q Where Was
```

```
harish129@66c459cb7f2a51a: ~/practise/for-loops
harish129@66c459cb7f2a51a:~/practise$ mkdir for-loops
harish129@66c459cb7f2a51a:~/practise$ cd for-loops
harish129@66c459cb7f2a51a:~/practise/for-loops$ sudo nano loop1.sh
[sudo] password for harish129:
harish129@66c459cb7f2a51a:~/practise/for-loops$ sudo chmod a+x loop1.sh
harish129@66c459cb7f2a51a:~/practise/for-loops$ ./loop1.sh
Start
learning
from
Javatpoint.
Thank You.
harish129@66c459cb7f2a51a:~/practise/for-loops$ cp loop1.sh loop2.sh
harish129@66c459cb7f2a51a:~/practise/for-loops$ sudo nano loop2.sh
harish129@66c459cb7f2a51a:~/practise/for-loops$ ./loop2.sh
1
2
3
4
5
6
7
8
9
10
Series of numbers from 1 to 10.
harish129@66c459cb7f2a51a:~/practise/for-loops$
```

3.

```
harish129@66c459cb7f2a51a: ~/practise/for-loops
  GNU nano 7.2                                   loop3.sh *
#!/bin/bash
#Array Declaration
arr=( "Welcome" "to" "Javatpoint" )
for i in "${arr[@]}"
do
    echo $i
done

^G Help      ^O Write Out   ^W Where Is    ^K Cut       ^T Execute   ^C Location   M-U Undo     M-A Set Mark   M-] To Bracket
^X Exit      ^R Read File   ^\ Replace     ^U Paste     ^J Justify   ^/ Go To Line M-E Redo     M-6 Copy       ^Q Where Was
```

```
harish129@66c459cb7f2a51a: ~/practise/for-loops
8
9
10
Series of numbers from 1 to 10.
harish129@66c459cb7f2a51a:~/practise/for-loops$ cp loop1.sh loop3.sh
harish129@66c459cb7f2a51a:~/practise/for-loops$ sudo nano loop3.sh
harish129@66c459cb7f2a51a:~/practise/for-loops$ ./loop3.sh
Welcome
to
Javatpoint
harish129@66c459cb7f2a51a:~/practise/for-loops$
```

4.

```
harish129@66c459cb7f2a51a: ~/practise/for-loops
  GNU nano 7.2                                   loop4.sh *
#!/bin/bash
#Table of 2
for table in {2..100..2}
do
    echo $table
    if [ $table == 20 ]; then
        break
    fi
done

^G Help      ^O Write Out   ^W Where Is   ^K Cut       ^T Execute   ^C Location   M-U Undo      M-A Set Mark   M-] To Bracket
^X Exit      ^R Read File   ^\ Replace    ^U Paste     ^J Justify   ^/ Go To Line M-E Redo      M-6 Copy       ^Q Where Was
```

```
harish129@66c459cb7f2a51a: ~/practise/for-loops
harish129@66c459cb7f2a51a:~/practise/for-loops$ cp loop1.sh loop4.sh
harish129@66c459cb7f2a51a:~/practise/for-loops$ sudo nano loop4.sh
harish129@66c459cb7f2a51a:~/practise/for-loops$ ./loop4.sh
2
4
6
8
10
12
14
16
18
20
harish129@66c459cb7f2a51a:~/practise/for-loops$
```