






HalfCheetah-v4 TD3-KL: standard vs best per axis
Mean +/-1 SD over 30 policies; ex-post selection
Global actuator gear
Global mass
Global friction
Global joint damping
Horizontal gravity
Mass and damping
Standard TD3
KL radius 0.5
KL radius 0.01
KL radius 0.1
Evaluation return
Parameter scale
Horizontal gravity magnitude -gx (m/s^2)


HalfCheetah-v4 TD3-KL: standard vs best per axis
Mean +/-1 SD over 30 policies; ex-post selection
Friction and mass
Friction and damping
Friction, mass, and damping
Gaussian action noise
Bernoulli action noise
State-observation noise
Standard TD3
KL radius 0.01
KL radius 0.05
Evaluation return
Parameter scale
Disturbance amplitude
Replacement probability


HalfCheetah-v4 TD3-KL: standard vs best per axis
Mean +/-1 SD over 30 policies; ex-post selection
Back foot actuator strength
Standard TD3
KL radius 0.05
Evaluation return
Parameter scale
Back foot joint damping
Standard TD3
KL radius 0.01
Evaluation return
Parameter scale
Back foot friction
Flat saved returns; shift effect unverified
Standard TD3
KL radius 0.01
Evaluation return
Parameter scale
Back foot mass
Flat saved returns; shift effect unverified
Standard TD3
KL radius 0.01
Evaluation return
Parameter scale
Back shin actuator strength
Standard TD3
KL radius 0.1
Evaluation return
Parameter scale
Back shin joint damping
Standard TD3
KL radius 0.1
Evaluation return
Parameter scale


HalfCheetah-v4 TD3-KL: standard vs best per axis
Mean +/-1 SD over 30 policies; ex-post selection
Back shin friction
Flat saved returns; shift effect unverified
Back shin mass
Flat saved returns; shift effect unverified
Back thigh actuator strength
Back thigh joint damping
Back thigh friction
Flat saved returns; shift effect unverified
Back thigh mass
Flat saved returns; shift effect unverified
Standard TD3
KL radius 0.01
KL radius 0.05
Evaluation return
Parameter scale


HalfCheetah-v4 TD3-KL: standard vs best per axis
Mean +/-1 SD over 30 policies; ex-post selection
Front foot actuator strength
Front foot joint damping
Front foot friction
Flat saved returns; shift effect unverified
Front foot mass
Flat saved returns; shift effect unverified
Front shin actuator strength
Front shin joint damping
Standard TD3
KL radius 0.05
KL radius 0.01
Evaluation return
Parameter scale


HalfCheetah-v4 TD3-KL: standard vs best per axis
Mean +/-1 SD over 30 policies; ex-post selection
Front shin friction
Flat saved returns; shift effect unverified
Front shin mass
Flat saved returns; shift effect unverified
Front thigh actuator strength
Front thigh joint damping
Front thigh friction
Flat saved returns; shift effect unverified
Front thigh mass
Flat saved returns; shift effect unverified
Standard TD3
KL radius 0.01
KL radius 0.1
Evaluation return
Parameter scale