Environment variables for the Ayur Store

Every setting the store reads, what each one does, where to get its value, and where to put it.

Where the values go

Place	What goes there	How
Vercel (the live site)	Everything below marked **Vercel**	Vercel → the `avvvspharmacy` project → **Settings** → **Environment Variables**. Tick **Production** (and **Preview** if you want preview links to work the same way). **Redeploy** after any change. Variables starting with `NEXT_PUBLIC_` are fixed into the site when it is built, so they only take effect after a redeploy.
`store/.env.local` (your computer)	The same values, for running the store locally, plus `SHOPIFY_ADMIN_TOKEN`	Copy `.env.example` to `.env.local` and fill it in. Git ignores this file, so it is never pushed.
GitHub	Nothing	The CI workflow sets its own two values and needs no secrets.
Shopify	Not environment variables, but two IDs to paste	The custom pixel (`docs/shopify-pixel.js`) has `GA4_ID` and `META_PIXEL_ID` at the top; set them to the same values as `NEXT_PUBLIC_GA_ID` and `NEXT_PUBLIC_META_PIXEL_ID`.

Never put `SHOPIFY_ADMIN_TOKEN` in Vercel. It can edit every product in the shop; it is only for the tagging script on your own machine.

---

1. Shopify catalogue and cart (needed)

The store works with only the first two of these. The tokens switch on medicine information (metafields), stock counts and higher rate limits.

Variable	Where	Value / where to get it	Secret?
`SHOPIFY_STORE_DOMAIN`	Vercel + local	`avvvsglobal.myshopify.com`	No
`SHOPIFY_API_VERSION`	Vercel + local	`2026-10`	No
`SHOPIFY_STOREFRONT_PUBLIC_TOKEN`	Vercel + local	Shopify admin → **Sales channels** → **Headless** → your storefront → **Storefront API** → *Public access token*	No (meant to be public)

Variable	Where	Value / where to get it	Secret?
`SHOPIFY_STOREFRONT_PRIVATE_TOKEN`	Vercel + local	Same screen → *Private access token*. Used only on the server.	**Yes**

Setup steps (installing Headless, permissions): `SHOPIFY_SETUP.md` §1.

2. Customer sign-in (needed for accounts, orders, synced wishlist)

Without these, the sign-in link shows a "coming soon" message and everything else still works.

Variable	Where	Value / where to get it	Secret?
`SHOPIFY_CUSTOMER_ACCOUNT_CLIENT_ID`	Vercel + local	**Headless** → your storefront → **Customer Account API** → *Client ID*	No
`SHOPIFY_CUSTOMER_ACCOUNT_DOMAIN`	Vercel + local	`avvvsglobal.com` (the shop's primary domain)	No
`SESSION_SECRET`	Vercel + local	32+ random characters. Make one with `openssl rand -base64 32`. Encrypts the sign-in cookie; changing it signs everyone out.	**Yes**
`NEXT_PUBLIC_SITE_URL`	Vercel + local	`https://shop.avvvs.com` on Vercel. Locally: `http://localhost:3001`, or your ngrok address when testing sign-in. Also used for canonical links, the sitemap and share links.	No

In Shopify, set the callback to `https://shop.avvvs.com/account/callback`, the JavaScript origin and logout URI to `https://shop.avvvs.com`. Sign-in does not work on `localhost` or on Vercel preview URLs unless you add those addresses in Shopify too. Details: `SHOPIFY_SETUP.md` §2.

3. Instant updates from Shopify (recommended)

Variable	Where	Value / where to get it	Secret?
`SHOPIFY_REVALIDATE_SECRET`	Vercel	Any long random string you make up. Put the same string at the end of each Shopify webhook URL: `https://shop.avvvs.com/api/revalidate?secret=<this>`	**Yes**

Without it, pages still refresh from Shopify every 5 minutes. Webhook list: `SHOPIFY_SETUP.md` §5.

4. Prescription uploads (optional)

Variable	Where	Value / where to get it	Secret?

Variable	Where	Value / where to get it	Secret?
`BLOB_READ_WRITE_TOKEN`	Vercel (+ local to test)	Vercel → the project → **Storage** → **Create** → **Blob**. Connecting the store to the project adds this variable for you.	**Yes**

Without it, the upload box asks customers to email their prescription instead.

5. Back-in-stock alerts (optional)

Variable	Where	Value / where to get it	Secret?
`DATABASE_URL`	Vercel (+ local to test)	A Neon Postgres connection string (Vercel → **Storage** → **Neon**, or neon.tech). Can be the same database as the main site. The `stock_alerts` table is created on first use.	**Yes**

6. Mail to the pharmacy (optional, used by stock alerts)

Use the same values as the main site (`web/`).

Variable	Where	Value	Secret?
`SMTP_HOST`	Vercel	Your mail server, e.g. `smtp.gmail.com` or your host's	No
`SMTP_PORT`	Vercel	`465` (default)	No
`SMTP_SECURE`	Vercel	`true` for port 465, `false` for 587	No
`SMTP_USER`	Vercel	The mailbox login	No
`SMTP_PASS`	Vercel	The mailbox password or app password	**Yes**
`MAIL_FROM`	Vercel	Sender, e.g. `AVVVS Ayur Store <store@avvvs.com>`. Defaults to `SMTP_USER`.	No
`MAIL_TO`	Vercel	Where pharmacy notices go, e.g. the pharmacy inbox	No

Mail is skipped quietly if `SMTP_HOST` or `MAIL_TO` is empty.

7. Analytics and search (optional)

These only run after a visitor accepts the matching cookies.

Variable	Where	Value / where to get it	Secret?
`NEXT_PUBLIC_GA_ID`	Vercel	Google Analytics 4 → **Admin** → **Data streams** → *Measurement ID* (`G-XXXXXXX`)	No
`NEXT_PUBLIC_META_PIXEL_ID`	Vercel	Meta Events Manager → your pixel's ID (digits)	No
`NEXT_PUBLIC_GSC_VERIFICATION`	Vercel	Google Search Console → add `shop.avvvs.com` → **HTML tag** method → the `content` value only	No

8. Store settings (optional)

Variable	Where	Value	Secret?
`NEXT_PUBLIC_FREE_SHIPPING_THRESHOLD`	Vercel	Order value in INR for free delivery, e.g. `999`. Shows a progress bar in the cart. Must match your Shopify shipping rule. Empty hides the bar.	No
`NEXT_PUBLIC_WHATSAPP`	Vercel	WhatsApp number, digits with country code, e.g. `918089202091`. Empty uses that number.	No

9. Your computer only

Variable	Where	Value / where to get it	Secret?
`SHOPIFY_ADMIN_TOKEN`	**`.env.local` only, never Vercel**	Shopify admin → **Settings** → **Apps** → **Develop apps** → create an app with `read_products` and `write_products` → install → *Admin API access token*. Used only by `npm run tag-concerns`.	**Yes**
`E2E_PORT`, `E2E_BASE_URL`	Your shell, if needed	Only for the Playwright tests: a different port, or testing an already-deployed site instead of building locally.	No

Quick copy for Vercel

Minimum to go live (catalogue, cart, checkout, sign-in, instant updates):

```
SHOPIFY_STORE_DOMAIN=avvvsglobal.myshopify.com
SHOPIFY_API_VERSION=2026-10
SHOPIFY_STOREFRONT_PUBLIC_TOKEN=
SHOPIFY_STOREFRONT_PRIVATE_TOKEN=
SHOPIFY_CUSTOMER_ACCOUNT_CLIENT_ID=
SHOPIFY_CUSTOMER_ACCOUNT_DOMAIN=avvvsglobal.com
SESSION_SECRET=
NEXT_PUBLIC_SITE_URL=https://shop.avvvs.com
SHOPIFY_REVALIDATE_SECRET=
```

Vercel can import this: **Environment Variables** → **Import .env**, or paste it into the first field and it splits the lines for you.

After adding them, redeploy, then open `https://shop.avvvs.com/api/health`. It should say `"ok": true` and `"token": true`.