

SL NO	Sample image	Item Description	BRAND	SKU	Rate
1	 www.casadio.com	<p>Espresso cappuccino Machine 1 GROUPS AUTOMATIC Steam wands: 1, Hot water wands: 1 Boiler capacity (litres) : 5 Machine equipped with a microprocessor for an easy programming of coffee dosage. 1 stainless steel, multi directional hot water wand. Body colours: Black & steel Power: 220-240V~ 50/60Hz / 2800-3300 (W) Dim: 432 x 598 x 570 mm Undici A1 / casadio by lacimbali / Made in italy</p>	CASADIO	Undici A1	5800
2	 www.casadio.com	<p>Espresso cappuccino Machine 1 GROUPS AUTOMATIC Steam wands: 1, Hot water wands: 1 Boiler capacity (litres) : 5 Machine equipped with a microprocessor for an easy programming of coffee dosage. 1 stainless steel, multi directional hot water wand. Body colours: white with wood Power: 220-240V~ 50/60Hz / 2800-3300 (W) Dim: 432 x 598 x 570 mm Undici A1 WD / casadio by lacimbali / Made in italy</p>	CASADIO	Undici A1 WD	6200
3	 www.casadio.com	<p>Espresso cappuccino Machine 2 GROUPS AUTOMATIC Steam wands: 2 Hot water wands: 1 Boiler capacity (litres) : 10.5 Machine equipped with a microprocessor for an easy programming of coffee dosage. 1 stainless steel, multi directional hot water wand. Body colours: black , .Weight: 50 Kg Power: 220-240V~ 50/60Hz / 2800-3300 (W) Dim: 716 x 528 x 529 mm Undici A2 / casadio by lacimbali / Made in italy</p>	CASADIO	Undici A2	8000

4	 <p>CASADIO</p> <p>www.casadio.it</p>	<p>Espresso cappuccino Machine 2 GROUPS AUTOMATIC Steam wands: 2, Hot water wands: 1 Boiler capacity (litres) : 10.5 Machine equipped with a microprocessor for an easy programming of coffee dosage. 1 stainless steel, multi directional hot water wand. Body colours: white with wood .Weight: 50 Kg Power: 220-240V~ 50/60Hz / 2800-3300 (W) Dim: 716 x 528 x 529 mm Undici A2 WD / casadio by lacimbali / Made in italy</p>	CASADIO	Undici A2 WD	9200
5	 <p>CASADIO</p> <p>www.casadio.it</p>	<p>Espresso cappuccino Machine 3 GROUPS AUTOMATIC Steam wands: 2 Hot water wands: 1 Boiler capacity (litres) : 15 Machine equipped with a microprocessor for an easy programming of coffee dosage. 1 stainless steel, multi directional hot water wand. Body colours: Black .Weight: 78 kg Power: 380÷415V3N~ 50/60Hz / 5600-6600(W) Dim: 922 x 598 x 570 mm Undici A3 / casadio by lacimbali / Made in italy</p>	CASADIO	Undici A3	11000
6	 <p>CASADIO</p> <p>www.casadio.it</p>	<p>Coffee grinder. . automatic grinder - doser. . electronic dose setting. . single and double doses settable independently. . micrometric screw adjustment of grind setting. . die-cast chrome and painted body. . output: 6.5 kg/h. . hopper capacity: 1.2 kg. . grinding burrs diameter: 64 mm. . power: 220-240 v / 50-60 hz / 360 w. . dim: 194 x 368 x 510 mm. ENEA OD64 / casadio by lacimbali / made in italy.</p>	CASADIO	ENEA OD64	2800

7	 CASADIO	Coffee grinder. . semi-automatic. .Dose adjustment : 17 kg .Container capacity : 1.5 kg . power: 230 v / 50-60 hz / 300 w .. . weight: 14 kg. . dim: 220 x 330 x 690 mm. CG-300 / made in China	CASADIO	CG-300	640
8		Espresso coffee machine 1 group Programmable dosing coffee machine with digital control pad Cap: 6 L, Softener: 8 L Power: 230V-50/60Hz 1500W Weight: 42 kg Dim: 380x522x510mm Color: Red/Grey/Black Made by La Pavoni, Italy	LA PAVONI	PUB-1V Automatic	6,820.00
9		Espresso coffee machine 2 group Programmable dosing coffee machine with digital control pad Cap: 6 L, Softener: 8 L Power: 230V-50/60Hz 3000W Weight: 48 kg Dim: 500x522x510mm Color: Red/Grey/Black Made by La Pavoni, Italy	LA PAVONI	PUB-2V Automatic	7,800.00
10		Espresso coffee machine 3 group Programmable dosing coffee machine with digital control pad Cap: 21.5 L, Softener: 12 L Power: 380V-50/60 Hz 5465W Weight: 85 kg Dim: 900x522x510mm Color: Red/Grey/Black Made by La Pavoni, Italy	LA PAVONI	BAR-TV3 Automatic	11,400.00

11		Coffee grinder semi-automatic Adjustable coffee dose: 5 to 8 gr Container Cap:1kg; Output: 6kg/hr Power:230V-50/60Hz 1400RPM Motor power: 0.33HP 250W Weight:13kg Dim: 200x320x530mm Color: Red/Grey/Black ZBRR2350MUK/ ZBND2350MUK Made by La Pavoni, Italy	LA PAVONI	ZIP-BASE ZBRR2350MUK ZBND2350MUK	1,940.00
12		Glass washer. Basket size 400 x 400 mm Hour Production- 30 racks/h Interface Type/Interfaccia Mechanical Clearance- 270 mm Cycle 2 min Tank Capacity-11 lt. Boiler Capacity 3 lt. . total power: 230 v / 50 hz / 2.7 kw. Inlet Pressure 2 ÷ 4 bar Weight: 38 Kg . dim: 495 x 515 x 735 mm. ECO-40 / adler / made in italy	ADLER		4200
13		Dish washer. . production: 40/20/30 baskets / hour. . cycle times: 90/120/180 sec. . clearance: 340 mm . basket size: 500 x 500 mm. . tank capacity: 23 ltr. . boiler capacity: 6.9 ltr. . total power: 230 v / 50 hz / 6 kw. . water consumption: 2.8 ltr / cycle. . weight: 63 kg. . dim: 600 x 625 x 820 mm. ECO-50 / adler / made in italy	ADLER		5200
14		Dish washer. . cap: 60-18 racks / hour. . cycle times: 60/200 sec. . clearance: 420 mm . basket size: 500 x 500 mm. . tank capacity: 20 ltr. . total power: 400 v / 50 hz / 9.8 kw. . water consumption: 2.8 ltr / cycle. . weight: 150 kg. . dim: 710 x 810 x 1625 mm. ECO-1000 / adler / made in italy	ADLER		8400

15	 	<p>HOOD TYPE DISHWASHER 380V</p> <p>60°, 90°, 120°, 180° C seconds programme options.</p> <ul style="list-style-type: none"> - Motor Power: 0.55 kw 2800 rpm. - Total Power: 9 kw 380 V - Tank heating power: 2.5 kw - Rinse boiler heating: 6 kw - Stainless steel resistance. - Thermostat control. (washing temperature: 60°C) - Water consumption: 2.5 lt/time. - Magnetic security switch. - Programme continues the process by closing of the door. - Full automatic washing operation at 55°C rinsing operation with hot water at 80°-85°C. - Stainless steel body <p>Dim: 696x765x1485 mm Made in Empero, Turkey</p>	EMPERO	EMP.1000	5600
16	 	<p>Undercounter Dishwasher With Detergent and Polisher Pump</p> <p>3 different programs, 90/120/180 seconds.</p> <ul style="list-style-type: none"> - Drain pump standard. - Economic water, detergent and energy consumption. - Basket dimensions 500x500 mm. - Maximum plate diameter: 320 mm - Stainless steel resistors. - Magnetic cover safety sensor - Stainless steel body - Wash water temperature 55-60°C - Rinse water temperature 80-85°C - Engine power: 0.55 kW 2800 RPM. - Wash tank heater power: 2.5 kW. - Rinsing boiler heater power: 5 kW.. <p>Total power: 230 v / 50 hz / 6 kw. Weight 65 Kg . Dim: 590 x 700 x 820 mm EMP.500 F/ EMPERO / made in turkey</p>	EMPERO	EMP.500	3900
17	  www.empero.com	<p>Pre-rinse spray unit.</p> <p>Spotless washing. Controlled pressure system. Durable structure.</p> <p>. dim: 150 X 440 X 1.200 mm. JP.OYD.03/ EMPERO / made in turkey</p>	EMPERO	JP.OYD.03	720

18		HOOD TYPE DISHWASHER Rack (mm) 500x500 Clearance (mm) 440 Net weight (kg) 130 Power supply (V) 400V/3N/50 Hz Washing cycles (sec) 90/120 Output (rack/h) 30/40 Rinse water consumption (l) 3,2 Booster Heater (kW) 9 Tank heater (kW) 2 Wash pump (kW) 0,75 Installed load (kW) 9,75 Tank size (l) 42 with Thermometer Dim: 625x720x1460 mm Net / Gross Weight: 109/122 kg Made by Comenda, Italy	COMENDA	RC07	9200
19		UNDERCOUNTER DISHWASHER Rack (mm) 500x500 Clearance (mm) 360 Net weight (kg) 52 Power supply (V) 230 V – 50 Hz Washing cycles (sec) 90/120 Output (rack/h) 30/40 Rinse water consumption (l) 3,2 Booster Heater (kW) 3 Tank heater (kW) 2 Wash pump (kW) 0,45 Installed load (kW) 3,45 Tank size (l) 20 with Thermometer Dim: 600x625x825 mm Net / Gross Weight: 60/63.75 kg Made by Comenda, Italy	COMENDA	RF45-1	4640
20		UNDERCOUNTER GLASSWASHER Rack (mm) 400x400 Clearance (mm) 2800 Net weight (kg) 37 Power supply (V) 230 V – 50 Hz Washing cycles (sec) 90/120 Output (rack/h) 30/40 Rinse water consumption (l) 2,5 Booster Heater (kW) 2,8 Tank heater (kW) 2 Wash pump (kW) 0,26 Installed load (kW) 3,06 Tank size (l) 12,5 with Thermometer Dim: 460x521x670 mm Packing Dim: 61x54x79 cm Net / Gross Weight: 40/44 kg Made by Comenda, Italy	COMENDA	RB34/ RF34	3800

21		Full S/s One Door Bar Cooler - 113 Liters - chiller Electronic thermostat and Digital LED temp display Temp. : 0~ +10 Power: 230w 50 Hz ; R134a/200g; 1.0A ; 145W Dim: 595x650x830 mm Net/Gross Weight: 36/42 kg ; Made in China	CHINA	DR200S/S	1300
22		Forcar single door under counder chiller , working temperature : +2c/+8c , capacity:130 L , Ecternal dimention : 510*485*855, voltage - 230v/50hz, net weight :44 kg , gross weight :56kg, packing dimension:680*650*1160	FORCAR	G-ER200SS	1853
23		Under counter chiller. Single door . Single shelf. . ambient temp: 43°c. . cooling system: ventilated. . Compressor made in Europe . refrigeration gas: r134 a. . power: 220 v / 50-60 hz / 230 w. . dim: 700 x 700 x 880 mm. LAV-1C / lava inox inspired by sweden / assembly in china	LAVAINOX	LAV-1C	3080
24		Full S/s One Door Bar Cooler - 113 Liters- freezer Electronic thermostat and Digital LED temp display Temp. : -10 ~ -22 Power: 230w 50 Hz ; R134a/130g; 1.0A ; 145W Dim: 595x650x830 mm Net/Gross Weight: 46/51 kg Made in China	CHINA	DF200S/S	1500


25		Forcar single door under counter Freezer , working temperature : -18c/-22c , capacity:130 L , Ecternal dimention : 510*485*855, voltage - 230v/50hz, net weight :44 kg , gross weight :56kg, packing dimension:680*650*1160	FORCAR	G-EF200SS	
26	 	Under counter freezer. . single door . stainless steel interior & exterior 304 . . temp: -15 ~ -18 °c. . ambient temp: 43°c. . cooling system: static. . Compressor made in Europe . refrigeration gas: r404 a. . power: 220 v / 50-60 hz / 230 w. . dim: 600 x 650 x 870 mm. SF-20S / lava inox inspired by sweden / assembly in china	LAVAINOX	SF-20S	3000
27	 	Under counter freezer. . single door . stainless steel interior & exterior 304 . . temp: -15 ~ -18 °c. . ambient temp: 43°c. . cooling system: static. . Compressor made in Europe . refrigeration gas: r404 a. . power: 220 v / 50-60 hz / 230 w. . dim: 700 x 700 x 850 mm. LAV-1D / lava inox inspired by sweden / assembly in china	LAVAINOX	LAV-1D	4000
28		S/S double door chiller - no back splash w/ built-in condensing unit, GN 1/1 midline Capacity: 310 L Power: 1/4 hpTemp: 0 to 10 C Power : 230 V - 1hp - 50Hz Dim: 1420 X 700 X 850/920 mm Net Weight: 86/102 kg , Made by Tecnodom, Italy	TECNODO M	TF02MIDGN TF02EKOGN TAURUS 2P	4500

29		Tavolo 3 doors Stainless steel -no back splash GN 1/1 Refrigerated counter Capacity: 460 L working temp 0 / + 10 Power : 230 V / 1P /50 Hz Dim: 1870 x 700 x 850 /920 mm Net Weight: 102 kg , Made by Tecnodom, Italy	TECNODO M	TF03MIDGN TF03EKOGN	5100
30		Work top chiller. . cap: 200 liters. . 1 spring door hinges doors. . stainless steel interior & exterior 304 . . temp: +2 ~ +5 °C. . ambient temp: 43°C. . cooling system: ventilated. . Compressor made in Europe . refrigeration gas: r134 a. . weight 80 KG . power: 220 v / 50-60 hz / 360 w. . dim: 900 x 700 x 850 mm. TG90-L1F / lava inox inspired by sweden / assembly in china	LAVAINOX	TG90-L1F	2760
31		Work top chiller.Static . 2 spring door hinges doors. . stainless steel interior & exterior 304 . . temp: +2 ~ +5 °C. . ambient temp: 43°C. . cooling system: static. . Compressor made in Europe . refrigeration gas: r134 a. . power: 220 v / 50-60 hz / 360 w. . dim: 1500 x 800 x 850 mm. BG15-L2F / lava inox inspired by sweden / assembly in china	LAVAINOX	BG15-L2F	3725
32		Work top chiller. . cap: 390 liters. . 3 spring door hinges doors. . stainless steel interior & exterior 304 . . temp: +2 ~ +8 °C. . ambient temp: 43°C. . cooling system: ventilated. . Compressor made in Europe . refrigeration gas: r134 a. . power: 220 v / 50-60 hz / 360 w. . weight: 100 kg . dim: 1800 x 700 x 850 mm. TG18L3F / lava inox inspired by sweden / assembly in china	LAVAINOX	TG18L3F	4150

33		Double door under counter chiller - capacity 282L, external dimension: 1360*700*860	FORCAR	G-GN2200TN	
34	 	<p>Work top freezer.</p> <ul style="list-style-type: none"> . cap: 282 liters. . 2 spring door hinges doors. . stainless steel interior & exterior 304 . . temp: -15 ~ -18 °C. . ambient temp: 43°C. . cooling system: static. . Compressor made in Europe . refrigeration gas: r404 a. . power: 220 v / 50-60 hz / 230 w. . dim: 1360 x 700 x 860 mm. <p>TFX14-L2D / lava inox inspired by sweden / assembly in china</p>	LAVAINOX	TFX14-L2D	3760
35	 	<p>Work top freezer.</p> <ul style="list-style-type: none"> . cap: 324 liters. . 3 spring door hinges doors. . stainless steel interior & exterior 304 . . temp: -18 ~ -22 °C. . ambient temp: 43°C. . cooling system: ventilated. . Compressor made in Europe . refrigeration gas: r404 a. . power: 220 v / 50-60 hz / 230 w. . dim: 1800 x 700 x 860 mm. <p>TD18-L3F / lava inox inspired by sweden / assembly in china</p>	LAVAINOX	TD18-L3F	4525

36		Tavolo BT2-S/S double door under counter freezer w/ built-in condensing unit, GN 1/1 refrigerated Cap: 310 L Working Temp: -18 / -22 C Power : 230 V - 1hp - 50Hz Dim: 1420 X 715 X 850/920 mm Weight: 99 kg , Made by Tecnodom, Italy	TECNODO M	TF02MIDBT	5800
37		Tavolo BT3-S/S three door under counter freezer w/ built-in condensing unit, GN 1/1 refrigerated Cap: 310 L Working Temp: -18 / -22 C Power : 230 V - 1hp - 50Hz Dim: 1870 X 715 X 850/920 mm Weight: 122 kg , Made by Tecnodom, Italy	TECNODO M	TF03MIDBT	7000
38			FORCAR	G-GN2200BT	

39	 	<p>Salad Refrigerator.</p> <ul style="list-style-type: none"> . cap: 2 x 1/1 gn + 3 x gn 1/6. . 1 gn 1/1 shelf per door. . chiller cap: 240 ltr. . temp: +2 ~ +8 °c. . Compressor made in Europe . power: 230 v / 50 hz / 230 w. . weight: 70 kg. . price doesn't include gn containers. . dim: 900 x 700 x 870 mm. <p>S900 / lava inox inspired by sweden / assembly in china</p>	LAVAINOX	S900	2940
40	 	<p>Salad Refrigerator.</p> <ul style="list-style-type: none"> . cap: 4 x 1/1 gn pan. . 1 gn 1/1 shelf per door. . chiller cap: 280 ltr. . temp: +2 ~ +8 °c. . Compressor made in Europe . power: 230 v / 50 hz / 230 w. . weight: 110 kg. . price doesn't include gn containers. . dim: 1365 x 700 x 950 mm. <p>SRO903 / lava inox inspired by sweden / assembly in china</p>	LAVAINOX	SRO903	3525
41		<p>Saladette 2 doors with stainless steel lid + polyethylene worktop Capacity: Internal Volume 148Lt / Useful Volume 53Lt Working Tem: +4°C / +6 °C, Gas Refrigerant: R452a Starting Electrical Input 350W / 1.85A Steady state electrical input 250W / 1.5A Power Supply: 220/240V - 1P - 50Hz Dim: 900x700x880 mm, Weight: 65/73 kg Packing Dim: 930x730x1000 mm, Made by Tecnodom, Italy</p>	TECNODO M	SLV02EKO SL02EKO	3440
42		<p>Salad bar.</p> <ul style="list-style-type: none"> . glass counter 230 mm height. . cap: 3 gn containers 1/3 size. . temp: 2 ~ 10 °c. . gas refrigeration: r 134 a. . power: 220 v / 50 hz / 280 w. . price doesn't include gn containers. . net. weight: 33 kg. . dim: 900 x 400 x 470 mm. <p>VRX 900-395 / lava inox inspired by sweden / assembly in china</p>	LAVAINOX	VRX 900-395	1320

43		<p>Top Salad Bar - flat glass Capacity: No # 5 GN 1/4 Pans (not included) Temp: +2 ~ +8 C Power: 230V / 50Hz R134a/120g; 1.0A; 150W Material : SS 304 Net Weight: 39kg Ext Dim: 1200x335x440 mm Made in China</p>		VRX1200/3 30 FG	1100
44	 LAVAINOX INSPIRED BY SWEDEN	<p>Salad Refrigerator. . cap: 10 gn containers 1/3 size. . temp: 2 ~ 10 °C. . Compressor made in Europe . gas refrigeration: r 134a. . power: 220 v / 50hz / 320 w. . net. weight: 34 / 39 kg. . price doesn't include gn containers. . dim: 2000 x 400 x 225 mm. VXR2000/380 / lava inox inspired by sweden / assembly in china</p>	LAVAINOX	VXR2000/3 80	1760
45		<p>S/S upright single door (magnetic) chiller w/ blower system (1 full door) Cap:650 L Temperature: 2-8°C Power: 230V-50Hz Dim 805x840x2060 mm Weight: 132 kg, Made by Berjaya, Malaysia</p>	BERJAYA	BS1FDU C/Z/GN BS1FDU C/G-83	3840
46		<p>S/S upright double door (magnetic) chiller w/ blower system (2 full door) Cap 1400 L Temperature: 2-8°C Power: 230V-50Hz Dim 1480x830x2060 mm Weight: 196 kg, Made by Berjaya, Malaysia</p>	BERJAYA	BS2FDU C/G-83	5300

47		S/S upright single door (magnetic) freezer w/ blower system (1 full door) Cap 650 L Temperature: -10-18'C Power: 230V-50Hz Dim 805x840x2060 mm Weight: 132 kg, Made by Berjaya, Malaysia	BERJAYA	BS1FDU F/Z/GN BS1FDU F/G-83	4280
48		S/S upright double door (magnetic) freezer w/ blower system (2 full door) Cap 1400 L Temperature: -10 to -18'C Power: 230V-50Hz Dim 1480x830x2060 mm Weight: 196 kg, Made by Berjaya, Malaysia	BERJAYA	BS2FDU F/G-83	7750
49	 	Upright freezer. . cap: 1400 ltr. . 2 stainless steel doors. . stainless steel interior & exterior 304 . . temp: -18~-22 °c (ventilated). . 8 layer gray shelves compressor made in Europe . lock, wheel , LED light . power: 230 v / 50-60 hz 900W . gas refrigeration: R290. . weight: 198 / 213 kg. . dim: 1480 x 830 x 2050 mm. LV1480BT2 / lava inox inspired by sweden / assembly in china	LAVAINOX		6025
50	 	Upright freezer. . cap: 700 ltr. . 1 stainless steel door. . stainless steel interior & exterior 304 . . temp: -15 ~ -18 °c (ventilated). . 4 layer gray shelves compressor made in Europe . lock, wheel , LED light . power: 230 v / 50-60 hz 750W . gas refrigeration: R290. . weight: 138 / 147 kg. . dim: 740 x 830 x 2050 mm. LV650BT / lava inox inspired by sweden / assembly in china /	LAVAINOX		4525

51	 <p>LAVAINOX INSPIRED BY SWEDEN</p>	<p>Upright refrigerator.</p> <ul style="list-style-type: none"> . cap: 1400 ltr. . 2 stainless steel doors. . stainless steel interior & exterior 304 . . temp: 0 ~ 10 °C (ventilated). . 8 layer gray shelves compressor made in Europe . lock, wheel , LED light . power: 230 v / 50-60 hz - 560W . gas refrigeration: r134a. . weight: 198 / 213 kg. . dim: 1480 x 830 x 2050 mm. <p>GN1480TN2 / lava inox inspired by sweden / assembly in china</p>	LAVAINOX		5260
52	 <p>LAVAINOX INSPIRED BY SWEDEN</p>	<p>Upright refrigerator.</p> <ul style="list-style-type: none"> . cap: 700 ltr. . 1 stainless steel door. . stainless steel interior & exterior 304 . . temp: 0~10°C (ventilated). . 4 layer gray shelves compressor made in Europe . lock, wheel , LED light . power: 230 v / 50-60 hz 310W . gas refrigeration: r134a. . weight: 138 / 147 kg. . dim: 740 x 830 x 2050 mm. <p>LV650TN / lava inox inspired by sweden / assembly in china</p>	LAVAINOX		3760
53	 <p>LAVAINOX INSPIRED BY SWEDEN</p>	<p>Blast chiller & freezer / professional</p> <p>cap: (3) gn 1/1</p> <p>'-40~+3°C, 85mm insulation,</p> <p>32°C ambient temp, 304 S.S,</p> <ul style="list-style-type: none"> . power: 230 v / 50 hz -450W Embraco compressor, Dixell profesional controller with food probe, ventilated, wheel. . dim: 700 x 700 x 560 mm, <p>BLC12V/ lava inox inspired by sweden / assembly in china</p>	LAVAINOX		6000
54	 <p>LAVAINOX INSPIRED BY SWEDEN</p>	<p>Blast chiller & freezer / professional</p> <p>cap: (5) gn 1/1</p> <p>'-40~+3°C, 85mm insulation,</p> <p>32°C ambient temp, 304 S.S,</p> <ul style="list-style-type: none"> . power: 230 v / 50 hz -650W Embraco compressor, Dixell profesional controller with food probe, ventilated, wheel. . dim: 800 x 800 x 1000 mm, <p>BLC25V/ lava inox inspired by sweden / assembly in china</p>	LAVAINOX		7200


55	 	Work top refrigerator. . 6 drawers. . cap: 190 liters. . constructed of st. steel aisi 304, 18/10. . temp: +0 ~ +10 °c. . gas refrigeration: r134a. . ambient temperature +43 °c. . power: 230 v / 50-60 hz / 775 w. . dim: 1350 x 700 x 850 mm. TG14D6/ lava inox inspired by sweden / assembly in china	LAVAINOX		7600
56	 	Work top refrigerator. . 8 drawers. . cap: 410 liters. . constructed of st. steel aisi 304, 18/10. . temp: +0 ~ +10 °c. . gas refrigeration: r134a. . ambient temperature +43 °c. . power: 230 v / 50-60 hz / 1026 w. . dim: 2250 x 700 x 650 mm. TG23-D8S / lava inox inspired by sweden / assembly in china	LAVAINOX		8150
57	 	Microwave oven. . capacity: 34 ltr. . stainless steel exterior & interior . 20 programmable timing pads . digital display. . 4 power levels . power: 230 v / 50 hz / 1000 w. . weight: 18 / 21 kg. . dim: 559 x 438 x 349 mm. RCS511TS / menumaster			1850
58	 	Microwave oven. . capacity: 34 ltr. . stainless steel exterior & interior . 100 programmable timing pads . digital display. . 5 power levels . power: 230 v / 50 hz / 1800 w. . weight: 26/ 29 kg. . dim: 522x 533 x 365 mm. RFS-518TSU / MENUMASTER / MADE IN USA			3525

59	 	<p>Cake display. Front Curved Glass . . 3 glass shelves, . Rear sliding door . . Temperature: 2 to 8°C. . S/steel #304 white mirror base . . CUBIGEL compressor . . Digital thermostat & . With LED Light . . 2 side and top black color;Door with wheel . . Evaporator cover made by S/steel . . Both suction and blow wind panel S/steel . Power: 220V/50HZ . 600W Weight 235 kg . dim: 1000 x 700 x 1300 mm CS-1000E3 / lava inox inspired by sweden / assembly in china</p>		CS-1000E3	3980
60	 	<p>Cake display. Front Curved Glass . . 3 glass shelves, . Rear sliding door . . Temperature: 2 to 8°C. . S/steel #304 white mirror base . . CUBIGEL compressor . . Digital thermostat & . With LED Light . . 2 side and top black color;Door with wheel . . Evaporator cover made by S/steel . . Both suction and blow wind panel S/steel . Power: 220V/50HZ . 840W Weight 305 kg . dim: 2000 x 700 x 1300 mm CS-2000E3 / lava inox inspired by sweden / assembly in china</p>		CS-2000E3	5960
61	 	<p>Cake display. Front square type Glass . . 3 glass shelves, . Rear sliding door . . Temperature: 2 to 8°C. . S/steel #304 white mirror base . . CUBIGEL compressor . . Digital thermostat & . With LED Light . . 2 side and top black color;Door with wheel . . Evaporator cover made by S/steel . . Both suction and blow wind panel S/steel . Power: 220V/50HZ . 600W . dim: 900 x 740 x 1300 mm HL-900R3 / lava inox inspired by sweden / assembly in china</p>		HL-900R3	4550

62	 	<p>Cake display. / square type</p> <ul style="list-style-type: none"> . 2 glass shelves . Temperature: 2 to 8°C. . S/steel #304 white mirror base . . Rear sliding door . . CUBIGEL compressor . . Digital thermostat . . With LED Light . . Evaporator cover made by S/steel . . 2 side and top black color . . Both suction and blow wind panel S/steel . Power: 220V/50HZ .240W . dim: 900 x 530 x 730 mm <p>CS900CT-S / lava inox inspired by sweden / assembly in china</p>		CS900CT-S	2080
63	 	<p>Cake display. Front Curved Glass .</p> <ul style="list-style-type: none"> . 2 glass shelves . Temperature: 2 to 8°C. . S/steel #304 white mirror base . . Rear sliding door . . With LED Light . . CUBIGEL compressor . . Digital thermostat & Front Curved Glass . . 2 side and top black color . . Evaporator cover made by S/steel . . Both suction and blow wind panel S/steel . Power: 220V/50HZ . 200W . dim: 900 x 530 x 730 mm <p>CS900CT / lava inox inspired by sweden / assembly in china</p>		CS900CT	1925
64		<p>Curved Cake showcase -2 shelves S/s # 304 mirror base /1.0 mm; rear sliding door, Cubigel compressor; LED light Temperature: 2 °C ~ 8 °C Dim: 900*700*1200 mm, Weight: 120 / 205 kg Made by Honthink, China</p>	HONTHINK	CS-900E2	2800

65		<p>Curved Cake showcase -2 shelves S/s # 304 mirror base /1.0 mm; rear sliding door, Cubigel compressor; LED light Temperature: 2 °C ~ 8 °C Dim: 1500*700*1200 mm Weight: 180/285 kg Made by Honthink, China</p>	HONTHINK	CS-1500E2	3500
66		<p>Curved Cake showcase -3 shelves S/s # 304 mirror base /1.0 mm; rear sliding door, Cubigel compressor; LED light Temperature: 2 °C ~ 8 °C Dim: 900*700*1300 mm, Weight: 130/225 kg Made by Honthink, China</p>	HONTHINK	CS-900E3	3000
67		<p>Curved Cake showcase -3 shelves S/s # 304 mirror base /1.0 mm; rear sliding door, Cubigel compressor; LED light Temperature: 2 °C ~ 8 °C Dim: 1500*700*1300 mm Weight: 195/310 kg Made by Honthink, China</p>	HONTHINK	CS-1500E3	3600

68		<p>Squared Cake showcase -2 shelves S/s # 304 mirror base /1.0 mm; rear sliding door, Cubigel compressor; LED light Temperature: 2 °C ~ 8 °C Dim: 1000*700*1200 mm Weight: 175/260 kg Made by Honthink, China</p>	HONTHINK	CS-1000ER2	3000
69		<p>Squared Cake showcase -2 shelves S/s # 304 mirror base /1.0 mm; rear sliding door, Cubigel compressor; LED light Temperature: 2 °C ~ 8 °C Dim: 1500*700*1200 mm, Weight: 230/335 kg Made by Honthink, China</p>	HONTHINK	CS-1500ER2	3900
70		<p>Cold showcase S/s 304, white mirror frame Rear pulling door, digital thermostat Power: 220V/50Hz Temp 2 ~ 10 C Aspera Compressor Dim: 430x380x880 mm Weight: 44/70 kg Made by Honthink, China</p>	HONTHINK	4G800	1600

71		Meat display. . Straight glass in front. . working with 25°C ambient temperature. . temp: +1 ~ +6 °C. . gas refrigeration: r 404 a. . power: 220 v / 50 hz / 750 w. . dim: 1590 x 902 x 1230. BSS-1590RG Lava inox inspired by sweden / assembly in china			5600
72		Meat Display Gary base and the frame with the storage bin pulling door Front tipop door ;Rear sliding door ASPERA Compressor Power :220 v / 50 hz / 1000 w Dim : 2000 x 1090 x 1250 mm BS-1900SG /Lava inox inspired by sweden / assembly in china			7200
73		Supersize straight line Island freezer Top curved sliding glass lid with low-E film Automatic hot-gas defrost Condensing with fan High-quality Danfoss compressor Interior LED light Full Basket with dividers, Front side protection pole Adjustable feet Caster wheels Cap 400 ltr . temp: -18 ~ -22 °C. . gas refrigeration: r 404 a. . power: 220 v / 50 hz / 750 w. . dim: 1860 x 875 x 870. CQS-18D Lava inox inspired by sweden / assembly in china			4480
75		Meat Display Gary base and the frame with the storage bin pulling door Front tipop door ;Rear sliding door ASPERA Compressor Power :220 v / 50 hz / 770 w Dim : 1500 x 1090 x 1250 mm DS-1500AP /Lava inox inspired by sweden / assembly in china			5420

77	 <p>LAVA INOX INSPIRED BY SWEDEN</p>	Meat Display Gary base and the frame with the storage bin pulling door Front tipop door ;Rear sliding door ASPERA Compressor Power :220 v / 50 hz / 1000 w Dim : 2000 x 1090 x 1250 mm DS-2000AP /Lava inox inspired by sweden / assembly in china		6500
79		Single door visicooler without canopy - chiller Horizontal LED, Aluminum frame black, lock & key, Self closing door, embraco compressor, low-e glass, mechanical thermostat, integrated handle with 5pcs shelf, Temp 0- +10, Net Volume 360 Lt, Gross volume 382 Lt, Refrigerant gas R600a, Voltage 220-240V/50Hz, Dim: 600x650x2000 mm, Net/Gross Weight 69/77 kg, Made by Cold-era, Turkey	CL 380 SDC CL 380 SDPC	1680
81		Double door VISICOOLER with canopy- chiller Temperature range: 0 - +10 Net volume: 707 lt Gross volume: 852 lt Refrigerant gas: R134a / R290a Voltage: 220-240 v / 50 hz Shelf : 4 pcs Adjustable leg / roller : 2/2 Grap door handle: std Horizontal led lighting: std Internal dimension wxdxh mm: 1028 x 509 x 1351 External dimension wxdxh mm: 1103 x 690 x 2000 Net/Gross weight 145/158 kg , Made by Cold-era, Turkey	CL 900 SLDC	3600
83	 <p>black gray</p>	Triple door VISICOOLER - chiller without canopy, In and Out black color Temperature range: 0 / +10 °C Net volume: 1326lt, Gross volume: 1455lt Refrigerant gas: R290a, Voltage: 220-240 v / 50 hz Shelves : 4x3 standard metal wire shelves Vertical 6 strips LED on side Cooling system - standard, Thermostat - Electronic External dim: 1600x718x2050 wxdxh mm Packingl dim:1630 x 770 x 2180 wxdxh mm Net/Gross weight 247/273 kg , Made by Cold-era, Turkey	CL 1600 H3 BLACK	5880

85		<p>Single glass door static freezer without canopy illumination of inner cabinet - 1 LED on the top Shelves 5 static freezing shelves Gas R290, Net / Gross Volume 361 / 382 L Temperature Range: -18 / -24°C Net / Gross Weight: 89/96 kg Ext Dimension: 640x670x1875 mm Packing Dim: 650x705x1975 mm Made by Cold-era, Turkey</p>		CL 380 VD	3200
87		<p>Ice cream conservator with curved sliding door Gas R290, Net / Gross Volume 337 / 393 L Temperature Range: -15 / -23°C Energy consumption: 5.5kWh/24hr lids opening and closing (25°C, 60 Rh) Net / Gross Weight: 70/76 kg Ext Dimension: 1305x635x890 mm Packing Dim: 1355x695x890 mm Made by Cold-era, Turkey</p>		CL 400 DAC	1600
89		<p>Chest Freezer Gas R600, Net / Gross Volume 373 / 391 L Temperature Range: -18 / -34°C Energy consumption: 3.20kWh/24hr lids opening and closing (25°C, 60 Rh) Net / Gross Weight: 63/68 kg Ext Dimension: 1305x720x845 mm Packing Dim: 1360x760x890 mm Made by Cold-era, Turkey</p>		CL 400 DSL	1300

91		<p>Chest Freezer Gas R600, Net / Gross Volume 607 / 655 L Temperature Range: -18 / -34°C Energy consumption: 2.25kWh/24hr lids opening and closing (25°C, 60 Rh) Net / Gross Weight: 79/86 kg Ext Dimension: 2055X720X845 mm Packing Dim: 2100X760X890 mm Made by Cold-era, Turkey</p>		CL 600 DSL	2000
93		HOSHIZAKI IM-240DNE STACKABLE NMODULAR ICE CUBE MAKER WITH B-340SA BIN+TOPKIT - ICE CAPACITY 240KG/DAY	HOSHIZAKI	IM-240DNE-HC/B-340SA/TK(HE)-IMD2	24500
95		HOSHIZAKI FLAKER PRODUCTION CAPACITY 150KG ICE TYPE :FLAKE AIR COOLER CORRESPONDING BIN :N B-140SA,B-210SA,B-340SA	HOSHIZAKI	FM-150AKE-HC	

97		HOSHIZAKI IM-240ANE ICE CUBE MAKER WITH B-140SA BIN - ICE CAPACITY 240KG/DAY- CORRESPONDING BIN :N B-140SA,B-210SA,B-340SA	HOSHIZAKI	IM-240ANE-HC/B-140SA	21380
99		Ice cube maker 20kg/24hr, w/ bin 4kg Power: 320W-220/240V-50Hz-1Ph Net weight/Gross weight: 27.5/34 kg Dim: 35.5x40.4x59 cm Foot: 0.5cm Frozen Dice - Made by NTF, Italy	NTF	SL35A	2860
101		Ice cube maker 88kg/24hr w/ bin 40kg Power: 800W-220/240V-50Hz-1Ph Dim: 73.5x60.3x90.7 cm Net /Gross weight: 71/83 kg Foot: 11-15cm adjustable, Frozen Dice - Made by NTF, Italy	NTF	SL180A	6400

103		 Ice flaker 60kg/24hr w/ bin cap: 10kg Power: 420W-220/240V-50Hz-1Ph Net weight/Gross weight: 63/74 kg Dim: 45x62x68 cm Frozen Snow - Made by NTF, Italy	NTF	SLF130A	6760
105		Ice maker. . capacity: 26kg per day . Chinese compressor . power: 230 v / 50-60 hz /:270W . size: 500*400*783mm . front airflow in and out design . cubic ice . size: 500 x 400 x 783 mm SY60 / lava inox inspired by sweden / assembly in china			1680
107		Ice maker. . capacity: 45kg per day . Chinese compressor . power: 230 v / 50-60 hz /:270W . size: 500*400*783mm . front airflow in and out design . cubic ice . size: 500 x 400 x 783 mm SY90 / lava inox inspired by sweden / assembly in china			2400
109		Ice maker. . cap 88 kg/ 24 hours. . Chinese compressor . power: 230 v / 50 hz / 515 w. . gas refrigerator: R290 / 820 g . front airflow in and out design . cubic ice . weight: 41 kg. . dim: 605 x 585 x 910 mm. Packing dim :665 x 640 x975 mm Sy-150 / lava inox inspired by sweden / assembly in china			4400

111		<p>Ice maker.</p> <ul style="list-style-type: none"> . cap 250 kg / 24 hours. Bin capacity 300 Kg . Chinese compressor . power: 230 v / 50 hz / 2500 w. . gas refrigerator: R290 / 820 g . front airflow in and out design . cubic ice . weight: 41 kg. . dim: 760 X 870 X 1780mm <p>SF-250 / lava inox inspired by sweden / assembly in china</p>			8000
113		<p>Ice maker.</p> <ul style="list-style-type: none"> . cap: 25 kg / 24 hours., . bin storage: 9 kg weight of cube ice: 18 gr . air condensing system . body: stainless steel aisi 304 18/10 . control: electromechanical. . power: 230 v / 50 hz / 350 w . gas refrigerator: R290 . weight: 33 kg, .Gross weight : 38 kg .dim: 387 x 487 x 687 +(65 H Foot) mm . packing dim: 440 x 520 x 860 mm <p>ECP-28A / Brice by brema group / made in italy.</p>			3400
115		<p>Ice maker.</p> <ul style="list-style-type: none"> . cap: 49 kg / 24 hours. . bin storage: 16 kg weight of cube ice: 18 gr . air condensing system . body: stainless steel aisi 304 18/10 . defrosting system: double. . control: electromechanical. . power: 230 v / 50 hz / 450 w . gas refrigerator: R290 . weight: 41 kg, .Gross weight : 48 kg .dim: 490 x 592 x 687 +(65 H Foot) mm . packing dim: 550 x 660 x 860 mm <p>ECP-46A / Brice by brema group / made in italy.</p>			4200
117		<p>Ice maker.</p> <ul style="list-style-type: none"> . cap: 88 kg / 24 hours. . bin storage: 40 kg weight of cube ice: 18 gr . air condensing system . body: stainless steel aisi 304 18/10 . control: electromechanical. . power: 230 v / 50 hz / 850 w . gas refrigerator: R290 . weight: 62 kg .Gross weight : 70 kg .dim: 735x 603 x 910 +(110 H Foot) mm . packing dim: 780 x 640 x 1085 mm <p>ECP-80A / Brice by brema group / made in italy.</p>			6550

119	 	<p>Ice maker.</p> <ul style="list-style-type: none"> . cap: 105 kg / 24 hours. . bin storage: 45 kg weight of cube ice: 22 gr . air condensing system . body: stainless steel aisi 304 18/10 . control: electromechanical. . power: 230 v / 50 hz / 850 w . gas refrigerator: R290 . weight: 133 kg, . Gross weight : 143 kg . dim: 930 x 565 x 1050 +(110 H Foot) mm . packing dim: 985 x 620 x 1225 mm <p>ECP-100A / Brice by brema group / made in italy.</p>			7000
ice flaker					
120	 	<p>Ice flaker.</p> <ul style="list-style-type: none"> . cap: 60 kg / 24 hours. . bin storage: 10 kg. . ice: flake ice. . air condensing system, . gas refrigerator: R290 . cooling unit body: stainless steel aisi 304. . production system: continous. . power: 230 v / 50 hz / 550 w. weight: 56 kg, . Gross weight: 64 kg . packing dim: 550 x 675 x 850 mm. . dim: 450 x 620 x 680 +(110 H Foot) <p>ES-60A / Brice by brema group / made in italy.</p>			6700
121	 	<p>Ice flaker.</p> <ul style="list-style-type: none"> . cap: 100 kg / 24 hours. . bin storage: 20 kg. . ice: flake ice. . air condensing system, . gas refrigerator: R290 . cooling unit body: stainless steel aisi 304. . production system: continous. . power: 230 v / 50 hz / 550 w. weight: 59 kg, . Gross weight: 67 kg . packing dim: 550 x 720 x 880 mm. . dim: 496 x 660 x 685 +(110 H Foot) <p>ES-102A / Brice by brema group / made in italy.</p>			7800
Soft ice cream					

122		<p>Soft ice cream Machine</p> <ul style="list-style-type: none"> . production: 20-25 liters/h . flavor: 2+1 mixed. <p>8 nos of shapes</p> <ul style="list-style-type: none"> . 2 Nos of compressor, . refrigerant: R290 . Cone Counter Display, Ice Cream Evaporation Temperature display, .Front integral Panel Ice cream softness adjustable, Auto Return handle Full touch water proof operation panel, easy to operate Stainless steel Bowl easy to clean . power: 220 /1850 w /50 hz . weight: 100 kg Dim: 540 x 760 x 850 mm BJH219SRE / 50 HZ/ gelato brand / made in China 			4400
123		<p>Soft ice cream Machine</p> <ul style="list-style-type: none"> . production: 20-25 liters/h . flavor: 2+1 mixed. <p>8 nos of shapes</p> <ul style="list-style-type: none"> . 2 Nos of compressor, . refrigerant: R290 . Cone Counter Display, Ice Cream Evaporation Temperature display, .Front integral Panel Ice cream softness adjustable, Auto Return handle Full touch water proof operation panel, easy to operate Stainless steel Bowl easy to clean . with one cone dispenser . power: 220 /2200 w /50 hz . weight: 155 kg . dim: 540 x 665 x 1255 mm BJH289CRED1 / 50 HZ / gelato brand / made in China 			5200
124		<p>Soft ice cream Machine</p> <ul style="list-style-type: none"> Cap: 16 liters/h .Embraco compressor .stainless steel hopper .with gear motor and new design .low noise and small size .red,white and blue color are optional. . power: 220 / 1050 w /50 hz . refrigerant: R290 / 280g . weight: 43 kg . dim: 210 x 554 x 740 mm ST16E / gelato brand / made in China 			3525
125		<p>Hard ice cream Machine</p> <ul style="list-style-type: none"> . cap: 16 liters/h. . digital control panel with touch type switch. . suitable for yogurt ice cream . Refrigerant: r22-r22 . . electric power: 220 v / 50-60 Hz, 1000 W . power:1 kw. . dim: 500 X 710 X 800 mm. BQ-12T / gelato brand / made in China 			4475

	 <p>Tabletop ice cream machine Stainless steel body 3 nozzle Boyard compressor R404a capacity of hopper:6L production capacity: 20 L/H Packing Dim: 544x710x850 mm Weight: 90 kg Made by Prince, China</p>		MQ-L20A-BN	3200
	 <p>STAND ICE CREAM MACHINE ORANGE COLOR Painting body Refrigerant:R404a, boyard compressor Capacity of hopper: 6L, 3 nozzles production capacity: 22-25L/H Input Power: 1850 kw 220V/ 50 Hz Dim: 540x670x1380 mm Packing Dim: 62x75x139 cm Weight: 100 kg Made by Prince, China</p>		MQ-L22	3600
	 <p>Single cone machine - electric Power: 1kw Volts: 220V 50-60 Hz Dim: 280X380X250 mm Made by Prince, China</p>		ZU-1	280

		<p>Double cone machine - electric Power: 2kw Volts: 220V 50-60 Hz Dim: 500X380X250 mm Made by Prince, China</p>	ZU-2	500
		<p>Cone baker. . single head. . temp: 50 ~ 300 °c. . power: 220-240 v / 50 hz / 1750 w. . dim: 300 x 400 x 290 mm. HX-2209 / made in China</p>		1040
		<p>Cone baker. . single head. . temp: 50 ~ 300 °c. . power: 220-240 v / 50 hz / 1200 w. . dim: 280 x 400 x 290 mm. E-XGP-1 / made in China</p>		525
		<p>Cone baker. . double head. . temp: 50 ~ 300 °c. . power: 220-240 v / 50-60 hz / 1000+1000 w. . weight: 14 kg. . dim: 500 x 360 x 270 mm. HCB-2 / made in China</p>		720
pancake				
		<p>dounts baker. . stainlees steel body, . Temp: 50 - 300 C . power: 220/230 v / 50/60hz / 1.5 kw . dim: 385 x 410 x 320 mm. HDM-6 / made in China</p>		600

		<p>pancake Machine with Top & Bottom Heater</p> <ul style="list-style-type: none"> . 25 pics cake . Material: stainless steel . Volts: 220V/110V 50Hz / 1750W . weight: 12Kg . Dimensions : 410 x 310 x 320 mm <p>HX-2204B / made in China</p>			760
		<p>Cone baker.</p> <ul style="list-style-type: none"> . functionel design. . stainlees steel body, . power: 220/230 v / 50/60hz / 2.200w 10A . dim: 300 x 300 x 250 mm. <p>KGW-05 / empero / made in turkey.</p>			1700
		<p>Waffle baker.</p> <ul style="list-style-type: none"> . functionel design. . stainlees steel body, . power: 220/230 v / 50/60hz / 2.200w 10A . dim: 300 x 300 x 250 mm. <p>PKGW-01 L / POTIS / made in germany.</p>			1700
		<p>Waffle baker.</p> <ul style="list-style-type: none"> . single head. . timer. . temp: 50 ~ 300 °C. . power: 220-240 v / 50 hz / 1.2 kw. . dim: 290 x 425 x 320 mm. <p>HX-2205 / made in China</p>			560
		<p>Waffle baker.</p> <ul style="list-style-type: none"> . single head. With digital control . timer. . temp: 50 ~ 300 °C. . power: 220-240 v / 50 hz / 1.2 kw. . dim: 290 x 425 x 320 mm. <p>HX-2205G / made in China</p>			880
		<p>Waffle baker.</p> <ul style="list-style-type: none"> . single head. . timer. . temp: 50 ~ 300 °C. . power: 220-240 v / 50 hz / 1.2 kw. . dim: 290 x 425 x 320 mm. <p>E-HF-1 / made in China</p>			560

		<p>Waffle baker.</p> <ul style="list-style-type: none"> . single head. . timer. . temp: 50 ~ 300 °c. . power: 220-240 v / 50 hz / 1 kw. . weight: 7 kg. . dim: 250 x 345 x 210 mm. <p>HWB-1 / made in China</p>			480
		<p>Waffle baker.</p> <ul style="list-style-type: none"> . double head. . timer. . temp: 50 ~ 300 °c. . power: 220V-240V/50-60HZ / 1+1 kw. . weight: 14 kg. . dim: 500 x 360 x 270 mm. <p>HWB-2 / made in China</p>			800
		<p>Waffle baker. With 4 squares</p> <ul style="list-style-type: none"> . single head. <p>With EGO Thermostat made in Germany</p> <ul style="list-style-type: none"> . temp: 50 ~ 300 °c. . power: 220V-240V/50-60HZ / 1.6 kw. . weight: 11.6 kg. . dim: 300 x 380 x 250 mm. <p>D-HF4 / made in China</p>			680
		<p>Waffle baker. With 2 squares</p> <ul style="list-style-type: none"> . single head. <p>With EGO Thermostat made in Germany</p> <ul style="list-style-type: none"> . temp: 50 ~ 300 °c. . power: 220V-240V/50-60HZ / 1.6 kw. . weight: 11.6 kg. . dim: 310 x 380 x 250 mm. <p>D-HF2 / made in China</p>			680
		<p>Waffle baker. With 4 squares</p> <ul style="list-style-type: none"> . single head. <p>With EGO Thermostat made in Germany</p> <ul style="list-style-type: none"> . temp: 50 ~ 300 °c. . power: 220V-240V/50-60HZ / 1.6 kw. . weight: 11.6 kg. . dim: 300 x 380 x 250 mm. <p>HWB-1S / made in China</p>			680
		<p>Waffle baker.</p> <ul style="list-style-type: none"> . double head. <ul style="list-style-type: none"> . temp: 50 ~ 300 °c. . power: 220V-240V/50-60HZ / 3.2kw. . weight: 20.5 kg. . dim: 630 x 380 x 250 mm. <p>HWB-2S / made in China</p>			800

		<p>Waffle baker.</p> <ul style="list-style-type: none"> . single head. . temp: 50 ~ 300 °c. . power: 220V-240V/50-60HZ / 1.5 kw. . weight: 9 kg. . dim: 360 x 330 x 245 mm. <p>HX-117 / made in China</p>			650
		<p>Waffle baker. Heart shape</p> <ul style="list-style-type: none"> . single head. . timer. . temp: 50 ~ 300 °c. . power: 220-240 v / 50 hz / 1 kw. . weight: 7 kg. . dim: 250 x 345 x 210 mm. <p>HX-2207 / made in China</p>			640
		<p>Single waffle machine - electric Power: 1kw Volts: 220V 50-60 Hz Dim: 250X380X250 mm Made by Prince, China</p>		UWB-1	280
		<p>Double waffle machine - electric Power: 2kw Volts: 220V 50-60 Hz Dim: 500X380X250 mm Made by Prince, China</p>		UWB-2	500
		<p>Sticks waffle baker.</p> <ul style="list-style-type: none"> . single head. . Cap: 4 sticks . temp: 50 ~ 300 °c. . power: 220V/50Hz / 1.75 kw. . weight: 17 kg. . dim: 305 x 410 x 240 mm. <p>HX-2208 / made in China</p>			650

Cofrimel

	 www.cofrimell.com	<p>Slush Machine</p> <ul style="list-style-type: none"> . capacity: 1 x 10 litres. . innovative cover is in low tension (12v) wires free. . cylindrical evaporator is completely made in s. steel aisi 304. . power: 230 v / 50 hz / 530 w. . net.weight: 32 Kg . dim: 21 x 53 x 84 mm. <p>OASIS 1 / cofrimell / made in italy.</p>			4400
	 www.cofrimell.com	<p>Slush Machine</p> <ul style="list-style-type: none"> . capacity: 2 x 10 litres. . innovative cover is in low tension (12v) wires free. . cylindrical evaporator is completely made in s. steel aisi 304. . power: 230 v / 50 hz / 850 w. . net.weight: 56 kg. . dim: 400 x 530 x 840 mm. <p>OASIS 2 / cofrimell / made in italy.</p>			5400
	 www.cofrimell.com	<p>Slush Machine</p> <ul style="list-style-type: none"> . capacity: 3 x 10 litres. . innovative cover is in low tension (12v) wires free. . cylindrical evaporator is completely made in s. steel aisi 304. . power: 230 v / 50 hz / 1100 w. . net.weight: 72 kg. . dim: 600 x 530 x 840 mm. <p>OASIS 3 / cofrimell / made in italy.</p>			7200
		<p>Slush Machine Capacity: 10Lx1 Power: 500W Voltage :220V/50HZ,R290 Temp : -2~ -8°C N.W./G.W.: 31/46KG Dim: 310x500x820 mm Packing Dim: 380x550x980 mm Made in China</p>		XRJ10LX1	2800
		<p>Slush Machine Capacity: 10Lx2 Power: 1000W Voltage :220V/50HZ,R404a Temp : -2~ -8°C N.W./G.W.: 49/65KG Dim: 450x500x820 mm Packing Dim: 520x550x980 mm Made in China</p>		XRJ10LX2	3600


		<p>Slush Machine Capacity: 10Lx3 Power: 1300W Voltage :220V/50HZ, R404a Temp : -2~ -8°C N.W./G.W.: 61/80KG Dim: 650x500x820 mm Packing Dim: 720x550x980 mm Made in China</p>	XRJ10LX3	4400
Juice dispenser				
		<p>Juice dispenser</p> <ul style="list-style-type: none"> . cap: 1 x 12 ltr. . bowl and cover: polycarbonate. . double cover for a better insulation of the product. . mixing system: electromagnetic pump. . compressor: hermetic, france made. . temperature control: adjustable thermostatic system. . tap two piece: no-drip, all stainless steel. . chassis and panels: all stainless steel. . power: 230 v / 50 hz / 280 w. . weight: 20 kg. . dim: 200 x 430 x 670 mm. <p>Coldream-S1 / cofrimell / made in italy</p>		1840
		<p>Juice dispenser</p> <ul style="list-style-type: none"> . cap: 2 x 12 ltr. . bowl and cover: polycarbonate. . double cover for a better insulation of the product. . mixing system: electromagnetic pump. . compressor: hermetic, france made. . temperature control: adjustable thermostatic system. . tap two piece: no-drip, all stainless steel. . chassis and panels: all stainless steel. . power: 230 v / 50 hz / 280 w. . weight: 29 kg. . dim: 400 x 430 x 670 mm. <p>Coldream-S2 / cofrimell / made in italy.</p>		2320


	 <p>Juice dispenser</p> <ul style="list-style-type: none"> . cap: 3 x 12 ltr. . bowl and cover: polycarbonate. . double cover for a better insulation of the product. . mixing system: electromagnetic pump. . compressor: hermetic, france made. . temperature control: adjustable thermostatic system. . tap two piece: no-drip, all stainless steel. . chassis and panels: all stainless steel. . power: 230 v / 50 hz / 330 w. . weight: 41 kg. . dim: 600 x 430 x 670 mm. <p>Coldream-S3 / cofrimell / made in italy.</p>			2880
	 <p>Juice dispenser with S/S handle, Mixing type , cooling only Capacity: 18L Voltage : 220V / 50Hz Cooling power : 200W Temp cold : +7~ +12°C N.W./G.W.: 20/23 KG Product Size: 345*445*700mm Outer carton Size: 360*470*740mm Made in China</p>	KM-LYJ18LX1	880	
	 <p>Juice dispenser with S/S handle, Mixing type , cooling only Capacity: 18L x 2 Voltage : 220V / 50Hz Cooling power : 300W Temp cold : +7~ +12°C N.W./G.W.: 28/30 KG Product Size: 460*445*700mm Outer carton Size: 510*470*740mm Made in China</p>	KM-LYJ18LX2	1200	

	 <p>Juice dispenser with S/S handle, Mixing type , cooling only Capacity: 18L x 3 Voltage : 220V / 50Hz Cooling power : 350W Temp cold : +7~ +12°C N.W./G.W.: 39/42 KG Product Size: 710*445*700mm Outer carton Size: 750*470*740mm Made in China</p>	KM-LYJ18LX3	1500
--	--	-------------	------

Shawarma Potis

	 <p>POTIS Made in GERMANY</p> <p>70 kg</p> <p>Gas shawarma Machine Cap: 70 kg Charging space w/o octangular grease pan (WxD) 510 x 590 mm Device height w/ motor 1120 mm Burner surface area (HxB) 645 x 185 mm Heating efficiency 14,00 / 11,20 kW Heating efficiency - S 14,00 kW max. weight of meat 70 kg max. height of meat 630 mm Infrared dual burners with cermic plates Charging space w/ octangular grease pan (WxD) 550 x 740 mm Series Standard Power 14,00 / 11,20 kW GD4 / potis / Made in Germany</p>		4400
	 <p>POTIS Made in GERMANY</p> <p>40 kg</p> <p>Gas shawarma Machine Cap: 40 kg Charging space w/o octangular grease pan (WxD) 510 x 590 mm Device height w/ motor 920 mm Burner surface area (HxB) 485 x 185 mm Heating efficiency 10,50 / 8,40 kW Heating efficiency - S 10,50 kW max. weight of meat 40 kg max. height of meat 450 mm Infrared dual burners with cermic plates Charging space w/ octangular grease pan (WxD) 525 x 680 mm Power 10,50 / 8,40 kW GD3 / potis / Made in Germany</p>		4000

	 	Gas shawarma Machine Cap: 30 kg Charging space w/o octangular grease pan (WxD) 395 x 500 mm Device height w/ motor 920 mm Burner surface area (HxB) 430 x 135 mm Heating efficiency 5.6 kW max. weight of meat 30 kg max. height of meat 430 mm Infrared dual burners with cermic plates Charging space w/ octangular grease pan (WxD) 500 x 650 mm Power 10,50 / 8,40 k GD2 / potis / Made in Germany			3600
	 	Charcoal shawarma Machine . With cabinet with 4 wheel. . meat skewer. . manual rotating. . construction scotch bright finish 18/10 aisi 304. . dim: 1280x 900 x 1600 mm. Made in uae by Al Razana Kitchen			6400
	 	Gas shawarma Machine . table top gas operated. . cap: 1 units / 3 burners each. . 3 high pressure gas valves. . burners: turky made. . meat skewer. . manual rotating. . temp: 50 ~ 300 °c. . construction scotch bright finish 18/10 aisi 304. . dim: 500 x 600 x 1100 mm. Made in uae by Al Razana Kitchen.			1200
	 	Gas shawarma Machine . under Chiller & 4 wheels. . cap: 2 units / 3 burners each. . 6 high pressure gas valves. . burners: Turky made. . meat skewer. . manual rotating. . temp: 50 ~ 300 °c. . construction scotch bright finish 18/10 aisi 304. . dim: 1360x 700 x 1950 mm. Made in uae by Al Razana Kitchen			6800

	  <p>Gas shawarma Machine . With Stand. . cap: 2 units / 3 burners each. . 3 high pressure gas valves. . burners: Turky made . meat skewer. . manual rotating. . temp: 50 ~ 300 °c. . construction scotch bright finish 18/10 aisi 304. . dim: 1100x 700 x 1950 mm. Made in uae by Al Razana Kitchen</p>			4000



