

TRACEGUARD

Setup Guide

Get running in 4 steps

A quick, visual walkthrough — open TraceGuard, choose your application, point it at your source, and you're ready. Follow the numbered arrows on each screen.

For: Managers & the Release Team • **Time:** about 5 minutes • **Classification:** Internal use

1 Open TraceGuard

Launch the app — no install, no setup files to edit.



Double-click the TraceGuard launcher. A small console window opens and stays open while you work.

It then opens automatically in your web browser. If it doesn't, type the address below.


Your browser

`http://localhost:8080`

That's the whole install. The only thing that needs to be on the machine is `git`, and only for the Release Impact tab. Everything else just works.

2 Choose your application

TraceGuard covers two applications. Pick the one you're releasing.




1 **Mighty** — click **Open** to enter.

2 **TMRW** — click **Open** to enter.

The three tabs — **Release Scope**, **Release Test**, **Release Impact** — work the same in both. You can switch application any time from the top bar.

3 Point it at your source & analyse

Tell TraceGuard where the code is and which release to look at, then press Analyse.



1 Source — a **Local** folder or a **Bitbucket** branch.

3 Country for the release.

5 Analyse modules — you're set up.

2 Path / repo to the module's code.

4 Release version (or **N/A** for the latest).

Config lives up here (Step 4).

4 One-time settings (⚙️ Config)

Open ⚙️ **Config** from the top bar. Set these once — they're saved on your machine.

The screenshot shows the 'Config' window titled 'Config — saved on this machine' with a 'Close' button. It contains several configuration sections:

- Bitbucket access token** (HTTP token, Read scope — used to clone repos): Not set. Input field: 'Enter new Bitbucket token'. Note: 'Takes effect immediately — no restart needed.'
- npm access token** (private registry — used by the build script): Not set. Input field: 'Enter new npm token'.
- Splunk base URL** (Splunk Web, up to `/services/search/jobs/` — used to build result-download links): Input field contains `https://host:8000/en-US/splunkd/_raw/services/search/jobs/`. Callout 1 points to this field. Note: 'Not a secret. TraceGuard only builds the paginated `.../<SID>/results?output_mode=csv...` download links; your browser session does the download.'
- Log-analysis pass threshold** (front-end pass rate for a Success verdict — e.g. `0.95` or `95`; blank = default 95%): Input field contains `0.95`. Callout 2 points to the 'Save' button below this section. Note: 'Once every impacted flow is tested at least once, an API is **Success** when this fraction of its front-end calls passed, else **Failed**. Takes effect on the next analysis / re-run.'
- Save** button: Callout 2 points to this button.
- VAL capability reports** (map impacted APIs → how to test — used by Release Test & Scope):
- Interface Spec** (.xlsx — Col G Interface, Col M Countries, Col Q Linked Capabilities): 'Not attached' with an 'Attach...' button. Callout 3 points to this button.
- Capability Matrix** (.xlsx — Col A ID, Cols A–N L1–L5 / how to test): 'Not attached' with an 'Attach...' button. Callout 4 points to this button.

At the bottom, a note states: 'Stored in `C:\Users\arjun\.traceguard` on this machine (plaintext, user-only). Modules saved with "Save as default" live here too, so they're remembered on every run — standalone or IntelliJ.'

- 1 **Splunk base URL** — lets Release Test build one-click log download links.
- 2 **Save** the tokens & Splunk address.
- 3 **Interface Spec** — attach this VAL report...
- 4 ...and the **Capability Matrix** — together they unlock the **Capability Matrix** export in Release Test.

Optional but recommended. You can skip Config to just trace and test. Add the Splunk URL when you want log links, and the two VAL reports when you want the "how to test" export.

YOU'RE READY

Pick a tab and go

Each tab answers one question — and exports a report you can share.

Release Scope

See what an API touches — routes, backends, versions.

Release Test

Prove the release worked, from your logs.

Release Impact

See what changed since the last release.

Need more detail? The full walkthrough of each tab is in the **TraceGuard Product User Guide**.