

```
// Name: Arjun Tyagi
```

```
// PRN: 21070126020
```

```
// Batch: AIML-A1
```

```
/*
```

ASSIGNMENT 1

Part1: Implement a menu-driven Java program (like fib or factorial) to implement these input methods in java (command line args, Scanner, BufferedReader, DataInputStream, Console)

Part2: Implement a simple menu driven calculator in java to implement add, sub, mul, div, sqrt, power, mean, variance. Implement a separate Calculator class to include all related function inside that class. (mean calculation : program reads numbers from the keyboard, summing them in the process until the user enters the string "end". It then stops input & displays the avg. of numbers)*/

```
import java.util.Scanner;
```

```
import java.io.*;
```

```
public class input_calculator {
```

```
public static void main(String[] args) throws IOException, ArrayIndexOutOfBoundsException{
```

```
{//commandline arguments
```

```
System.out.println("Input taken through commandline arguments: ");
```

```
System.out.print("Enter a number: ");
```

```
int num1 = Integer.parseInt(args[0]);
```

```
System.out.println("Number entered (commandline): " + num1);
```

```
//input option
```

```
input_options.input();
```

```
//calculator
```

```
calculator.calculation();}
```

```
}
```

```
}
```

```
class input_options {
```

```
static void input() throws IOException{
```

```
// Scanner object

Scanner Sc = new Scanner(System.in);

System.out.println("Input taken through Scanner object: ");

System.out.print("Enter a number: ");

int num = Sc.nextInt();

System.out.println("Number entered (Scanner): " + num);

//BufferedReader object

InputStreamReader r= new InputStreamReader(System.in);

BufferedReader br = new BufferedReader(r);

System.out.println("Input taken through BufferedReader object: ");

System.out.print("Enter a number: ");

String n = br.readLine();

int num2 = Integer.parseInt(n);

System.out.println("Number entered (BufferedReader): " + num2);

//DataInputStream object

DataInputStream data = new DataInputStream(System.in);

System.out.println("Input taken through DataInputStream object: ");

System.out.print("Enter a number: ");

int num3 = Integer.parseInt(data.readLine());

System.out.println("Number entered (DataInputStream): " + num3);

//console object

Console c = System.console();

System.out.println("Input taken through console object: ");

System.out.print("Enter a number: ");

int num4 = Integer.parseInt(c.readLine());

System.out.println("Number entered (console): " + num4);

}
```

```
}  
  
class calculator {  
  
    static void calculation() {  
  
        Scanner Sc = new Scanner(System.in);  
  
        while (true) {  
  
            System.out.println("Menu:");  
  
            System.out.println("1. Add");  
  
            System.out.println("2. Sub");  
  
            System.out.println("3. Multiply");  
  
            System.out.println("4. Divide");  
  
            System.out.println("5. Square Root");  
  
            System.out.println("6. Power");  
  
            System.out.println("7. Mean");  
  
            System.out.println("8. Variance");  
  
            System.out.println("9. Exit");  
  
            System.out.print("Enter your choice: ");  
  
            int choice = Sc.nextInt();  
  
            switch (choice) {  
  
                case 1:  
  
                    System.out.print("Enter first number: ");  
  
                    double num1 = Sc.nextDouble();  
  
                    System.out.print("Enter second number: ");  
  
                    double num2 = Sc.nextDouble();  
  
                    System.out.println("Result: " + (num1 + num2));  
  
                    break;  
  
                case 2:  
  
                    System.out.print("Enter first number: ");
```

```
num1 = Sc.nextDouble();

System.out.print("Enter second number: ");

num2 = Sc.nextDouble();

System.out.println("Result: " + (num1 - num2));

break;

case 3:

System.out.print("Enter first number: ");

num1 = Sc.nextDouble();

System.out.print("Enter second number: ");

num2 = Sc.nextDouble();

System.out.println("Result: " + (num1 * num2));

break;

case 4:

System.out.print("Enter first number: ");

num1 = Sc.nextDouble();

System.out.print("Enter second number: ");

num2 = Sc.nextDouble();

System.out.println("Result: " + (num1 / num2));

break;

case 5:

System.out.print("Enter number: ");

num1 = Sc.nextDouble();

System.out.println("Result: " + Math.sqrt(num1));

break;

case 6:

System.out.print("Enter base: ");

num1 = Sc.nextDouble();
```

```
System.out.print("Enter exponent: ");

int exponent = Sc.nextInt();

System.out.println("Result: " + Math.pow(num1, exponent));

break;

case 7:

double sum = 0;

int count = 0;

String input;

System.out.println("Enter numbers one by one, enter 'end' to stop input:");

while (true) {

input = Sc.next();

if (input.equalsIgnoreCase("end")) {

break;

}

sum += Double.parseDouble(input);

count++;

}

System.out.println("Mean: " + (sum / count));

break;

case 8:

sum = 0;

count = 0;

double mean = 0;

double variance = 0;

System.out.println("Enter numbers one by one, enter 'end' to stop input:");

while (true) {

input = Sc.next();
```

```
if (input.equalsIgnoreCase("end")) {  
    break;  
}  
  
double num = Double.parseDouble(input);  
sum += num;  
count++;  
}  
  
mean = sum / count;  
  
Sc = new Scanner(System.in);  
  
System.out.println("Enter numbers one by one, enter 'end' to stop input:");  
  
while (true) {  
    input = Sc.next();  
  
    if (input.equalsIgnoreCase("end")) {  
        break;  
    }  
  
    double num = Double.parseDouble(input);  
    variance += Math.pow((num - mean), 2);  
}  
  
variance = variance / count;  
  
System.out.println("Variance: " + variance);  
  
break;  
  
case 9:  
  
    System.out.println("Exiting...");  
  
    System.exit(0);  
  
break;  
  
default:  
  
    System.out.println("Invalid choice!");
```

```
break;
```

```
}
```

```
}
```

```
}
```

```
}
```

OUTPUT

Input taken trough scanner object:

Enter a number: 3

Number entered Input taken trough scanner object:

Enter a number: 1

Number entered (scanner): 1

Input taken trough BufferedReader object:

Enter a number: 2

Number entered (BufferedReader): 2

Input taken trough DataInputStream

object:

Enter a number: 3

Number entered (DataInputStream): 3Input taken trough console object:

Enter a number: 4

Number entered (console): 4

Menu:

1. Addition

2. Subtraction

3. Multiplication

4. Division

5. Square Root

6. Power

7. Mean

8. Variance

9. Exit

Enter your choice: 2

Enter first number: 5

Enter second number: 3

Result: 2.0

Menu:

1. Addition

2. Subtraction

3. Multiplication

4. Division

5. Square Root

6. Power

7. Mean

8. Variance

9. Exit

Enter your choice: 6

Enter base: 4

Enter exponent: 6

Result: 4096.0

Menu:

1. Addition

2. Subtraction

3. Multiplication

4. Division

5. Square Root

6. Power

7. Mean

8. Variance

9. Exit

Enter your choice: 5

Enter number: 144

Result: 12.0

Menu:

1. Addition

2. Subtraction

3. Multiplication

4. Division

5. Square Root

6. Power

7. Mean

8. Variance

9. Exit

Enter your choice: 9

Exiting...(scanner): 3

Input taken trough BufferedReader object:

Enter a number: 5

Number entered (BufferedReader): 5

Input taken trough DataInputStream

object:

Enter a number: 7

Number entered (DataInputStream): 7Input taken trough console object:

Enter a number: 10

Number entered (console): 10

Menu:

1. Addition
2. Subtraction
3. Multiplication
4. Division
5. Square Root
6. Power
7. Mean
8. Variance
9. Exit

Enter your choice: 3

Enter first number: 4

Enter second number: 7

Result: 28.0

Menu:

1. Addition
2. Subtraction
3. Multiplication
4. Division
5. Square Root
6. Power
7. Mean
8. Variance
9. Exit

Enter your choice: 9

Exiting...

GITHUB LINK

https://github.com/arjuntiyagi19/java_assignment