

Arjun Giriraj Day 10

1. What is a Linux directory?
A Linux directory organizes files and other directories.
2. What does mkdir do?
mkdir creates a directory.
3. What does touch do?
touch creates new empty file.
4. What does cat do?
cat displays file content.
5. What does cp do?
cp does make the copy of the file.
6. What does mv do?
mv moves the file to destined directory.
7. What does rm do?
rm means remove, it deletes the file or directory.
8. What does ls -l display?
ls -l lists the files details with permission, size, file type, name date.
9. Explain r, w and x permissions.
r means read, w means write, x means execute.
10. Explain user, group and others.
User is the owner, group is the users who belong to group, and other is for users who are not the owner neither the member of the group.
11. What does chmod do?
chmod changes the permission of file for user, group and other.
12. What does chmod 755 represent?
In chmod 755, 7 is for permission of rwx to the owner, 5 is for permission of r-x to the user group, and last 5 is for permission of r-x to the public.
13. What does chmod 644 represent?
6 is for read and write to the owner, middle 4 is for read only, and last 4 is for read only too.

14. What is file ownership?
File ownership is to define how much privileges owner and user group have.
15. What is the purpose of /etc?
It contains system's configuration files.
16. What is the purpose of /home?
It is the regular user home directory.
17. What is commonly stored under /var?
It contains variable data, many logs live here.
18. Why should rm be used carefully?
Because if it used with mistake it could empty the file system.
19. Why are Linux permissions important?
Because permissions controls who can read, write, and execute.
20. How can incorrect permissions create a security risk?
If the permission given is incorrect, then it could create security risk by giving major privilege to the user other than owner.

SCREENSHOTS (from your day10_lab only):

mkdir day10_lab · touch notes.txt · ls -l · cat notes.txt · cp command · mv command · chmod u+x demo.sh · chmod 644 notes.txt

```
venom@VENOM:~$ mkdir day10_lab
venom@VENOM:~$ cd day10_lab/
venom@VENOM:~/day10_lab$ touch notes.txt
venom@VENOM:~/day10_lab$ ls -l
total 0
-rw-rw-r-- 1 venom venom 0 Sep 19 14:57 notes.txt
venom@VENOM:~/day10_lab$ cat notes.txt
Hello this is test file.
venom@VENOM:~/day10_lab$ cp notes.txt copied.txt
venom@VENOM:~/day10_lab$ sudo mv copied.txt /
venom@VENOM:~/day10_lab$ touch demo.sh
venom@VENOM:~/day10_lab$ chmod u+x demo.sh
venom@VENOM:~/day10_lab$ chmod 644 notes.txt
venom@VENOM:~/day10_lab$ ls -l
total 4
-rwxrwx-r-- 1 venom venom 0 Sep 19 14:59 demo.sh
-rw-r--r-- 1 venom venom 25 Sep 19 14:58 notes.txt
venom@VENOM:~/day10_lab$ _
```