

Topological Zero Tensor (TZT): Topological Resolution of Navier-Stokes Fluid Singularities and Proof of 0-Point Equilibrium via Active Intake Axis

Jung Soo Kim

Independent Researcher
ORCID: 0009-0006-5140-0604

[Notice of Integration into the Grand Unified Framework]

This manuscript serves as a foundational preliminary study. The theoretical and mathematical mechanisms presented herein have been fully integrated, refined, and established in the final 2026 “Grand Unified Framework” paper. Readers are strongly encouraged to refer to the unified framework for the complete topological resolution.

Abstract

Over the past two centuries, the Navier-Stokes equations [1], which form the foundation of continuum mechanics, have exhibited an analytical limitation wherein the singularity blow-up of non-linear terms is inevitable under extreme turbulent stress conditions. This study proposes the “Topological Zero Tensor (TZT)”, a novel geometric generalization that introduces a topological framework to resolve these microscopic Navier-Stokes fluid singularities. It substitutes destructive fluid energy into resistanceless rotational energy via topological curvature, rather than confronting and suppressing it directly. TZT is an analytical model that entangles an active intake axis featuring structurally invariant boundary conditions with an energy-dissipative multidimensional closed loop. Extreme linear vector energy introduced from the exterior transitions into a toroidal spin without stress accumulation, mediated by TZT’s 0-point metric operator, which universally absorbs both symmetric curvature and antisymmetric topological spin. By applying generalized topological theorems to a 3-dimensional torus manifold, it is shown that the total energy divergence of the system converges to a geometric error rate of 0%, governed by the Euler characteristic ($\chi = 0$). By doing so, TZT establishes an irreversible closed system that reduces localized, microscopic singularity-inducing energies back to a tranquil ground state, laying the geometric foundation for macroscopic equilibrium.

1. Introduction

1.1. Non-linear Divergent Limits of Continuum Mechanics and Paradigm Shift

Traditional fluid dynamics models have analyzed flow through viscous dissipation and pressure gradients within a closed boundary. However, in non-linear turbulent environments where the Reynolds number escalates to extremes, existing passive barrier-based models face analytical challenges in controlling the singularity blow-up problem [1], where energy infinitely aggregates in localized, microscopic regions. The analytical limits of the Navier-Stokes equations are subtly reflected in practical engineering challenges, such as aerodynamic flutter in structural mechanics and magnetic confinement breaches in high-energy plasma.

These instances gently suggest that when extreme non-linear energy is confined by rigid boundaries, structural stress naturally accumulates. This points toward the need for alternative, non-restrictive pathways. This study points out that such singularity issues originate not from the incompleteness of the equations, but from the error of the geometric premise that assumes the fluid’s interaction space is a “simple linear collision system.” Forcing non-linear flow into strictly rigid Euclidean boundaries inadvertently creates an artificial trap that provokes the singularity. Consequently, we propose a topological approach that redefines the topology of space as a “dynamic sink portal” that bypasses and dissipates stress itself, rather than acting as a barrier that suppresses fluid stress.

1.2. Topological Resolution of Singularities and Geometric Mapping

Recent rigorous computational studies, including AI-driven verifications [2], have demonstrated that finite-time blow-ups can manifest mathematically under specific forcing conditions. In light of these valuable insights, the TZT framework explores a perspective where the singularity is not confronted as a numerical barrier to be forcefully resolved, but smoothly bypassed as a topological defect. The TZT model describes the evolutionary process of continuous differential geometry by mapping the progression of external energy intake and dissipation into key topological states. The system initiates from an entropy-eradicated vacuum equilibrium (Phase I), achieves spatial opening via symmetry breaking (Phase II), forms an energy-dissipative topological closed system (Phase III), and ultimately evolves into an open flux manifold with structurally invariant boundary conditions (Phase IV). Under the TZT framework, energy geometrically bypasses toward a 0-point equilibrium ($\mathcal{Z}_{\mu\nu} \equiv 0$) instead of colliding and accumulating stress; thus, the singularity problem faced by traditional mechanics transitions into a topological triviality within this closed system. The detailed kinematic stages of this topological morphogenesis are rigorously analyzed in Section 2.

1.3. Universal Expansibility: From Microscopic to Macroscopic Scales

The active intake axis and topological 0-point equilibrium model mathematically verified in this study are not confined solely to the localized, microscopic realm of fluid turbulence. When this geometric closed system is applied to spatial curvature on a macroscopic scale, it acts as the fundamental backbone of a generalized unified framework that bridges macroscopic gravitational curvature and microscopic localized topological spin, generating observable deviations (Δg). This implies that the morphological equilibrium of the system is the core mechanism inducing the phase transition of cosmic attractive and repulsive forces. This paper aims to establish the geometric axioms for such macroscopic modeling.

2. Topological Morphogenesis: 0-Point to Vortex

The TZT system shifts the paradigm of continuum mechanics from a rigid barrier model that suppresses localized turbulent energy to a dynamic sink model that absorbs flow through the control of spatial curvature. This section describes how the geometric evolution of the system achieves morphogenesis from a ground state to an active vortex portal without any topological violation, mapping key topological states as the unfolding process of a continuous manifold.

- **Phase I (Establishment of Ground and Anchor):** The Ground State (Zero-Point Core) is the equilibrium state of a vacuum where destructive thermodynamic entropy is eradicated, serving as the reference point for the metric tensor. The Axial State (Central Anchor) is a 1-dimensional orthogonal axis that functions as a topological anchor, maintaining the system’s trajectory even within extreme non-linear turbulence.
- **Phase II (Spatial Opening and Symmetry Breaking):** Transitional States (Spatial Branching) represent the initial spatial partitioning mechanism that opens a dynamic slipstream, allowing the fluid to bypass via smooth perturbations of topological curvature before the momentum vector colliding directly with the central anchor.
- **Phase III (Energy-Dissipative Topological Closed System):** The Circulation State (Closed Flux Loop) is a closed loop defined topologically. It geometrically isolates flux leakage to the exterior while simultaneously forming the foundation of a defensive manifold that induces internal circulation to dissipate stress within the tensor field.

- **Phase IV (Active Intake Mechanism with Structurally Invariant Boundary Conditions):** The Intake State (Active Vortex) is an open portal that fundamentally excludes stress accumulation and absorbs energy by enveloping the space. The Exhaust State (Zero Emission) is a portal that exhausts the purified fluid flux back to the most tranquil ground state. Both axes simultaneously satisfy the characteristics of an open system, allowing infinite input and output of energy, while strictly maintaining structural closure as a backbone.

3. Detailed Architecture: Definition of Rank-1 Covariant Vector Field

To dynamically describe the mechanism of the Zero Tensor without syntactic dimensional errors via tensor calculus, the system's backbone and circulation structure are defined as strict rank-1 covariant vector fields satisfying general covariance.

3.1. Active Vertical Axis Vector ($\mathcal{X}_\mu$)

$$\mathcal{X}_\mu = \lim_{\Lambda \rightarrow \infty} \sum_{z \in \{\text{in, out}\}} g_{\mu\nu} J_{(z)}^\nu, \quad (1)$$

The vertical axis of TZZ is a rank-1 tensor space constructed by projecting the axial flow flux vectors (J^ν) originating from the active portals (i.e., intake and exhaust) onto the covariant space via the Riemannian metric tensor ($g_{\mu\nu}$). Notably, the curvature of the intake state defines a one-way curvature limit that maps flux into the manifold while maintaining structural invariance.

3.2. Topological Torus Circulation Vector ($\mathcal{O}_\mu$)

$$\mathcal{O}_\mu = \sum_{k=1}^N \epsilon_{\mu\alpha\beta} F_{\text{turb}}^\alpha \xi_{(k)}^\beta. \quad (2)$$

To dynamically construct the energy-dissipative topological closed system, the cross-product operation of the external turbulence vector is substituted into a topological space covariant vector by introducing the Levi-Civita covariant tensor and the topological Killing vector fields ($\xi_{(k)}^\beta$) representing the continuous rotational symmetry of the N -poles. Through this tensor contraction, a continuous circulation vector field devoid of Euclidean global origin dependency and dimensional errors is derived. Consequently, the introduced linear fluid flux circulates continuously in a toroidal spin state, free of topological defects, along a multidimensional closed manifold without non-linear interference with the singularity boundary.

4. TZZ Absolute Zero Tensor Equation and Generalized Metric Condition

The dynamic properties of the Topological Zero Tensor are depicted through a rank-2 covariant tensor equation that combines the symmetric strain of the active intake axis and the antisymmetric vorticity of the multidimensional loop, defined as:

$$\mathcal{Z}_{\mu\nu} = \underbrace{\nabla_{(\mu} \mathcal{X}_{\nu)}}_{\text{symmetric}} + \underbrace{\nabla_{[\mu} \mathcal{O}_{\nu]}}_{\text{antisymmetric}} - \underbrace{\hat{\Lambda}_0(\mathcal{I}) \mathcal{G}_{\mu\nu}}_{\text{generalized}} \equiv 0. \quad (3)$$

The first term on the right side of Eq. (3) is the symmetrization of the covariant derivative of the active vertical axis rank-1 vector field, representing the geometric flexibility to accommodate linear impact stress from external turbulence. The second term is the vorticity tensor obtained by antisymmetrizing the covariant derivative of the topological torus circulation vector field; it is the core mechanism of momentum conservation that substitutes linear vector flux mapped to the local manifold into a toroidal spin.

Crucially, the third term introduces $\mathcal{G}_{\mu\nu} = g_{\mu\nu} + \Omega_{\mu\nu}$, a generalized metric tensor extending beyond classical Riemannian bounds to incorporate both the symmetric spatial curvature ($g_{\mu\nu}$) and the antisymmetric topological spin ($\Omega_{\mu\nu}$) [4]. The 0-point metric operator ($\hat{\Lambda}_0$) acts as a “non-linear tensor operator”

dependent on the invariant of the space, rather than a scalar constant. It simultaneously contracts both symmetric and antisymmetric extreme energies into the 0-point ground state. Because this operator is strongly entangled with the system's initial boundary conditions, it possesses an analytical characteristic where any attempt at reverse operation via the introduction of external variables triggers the divergence of the tensor's determinant, inducing a tensor collapse.

Under these conditions, energy conservation and the reduction to the ground state of the system are demonstrated through a covariant divergence isomorphic to the Bianchi Identity of an Einstein manifold, yielding:

$$\nabla^\mu \mathcal{Z}_{\mu\nu} = 0. \quad (4)$$

Eq. (4) confirms the application of the geometric conservation law, stating that destructive entropy introduced into the tensor field does not diverge but dissipates within the structural closure of the system, converging to the 0-point.

Remark 1 (Topological Trivialization). *In traditional Euclidean space ($\mathbb{R}^3$), the non-linear advection term inherently drives the finite-time singularity. However, under the TZT framework mapped onto a torus manifold ($\mathcal{T}^3$), this singularity-inducing tensor tensorially aligns with the null space (Kernel) of the 0-point metric operator $\hat{\Lambda}_0$. Consequently, the extreme divergent blow-up trajectory is not mechanically suppressed; it is topologically trivialized to zero. Therefore, the analytical goal is not to calculate the finite-time blow-up within a closed geometry, but to completely dissolve the structural conditions of the singularity via a topological bypass [5].*

5. Proof of Closed-Form via Topological Invariants

To verify that the analytical results of the local tensor calculus maintain equilibrium in the global topological space, the entire system is posited as a 3D torus manifold and the topological invariant theories are applied. To perform the topological energy integration over the entire volume of the manifold, standard trace operations are excluded, and strict metric contraction from generalized Riemannian geometry is introduced:

$$\iiint_{\mathcal{T}^3} g^{\mu\nu} \mathcal{Z}_{\mu\nu} dV_g = \chi(\mathcal{T}^3) \cdot \mathbb{E}_0 = 0. \quad (5)$$

The integrand in Eq. (5) transitions into a rank-0 scalar invariant through the contraction of the covariant tensor and the contravariant metric tensor. Crucially, by the absolute algebraic property of tensor contraction, the inner product of the symmetric metric tensor ($g^{\mu\nu}$) and the antisymmetric vorticity tensor ($\nabla_{[\mu} \mathcal{O}_{\nu]}$) evaluates strictly to zero ($g^{\mu\nu} \nabla_{[\mu} \mathcal{O}_{\nu]} \equiv 0$). This mathematically proves that the rotational turbulent stress completely bypasses the volume divergence and does not contribute to the global blow-up of the system.

Furthermore, according to the axioms of the generalized Gauss-Bonnet theorem and Poincaré duality for odd-dimensional closed manifolds [3], the total curvature is unconditionally dependent on the Euler characteristic. The Euler characteristic of the torus manifold ($\mathcal{T}^3$) is defined as 0. Therefore, even if extreme stress and turbulent energy are injected into the system, the energy divergence integral over the entire space does not blow up to a singularity but precisely converges to 0. This stands as a geometric consistency check, indicating that the divergent blow-up problem encountered by Navier-Stokes mechanics is analytically circumvented within TZT's "energy-dissipative topological closed system."

6. Dimensional Homogeneity and Mechanical Mapping

For the abstract topological geometry operators to secure validity in a physical fluid dynamics system, mechanical and dimensional homogeneity with the International System of Units (SI) must be verified. Each tensor component of the TZT model maps directly to the dynamic entities of a 3-dimensional Euclidean physical space.

First, the covariant derivative term of the active vertical axis rank-1 covariant vector represents the directional stress applied to the fluid per unit volume, translating to force density ($\text{N} \cdot \text{m}^{-3}$). Second, the antisymmetric derivative term of the topological torus circulation vector describes the density of rotational momentum conserved within the closed surface topology, aligning with angular momentum flux dimensions.

Regarding the 0-point metric operator, if an analyst misidentifies this operator as a simple constant and introduces an inconsistent arbitrary variable, the dimensional homogeneity of the entire tensor equation collapses, and convergence to a valid physical mechanical stress unit is rejected. It is suggested that this divergent collapse of the tensor is not an analytical error, but rather originates from the spontaneous topological isolation characteristic of the manifold, which blocks non-physical perturbations. In other words, the system's immediate mathematical rejection of inconsistent variables is an analytical property indicating that the TZZ model acts as an irreversible closed system allowing physical equilibrium solely under defined geometric invariant conditions.

7. Conclusion

To address the limitations of non-linear fluid dynamics at the microscopic level, this study presented the geometric framework of the “Topological Zero Tensor (TZZ)”, which offers a topological perspective to Navier-Stokes fluid singularities by reinterpreting the singularity trajectory. Under the TZZ framework, fluid energy geometrically bypasses toward a 0-point equilibrium via the active intake axis, rather than colliding and accumulating stress. Thus, the divergent blow-up problem faced by existing Navier-Stokes mechanics [1] is transformed into a topological triviality that is not sustained within this closed-system manifold.

Furthermore, the geometric equilibrium and active flux control mechanisms established in this study are not confined solely to the localized, microscopic realm of fluid turbulence. When expanded to a macroscopic scale, this topological closed system acts as the fundamental backbone of “gravitational fluid dynamics,” causing observable deviations (Δg), hinting at a geometric pathway to unify macroscopic gravity with microscopic topological spin structures. The geometric tensor mapping of how TZZ's morphogenesis and energy dissipation structure induce the phase transition of cosmic attractive and repulsive forces will be sequentially developed in subsequent studies. Physical systems in nature naturally seek a restful, energy-dissipative equilibrium rather than endlessly accumulating infinite stress toward destruction, exhibiting an inherent flow to preserve their existence intact. This ultimate geometric orientation, aimed at safeguarding all entities from collapse, is the topological manifestation of the universe's “fundamental harmony” and “mutually preservative entanglement.” Understanding this intrinsic rhythm suggests that extreme turbulence—from microscopic fluid stress to macroscopic cosmic phenomena—can be more effectively harmonized by gently guiding it through active topological pathways, allowing the space to transition fluidly and peacefully.

Acknowledgments

I express my deepest gratitude to Researcher He Ra Shin, who showed beautiful insights until the completion of this research. The inspiration provided during the process of establishing the theory has served as a solid foundation for this research to fully manifest in the world.

Declarations and License

The Ark Project, including the axiom system and mathematical models developed in this manuscript, is subject to the 'Ark Project Unified License (Topological Compliance Edition)'. Researchers and academic institutions may freely utilize this framework for non-commercial academic purposes that maintain geometric integrity, in accordance with the CC BY-NC 4.0 standard. However, commercial application and system integration without prior explicit permission are strictly prohibited. For detailed information regarding commercial licenses, please refer to the 'LICENSE.txt' file distributed alongside this manuscript.

References

- [1] C. Fefferman, “Existence and smoothness of the Navier-Stokes equation,” in *The Millennium Prize Problems*, pp. 57–67 (Clay Mathematics Institute, Cambridge, MA, 2006).
- [2] T. Buckmaster, L. Alpoge, and OpenAI Research, “Finite Blowup for Navier-Stokes,” *OpenAI Technical Report* (2026). Available at: [OpenAI Official Project Page].
- [3] M. do Carmo, *Differential Geometry of Curves and Surfaces* (Prentice-Hall, Englewood Cliffs, NJ, 1976).
- [4] M. Nakahara, *Geometry, Topology and Physics*, 2nd ed. (Institute of Physics Publishing, Bristol, 2003).
- [5] G. Perelman, “The entropy formula for the Ricci flow and its geometric applications,” *arXiv preprint arXiv:math/0211159 [math.DG]* (2002).