

Analog Camera Setup

| Sr. No. | Product Name | Model No. | Product Type | Resolution | Category | Key Features | Description | Specification | Product Image |
|---------|-----------------------------|------------------|---------------|------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 1 | 2.5 MP Dome Analog camera | ES-UNC-DA2MP-ZA1 | Dome Camera | 2.5 MP | Analog Camera | 2.5 Megapixel High Definition Video Output Clear Day & Night Surveillance with IR LEDs Strong Dome Design for Indoor & Outdoor Use Compatible with All Analog DVRs Low Light Performance for Night Monitoring Easy Installation & Stable Performance | The Elite 2.5MP Dome Analog Camera delivers clear high-definition video with reliable day and night performance. Designed with a compact dome housing, it is ideal for indoor and outdoor surveillance where discreet monitoring is required. The camera supports analog HD output and works seamlessly with DVR systems, offering stable performance, efficient night vision, and easy installation. | Camera Type: Dome Analog Camera Resolution: 2.5 MP Image Sensor: High Performance CMOS Sensor Lens: Fixed Lens (3.6mm) Video Output: Analog (CVBS / AHD Supported) IR Distance: Up to 20-30 Meters Day/Night Mode: Auto (IR Cut Filter) Housing: Plastic / Metal Dome Body Power Supply: DC 12V Operating Temperature: -10°C to 55°C Application: Indoor & Outdoor Surveillance |  |
| 2 | 2.5 MP Bullet Analog camera | ES-UNC-BA2MP-QA2 | Bullet Camera | 2.5 MP | Analog Camera | 2.5 Megapixel high-definition video output Clear day & night surveillance with IR LEDs Long-range night vision performance Weatherproof bullet design for outdoor use Analog HD output (AHD compatible) Easy installation with adjustable bracket Low power consumption | The Elite 2.5MP Bullet Analog Camera is a durable and reliable surveillance solution designed for outdoor security applications. It provides sharp HD video quality with powerful infrared night vision for clear monitoring in low-light conditions. Built with a weatherproof bullet design, this camera is suitable for long-distance viewing and ensures consistent performance when connected to analog DVR systems. | Camera Type: Bullet Analog Camera Resolution: 2.5 MP Image Sensor: High-quality CMOS sensor Video Output: Analog HD (AHD) Lens: Fixed lens IR Distance: Up to 20-30 meters Day/Night: Auto (ICR) Minimum Illumination: 0 Lux (IR ON) Power Supply: DC 12V Operating Temperature: -10°C to +55°C Weatherproof: Yes (Outdoor suitable) Body Material: Metal / Plastic (as applicable) |  |
| 3 | 5 MP Dome Analog camera | ES-UNC-DA5MP-ZA5 | Dome Camera | 5 MP | Analog Camera | 5 Megapixel ultra-high-definition video output Sharp and detailed image quality for accurate monitoring Infrared night vision for clear visibility in low-light conditions Compact and elegant dome design Analog HD output (AHD compatible) Weather-resistant housing for indoor and outdoor use Easy installation with stable performance | The Elite 5MP Dome Analog Camera delivers ultra-clear high-definition video with enhanced image detail for professional surveillance applications. Its compact dome design makes it suitable for both indoor and outdoor installations where discreet monitoring is required. The camera supports analog HD output and works seamlessly with compatible DVR systems, providing reliable performance, strong night vision, and easy installation. | Camera Type: Dome Analog Camera Resolution: 5 MP Image Sensor: High-performance CMOS sensor Video Output: Analog HD (AHD) Lens: Fixed lens IR Distance: Up to 30 meters Day/Night: Auto (ICR) Minimum Illumination: 0 Lux (IR ON) Power Supply: DC 12V Operating Temperature: -10°C to +55°C Weatherproof: Yes Body Material: Plastic / Metal (as applicable) Installation: Ceiling / Wall mount |  |

| Product ID | Product Name | Model Number | Type | Resolution | Sensor Type | Key Features | | Technical Specifications | Image |
|------------|---------------------------|------------------|---------------|------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| | | | | | | Description | Details | | |
| 4 | 5 MP Bullet Analog camera | ES-UNC-BA5MP-QA5 | Bullet Camera | 5 MP | Analog Camera | <p>5 Megapixel ultra-high-definition video output</p> <p>Sharp and detailed images for enhanced security</p> <p>Powerful infrared night vision for low-light conditions</p> <p>Weatherproof bullet housing for outdoor installation</p> <p>Analog HD output (AHD compatible)</p> <p>Long-distance viewing capability</p> <p>Easy installation with adjustable mounting bracket</p> | <p>The Elite 5MP Bullet Analog Camera delivers ultra-high-definition video with excellent clarity and long-range visibility, making it ideal for outdoor surveillance applications. Built with a robust and weatherproof bullet design, this camera ensures reliable performance in various environmental conditions. It supports analog HD output and works seamlessly with compatible DVR systems, providing stable monitoring both day and night.</p> | <p>Camera Type: Bullet Analog Camera</p> <p>Resolution: 5 MP</p> <p>Image Sensor: High-performance CMOS sensor</p> <p>Video Output: Analog HD (AHD)</p> <p>Lens: Fixed lens</p> <p>IR Distance: Up to 30 meters</p> <p>Day/Night: Auto (ICR)</p> <p>Minimum Illumination: 0 Lux (IR ON)</p> <p>Power Supply: DC 12V</p> <p>Operating Temperature: -10°C to +55°C</p> <p>Weatherproof: Yes (Outdoor suitable)</p> <p>Body Material: Metal / Plastic (as applicable)</p> <p>Installation: Wall / Ceiling mount</p> |  |
| 5 | 8 MP Dome Analog camera | ES-UNC-DA8MP-ZA8 | Dome Camera | 8 MP | Analog Camera | <p>Ultra-high-resolution 8 MP imaging for superior clarity</p> <p>Advanced analog HD technology for stable video transmission</p> <p>Powerful infrared LEDs for effective night surveillance</p> <p>Sleek dome design for low-profile installation</p> <p>Reliable day and night performance</p> <p>Suitable for both indoor and outdoor security setups</p> <p>Easy integration with compatible DVR systems</p> | <p>The Elite 8MP Dome Analog Camera is designed for high-precision surveillance, delivering ultra-clear video with enhanced depth and accuracy. Its modern dome design blends easily into any environment while providing dependable indoor and outdoor security. With advanced analog HD technology and strong infrared night vision, the camera ensures consistent monitoring performance around the clock.</p> | <p>Camera Type: Dome Analog Camera</p> <p>Effective Resolution: 8 Megapixel</p> <p>Sensor Type: Advanced CMOS image sensor</p> <p>Video Output: Analog HD (AHD)</p> <p>Lens Type: Fixed lens</p> <p>Night Vision Range: Up to 30 meters</p> <p>Day / Night Mode: Automatic (ICR)</p> <p>Minimum Illumination: 0 Lux with IR enabled</p> <p>Power Requirement: DC 12V</p> <p>Operating Temperature: -10°C to +55°C</p> <p>Housing: Durable dome casing</p> <p>Mounting Options: Ceiling / Wall</p> |  |

| | | | | | | | | |
|---|-----------------------|-------------------|---------------|-----------|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6 | 8 MP Bullet IP camera | ES-LNC-BI8MP-QI08 | Bullet Camera | 8 MP | Analog Camera | <p>Ultra-high-definition 8 Megapixel analog video output</p> <p>Advanced analog HD technology for stable transmission</p> <p>Powerful infrared LEDs for long-range night vision</p> <p>Weather-resistant bullet design for outdoor installation</p> <p>Clear and consistent day & night monitoring</p> <p>Compatible with high-definition analog DVR systems</p> <p>Easy installation with adjustable mounting bracket</p> | <p>The Elite 8MP Bullet Analog Camera is engineered for high-resolution analog surveillance, delivering ultra-clear video with excellent depth and detail. Designed with a strong and weather-resistant bullet housing, it is ideal for outdoor and long-range monitoring. Using advanced analog HD technology, the camera ensures stable signal transmission and reliable day-and-night performance when connected to compatible DVR systems.</p> <p>Camera Type: Bullet Analog Camera</p> <p>Resolution: 8 MP</p> <p>Image Sensor: High-performance CMOS sensor</p> <p>Video Output: Analog HD (AHD)</p> <p>Lens: Fixed lens</p> <p>IR Distance: Up to 30–40 meters</p> <p>Day / Night Mode: Auto (ICR)</p> <p>Minimum Illumination: 0 Lux (IR ON)</p> <p>Power Supply: DC 12V</p> <p>Operating Temperature: -10°C to +55°C</p> <p>Weatherproof: Yes (Outdoor suitable)</p> <p>Body Material: Metal / Plastic (as applicable)</p> <p>Mounting: Wall / Ceiling mount</p> |  |
| 7 | Elite 4 channel DVR | ES-UVR-004CH-ZQS | DVR | 4 Channel | Analog Digital Video Recorder | <p>Supports up to 4 analog camera channels</p> <p>High-definition video recording and playback</p> <p>Stable and reliable performance for continuous operation</p> <p>Easy-to-use interface for quick setup and control</p> <p>Efficient storage management for longer recording time</p> <p>Multiple video output options for monitoring</p> <p>Compact and durable design</p> | <p>The Elite 4 Channel DVR is a reliable video recording solution designed for small to medium surveillance setups. It supports high-definition analog cameras and ensures smooth, stable video recording with efficient storage management. With a compact design and user-friendly interface, this DVR is ideal for homes, shops, and offices requiring dependable security monitoring.</p> <p>Device Type: Digital Video Recorder (DVR)</p> <p>Channels: 4 Channel</p> <p>Video Input: Analog (BNC)</p> <p>Video Compression: H.264 / H.265 (as applicable)</p> <p>Recording Resolution: Supports HD recording</p> <p>Playback: Real-time / multi-channel playback</p> <p>Hard Disk Support: 1 SATA HDD (capacity as applicable)</p> <p>Video Output: HDMI / VGA</p> <p>USB Ports: Yes (for backup & mouse)</p> <p>Network Interface: Ethernet (RJ45)</p> <p>Power Supply: DC 12V</p> <p>Operating Temperature: -10°C to +55°C</p> |   |

| | | | | | | | | | |
|---|----------------------|---------------------|-----|------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8 | Elite 8 channel DVR | ES-UVR-008CH-ZQS01 | DVR | 8 Channel | Analog Digital Video Recorder | <p>Supports up to 8 high-definition analog cameras</p> <p>Simultaneous multi-channel recording and playback</p> <p>Optimized video compression for efficient storage usage</p> <p>Advanced search and playback functions</p> <p>User-friendly interface with enhanced control options</p> <p>Multiple display outputs for flexible monitoring</p> <p>Reliable long-duration operation for continuous security</p> | <p>The Elite 8 Channel DVR is designed for larger surveillance environments where extended camera coverage and reliable recording are essential. Supporting up to eight analog cameras, it offers smooth multi-channel recording, flexible playback options, and efficient storage handling. Its advanced processing capability and stable performance make it suitable for retail spaces, offices, warehouses, and residential complexes.</p> | <p>Device Type: Digital Video Recorder (DVR)</p> <p>Channels: 8 Channel</p> <p>Video Input: Analog (BNC)</p> <p>Video Compression: H.264 / H.265 (as applicable)</p> <p>Recording Resolution: Supports HD & Full HD recording</p> <p>Playback: Multi-channel simultaneous playback</p> <p>Hard Disk Support: 1 SATA HDD (higher capacity support)</p> <p>Video Output: HDMI / VGA</p> <p>USB Ports: 2 × USB (backup, mouse support)</p> <p>Network Interface: RJ45 Ethernet</p> <p>Remote Access: Supported via compatible software/app</p> <p>Power Supply: DC 12V</p> |   |
| 9 | Elite 16 channel DVR | ES-UVR-0016CH-ZQS02 | DVR | 16 Channel | Analog Digital Video Recorder | <p>Supports up to 16 high-definition analog cameras</p> <p>Simultaneous real-time recording across all channels</p> <p>Advanced video compression for optimized storage efficiency</p> <p>Multi-channel playback with smart search functionality</p> <p>Multiple video output options for large monitoring screens</p> <p>Stable performance for continuous 24/7 operation</p> <p>Designed for professional and large-area surveillance systems</p> | <p>The Elite 16 Channel DVR is a high-capacity surveillance recording solution built for large-scale security installations. Designed to support up to sixteen analog cameras, it delivers stable multi-channel recording, advanced playback control, and efficient storage management. With enhanced processing power and flexible monitoring options, this DVR is ideal for commercial buildings, warehouses, factories, and multi-floor residential setups.</p> | <p>Device Type: Digital Video Recorder (DVR)</p> <p>Channels: 16 Channel</p> <p>Video Input: Analog (BNC)</p> <p>Video Compression: H.264 / H.265 (as applicable)</p> <p>Recording Resolution: Supports HD / Full HD recording</p> <p>Playback: Multi-channel simultaneous playback</p> <p>Hard Disk Support: 2 SATA HDD (high-capacity support)</p> <p>Video Output: HDMI / VGA</p> <p>USB Ports: 2 × USB (backup & control)</p> <p>Network Interface: RJ45 Ethernet</p> <p>Remote Access: Supported via compatible CMS / mobile app</p> <p>Power Supply: DC 12V</p> |   |

| | | | | | | | | |
|----|----------------------|-------------------------------------|-----|------------|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| | | | | | | | | |
| 10 | Elite 32 Channel DVR | Model number ES-UVR-0032CH-ZQS03 | DVR | 32 Channel | Analog Digital Video Recorder | <p>Supports up to 32 high-definition analog camera channels</p> <p>Real-time multi-channel recording with smooth playback</p> <p>Advanced video compression for optimized storage usage</p> <p>Powerful processing for large surveillance deployments</p> <p>Smart search and multi-screen monitoring support</p> <p>Designed for 24/7 continuous professional operation</p> <p>Suitable for enterprise-level security installations</p> | <p>The Elite 32 Channel DVR is a high-performance video recording system designed for large-scale and enterprise surveillance environments. It supports up to thirty-two analog cameras and delivers stable, real-time multi-channel recording with advanced playback and storage management. Built for demanding security operations, this DVR is ideal for factories, campuses, malls, warehouses, and large commercial premises.</p> <p>Device Type: Digital Video Recorder (DVR)</p> <p>Channels: 32 Channel</p> <p>Video Input: Analog (BNC)</p> <p>Video Compression: H.264 / H.265 (as applicable)</p> <p>Recording Resolution: Supports HD / Full HD recording</p> <p>Playback: Multi-channel simultaneous playback</p> <p>Hard Disk Support: 2 / 4 SATA HDD (high-capacity support)</p> <p>Video Output: HDMI / VGA</p> <p>USB Ports: Multiple USB ports for backup & control</p> <p>Network Interface: RJ45 Ethernet</p> <p>Remote Access: Supported via CMS & mobile applications</p> <p>Power Supply: DC 12V</p> <p>Operating Temperature: -10°C to +55°C</p> |  |