

SOURCE CODE REPRESENTATION FOR COPYRIGHT REGISTRATION

Name: PulmoView: Digital Radiography Interpretation System for
Pneumoconiosis Classification

FIRST PAGE OF SOURCE CODE

Principal File: viewer-app/src/app/page.tsx

```
0001: "use client";
0002:
0003: import { useEffect, useState } from 'react';
0004: import { ExternalLink, LayoutGrid, ClipboardList, ChevronRight, ChevronLeft, Save, Search,
X, Info, AlertTriangle , Trash2, RefreshCw} from 'lucide-react';
0005: import { ILOReportTemplate } from '../components/ILOReportTemplate';
0006: import { ILOAbbreviatedReportTemplate } from '../components/ILOAbbreviatedReportTemplate';
0007:
0008: type InterpretationStep = '1_quality' | '2_parenchymal' | '3_pleural' | '4_other';
0009:
0010: const INTERPRETATION_STEPS: { id: InterpretationStep, label: string }[] = [
0011:   { id: '1_quality', label: '1. Quality' },
0012:   { id: '2_parenchymal', label: '2. Parenchymal' },
0013:   { id: '3_pleural', label: '3. Pleural' },
0014:   { id: '4_other', label: '4. Other' }
0015: ];
0016:
0017: export default function Home() {
0018:   const [activeStandard, setActiveStandard] = useState<string>('0/0');
0019:   const [channel, setChannel] = useState<BroadcastChannel | null>(null);
0020:   const [showHistoryModal, setShowHistoryModal] = useState(false);
0021:   const [historySearch, setHistorySearch] = useState('');
0022:   const [historyData, setHistoryData] = useState<any[]>([]);
0023:   const [pendingPush, setPendingPush] = useState<any>(null);
0024:
0025:   // Global State for the entire classification form
0026:   const [wizardData, setWizardData] = useState({
0027:     stage: 1, // 1 = Metadata (Doctor/Patient), 2 = Interpretation
0028:     classificationMode: '', // 'Full' or 'Abbreviated'
0029:     currentInterpStep: 0,
0030:
0031:     // DOCTOR
0032:     classifyingPhysician: '',
0033:     readingDate: '',
0034:     physicianQualification: ['MBBS'],
0035:     physicianQualificationOtherText: '',
0036:     facility: '',
0037:     orderingPhysician: '',
0038:     isTrained: '', // 'Yes' or 'No'
0039:     trainingInstitute: '',
0040:     trainingDate: '',
0041:     classificationPurpose: '',
0042:     classificationPurposeOtherText: '',
0043:     designation: '',
0044:
0045:     // PATIENT
0046:     patientName: '',
0047:     patientId: '',
0048:     patientAddress: '',
0049:     dob: '',
0050:     radiographDate: '',
0051:     workingPlace: '',
0052:     establishmentName: '',
0053:     establishmentAddress: '',
```

```
0054:     examinationType: '',
0055:     examinationTypeOtherText: '',
0056:     workingPlaceOtherText: '',
0057:
0058:     // 1. QUALITY
0059:     qualityGrade: '',
0060:     qualityDefects: [] as string[],
```

LAST PAGE OF SOURCE CODE

Principal File: viewer-app/src/app/page.tsx

```
1440:         </button>
1441:     </div>
1442:     <div className="p-4 border-b border-[#334155]">
1443:         <input
1444:             type="text"
1445:             placeholder="Search by Patient Name or ID..."
1446:             value={historySearch}
1447:             onChange={e => setHistorySearch(e.target.value)}
1448:             className="w-full bg-[#1e293b] border border-[#475569] text-white px-4
py-3 rounded outline-none focus:border-emerald-500 transition-colors"
1449:         />
1450:     </div>
1451:     <div className="flex-1 overflow-y-auto p-4 space-y-2">
1452:         {historyData.filter(r =>
1453:             (r.patientName || '').toLowerCase().includes(historySearch.toLowerCase())
||
1454:             (r.patientId || '').toLowerCase().includes(historySearch.toLowerCase())
1455:         ).map((report, idx) => (
1456:             <div key={idx} className="bg-[#1e293b] border border-[#334155] p-4 rounded
hover:border-emerald-500 transition-colors flex justify-between items-center group">
1457:                 <div>
1458:                     <p className="text-white font-bold text-lg">{report.patientName} <span
className="text-gray-400 text-sm font-normal">({report.patientId})</span></p>
1459:                     <p className="text-gray-400 text-sm mt-1">Report Date:
{report.historyDate || 'Unknown'} | Mode: {report.classificationMode}</p>
1460:                 </div>
1461:                 <div className="flex items-center space-x-2">
1462:                     <button
1463:                         onClick={(e) => { e.stopPropagation();
deleteHistoricalPatient(report.historyId); }}
1464:                         className="bg-red-900/50 hover:bg-red-600 text-red-200 px-3 py-2
rounded transition-colors opacity-100 md:opacity-0 md:group-hover:opacity-100"
1465:                         title="Delete this record"
1466:                     >
1467:                         <Trash2 size={18} />
1468:                     </button>
1469:                     <button
1470:                         onClick={() => loadHistoricalPatient(report)}
1471:                         className="bg-emerald-600 hover:bg-emerald-500 text-white px-4 py-2
rounded font-bold transition-colors opacity-100 md:opacity-0 md:group-hover:opacity-100"
1472:                     >
1473:                         Load Demographics
1474:                     </button>
1475:                 </div>
1476:             </div>
1477:         )})
1478:         {historyData.length === 0 && (
1479:             <div className="text-center text-gray-500 py-8">
1480:                 No previous reports found on this device.
1481:             </div>
1482:         )}
1483:     </div>
1484: </div>
1485: </div>
```

```
1486:         }}
1487:     </div>
1488: </div>
1489:
1490:     {/* HIDDEN REPORT TEMPLATE FOR PDF */}
1491:     <div id="pdf-report-container" className="hidden print:block print:w-[210mm]
print:mx-auto print:bg-white print:text-black">
1492:         {wizardData.classificationMode === 'Abbreviated'
1493:         ? <ILOAbbreviatedReportTemplate data={wizardData} />
1494:         : <ILOReportTemplate data={wizardData} />
1495:         }
1496:     </div>
1497: </>
1498: );
1499: }
```