Retry Lab Capacity Utilization Review — reporting window 01

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 02

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 03

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 04

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 05

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 06

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 07

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 08

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 09

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 10

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 11

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 12

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 13

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 14

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 15

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 16

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 17

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 18

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 19

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 20

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 21

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 22

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 23

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.

Retry Lab Capacity Utilization Review — reporting window 24

Resource: retry-lab-vm-01

Measured utilization for retry-lab-vm-01: CPU p95 was 17%, memory p95 was 39%, and the virtual machine had no workload saturation events.

Capacity review for retry-lab-vm-01: measured demand remained low during business hours, batch windows, and scheduled maintenance periods.

Rightsizing analysis for retry-lab-vm-01: the current D8s_v5 capacity exceeds observed CPU and memory demand in the development environment.

Downsize planning for retry-lab-vm-01: collect utilization evidence, validate application performance, and monitor queue latency during a capacity experiment.

Resource: retry-lab-vm-01. Utilization metrics: CPU p50 5%, CPU p95 17%, memory p95 39%, uptime 99.7%, and no scaling events.

Resource: retry-lab-vm-01. Capacity evidence: a smaller development virtual-machine SKU appears technically feasible from utilization measurements alone.

Resource: retry-lab-vm-01. The review contains utilization observations only; no operational approval record is included in this report.