

Python Tuples

```
mytuple = ("apple", "banana", "cherry")
```

Tuple

Tuples are used to store multiple items in a single variable.

Tuple is one of 4 built-in data types in Python used to store collections of data, the other 3 are [List](#), [Set](#), and [Dictionary](#), all with different qualities and usage.

A tuple is a collection which is ordered and **unchangeable**.

Tuples are written with round brackets.

Example

Create a Tuple:

```
thistuple = ("apple", "banana", "cherry")  
print(thistuple)
```

Tuple Items

Tuple items are ordered, unchangeable, and allow duplicate values.

Tuple items are indexed, the first item has index `[0]`, the second item has index `[1]` etc.

Ordered

When we say that tuples are ordered, it means that the items have a defined order, and that order will not change.

Unchangeable

Tuples are unchangeable, meaning that we cannot change, add or remove items after the tuple has been created.

Allow Duplicates

Since tuples are indexed, they can have items with the same value:

Example

Tuples allow duplicate values:

```
thistuple = ("apple", "banana", "cherry", "apple", "cherry")
print(thistuple)
```

Tuple Length

To determine how many items a tuple has, use the `len()` function:

Example

Print the number of items in the tuple:

```
thistuple = ("apple", "banana", "cherry")
print(len(thistuple))
```

Create Tuple With One Item

To create a tuple with only one item, you have to add a comma after the item, otherwise Python will not recognize it as a tuple.

Example

One item tuple, remember the comma:

```
thistuple = ("apple",)
print(type(thistuple))
```

```
#NOT a tuple
thistuple = ("apple")
print(type(thistuple))
```

Tuple Items - Data Types

Tuple items can be of any data type:

Example

String, int and boolean data types:

```
tuple1 = ("apple", "banana", "cherry")
tuple2 = (1, 5, 7, 9, 3)
tuple3 = (True, False, False)
```

A tuple can contain different data types:

Example

A tuple with strings, integers and boolean values:

```
tuple1 = ("abc", 34, True, 40, "male")
```

type()

From Python's perspective, tuples are defined as objects with the data type 'tuple':

```
<class 'tuple'>
```

Example

What is the data type of a tuple?

```
mytuple = ("apple", "banana", "cherry")
print(type(mytuple))
```

The tuple() Constructor

It is also possible to use the `tuple()` constructor to make a tuple.

Example

Using the tuple() method to make a tuple:

```
thistuple = tuple(("apple", "banana", "cherry")) # note the double
round-brackets
print(thistuple)
```

Python Collections (Arrays)

There are four collection data types in the Python programming language:

- **List** is a collection which is ordered and changeable. Allows duplicate members.
- **Tuple** is a collection which is ordered and unchangeable. Allows duplicate members.

Access Tuple Items

You can access tuple items by referring to the index number, inside square brackets:

Example

Print the second item in the tuple:

```
thistuple = ("apple", "banana", "cherry")
print(thistuple[1])
```

Negative Indexing

Negative indexing means start from the end.

-1 refers to the last item, **-2** refers to the second last item etc.

Example

Print the last item of the tuple:

```
thistuple = ("apple", "banana", "cherry")
print(thistuple[-1])
```

Range of Indexes

You can specify a range of indexes by specifying where to start and where to end the range.

When specifying a range, the return value will be a new tuple with the specified items.

Example

Return the third, fourth, and fifth item:

```
thistuple =  
("apple", "banana", "cherry", "orange", "kiwi", "melon", "mango")  
print(thistuple[2:5])
```

Note: The search will start at index 2 (included) and end at index 5 (not included).

Remember that the first item has index 0.

By leaving out the start value, the range will start at the first item:

Example

This example returns the items from the beginning to, but NOT included, "kiwi":

```
thistuple =  
("apple", "banana", "cherry", "orange", "kiwi", "melon", "mango")  
print(thistuple[:4])
```

By leaving out the end value, the range will go on to the end of the list:

Example

This example returns the items from "cherry" and to the end:

```
thistuple =  
("apple", "banana", "cherry", "orange", "kiwi", "melon", "mango")  
print(thistuple[2:])
```

Range of Negative Indexes

Specify negative indexes if you want to start the search from the end of the tuple:

Example

This example returns the items from index -4 (included) to index -1 (excluded)

```
thistuple =  
("apple", "banana", "cherry", "orange", "kiwi", "melon", "mango")  
print(thistuple[-4:-1])
```

Check if Item Exists

To determine if a specified item is present in a tuple use the `in` keyword:

Example

Check if "apple" is present in the tuple:

```
thistuple = ("apple", "banana", "cherry")
if "apple" in thistuple:
    print("Yes, 'apple' is in the fruits tuple")
```

Python - Update Tuples

Tuples are unchangeable, meaning that you cannot change, add, or remove items once the tuple is created.

But there are some workarounds.

Change Tuple Values

Once a tuple is created, you cannot change its values. Tuples are **unchangeable**, or **immutable** as it also is called.

But there is a workaround. You can convert the tuple into a list, change the list, and convert the list back into a tuple.

Example

Convert the tuple into a list to be able to change it:

```
x = ("apple", "banana", "cherry")
y = list(x)
y[1] = "kiwi"
x = tuple(y)

print(x)
```

Add Items

Since tuples are immutable, they do not have a build-in `append()` method, but there are other ways to add items to a tuple.

1. **Convert into a list:** Just like the workaround for *changing* a tuple, you can convert it into a list, add your item(s), and convert it back into a tuple.

Example

Convert the tuple into a list, add "orange", and convert it back into a tuple:

```
thistuple = ("apple", "banana", "cherry")
y = list(thistuple)
y.append("orange")
thistuple = tuple(y)
```

2. **Add tuple to a tuple.** You are allowed to add tuples to tuples, so if you want to add one item, (or many), create a new tuple with the item(s), and add it to the existing tuple:

Example

Create a new tuple with the value "orange", and add that tuple:

```
thistuple = ("apple", "banana", "cherry")
y = ("orange",)
thistuple += y

print(thistuple)
```

Remove Items

Note: You cannot remove items in a tuple.

Tuples are **unchangeable**, so you cannot remove items from it, but you can use the same workaround as we used for changing and adding tuple items:

Example

Convert the tuple into a list, remove "apple", and convert it back into a tuple:

```
thistuple = ("apple", "banana", "cherry")
y = list(thistuple)
y.remove("apple")
thistuple = tuple(y)
```

Or you can delete the tuple completely:

Example

The `del` keyword can delete the tuple completely:

```
thistuple = ("apple", "banana", "cherry")
del thistuple
print(thistuple) #this will raise an error because the tuple no longer exists
```

Python - Unpack Tuples

Unpacking a Tuple

When we create a tuple, we normally assign values to it. This is called "packing" a tuple:

Example

Packing a tuple:

```
fruits = ("apple", "banana", "cherry")
```

But, in Python, we are also allowed to extract the values back into variables. This is called "unpacking":

Example

Unpacking a tuple:

```
fruits = ("apple", "banana", "cherry")
```

```
(green, yellow, red) = fruits
```

```
print(green)
print(yellow)
print(red)
```

Using Asterisk*

If the number of variables is less than the number of values, you can add an ***** to the variable name and the values will be assigned to the variable as a list:

Example

Assign the rest of the values as a list called "red":


```
fruits = ("apple", "banana", "cherry", "strawberry", "raspberry")
```

```
(green, yellow, *red) = fruits
```

```
print(green)
print(yellow)
print(red)
```

If the asterisk is added to another variable name than the last, Python will assign values to the variable until the number of values left matches the number of variables left.

Example

Add a list of values the "tropic" variable:

```
fruits = ("apple", "mango", "papaya", "pineapple", "cherry")
```

```
(green, *tropic, red) = fruits
```

```
print(green)
print(tropic)
print(red)
```

Python - Loop Tuples

Loop Through a Tuple

You can loop through the tuple items by using a `for` loop.

Example

Iterate through the items and print the values:

```
thistuple = ("apple", "banana", "cherry")
for x in thistuple:
    print(x)
```

Loop Through the Index Numbers

You can also loop through the tuple items by referring to their index number.

Use the `range()` and `len()` functions to create a suitable iterable.

Example

Print all items by referring to their index number:

```
thistuple = ("apple", "banana", "cherry")
for i in range(len(thistuple)):
    print(thistuple[i])
```

Using a While Loop

You can loop through the list items by using a **while** loop.

Use the **len()** function to determine the length of the tuple, then start at 0 and loop your way through the tuple items by referring to their indexes.

Remember to increase the index by 1 after each iteration.

Example

Print all items, using a **while** loop to go through all the index numbers:

```
thistuple = ("apple", "banana", "cherry")
i = 0
while i < len(thistuple):
    print(thistuple[i])
    i = i + 1
```

Python - Join Tuples

Join Two Tuples

To join two or more tuples you can use the **+** operator:

Example

Join two tuples:

```
tuple1 = ("a", "b" , "c")
tuple2 = (1, 2, 3)

tuple3 = tuple1 + tuple2
print(tuple3)
```

Multiply Tuples

If you want to multiply the content of a tuple a given number of times, you can use the `*` operator:

Example

Multiply the fruits tuple by 2:

```
fruits = ("apple", "banana", "cherry")  
mytuple = fruits * 2  
  
print(mytuple)
```

Python - Tuple Methods

Tuple Methods

Python has two built-in methods that you can use on tuples.

Method	Description
count()	Returns the number of times a specified value occurs in a tuple
index()	Searches the tuple for a specified value and returns the position of where it was found