```sql
create table Departments(
    DepartmentID int primary key,
    DepartmentName Varchar(100)
);

create table Employees(
    EmployeeID int primary key,
    FirstName Varchar(50),
    LastName Varchar(50),
    DepartmentID int foreign key references Departments(DepartmentID),
    Salary Decimal(10,2),
    JoinDate DATE
);

Insert into Departments(DepartmentID,DepartmentName) values (1,'HR'),(2,'Finance'),(3,'IT'),(4,'Marketing');

Insert into Employees(EmployeeID,FirstName,LastName,DepartmentID,Salary,JoinDate)
values(1,'John','Doe',1,5000.00,'2020-01-15'),
    (2,'Jane','Smith',2,6000.00,'2019-03-22'),
    (3,'Michael','Johnson',3,7000.00,'2018-07-30'),
    (4,'Emily','Davis',4,5500.00,'2021-11-05');

GO

CREATE PROCEDURE sp_GetEmployeesByDepartment
    @DepartmentID INT
AS
BEGIN
    SELECT
        EmployeeID,
        FirstName,
        LastName,
        DepartmentID,
        Salary,
        JoinDate
    FROM Employees
    WHERE DepartmentID = @DepartmentID;
END;

GO

EXEC sp_GetEmployeesByDepartment @DepartmentID = 2;



GO
```

```sql
CREATE PROCEDURE sp_InsertEmployee
    @EmployeeID int,
    @FirstName VARCHAR(50),
    @LastName VARCHAR(50),
    @DepartmentID INT,
    @Salary DECIMAL(10,2),
    @JoinDate DATE
AS
BEGIN
    INSERT INTO Employees
        (EmployeeID,FirstName, LastName, DepartmentID, Salary, JoinDate)
    VALUES
        (@EmployeeID,@FirstName, @LastName, @DepartmentID, @Salary, @JoinDate);
END;

GO

EXEC sp_InsertEmployee
    @EmployeeID = 11,
    @FirstName = 'Rohan',
    @LastName = 'Jha',
    @DepartmentID = 3,
    @Salary = 58000.00,
    @JoinDate = '2026-07-27';

drop PROCEDURE IF EXISTS sp_InsertEmployee;

Select * from Employees;
```