

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x 1309, y 391

network: 192.168.1.0/24

ISR4331 Router0

network: 192.168.2.0/24

2960-11TT Switch0

PC-PT PC0

PC-PT PC1

PC-PT PC2

PC-PT PC3

2960-11TT Switch1

Laptop-PT Laptop0

Laptop-PT Laptop1

Laptop-PT Laptop2

Laptop-PT Laptop3

Simulation Panel

Event List

Vis	Time(sec)	Last Device	At Device
...	0.000	...	Laptop3
...	0.001	Laptop3	Switch1
...	0.003	Switch1	Router0
...	0.004	Router0	Switch0
...	0.006	Switch0	PC1
...	0.007	PC1	Switch0
...	0.009	Switch0	Router0
...	0.012	Router0	Switch1
...	0.014	Switch1	Laptop3
...	1.161	...	Switch1

Reset Simulation Constant Delay Captured to 1.161s

Play Controls

Event List Filters - Visible Events

ACL, Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPoL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IEC, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, MODBUS, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, Prolinet, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
...	Successful	Laptop3	PC1	ICMP	...	0.000	N	0	(edit)	(delete)

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

PDU Information at Device: Switch1

OST Model Inbound PDU Details Outbound PDU Details

At Device: Switch1
Source: Laptop3
Destination: PC1

In Layers

Layer 7
Layer 6
Layer 5
Layer 4
Layer 3
Layer 2: Ethernet II Header 00E0.80B9.AE1E >> 0060.5CC9.9601
Layer 1: Port FastEthernet0/5

Out Layers

Layer 7
Layer 6
Layer 5
Layer 4
Layer 3
Layer 2: Ethernet II Header 00E0.80B9.AE1E >> 0060.5CC9.9601
Layer 1: Port(s):

1. FastEthernet0/5 receives the frame.

Challenge Me

<< Previous Layer Next Layer >>

Time: 00:22:57.814

PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
☐	Successful	Laptop3	PC1	ICMP		0.000	N	0	(edit)	(delete)

Event List Realtime Simulation

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

Logos (Cisco) Devices (Cisco) Config (Cisco) Simulation (Cisco) Troubleshooting (Cisco) Packet Tracer (Cisco)

PDU Information at Device: Switch1

OSI Model Outbound PDU Details

At Device: Switch1
Source: Laptop3
Destination: PC1

In Layers	Out Layers
Layer7	Layer7
Layer6	Layer6
Layer5	Layer5
Layer4	Layer4
Layer3	Layer3
Layer2	Layer2
Layer1	Layer1: Port(s): FastEthernet0/2

1. The device takes out this frame from the buffer and sends it.
2. FastEthernet0/2 sends out the frame.

Challenge Me << Previous Layer Next Layer >>

Simulation Panel

Event List

Vis	Time(sec)	Last Device	At Dev
---	0.000	--	Laptop
---	0.001	Laptop3	Switch
---	0.002	--	Switch
---	0.002	--	Switch
---	0.002	--	Switch
---	0.004	Switch1	Laptop
---	0.004	Switch1	Router
---	0.004	Switch1	Laptop
---	0.004	Switch1	Laptop
---	0.007	Router0	Switch
---	0.009	Switch0	PC0
---	0.009	Switch0	PC1

Reset Simulation ☐ Constant Delay Captured to 0.017 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IEC, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, MODBUS, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, Profinet, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:22:57.814 PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
---	Successful	Laptop3	PC1	ICMP	---	0.000	N	0	(edit)	(delete)

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

PDU Information at Device: Router0

OSI Model Inbound PDU Details Outbound PDU Details

At Device: Router0
Source: Laptop3
Destination: PC1

In Layers

Layer 7
Layer 6
Layer 5
Layer 4
Layer 3: IP Header Src. IP: 192.168.2.40, Dest. IP: 192.168.1.20 ICMP Message Type: 8
Layer 2: Ethernet II Header 00E0.B0B9.AE1E >> 0060.5CC9.9601
Layer 1: Port GigabitEthernet0/0/0

Out Layers

Layer 7
Layer 6
Layer 5
Layer 4
Layer 3: IP Header Src. IP: 192.168.2.40, Dest. IP: 192.168.1.20 ICMP Message Type: 8
Layer 2: Ethernet II Header 0060.5CC9.9602 >> 000A.F308.3AC8
Layer 1: Port(s): GigabitEthernet0/0/1

1. GigabitEthernet0/0/0 receives the frame.

Challenge Me << Previous Layer Next Layer >>

Time: 00:22:57.814 PLAY CONTROLS

Scenario 0

New Delete

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	Laptop3	PC1	ICMP		0.000	N	0	(edit)	(delete)

Event List Realtime Simulation

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

PDU Information at Device: Switch0

OST Model

Inbound PDU Details

Outbound PDU Details

At Device: Switch0

Source: Laptop3

Destination: PC1

In Layers

Layer7

Layer6

Layer5

Layer4

Layer3

Layer 2: Ethernet II Header 0060.5CC9.9602 >> 000A.F308.3AC8

Layer 1: Port FastEthernet0/1

Out Layers

Layer7

Layer6

Layer5

Layer4

Layer3

Layer 2: Ethernet II Header 0060.5CC9.9602 >> 000A.F308.3AC8

Layer 1: Port(s): FastEthernet0/2 FastEthernet0/3 FastEthernet0/4 FastEthernet0/5

1. FastEthernet0/1 receives the frame.

Challenge Me

<< Previous Layer

Next Layer >>

Time: 00:22:57.814

PLAY CONTROLS

Scenario 0

New

Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	Laptop3	PC1	ICMP		0.000	N	0	(edit)	(delete)

Event List

Realtime

Simulation

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

PDU Information at Device: PC1

OST Model Inbound PDU Details Outbound PDU Details

At Device: PC1
Source: Laptop3
Destination: PC1

In Layers

Layer7

Layer6

Layer5

Layer4

Layer 3: IP Header Src. IP: 192.168.2.40, Dest. IP: 192.168.1.20 ICMP Message Type: 8

Layer 2: Ethernet II Header 0060.5CC9.9602 >> 000A.F308.3AC8

Layer 1: Port FastEthernet0

Out Layers

Layer7

Layer6

Layer5

Layer4

Layer 3: IP Header Src. IP: 192.168.1.20, Dest. IP: 192.168.2.40 ICMP Message Type: 0

Layer 2: Ethernet II Header 000A.F308.3AC8 >> 0060.5CC9.9602

Layer 1: Port(s): FastEthernet0

1. FastEthernet0 receives the frame.

Challenge Me << Previous Layer Next Layer >>

Time: 00:22:57.814 PLAY CONTROLS: [Stop] [Play] [Fast Forward] [Rewind]

Scenario 0

New Delete

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	Laptop3	PC1	ICMP		0.000	N	0	(edit)	(delete)

Event List Realtime Simulation

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

PDU Information at Device: Switch0

OSI Model Inbound PDU Details Outbound PDU Details

At Device: Switch0
Source: Laptop3
Destination: PC1

In Layers

Layer7
Layer6
Layer5
Layer4
Layer3
Layer 2: Ethernet II Header 000A.F308.3AC8 >> 0060.5CC9.9602
Layer 1: Port FastEthernet0/3

Out Layers

Layer7
Layer6
Layer5
Layer4
Layer3
Layer 2: Ethernet II Header 000A.F308.3AC8 >> 0060.5CC9.9602
Layer 1: Port(s): FastEthernet0/1

1. FastEthernet0/3 receives the frame.

Challenge Me << Previous Layer Next Layer >>

Time: 00:22:57.814 PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
☐	Successful	Laptop3	PC1	ICMP		0.000	N	0	(edit)	(delete)

Event List Realtime Simulation

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

PDU Information at Device: Router0

OSI Model Inbound PDU Details Outbound PDU Details

At Device: Router0
Source: Laptop3
Destination: PC1

In Layers

Layer7
Layer6
Layer5
Layer4
Layer3: IP Header Src. IP: 192.168.1.20, Dest. IP: 192.168.2.40 ICMP Message Type: 0
Layer2: Ethernet II Header 000A.F308.3AC8 >> 0060.5CC9.9602
Layer1: Port GigabitEthernet0/0/1

Out Layers

Layer7
Layer6
Layer5
Layer4
Layer3: IP Header Src. IP: 192.168.1.20, Dest. IP: 192.168.2.40 ICMP Message Type: 0
Layer2: Ethernet II Header 0060.5CC9.9601 >> 00E0.B0B9.AE1E
Layer1: Port(s): GigabitEthernet0/0/0

1. GigabitEthernet0/0/1 receives the frame.

Challenge Me << Previous Layer Next Layer >>

Time: 00:22:57.814 PLAY CONTROLS: [Stop] [Play] [Fast Forward] [Fast Reverse]

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
[Fire]	Successful	Laptop3	PC1	ICMP	[Green]	0.000	N	0	(edit)	(delete)

Event List Realtime Simulation

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

PDU Information at Device: Switch1

OST Model Inbound PDU Details Outbound PDU Details

At Device: Switch1
Source: Laptop3
Destination: PC1

In Layers

Layer7
Layer6
Layer5
Layer4
Layer3
Layer 2: Ethernet II Header 0060.5CC9.9601 >> 00E0.B0B9.AE1E
Layer 1: Port FastEthernet0/1

1. FastEthernet0/1 receives the frame.

Out Layers

Layer7
Layer6
Layer5
Layer4
Layer3
Layer 2: Ethernet II Header 0060.5CC9.9601 >> 00E0.B0B9.AE1E
Layer 1: Port(s): FastEthernet0/5

Challenge Me << Previous Layer Next Layer >>

Time: 00:22:57.814 PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
Successful		Laptop3	PC1	ICMP		0.000	N	0	(edit)	(delete)

Event List Realtime Simulation



PDU Information at Device: Laptop3

OSI Model Inbound PDU Details

At Device: Laptop3
Source: Laptop3
Destination: PC1

In Layers

Layer7
Layer6
Layer5
Layer4
Layer 3: IP Header Src. IP: 192.168.1.20, Dest. IP: 192.168.2.40 ICMP Message Type: 0
Layer 2: Ethernet II Header 0060.5CC9.9601 >> 00E0.80B9.AE1E
Layer 1: Port FastEthernet0

Out Layers

Layer7
Layer6
Layer5
Layer4
Layer3
Layer2
Layer1

1. FastEthernet0 receives the frame.

Challenge Me

<< Previous Layer Next Layer >>

Time: 00:22:57.814 PLAY CONTROLS



Scenario 0
New Delete

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
☐	Successful	Laptop3	PC1	ICMP		0.000	N	0	(edit)	(delete)

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 314 y: 445

Switch1

Physical Config CLI Attributes

IOS Command Line Interface

```
Switch>show mac
Switch>show mac add
Switch>show mac address-table
      Mac Address Table
-----
Vlan  Mac Address      Type      Ports
----  -
Switch>
```

Copy Paste

Top

Time: 00:10:46

Realtime Simulation

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
------	-------------	--------	-------------	------	-------	-----------	----------	-----	------	--------

Cisco Packet Tracer - C:\Users\NSW\Desktop\Assignment\Batch_02_Complete CCNA Training Zero to Mastery\Module-03\Examining Packets.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical

PDU Information at Device: PC0

OSI Model Outbound PDU Details

PDU Formats

Ethernet II

Bytes			
PREAMBLE: 101010...10		SFD	DEST ADDR: 0060.5C8E.6DA5
SRC ADDR: 0003.E4A9.E5D5	TYPE: 0x0800	DATA (VARIABLE LENGTH)	
FCS: 0x00000000			

IP

Bits			
VER: 4	IHL: 5	DSCP: 0x00	TL: 28
ID: 0x0011		FLAGS: 0x0	FRAG OFFSET: 0x000
TTL: 255	PRO: 0x01	CHKSUM	
SRC IP: 192.168.1.10			
DST IP: 192.168.1.40			
DATA (VARIABLE LENGTH)			


ICMP

Bits		
TYPE: 0x08	CODE: 0x00	CHECKSUM
ID: 0x0006	SEQ NUMBER: 7	

Time: 00:19:53.000 PLAY CONTROLS

Scenario 0

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
In Progress		PC0	PC3	ICMP		0.000	N	0	(edit)	(delete)



File Edit Options View Tools Extensions Window Help

Logical Physical x 167, y: 240

network: 192.168.1.0/24

PC-PT PC0

2500-XTT Switch

PC-PT PC1

PC-PT PC2

PC-PT PC3

Laptop-PT Laptop1

PDU Information at Device: PC0

OSI Model Outbound PDU Details

At Device: PC0
Source: PC0
Destination: PC3

In Layers

Layer7

Layer6

Layer5

Layer4

Layer3

Layer2

Layer1

Out Layers

Layer7

Layer6

Layer5

Layer4

Layer3: IP Header Src. IP: 192.168.1.10, Dest. IP: 192.168.1.40 ICMP Message Type: 8

Layer 2: Ethernet II Header 0003.E4A9.E5D5 >> 0060.5C8E.6DA5

Layer 1: Port(s): FastEthernet0

1. The Ping process starts the next ping request.
2. The Ping process creates an ICMP Echo Request message and sends it to the lower process.
3. The source IP address is not specified. The device sets it to the port's IP address.
4. The device sets TTL in the packet header.
5. The destination IP address is in the same subnet. The device sets the next-hop to destination.

Challenge Me << Previous Layer Next Layer >>

Simulation Panel

Event List

Vis	Time(sec)	Last Device	At Device
...	0.000	-	PC0

Reset Simulation Constant Delay Captured to 0.000 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IEC, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, MODBUS, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, Protinet, RADIUS, REP, RIP, RIPv2, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:19:53.000 PLAY CONTROLS

Scenario 0

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
In Progress		PC0	PC3	ICMP		0.000	N	0	(edit)	(delete)

