


```
ip.src == 192.168.1.1 && port.src == 51542 && ip.dst == 139.59.160.143 && port.dst == 443 && protocols == tls
host.http == visionurbana.com.ve && tags == NRD && nrd.date == 2026-09-11
nrd.registrar == "CONATEL (NIC.VE)" && nrd.created == 2026-09-11T02:47:13Z
nrd.ns == [ns1.digitalocean.com, ns2.digitalocean.com, ns3.digitalocean.com]
nrd.certs == 2 && nrd.certIssuer == "C=US, O=Let's Encrypt, CN=E8"
nrd.asn == 14061 && nrd.asName == "DIGITALOCEAN-ASN - DigitalOcean, LLC, US"
nrd.asnCountry == SG
```



Hunting APTs at Domain Zero

Registration timing adds investigative context.

Nation-state operators need infrastructure before they can phish or maintain command and control. The useful signal is the interval between registration and operational use.

Coordinated brand launch

DAY 0
Registration

DAY 21
DNS active

DAY 45
Cert issued

DAY 60
Go live

Rapid infrastructure activation

THE HUNT WINDOW

T + 0h
Registration


T + 6h
Cert issued

T + 12h
DNS active

T + 14h
First contact

NRD-db turns the registration feed into Arkime session evidence.

Ingest the newly registered domain feed, enrich it in an isolated sidecar, hold it in Redis and expose it to Arkime through WISE at query time.



ONE TAG, ONE FIELD FAMILY

- | | | | |
|-----------------|-----------|--------------------|------------------|
| · nrd.date | · nrd.dns | · nrd.certs | · nrd.asn |
| · nrd.registrar | · nrd.ip | · nrd.certIssuer | · nrd.asName |
| · nrd.created | · nrd.ns | · nrd.vtMalicious | · nrd.asnCountry |
| · nrd.expires | | · nrd.vtSuspicious | |



NRD-db provides, The analyst decides.

Every field the tag carries narrows the question of whether this domain is worth hunting. None of them answers it alone.

THE DOMAIN ITSELF

- How old the registration is
- Hours from registration to first DNS answer
- Hours from registration to first certificate
- How much the age itself can be trusted

YOUR OWN NETWORK

- Whether the enterprise has ever seen it before
- How many internal hosts touched it in 24 hours
- What those sessions actually did

THE NEIGHBORHOOD

- Resolved address and ASN
- Sibling domains registered the same day
- Shared nameserver, registrar or certificate

THEN ASK THE MISSION PARTNER

"One host is reaching shaneisawesome.com, registered yesterday."
"That is our sharp tech in HR. He builds sites on the weekend."

The tag opens the investigation earlier.

TA0042
Resource Development

The adversary buys the domain.

TA0001
Initial Access

A link or exposed service gets them in.

TA0011
Command and Control

The implant beacons to that domain.

TA0010
Exfiltration

Data leaves over that channel.

TA0040
Impact

Deny, degrade, disrupt, destroy, manipulate.

What the analyst gets

A filterable **NRD** tag with registration, DNS, certificate, VirusTotal, and ASN context available on the Arkime session.

Where it is blind

Compromised routers and relay networks, aged or parked domains, compromised legitimate sites. A negative result carries no exculpatory value.

tags == NRD && host.http == visionurbana.com.ve

nrd.date == 2026-09-11 && nrd.ip == 139.59.160.143 && nrd.certs == 2 && nrd.asn == 14061 && nrd.asnCountry == SG

Live demo

Finding an Arkime session with an NRD-db WISE match, then examining the session and available enrichment.

tags == NRD && host.http == visionurbana.com.ve

nrd.date == 2026-09-11 && nrd.ip == 139.59.160.143 && nrd.certs == 2 && nrd.asn == 14061 && nrd.asnCountry == SG

Thank You!

github.com/StrackVibes/NRD-db
