

# Nkululeko 1.0: A Python package to predict speaker characteristics with a high-level interface

Felix Burkhardt <sup>1,2\*</sup> and Bagus Tris Atmaja <sup>3\*</sup>

<sup>1</sup> audEERING GmbH, Germany <sup>2</sup> TU Berlin, Germany <sup>3</sup> National Institute of Advanced Industrial Science and Technology (AIST), Japan \* These authors contributed equally.

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

## Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

## Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

## Summary

Nkululeko (Burkhardt, Wagner, et al., 2022) is open-source software written in Python and hosted on GitHub. It is predominantly a framework for audio-based machine learning explorations without the need to write Python code, and is strongly based on machine learning packages like sklearn (Pedregosa et al., 2011) and pytorch (Chaudhary et al., 2020). The main features are: training and evaluation of labelled speech databases with state-of-the-art machine learning approach and acoustic feature extractors, a live demonstration interface, and the possibility to store databases with predicted labels. Based on this, the framework can also be used to check on bias in databases by exploring correlations of target labels, like, e.g. depression or diagnosis, with predicted, or additionally given, labels like age, gender, signal distortion ratio or mean opinion score.

## Design choices

The program is intended for **novice** people interested in speaker characteristics detection (e.g., emotion, age, and gender) without being proficient in (Python) programming language. Its main target is for **education** and **research** with the main features as follows:

- Finding good combinations of variables, e.g., acoustic features, models (classifier or regressor), feature standardization, augmentation, etc., for speaker characteristics detection (e.g., emotion);
- Characteristics of the database, such as distribution of gender, age, emotion, duration, data size, and so on with their visualization;
- Inference of speaker characteristics from a given audio file or streaming audio (can be said also as “weak” labeling for semi-supervised learning).

Hence, one should be able to use Nkululeko after installing and preparing/downloading their data in the correct format in a single line.

```
$ nkululeko.MODULE_NAME --config CONFIG_FILE.ini
```

## How does it work?

nkululeko is a command line tool written in Python, best used in conjunction with the Visual Studio Code editor (but can be run stand-alone). To use it, a text editor is needed to edit the experiment configuration. You would then run nkululeko like this:

```
$ nkululeko.explore --config conf.ini
```

34 and inspect the results afterward; they are represented as images, texts, and even a fully  
35 automatically compiled PDF report written in latex.

36 nkululeko's data import format is based on a simple CSV formalism, or alternatively, for  
37 a more detailed representation including data schemata, audformat.<sup>1</sup> Basically, to be used  
38 by nkululeko, the data format should include the audio file path and a task-specific label.  
39 Optionally, speaker ID and gender labels help with speech data. An example of a database  
40 labelled with emotion is

```
file, speaker, gender, emotion
x/sample.wav, s1, female, happy
...
```

41 As the main goal of nkululeko is to avoid the need to learn programming, experiments are  
42 specified by means of a configuration file. The functionality is encapsulated by software  
43 *modules* (interfaces) that are to be called on the command line. We list the most important  
44 ones here:

- 45 ■ **nkululeko**: do machine learning experiments combining features and learners
- 46 ■ **demo**: demo the current best model on the command line or some files
- 47 ■ **test**: run the current best model on a specified test set
- 48 ■ **explore**: perform data exploration (used mainly in this paper)
- 49 ■ **augment**: augment the current training data. This could also be used to reduce bias  
50 in the data, for example, by adding noise to audio samples that belong to a specific  
51 category.
- 52 ■ **aug\_train**: augment the training data and train the model with the augmented data.
- 53 ■ **predict**: predict features like speaker diarization, signal distortion ratio, mean opinion  
54 score, arousal/valence, age/gender (for databases that miss this information), with deep  
55 neural nets models, e.g. as a basis for the *explore* module.
- 56 ■ **segment**: segment a database based on VAD (voice activity detection)
- 57 ■ **ensemble**: ensemble several models to improve performance

58 The configuration (INI) file consists of a set of key-value pairs that are organised into several  
59 sections. Almost all keys have default values, so they do not have to be specified.

60 Here is a sample listing of an INI file (`conf.ini`) with a database section:

```
[EXP]
name = explore-androids
[DATA]
databases = ['androids']
androids = /data/androids/androids.csv
target = depression
labels = ['depressed', 'control']
samples_per_speaker = 20
min_length = 2
[PREDICT]
sample_selection = all
targets = ['pesq', 'sdr', 'stoi', 'mos']
[EXPL]
value_counts = [['gender'], ['age'], ['est_sdr'], ['est_pesq'], ['est_mos']]
[REPORT]
latex = androids-report
```

61 As can be seen, some of the values simply contain Python data structures like arrays or  
62 dictionaries. Within this example, an experiment is specified with the name *explore-androids*,

<sup>1</sup><https://audeering.github.io/audformat/>

63 and a result folder with this name will be created, containing all figures and textual results,  
64 including an automatically generated Latex and PDF report on the findings.

65 The *DATA* section sets the location of the database and specifies filters on the sample, in this  
66 case limiting the data to 20 samples per speaker at most and at least 2 seconds long. In this  
67 section, the split sets (training, development, and test) are also specified. There is a special  
68 feature named *balance splits* that lets the user specify criteria that should be used to stratify  
69 the splits, for example, based on signal distortion ratio.

70 With the *predict* module, specific features like, for example, signal distortion ratio or mean  
71 opinion score are to be predicted by deep learning models. The results are then used by a  
72 following call to the *explore* module to check whether these features, as well as some ground  
73 truth features (*age* and *gender*), correlate with the target variable (*depressed* in the given  
74 example) in any way.

75 The *nkululeko* configuration can specify further sections:

- 76     ▪ **FEATS** to specify acoustic features (e.g. *opensmile* (Eyben et al., 2010) or deep learning  
77       embeddings; e.g. *wav2vec 2.0* (Baevski et al., 2020)) that should be used to represent  
78       the audio files.
- 79     ▪ **MODEL** to specify statistical models for regression or classification of audio data.

## 80 Example of usage

81 In the previous section, we have seen how to specify an experiment in an INI file that can  
82 be run with, for instance, *explore* and *segment* modules. Here, we show how to run the  
83 experiment (*nkululeko.nkululeko*) with built-in dataset (Polish Speech Emotions dataset)  
84 from the installation until getting the results.

85 First, novices could clone the GitHub repository of *nkululeko*.

```
$ git clone https://github.com/felixbur/nkululeko.git
$ cd nkululeko
```

86 Then, install *nkululeko* with *pip*. It is recommended that a virtual environment be used to  
87 avoid conflicts with other Python packages.

```
$ python -m venv .env
$ source .env/bin/activate
$ pip install nkululeko
```

88 Next, extract *polish\_speech\_emotions.zip* inside the *nkululeko* data folder (*nkululeko/data/polish*)  
89 with right click regardless of the operating system (or using *unzip* command in the terminal  
90 like below). Then, run the following command in the terminal:

```
$ cd data/polish
$ unzip polish_speech_emotions.zip
$ python3 process_database.py
$ cd ../..
$ nkululeko.nkululeko --config data/polish/exp.ini
```

91 That's it! The results will be stored in the *results/exp\_polish\_os* folder as stated in *exp.ini*.  
92 Below is an example of the debug output of the command:

```
DEBUG: nkululeko: running exp_polish_os from config data/polish/exp.ini,
nkululeko version 0.91.0
...
DEBUG: reporter:
           precision    recall  f1-score   support
```

|              |        |        |        |    |
|--------------|--------|--------|--------|----|
| anger        | 0.6944 | 0.8333 | 0.7576 | 30 |
| neutral      | 0.5000 | 0.4333 | 0.4643 | 30 |
| fear         | 0.6429 | 0.6000 | 0.6207 | 30 |
| accuracy     |        |        | 0.6222 | 90 |
| macro avg    | 0.6124 | 0.6222 | 0.6142 | 90 |
| weighted avg | 0.6124 | 0.6222 | 0.6142 | 90 |

```
DEBUG: reporter: labels: ['anger', 'neutral', 'fear']
DEBUG: reporter: result per class (F1 score): [0.758, 0.464, 0.621]
from epoch: 0
DEBUG: experiment: Done, used 7.439 seconds
DONE
```

## Statement of need

Open-source tools are believed to be one of the reasons for accelerated science and technology. They are more secure, easy to customise, and transparent. There are several open-source tools that exist for acoustic, sound, and audio analysis, such as librosa (McFee et al., 2015), TorchAudio (Yang et al., 2021), pyAudioAnalysis (Giannakopoulos, 2015), ESPNET (Watanabe et al., 2018), and SpeechBrain (Ravanelli et al., 2021). However, none of them are specialised in speech analysis with high-level interfaces for novices in the speech processing area.

One exception is Spotlight (Suwelack, 2023), an open-source tool that visualises metadata distributions in audio data. An existing interface between nkululeko and Spotlight can be used to combine the visualisations of Spotlight with the functionalities of Nkululeko.

Nkululeko follows these principles:

- *Minimum programming skills:* The only programming skills required are preparing the data in the correct (CSV) format and running the command line tool. For AUDFORMAT, no preparation is needed.
- *Standardised data format and label:* The data format is based on CSV and AUDFORMAT, which are widely used formats for data exchange. The standard headers are like 'file', 'speaker', 'emotion', 'age', and 'language' and can be customised. Data could be saved anywhere on the computer, but the recipe for the data preparation is advised to be saved in nkululeko/data folder (and/or make a soft link to the original data location).
- *Replicability:* the experiments are specified in a configuration file, which can be shared with others including the splitting of training, development, and test partition. All results are stored in a folder with the same name as the experiment.
- *High-level interface:* the user specifies the experiment in an INI file, which is a simple text file that can be edited with any text editor. The user does not need to write Python code for experiments.
- *Transparency:* as CLI, nkululeko *always output debug*, in which info, warning, and error will be obviously displayed in the terminal (and should be easily understood). The results are stored in the experiment folder for further investigations and are represented as images, texts, and even a fully automatically compiled PDF report written in latex.

## Usage in existing research

Nkululeko has been used in several research projects since its first appearance in 2022 (Burkhardt, Wagner, et al., 2022). The following list gives an overview of the research papers that have used Nkululeko:

- 126     ▪ (Burkhardt, Eyben, et al., 2022): this paper reported a database development of  
127       synthesized speech for basic emotions and its evaluation using the Nkululeko toolkit.
- 128     ▪ (Burkhardt et al., 2024): this paper shows how to use Nkululeko for bias detection.  
129       The findings on two datasets, UACorpus and Androids, show that some features are  
130       correlated with the target label, e.g., depression, and can be used to detect bias in the  
131       database.
- 132     ▪ (Atmaja et al., 2024): this paper shows Nkululeko's capability for ensemble learning with  
133       a focus on uncertainty estimation.
- 134     ▪ (Atmaja & Sasou, 2025): in this paper, evaluations of different handcrafted acoustic  
135       features and SSL approaches for pathological voice detection tasks were reported,  
136       highlighting the ease of using Nkululeko to perform extensive experiments including  
137       combinations of different features at different levels (early and late fusions).
- 138     ▪ (Atmaja et al., 2025): this paper extends the previous ensemble learning evaluations  
139       with performance weighting (using weighted and unweighted accuracies) on five tasks  
140       and ten datasets.

## 141   Changes

142   Nkululeko has been described in three papers so far, we give a short overview on the updates  
143   since then.

- 144     ▪ **2022 Paper:** F. Burkhardt, Johannes Wagner, Hagen Wierstorf, Florian Eyben and Björn  
145       Schuller: Nkululeko: A Tool For Rapid Speaker Characteristics Detection, Proc. Proc.  
146       LREC, 2022. **New features:** First version mainly focussing on basic machinelearning  
147       experiments that combine *expert* acoustic features (like Praat or opensmile features)  
148       with traditional learning approaches.
- 149     ▪ **2023 Paper:** F. Burkhardt, Florian Eyben and Björn Schuller: Nkululeko: Machine  
150       Learning Experiments on Speaker Characteristics Without Programming, Proc. Inter-  
151       speech, 2023. **New features:** Mainly extending the acoustic features to deep-learning  
152       based (like TRILL, Hubert or wav2vec2) and the models by neural net architectures like  
153       MLP or CNN.
- 154     ▪ **2024 Paper:** F. Burkhardt, Bagus Tris Atmaja, Anna Derington, Florian Eyben and  
155       Björn Schuller: Check Your Audio Data: Nkululeko for Bias Detection, Proc. Oriental  
156       COCOSDA, 2024. **New features:** Introducing the concept of interfaces (or *modules*),  
157       focusing on the *explore-module* that features automatic data statistics and and bias  
158       analysis.
- 159     ▪ **Since then:** Besides many minor enhancements; ensemble learning, Wav2vec2 model  
160       finetuning, adding automatic speaker identification, extending augmentation and seg-  
161       mentation.

## 162   Acknowledgements

163   We acknowledge support from these various projects:

- 164     ▪ European SHIFT (*MetamorphoSis of cultural Heritage Into augmented hypermedia*  
165       *assets For enhanced accessibiliTy and inclusion*) project (Grant Agreement number:  
166       101060660);
- 167     ▪ European EASIER (*Intelligent Automatic Sign Language Translation*) project (Grant  
168       Agreement number: 101016982);

- 169     ▪ Project JPNP20006 commissioned by the New Energy and Industrial Technology Development  
170        Organization (NEDO), Japan;
- 171     ▪ Project 24K02967 from the Japan Society for the Promotion of Science (JSPS).
- 172   We thank audEERING GmbH for partial funding.

## 173   References

- 174   Atmaja, B. T., Burkhardt, F., & Sasou, A. (2025). Performance-weighted Ensemble Learning for  
175       Speech Classificatio. *2025 International Conference on Artificial Intelligence in Information  
176       and Communication (ICAIIIC)*.
- 177   Atmaja, B. T., & Sasou, A. (2025). Pathological voice detection from sustained vowels:  
178       Handcrafted vs. Self-supervised learning. *2025 IEEE International Conference on Acoustics,  
179       Speech, and Signal Processing Workshops (ICASSPW)*.
- 180   Atmaja, B. T., Sasou, A., & Burkhardt, F. (2024). Uncertainty-based ensemble learning for  
181       speech classification. *2024 27th Conference of the Oriental COCODA International Com-  
182       mittee for the Co-Ordination and Standardisation of Speech Databases and Assessment Tech-  
183       niques (o-COCOSDA)*, 1–6. <https://doi.org/10.1109/O-COCOSDA64382.2024.10800111>
- 184   Baevski, A., Zhou, Y., Mohamed, A., & Auli, M. (2020). wav2vec 2.0: A framework for  
185       self-supervised learning of speech representations. In H. Larochelle, M. Ranzato, R. Hadsell,  
186       M. F. Balcan, & H. Lin (Eds.), *Advances in neural information processing systems* (Vol.  
187       33, pp. 12449–12460). Curran Associates, Inc. [https://proceedings.neurips.cc/paper/  
188       2020/file/92d1e1eb1cd6f9fba3227870bb6d7f07-Paper.pdf](https://proceedings.neurips.cc/paper/2020/file/92d1e1eb1cd6f9fba3227870bb6d7f07-Paper.pdf)
- 189   Burkhardt, F., Atmaja, B. T., Derington, A., & Eyben, F. (2024). Check your audio data: Nkululeko  
190       for bias detection. *2024 27th Conference of the Oriental COCODA International Com-  
191       mittee for the Co-Ordination and Standardisation of Speech Databases and Assessment Tech-  
192       niques (o-COCOSDA)*, 1–6. <https://doi.org/10.1109/O-COCOSDA64382.2024.10800580>
- 193   Burkhardt, F., Eyben, F., & Schuller, W. (2022). SyntAct : A Synthesized Database of Basic  
194       Emotions. In Jonne Sälevä & C. Lignos (Eds.), *Proc. Work. Dataset creat. Low. Lang.  
195       Within 13th lang. Resour. Eval. conf.* European Language Resources Association.
- 196   Burkhardt, F., Wagner, J., Wierstorf, H., Eyben, F., & Schuller, B. (2022). Nkululeko: A  
197       tool for rapid speaker characteristics detection. *2022 Language Resources and Evaluation  
198       Conference, LREC 2022*, 1925–1932. ISBN: 9791095546726
- 199   Chaudhary, A., Chouhan, K. S., Gajrani, J., & Sharma, B. (2020). *Deep learning with PyTorch*.  
200       <https://doi.org/10.4018/978-1-7998-3095-5.ch003>
- 201   Eyben, F., Wöllmer, M., & Schuller, B. (2010). openSMILE – the munich versatile and fast  
202       open-source audio feature extractor. *MM'10 - Proceedings of the ACM Multimedia 2010  
203       International Conference*, 1459–1462. <https://doi.org/10.1145/1873951.1874246>
- 204   Giannakopoulos, T. (2015). pyAudioAnalysis: An open-source python library for audio signal  
205       analysis. *PLoS One*, 10(12), 1–17. <https://doi.org/10.1371/journal.pone.0144610>
- 206   McFee, B., Raffel, C., Liang, D., Ellis, D., McVicar, M., Battenberg, E., & Nieto, O. (2015).  
207       librosa: Audio and Music Signal Analysis in Python. *Proc. 14th Python Sci. Conf., Scipy*,  
208       18–24. <https://doi.org/10.25080/majora-7b98e3ed-003>
- 209   Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M.,  
210       Prettenhofer, P., Weiss, R., Dubourg, V., Vanderplas, J., Passos, A., Cournapeau, D.,  
211       Brucher, M., Perrot, M., & Duchesnay, E. (2011). Scikit-learn: Machine learning in Python.  
212       *Journal of Machine Learning Research*, 12, 2825–2830.
- 213   Ravanelli, M., Parcollet, T., Plantinga, P., Rouhe, A., Cornell, S., Lugosch, L., Subakan, C.,



- 214 Dawalatabad, N., Heba, A., Zhong, J., Chou, J.-C., Yeh, S.-L., Fu, S.-W., Liao, C.-F.,  
215 Rastorgueva, E., Grondin, F., Aris, W., Na, H., Gao, Y., ... Bengio, Y. (2021). *SpeechBrain:*  
216 *A general-purpose speech toolkit*. <https://arxiv.org/abs/2106.04624>
- 217 Suwelack, S. (2023). Spotlight. In *GitHub repository*. [https://github.com/Renumics/](https://github.com/Renumics/spotlight/)  
218 [spotlight/](https://github.com/Renumics/spotlight/); GitHub.
- 219 Watanabe, S., Hori, T., Karita, S., Hayashi, T., Nishitoba, J., Unno, Y., Soplin, N. E. Y.,  
220 Heymann, J., Wiesner, M., Chen, N., Renduchintala, A., & Ochiai, T. (2018). ESPNet:  
221 End-to-end speech processing toolkit. *Proc. Annu. Conf. Int. Speech Commun. As-*  
222 *soc. INTERSPEECH, 2018-Sept*(September), 2207–2211. [https://doi.org/10.21437/](https://doi.org/10.21437/Interspeech.2018-1456)  
223 [Interspeech.2018-1456](https://doi.org/10.21437/Interspeech.2018-1456)
- 224 Yang, S., Chi, P.-H., Chuang, Y.-S., Lai, C.-I. J., Lakhota, K., Lin, Y. Y., Liu, A. T., Shi,  
225 J., Chang, X., Lin, G.-T., Huang, T.-H., Tseng, W.-C., Lee, K., Liu, D.-R., Huang,  
226 Z., Dong, S., Li, S.-W., Watanabe, S., Mohamed, A., & Lee, H. (2021). SUPERB:  
227 Speech Processing Universal PERformance Benchmark. *Interspeech 2021*, 1194–1198.  
228 <https://doi.org/10.21437/Interspeech.2021-1775>

DRAFT