Planer Tras GOT PTTK

Generated by Doxygen 1.9.3

| 1 The MIT License (MIT) | 1 |
|--|-----|
| 2 Namespace Index | 3 |
| 2.1 Packages | 3 |
| 3 Hierarchical Index | 5 |
| 3.1 Class Hierarchy | 5 |
| 4 Class Index | 7 |
| 4.1 Class List | 7 |
| 5 Namespace Documentation | 9 |
| 5.1 GOTPlaner Namespace Reference | 9 |
| 5.2 GOTPlaner.Areas Namespace Reference | 9 |
| 5.3 GOTPlaner.Areas.Identity Namespace Reference | 9 |
| 5.4 GOTPlaner.Areas.Identity.Pages Namespace Reference | 9 |
| 5.5 GOTPlaner.Areas.Identity.Pages.Account Namespace Reference | 9 |
| | 9 |
| 5.7 GOTPlaner.Controllers.Admin Namespace Reference | IC |
| | 10 |
| · | 10 |
| · | I C |
| | 10 |
| | 11 |
| | 11 |
| | 11 |
| and the second s | 12 |
| 6 Class Documentation 1 | 13 |
| 6.1 GOTPlaner.Models.Badge Class Reference | 13 |
| 6.2 GOTPlaner.Models.BadgeType Class Reference | 13 |
| 6.3 GOTPlaner.Models.CloseSegment Class Reference | 14 |
| 6.4 GOTPlaner.ViewModels.CreateSegmentViewModel Class Reference | 14 |
| 6.5 GOTPlaner.Models.CustomDateValidator Class Reference | 14 |
| 6.6 GOTPlaner.Models.ElementType Class Reference | 15 |
| 6.7 GOTPlaner.Models.ErrorViewModel Class Reference | 15 |
| 6.8 GOTPlaner.Data.GotContext Class Reference | 15 |
| 6.9 GOTPlaner.Controllers.HomeController Class Reference | 16 |
| 6.10 GOTPlaner.Areas.Identity.IdentityHostingStartup Class Reference | 17 |
| | 17 |
| | 17 |
| | 18 |
| | 8 |
| | 18 |

| Ind | dex | 31 |
|-----|---|----|
| | 6.42 GOTPlaner.WebApiConfig Class Reference | 29 |
| | 6.41 GOTPlaner.Models.TourVerificationStatus Class Reference | 29 |
| | 6.40 GOTPlaner.Controllers.Leader.TourVerificationsController Class Reference | 29 |
| | 6.39 GOTPlaner.Models.TourVerification Class Reference | 28 |
| | 6.38 GOTPlaner.Controllers.API.ToursRestController Class Reference | 28 |
| | 6.37 GOTPlaner.Models.ToursPointInfo Class Reference | 27 |
| | 6.36 GOTPlaner.Service.TourService Class Reference | 27 |
| | 6.35 GOTPlaner.Controllers.User.ToursController Class Reference | 27 |
| | 6.34 GOTPlaner.Models.DTO.TourltemDto Class Reference | 26 |
| | 6.33 GOTPlaner.Controllers.API.TouristPointsController Class Reference | 26 |
| | 6.32 GOTPlaner.Models.DTO.TouristPointDto Class Reference | 25 |
| | 6.31 GOTPlaner.Models.TouristPoint Class Reference | 25 |
| | 6.30 GOTPlaner.Models.Tourist Class Reference | 25 |
| | 6.29 GOTPlaner.Models.Tour Class Reference | 24 |
| | 6.28 GOTPlaner.Startup Class Reference | 24 |
| | 6.27 GOTPlaner.Controllers.API.SegmentsRestController Class Reference | 23 |
| | 6.26 GOTPlaner.Models.SegmentCross Class Reference | 23 |
| | 6.25 GOTPlaner.Controllers.Admin.SegmentController Class Reference | 22 |
| | 6.24 GOTPlaner.Models.Segment Class Reference | 22 |
| | 6.23 GOTPlaner.Areas.Identity.Pages.Account.RegisterModel Class Reference | 21 |
| | 6.22 GOTPlaner.Program Class Reference | 21 |
| | 6.21 GOTPlaner.Data.MyldentityInitializer Class Reference | 21 |
| | 6.20 GOTPlaner.Controllers.API.MountainRangesRestController Class Reference | 20 |
| | 6.19 GOTPlaner.Models.DTO.MountainRangeDto Class Reference | 20 |
| | 6.18 GOTPlaner.Models.MountainRange Class Reference | 20 |
| | 6.17 GOTPlaner.Models.MountainGroup Class Reference | 19 |
| | 6.16 GOTPlaner.Areas.Identity.Pages.Account.LogoutModel Class Reference | 19 |

Chapter 1

The MIT License (MIT)

Copyright Jörn Zaefferer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Chapter 2

Namespace Index

2.1 Packages

Here are the packages with brief descriptions (if available):

| OTPlaner | ć |
|---------------------------------------|----|
| OTPlaner.Areas | ć |
| OTPlaner.Areas.Identity | 9 |
| OTPlaner.Areas.Identity.Pages | Ő |
| OTPlaner.Areas.Identity.Pages.Account | Ő |
| OTPlaner.Controllers | 9 |
| OTPlaner.Controllers.Admin | 10 |
| OTPlaner.Controllers.API | 10 |
| OTPlaner.Controllers.Leader | 10 |
| OTPlaner.Controllers.User | 10 |
| OTPlaner.Data | 10 |
| OTPlaner.Models | 11 |
| OTPlaner.Models.DTO | 11 |
| OTPlaner.Service | 11 |
| OTPlaner ViewModels | 12 |

4 Namespace Index

Chapter 3

Hierarchical Index

3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

| GOTPlaner.Models.Badge |
|--|
| GOTPlaner.Models.BadgeType |
| GOTPlaner.Models.CloseSegment |
| Controller |
| GOTPlaner.Controllers.Admin.SegmentController |
| GOTPlaner.Controllers.HomeController |
| GOTPlaner.Controllers.Leader.TourVerificationsController |
| GOTPlaner.Controllers.User.ToursController |
| ControllerBase |
| GOTPlaner.Controllers.API.MountainRangesRestController |
| GOTPlaner.Controllers.API.SegmentsRestController |
| GOTPlaner.Controllers.API.TouristPointsController |
| GOTPlaner.Controllers.API.ToursRestController |
| GOTPlaner.ViewModels.CreateSegmentViewModel |
| GOTPlaner.Models.ElementType |
| GOTPlaner.Models.ErrorViewModel |
| IdentityDbContext |
| GOTPlaner.Data.GotContext |
| IHostingStartup |
| GOTPlaner.Areas.Identity.IdentityHostingStartup |
| GOTPlaner.Areas.Identity.Pages.Account.LoginModel.InputModel |
| GOTPlaner.Service.ITourService |
| GOTPlaner.Models.Leader |
| GOTPlaner.Models.LeaderPermission |
| GOTPlaner.Models.MountainGroup |
| GOTPlaner.Models.MountainRange |
| GOTPlaner.Models.DTO.MountainRangeDto |
| GOTPlaner.Data.MyldentityInitializer |
| PageModel |
| GOTPlaner.Areas.Identity.Pages.Account.LoginModel |
| GOTPlaner.Areas.Identity.Pages.Account.LogoutModel |
| GOTPlaner.Areas.Identity.Pages.Account.RegisterModel |
| GOTPlaner.Program |
| GOTPlaner.Models.Segment |
| GOTPlaner.Models.SegmentCross |

6 Hierarchical Index

| iOTPlaner.Startup | 24 |
|--|------|
| iOTPlaner.Models.Tour | 24 |
| iOTPlaner.Models.Tourist | 25 |
| iOTPlaner.Models.TouristPoint | 25 |
| iOTPlaner.Models.DTO.TouristPointDto | 25 |
| OTPlaner.Models.DTO.TourItemDto | 26 |
| OTPlaner.Service.TourService | 27 |
| OTPlaner.Models.ToursPointInfo | 27 |
| OTPlaner.Models.TourVerification | 28 |
| OTPlaner.Models.TourVerificationStatus | 29 |
| alidationAttribute | |
| GOTPlaner.Models.CustomDateValidator | . 14 |
| OTPlaner WebApiConfig | 29 |

Chapter 4

Class Index

4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

| GOTPlaner.Models.Badge |
|--|
| GOTPlaner.Models.BadgeType |
| GOTPlaner.Models.CloseSegment |
| GOTPlaner.ViewModels.CreateSegmentViewModel |
| GOTPlaner.Models.CustomDateValidator |
| GOTPlaner.Models.ElementType |
| GOTPlaner.Models.ErrorViewModel |
| GOTPlaner.Data.GotContext |
| GOTPlaner.Controllers.HomeController |
| GOTPlaner.Areas.Identity.IdentityHostingStartup |
| GOTPlaner.Areas.Identity.Pages.Account.LoginModel.InputModel |
| GOTPlaner.Service.ITourService |
| GOTPlaner.Models.Leader |
| GOTPlaner.Models.LeaderPermission |
| GOTPlaner.Areas.Identity.Pages.Account.LoginModel |
| GOTPlaner.Areas.Identity.Pages.Account.LogoutModel |
| GOTPlaner.Models.MountainGroup |
| GOTPlaner.Models.MountainRange |
| GOTPlaner.Models.DTO.MountainRangeDto |
| GOTPlaner.Controllers.API.MountainRangesRestController |
| GOTPlaner.Data.MyldentityInitializer |
| GOTPlaner.Program |
| GOTPlaner.Areas.Identity.Pages.Account.RegisterModel |
| GOTPlaner.Models.Segment |
| GOTPlaner.Controllers.Admin.SegmentController |
| GOTPlaner.Models.SegmentCross |
| GOTPlaner.Controllers.API.SegmentsRestController |
| GOTPlaner.Startup |
| GOTPlaner.Models.Tour |
| GOTPlaner.Models.Tourist |
| GOTPlaner.Models.TouristPoint |
| GOTPlaner.Models.DTO.TouristPointDto |
| GOTPlaner.Controllers.API.TouristPointsController |
| GOTPlaner.Models.DTO.TourltemDto |
| GOTPlaner.Controllers.User.ToursController |

8 Class Index

| GOTPlaner.Service.TourService | | | | | | | | | 2 |
|--|------|--|--|--|--|--|--|--|----|
| GOTPlaner.Models.ToursPointInfo | | | | | | | | | 2 |
| GOTPlaner.Controllers.API.ToursRestController | | | | | | | | | 28 |
| GOTPlaner.Models.TourVerification | | | | | | | | | 28 |
| GOTPlaner.Controllers.Leader.TourVerificationsController | | | | | | | | | 29 |
| GOTPlaner.Models.TourVerificationStatus | | | | | | | | | 29 |
| GOTPlaner WebAniConfig | | | | | | | | | 20 |

Chapter 5

Namespace Documentation

5.1 GOTPlaner Namespace Reference

Classes

- class Program
- · class Startup
- · class WebApiConfig
- 5.2 GOTPlaner. Areas Namespace Reference
- 5.3 GOTPlaner. Areas. Identity Namespace Reference

Classes

- · class IdentityHostingStartup
- 5.4 GOTPlaner. Areas. Identity. Pages Namespace Reference
- 5.5 GOTPlaner.Areas.Identity.Pages.Account Namespace Reference

Classes

- class LoginModel
- class LogoutModel
- · class RegisterModel

5.6 GOTPlaner.Controllers Namespace Reference

Classes

· class HomeController

5.7 GOTPlaner.Controllers.Admin Namespace Reference

Classes

· class SegmentController

5.8 GOTPlaner.Controllers.API Namespace Reference

Classes

- · class MountainRangesRestController
- class SegmentsRestController
- class TouristPointsController
- · class ToursRestController

5.9 GOTPlaner.Controllers.Leader Namespace Reference

Classes

· class TourVerificationsController

5.10 GOTPlaner.Controllers.User Namespace Reference

Classes

· class ToursController

5.11 GOTPlaner.Data Namespace Reference

Classes

- class GotContext
- class MyldentityInitializer

5.12 GOTPlaner.Models Namespace Reference

Classes

- · class Badge
- class BadgeType
- · class CloseSegment
- · class CustomDateValidator
- class ElementType
- class ErrorViewModel
- · class Leader
- class LeaderPermission
- class MountainGroup
- · class MountainRange
- class Segment
- class SegmentCross
- class Tour
- · class Tourist
- · class TouristPoint
- · class ToursPointInfo
- · class TourVerification
- · class TourVerificationStatus

Enumerations

```
    enum BadgeTypeld { Popularna = 1 , MalaBrazowa = 2 , MalaSrebrna = 3 , MalaZlota = 4 }
    enum ElementTypeld { SystemType = 1 , UserType = 2 }
    enum MountainGroupld {
        Sudety = 1 , GorySwietokrzyskie = 2 , BeskidyWschodnie = 3 , BeskidyZachodnie = 4 ,
        TatrylPodtatrze = 5 }
    enum MountainRangeld {
        PogorzeCiechowickie = 1 , BeskidNiskiWschod = 2 , BeskidNiskiZachod = 3 , Bieszczady = 4 ,
        PogorzeStrzyzowskoDynowskie = 5 , PogorzePrzemyskie = 6 }
    enum TourVerificationStatusld { Zgloszona = 1 , Zaakceptowana = 2 , Odrzucona = 3 , DoPonownego ←
        Rozpatrzenia = 4 }
```

5.13 GOTPlaner.Models.DTO Namespace Reference

Classes

- · class MountainRangeDto
- · class TouristPointDto
- · class TourltemDto

5.14 GOTPlaner.Service Namespace Reference

Classes

- interface ITourService
- · class TourService

5.15 GOTPlaner. View Models Namespace Reference

Classes

• class CreateSegmentViewModel

Chapter 6

Class Documentation

6.1 GOTPlaner.Models.Badge Class Reference

Properties

```
int ID [get, set]
BadgeTypeld BadgeTypeld [get, set]
BadgeType BadgeType [get, set]
Tourist Tourist [get, set]
DateTime ReceivalDate [get, set]
```

The documentation for this class was generated from the following file:

· Models/Badge.cs

6.2 GOTPlaner.Models.BadgeType Class Reference

Properties

```
    BadgeTypeld BadgeTypeld [get, set]
    string Name [get, set]
    IEnumerable Badge Badges [get, set]
    IEnumerable Tour Tours [get, set]
```

The documentation for this class was generated from the following file:

• Models/BadgeType.cs

6.3 GOTPlaner.Models.CloseSegment Class Reference

Properties

```
int ID [get, set]
Segment Segment [get, set]
DateTime ClosedDate [get, set]
Nullable DateTime > OpenDate [get, set]
string Reason [get, set]
```

The documentation for this class was generated from the following file:

• Models/CloseSegment.cs

6.4 GOTPlaner. View Models. Create Segment View Model Class Reference

Properties


```
Segment Segment [get, set]
string PointA [get, set]
string PointB [get, set]
int PointsAB [get, set]
int PointsBA [get, set]
int LevelDifferenceSum [get, set]
int NumberOfKilometers [get, set]
IEnumerable
MountainRange
MountainRangeld MountainRangeAld [get, set]
MountainRangeld MountainRangeBld [get, set]
bool IsSegmentAlreadyInASystem [get, set]
bool AreTouristPointsTheSame [get, set]
```

The documentation for this class was generated from the following file:

ViewModels/CreateSegmentViewModel.cs

6.5 GOTPlaner.Models.CustomDateValidator Class Reference

Inheritance diagram for GOTPlaner.Models.CustomDateValidator:



Public Member Functions

override string FormatErrorMessage (string name)

Protected Member Functions

· override ValidationResult IsValid (object objValue, ValidationContext validationContext)

The documentation for this class was generated from the following file:

· Models/CustomDateValidator.cs

6.6 GOTPlaner.Models.ElementType Class Reference

Properties

```
• ElementTypeld ElementTypeld [get, set]
```

- string Name [get, set]
- IEnumerable < Segment > Segments [get, set]

The documentation for this class was generated from the following file:

• Models/ElementType.cs

6.7 GOTPlaner.Models.ErrorViewModel Class Reference

Properties


- string RequestId [get, set]
- bool ShowRequestId [get]

The documentation for this class was generated from the following file:

· Models/ErrorViewModel.cs

6.8 GOTPlaner.Data.GotContext Class Reference

Inheritance diagram for GOTPlaner.Data.GotContext:



Public Member Functions

GotContext (DbContextOptions
 GotContext > options)

Protected Member Functions

override void OnModelCreating (ModelBuilder modelBuilder)

Properties


```
DbSet< Badge > Badges [get, set]
DbSet< BadgeType > BadgeTypes [get, set]
DbSet< CloseSegment > CloseSegments [get, set]
DbSet< ElementType > ElementTypes [get, set]
DbSet< Leader > Leaders [get, set]
DbSet< LeaderPermission > LeaderPermissions [get, set]
DbSet< MountainGroup > MountainGroups [get, set]
DbSet< MountainRange > MountainRanges [get, set]
DbSet< Segment > Segments [get, set]
DbSet< SegmentCross > SegmentCrosses [get, set]
DbSet< Tour > Tours [get, set]
DbSet< Tourist > Tourists [get, set]
DbSet< TouristPoint > TouristPoints [get, set]
DbSet< TourVerification > TourVerificationStatuses [get, set]
DbSet< TourVerificationStatus > TourVerificationStatuses [get, set]
```

The documentation for this class was generated from the following file:

· Data/GotContext.cs

6.9 GOTPlaner.Controllers.HomeController Class Reference

 $Inheritance\ diagram\ for\ GOTPlaner. Controllers. Home Controller:$



Public Member Functions


- HomeController (ILogger
 HomeController > logger)
- IActionResult Index ()
- IActionResult Privacy ()
- IActionResult Error ()

The documentation for this class was generated from the following file:

· Controllers/HomeController.cs

6.10 GOTPlaner. Areas. Identity. Identity Hosting Startup Class Reference

Inheritance diagram for GOTPlaner.Areas.Identity.IdentityHostingStartup:



Public Member Functions

• void Configure (IWebHostBuilder builder)

The documentation for this class was generated from the following file:

• Areas/Identity/IdentityHostingStartup.cs

6.11 GOTPlaner.Areas.Identity.Pages.Account.LoginModel.InputModel Class Reference

Properties

- string Email [get, set]string Password [get, set]
- bool RememberMe [get, set]

The documentation for this class was generated from the following file:

· Areas/Identity/Pages/Account/Login.cshtml.cs

6.12 GOTPlaner.Service.ITourService Interface Reference

Public Member Functions

• void BuildTour ()

The documentation for this interface was generated from the following file:

• Service/ITourService.cs

6.13 GOTPlaner.Models.Leader Class Reference

Properties

```
string Email [get, set]
string FirstName [get, set]
string LastName [get, set]
DateTime BirthDate [get, set]
bool Disability [get, set]
int IDCard [get, set]
IEnumerable TourVerification TourVerifications [get, set]
IEnumerable LeaderPermission [get, set]
```

The documentation for this class was generated from the following file:

· Models/Leader.cs

6.14 GOTPlaner.Models.LeaderPermission Class Reference

Properties


```
int ID [get, set]
Leader Leader [get, set]
MountainGroupId MountainGroupId [get, set]
MountainGroup MountainGroup [get, set]
```

The documentation for this class was generated from the following file:

· Models/LeaderPermission.cs

6.15 GOTPlaner.Areas.Identity.Pages.Account.LoginModel Class Reference

Inheritance diagram for GOTPlaner.Areas.Identity.Pages.Account.LoginModel:



Classes

· class InputModel

Public Member Functions

- LoginModel (SignInManager< IdentityUser > signInManager, ILogger< LoginModel > logger, User
 — Manager< IdentityUser > userManager)
- async Task **OnGetAsync** (string returnUrl=null)
- async Task< IActionResult > OnPostAsync (string returnUrl=null)

Properties


- InputModelInput [get, set]
- IList< AuthenticationScheme > ExternalLogins [get, set]
- string ReturnUrl [get, set]
- string ErrorMessage [get, set]

The documentation for this class was generated from the following file:

· Areas/Identity/Pages/Account/Login.cshtml.cs

6.16 GOTPlaner.Areas.Identity.Pages.Account.LogoutModel Class Reference

Inheritance diagram for GOTPlaner.Areas.Identity.Pages.Account.LogoutModel:



Public Member Functions

- LogoutModel (SignInManager < IdentityUser > signInManager, ILogger < LogoutModel > logger)
- · void OnGet ()
- async Task< IActionResult > OnPost (string returnUrl=null)

The documentation for this class was generated from the following file:

· Areas/Identity/Pages/Account/Logout.cshtml.cs

6.17 GOTPlaner.Models.MountainGroup Class Reference

Properties

- MountainGroupId MountainGroupId [get, set]
- string Name [get, set]
- IEnumerable< LeaderPermission > LeaderPermissions [get, set]

The documentation for this class was generated from the following file:

Models/MountainGroup.cs

6.18 GOTPlaner.Models.MountainRange Class Reference

Properties

- MountainRangeld MountainRangeld [get, set]
- string Name [get, set]

The documentation for this class was generated from the following file:

Models/MountainRange.cs

6.19 GOTPlaner.Models.DTO.MountainRangeDto Class Reference

Properties


- MountainRangeld MountainRangeld [get, set]
- string Name [get, set]

The documentation for this class was generated from the following file:

• Models/DTO/MountainRangeDto.cs

6.20 GOTPlaner.Controllers.API.MountainRangesRestController Class Reference

 $Inheritance\ diagram\ for\ GOTPlaner. Controllers. API. Mountain Ranges Rest Controller:$



Public Member Functions

- MountainRangesRestController (GotContext context)
- async Task< List< MountainRangeDto >> GetMountainRanges ()

The documentation for this class was generated from the following file:

• Controllers/API/MountainRangesRestController.cs

6.21 GOTPlaner.Data.MyldentityInitializer Class Reference

Static Public Member Functions

- static void SeedRoles (RoleManager< IdentityRole > roleManager)
- static void **SeedOneUser** (UserManager< IdentityUser > userManager, string name, string password, string role=null, string role2=null)
- static void SeedUsers (UserManager< IdentityUser > userManager)

The documentation for this class was generated from the following file:

· Data/MyldentityInitializer.cs

6.22 GOTPlaner.Program Class Reference

Static Public Member Functions


- static void **Main** (string[] args)
- static IHostBuilder CreateHostBuilder (string[] args)

The documentation for this class was generated from the following file:

· Program.cs

6.23 GOTPlaner.Areas.Identity.Pages.Account.RegisterModel Class Reference

Inheritance diagram for GOTPlaner.Areas.Identity.Pages.Account.RegisterModel:



Public Member Functions

- RegisterModel (UserManager< IdentityUser > userManager, SignInManager< IdentityUser > signIn← Manager, ILogger< RegisterModel > logger, IEmailSender emailSender, GotContext context)
- async Task OnGetAsync (string returnUrl=null)
- $\bullet \ \ async \ Task < IActionResult > \textbf{OnPostAsync} \ (string \ returnUrl=null) \\$

Properties

- Tourist Tourist [get, set]
- string ReturnUrl [get, set]
- IList< AuthenticationScheme > ExternalLogins [get, set]

The documentation for this class was generated from the following file:

· Areas/Identity/Pages/Account/Register.cshtml.cs

6.24 GOTPlaner.Models.Segment Class Reference

Properties


- int ID [get, set]
- TouristPoint TouristPointA [get, set]
- int TouristPointAld [get, set]
- TouristPoint TouristPointB [get, set]
- int TouristPointBld [get, set]
- int PointsAB [get, set]
- Nullable < int > PointsBA [get, set]
- int LevelDifferenceSum [get, set]
- double NumberOfKilometers [get, set]
- ElementTypeld ElementTypeld [get, set]
- **ElementType ElementType** [get, set]
- IEnumerable < SegmentCross > SegmentCrosses [get, set]
- IEnumerable < CloseSegment > SegmentCloses [get, set]

The documentation for this class was generated from the following file:

Models/Segment.cs

6.25 GOTPlaner.Controllers.Admin.SegmentController Class Reference

Inheritance diagram for GOTPlaner.Controllers.Admin.SegmentController:



Public Member Functions

- SegmentController (GotContext context)
- async Task< IActionResult > Index ()
- async Task< IActionResult > Details (int? id)
- IActionResult Create ()
- async Task< | ActionResult > Create (CreateSegmentViewModel createSegmentViewModel)
- async Task< IActionResult > Edit (int? id)
- async Task< IActionResult > **Delete** (int? id)
- async Task< IActionResult > DeleteConfirmed (int id)

The documentation for this class was generated from the following file:

· Controllers/Admin/SegmentController.cs

6.26 GOTPlaner.Models.SegmentCross Class Reference

Properties


```
int ID [get, set]
int Tourld [get, set]
Tour Tour [get, set]
int SegmentId [get, set]
Segment Segment [get, set]
int Order [get, set]
bool Direction [get, set]
Nullable DateTime CrossDate [get, set]
string ImageName [get, set]
```

The documentation for this class was generated from the following file:

· Models/SegmentCross.cs

6.27 GOTPlaner.Controllers.API.SegmentsRestController Class Reference

Inheritance diagram for GOTPlaner.Controllers.API.SegmentsRestController:



Public Member Functions

SegmentsRestController (GotContext context)

The documentation for this class was generated from the following file:

· Controllers/API/SegmentsRestController.cs

6.28 GOTPlaner.Startup Class Reference

Public Member Functions

- Startup (IConfiguration configuration)
- void ConfigureServices (IServiceCollection services)
- void Configure (IApplicationBuilder app, IWebHostEnvironment env, UserManager < IdentityUser > user ←
 Menager, RoleManager < IdentityRole > roleManager)

Properties

- IConfiguration Configuration [get]
- object MyldentityDataInitializer [get]

The documentation for this class was generated from the following file:

• Startup.cs

6.29 GOTPlaner.Models.Tour Class Reference

Properties

```
• int ID [get, set]
```

- DateTime CreationDate [get, set]
- Nullable< DateTime > StartDate [get, set]
- Nullable< DateTime > EndDate [get, set]
- string TouristEmail [get, set]
- Tourist Tourist [get, set]
- BadgeTypeld BadgeTypeld [get, set]
- BadgeType BadgeType [get, set]
- IEnumerable < SegmentCross > SegmentCrosses [get, set]
- IEnumerable< TourVerification > TourVerifications [get, set]

The documentation for this class was generated from the following file:

· Models/Tour.cs

6.30 GOTPlaner.Models.Tourist Class Reference

Properties

```
string Email [get, set]
string FirstName [get, set]
string LastName [get, set]
DateTime BirthDate [get, set]
string Password [get, set]
bool Disability [get, set]
IEnumerable Badge Badges [get, set]
IEnumerable Tour Tours [get, set]
```

The documentation for this class was generated from the following file:

· Models/Tourist.cs

6.31 GOTPlaner.Models.TouristPoint Class Reference

Public Member Functions

· override bool Equals (object obj)

Properties

```
    int ID [get, set]
    string Name [get, set]
    MountainRangeld MountainRangeld [get, set]
    MountainRange MountainRange [get, set]
    ElementTypeld ElementTypeld [get, set]
    ElementType ElementType [get, set]
    IEnumerable Segment SegmentsA [get, set]
    IEnumerable Segment SegmentsB [get, set]
```

The documentation for this class was generated from the following file:

· Models/TouristPoint.cs

6.32 GOTPlaner.Models.DTO.TouristPointDto Class Reference

Public Member Functions

override bool Equals (object obj)

Properties


- int ID [get, set]string Name [get, set]
- string APIName [get, set]
- MountainRangeld MountainRangeld [get, set]

The documentation for this class was generated from the following file:

• Models/DTO/TouristPointDto.cs

6.33 GOTPlaner.Controllers.API.TouristPointsController Class Reference

Inheritance diagram for GOTPlaner.Controllers.API.TouristPointsController:



Public Member Functions

- TouristPointsController (GotContext context)
- ActionResult< IEnumerable
 TouristPointDto > > GetTouristPoints ()
- async Task< ActionResult
 TouristPoint >> GetTouristPoint (int id)
- $\hbox{ async Task< IEnumerable< } \hbox{ ToursPointInfo} > \hbox{ GetTouristPointsPossibleFromPoint ([From- Query(Name="pointId")] int pointId)}$

The documentation for this class was generated from the following file:

· Controllers/API/TouristPointsController.cs

6.34 GOTPlaner.Models.DTO.TourltemDto Class Reference

Properties


- int TouristPointId [get, set]
- string TouristPointName [get, set]
- bool OwnPoint [get, set]
- int? CurrentPoints [get, set]
- int? NumberOfKilometers [get, set]
- int? LevelDifference [get, set]
- int MountainRangeld [get, set]

The documentation for this class was generated from the following file:

• Models/DTO/TourItemDto.cs

6.35 GOTPlaner.Controllers.User.ToursController Class Reference

Inheritance diagram for GOTPlaner.Controllers.User.ToursController:



Public Member Functions

- ToursController (GotContext context)
- async Task< IActionResult > Index ()
- async Task< IActionResult > Details (int? id)
- IActionResult Create ()
- async Task< | ActionResult > Create ([Bind("ID,CreationDate,StartDate,EndDate")] Tour tour)
- async Task< IActionResult > Edit (int? id)
- async Task< | ActionResult > Edit (int id, [Bind("ID,CreationDate,StartDate,EndDate")] Tour tour)
- async Task< IActionResult > Delete (int? id)
- async Task< IActionResult > DeleteConfirmed (int id)

The documentation for this class was generated from the following file:

· Controllers/User/ToursController.cs

6.36 GOTPlaner.Service.TourService Class Reference

Public Member Functions

- TourService (GotContext context, IHttpContextAccessor contextAccessor)
- bool BuildTour (List< TourltemDto > tourltemDtos)

The documentation for this class was generated from the following file:

· Service/TourService.cs

6.37 GOTPlaner.Models.ToursPointInfo Class Reference

Public Member Functions

• override bool Equals (object obj)

Properties


- TouristPointDto TouristPointDto [get, set]
- int PointsToGain [get, set]

The documentation for this class was generated from the following file:

· Models/ToursPointInfo.cs

6.38 GOTPlaner.Controllers.API.ToursRestController Class Reference

Inheritance diagram for GOTPlaner.Controllers.API.ToursRestController:



Public Member Functions

- ToursRestController (TourService tourService)
- HttpResponseMessage AddTour (List< TourltemDto > tourltemDtos)

The documentation for this class was generated from the following file:

· Controllers/API/ToursRestController.cs

6.39 GOTPlaner.Models.TourVerification Class Reference

Properties

```
int ID [get, set]
int Tourld [get, set]
Tour Tour [get, set]
string LeaderEmail [get, set]
Leader Leader [get, set]
string Reason [get, set]
DateTime VerificationDate [get, set]
TourVerificationStatusId TourVerificationStatusId [get, set]
```


TourVerificationStatus Status [get, set]

The documentation for this class was generated from the following file:

· Models/TourVerification.cs

6.40 GOTPlaner.Controllers.Leader.TourVerificationsController Class Reference

Inheritance diagram for GOTPlaner.Controllers.Leader.TourVerificationsController:



Public Member Functions

- TourVerificationsController (GotContext context)
- async Task< IActionResult > Index ()
- async Task< IActionResult > **Details** (int? id)
- IActionResult Reject (int ID, string reason, string user)
- IActionResult Confirm (int ID, string user)

The documentation for this class was generated from the following file:

· Controllers/Leader/TourVerificationsController.cs

6.41 GOTPlaner.Models.TourVerificationStatus Class Reference

Properties

- TourVerificationStatusId TourVerificationStatusId [get, set]
- string Name [get, set]
- IEnumerable < TourVerification > TourVerifications [get, set]

The documentation for this class was generated from the following file:

· Models/TourVerificationStatus.cs

6.42 GOTPlaner.WebApiConfig Class Reference

Static Public Member Functions

• static void **Register** (HttpConfiguration config)

The documentation for this class was generated from the following file:

· WebApiConfig.cs

Index

GOTPlaner. 9 GOTPlaner.Models.SegmentCross, 23 GOTPlaner. Areas, 9 GOTPlaner.Models.Tour, 24 GOTPlaner. Areas. Identity, 9 GOTPlaner.Models.Tourist. 25 GOTPlaner. Areas. Identity. Identity Hosting Startup, 17 GOTPlaner.Models.TouristPoint, 25 GOTPlaner. Areas. Identity. Pages, 9 GOTPlaner.Models.ToursPointInfo, 27 GOTPlaner.Areas.Identity.Pages.Account, 9 GOTPlaner. Models. Tour Verification, 28 GOTPlaner.Areas.Identity.Pages.Account.LoginModel, GOTPlaner.Models.TourVerificationStatus, 29 GOTPlaner.Program, 21 GOTPlaner.Areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account.LoginModel.Inputational.areas.Identity.Pages.Account. GOTPlaner.Service.ITourService, 17 GOTPlaner.Areas.Identity.Pages.Account.LogoutModel. GOTPlaner.Service.TourService, 27 GOTPlaner.Startup, 24 GOTPlaner.Areas.Identity.Pages.Account.RegisterModel, GOTPlaner.ViewModels, 12 GOTPlaner. View Models. Create Segment View Model, 14 21 GOTPlaner.Controllers, 9 GOTPlaner.WebApiConfig, 29 GOTPlaner.Controllers.Admin, 10 GOTPlaner.Controllers.Admin.SegmentController, 22 GOTPlaner.Controllers.API, 10 GOTPlaner.Controllers.API.MountainRangesRestController, GOTPlaner.Controllers.API.SegmentsRestController, GOTPlaner.Controllers.API.TouristPointsController, 26 GOTPlaner.Controllers.API.ToursRestController, 28 GOTPlaner.Controllers.HomeController, 16 GOTPlaner.Controllers.Leader, 10 GOTPlaner.Controllers.Leader.TourVerificationsController, GOTPlaner.Controllers.User, 10 GOTPlaner.Controllers.User.ToursController, 27 GOTPlaner.Data, 10 GOTPlaner.Data.GotContext, 15 GOTPlaner.Data.MyldentityInitializer, 21 GOTPlaner. Models, 11 GOTPlaner.Models.Badge, 13 GOTPlaner.Models.BadgeType, 13 GOTPlaner. Models. Close Segment, 14 GOTPlaner.Models.CustomDateValidator, 14 GOTPlaner.Models.DTO, 11 GOTPlaner.Models.DTO.MountainRangeDto, 20 GOTPlaner.Models.DTO.TouristPointDto, 25 GOTPlaner.Models.DTO.TourltemDto, 26 GOTPlaner.Models.ElementType, 15 GOTPlaner.Models.ErrorViewModel, 15 GOTPlaner.Models.Leader, 18 GOTPlaner. Models. Leader Permission, 18 GOTPlaner.Models.MountainGroup, 19

GOTPlaner.Models.MountainRange, 20 GOTPlaner.Models.Segment, 22