Project Executable Files and Run Instructions

Phase 7: Project Documentation

1. Repository Contents

The source archive contains a frontend folder (React, Vite, Tailwind), a backend folder (FastAPI), a supabase folder with the SQL migration, and a docs folder with the architecture, deployment, Supabase setup and end-to-end checklist guides. It does not include private credentials or recorded media.

2. Frontend Setup

1. Install a supported Node.js release and npm.
2. Extract the archive and open a terminal in the frontend folder.
3. Run npm install.
4. Run npm run dev. On Windows PowerShell, npm.cmd run dev can be used if script execution is blocked.
5. Open http://localhost:5173. The application starts in demo mode when Supabase variables are absent.
6. Run npm run test to run the Vitest suite and npm run build to verify the production build.

3. Backend Setup

1. Install Python 3.11 and create a virtual environment in the backend folder (for example python -m venv .venv).
2. Activate the environment and run pip install -r requirements.txt.
3. Copy .env.example to .env and set values privately (see below).
4. Start the server with uvicorn app.main:app --reload --port 8000.
5. Open http://localhost:8000/health and http://localhost:8000/docs.
6. Run pytest -v to run the backend tests.

4. Environment Configuration

Where	Variable	Purpose
Frontend	VITE_API_BASE_URL	Backend base URL (default http://localhost:8000)
Frontend	VITE_SUPABASE_URL, VITE_SUPABASE_ANON_KEY	Enable live authentication; omit for demo mode
Backend	AI_PROVIDER, GEMINI_API_KEY or OPENAI_API_KEY, AI_MODEL_NAME	Select provider, key and model
Backend	SUPABASE_URL, SUPABASE_KEY, SUPABASE_JWT_SECRET	Database and token verification
Backend	CORS_ORIGINS	Allowed frontend origins
Backend	ENABLE_DEMO_MODE	Allow demo sessions (disable in production)

Do not copy real values into a README, report, screenshot or commit.

5. Deployed Resources

Resource	Address
Live frontend (Vercel)	https://travel-book-livid.vercel.app
Backend base URL	Not supplied - add the Render URL here after deployment
Health endpoint	/health
Source repository	Not supplied - add the GitHub link here

6. Troubleshooting

Frontend cannot reach the backend

Check VITE_API_BASE_URL, the browser network tab and the backend logs. Make sure CORS_ORIGINS includes the deployed frontend origin. The default list in the backend settings contains only localhost and a different Vercel address, so add https://travel-book-livid.vercel.app.

Itinerary comes from the fallback generator

Check /health: ai_configured must be true. Verify the provider key, the model name and the provider quota.

Trips do not persist across sessions

Confirm Supabase variables, that the migration was applied, and that the user is signed in with a real account and not the demo user.

Routes return 404 on refresh in production

Make sure vercel.json with the rewrite to index.html is deployed with the frontend.

7. Submission Package Notes

Keep the source archive, main report, the phase documents, screenshots and the demonstration video as separate, clearly named files. Mark local setup as verified only after another person has followed the steps successfully.