

Modeling And Prediction Of Infectious Disease Cases In Iloilo City Using Multiple Linear Regression

by Gorriceta et al.



MODELLING AND PREDICTION OF INFECTIOUS DISEASE CASES IN
ILOILO CITY USING MULTIPLE LINEAR REGRESSION

In Partial Fulfilment
of the Requirements for the Degree
BACHELOR OF SCIENCE IN COMPUTER SCIENCE

by

Joan Marie D. Arsenio
April Joy N. Gallano
Arle Kai Franco E. Gorriceta
Hiro G. Parcon
Regina Flor P. Tonogbanua

March 2023

Disclaimer

We hereby declare that content produced and present in this thesis an original piece of work done by the researchers and takes due acknowledgement of the referred content and resources, wherever applicable.

In no event shall the College of Information and Communications Technology or the development team be liable to you or anyone else for any direct, special, incidental, indirect, or consequential damages of any kind, or any damages whatsoever, including without limitation, loss of profit, loss of use, savings or revenue, or the claims of third parties, whether or not the college or the team has been advised of the possibility of such loss, however, caused and on any theory of liability, arising out of or in connection with the possession, use or performance of this software.

Further, We have acknowledged all sources used and have cited these in the reference section.

Arle Kai Franco E. Gorriceta
April Joy N. Gallano
Joan Marie D. Arsenio
Regina Flor P. Tonogbanua
Hiro G. Parcon

Table Of Contents

Disclaimer	2
Deployment Guide	4
I. Getting Started	4
II. System Requirements	5
III. Installation	6
IV. Usage	8
Automatic Forecasting	8
Manually Inputting Values	15
Multiple Linear Regression	17
V. Troubleshooting for fixing possible bugs	19
A. Deployment	19
b) Version Errors	19
c) Application Errors	19
VI. Frequently Asked Questions	21
VII. Contact Details	22

Deployment Guide

I. Getting Started

- A. The application is currently accessible through the link : <https://mlrfinal.streamlit.app/>
 1. You will be navigated to the Welcome/Home menu where we give a brief explanation and methodology we used to explain the usage of Multiple Linear Regression within our Data. The checkboxes in the **Dataset Options for Viewing** will allow users to see said methodologies.
- B. If you choose to deploy the application locally, please proceed to step to the **Installation** section for more details.



II. System Requirements

- A. For the web version of the application that is already deployed with the help of Streamlit, we recommend the two most recent versions of the following browsers when accessing the application:
 - 1. Google Chrome
 - 2. Firefox
 - 3. Microsoft Edge
 - 4. Safari
- B. For deploying the application on a local server, here are the following requirements:
 - 1. Python: Streamlit currently supports versions 3.7, 3.8, 3.9, 3.10, and 3.11 of Python.
 - 2. Operating system: Streamlit is currently supported on Windows and macOS/Linux operating systems.
 - 3. Editor: Streamlit runs on almost all IDE's. For this project we decided to use Pycharm.
 - 4. Dependencies: Since the application uses external libraries such as Pandas, Matplotlib, Scikit-learn, etc, a "requirements.txt" file is added to the project link and this is installed with the help of pip after installing your desired version of Python.

III. Installation

A. Accessing Online

1. No external Installation is needed to run the web application (Unless you wish to deploy it locally, please refer to **part B of Installation** for more details). Though we recommend referring to the **System Requirements** section to verify which browsers are supported to access and utilize the application.

B. Deploying in Local Server


1. Clone or save the project from this link:
https://github.com/arlekaidot/Thesis_Edits
2. Install the required (please check requirements) applications/dependencies such as:
 - a) Your browser of choice
 - b) Your IDE of choice
 - c) A compatible version of Python
 - d) The dependencies from requirements.txt on the project link (install with pip)
3. The main Python file to be used in the project is named "Welcome.py", we open this file with our IDE of choice and run the file in the terminal. This can be done with the command "streamlit run Welcome.py". If successful, this would show that the application can be viewed with a local/network URL.
 - a) A common error that would occur is if one or more dependencies haven't been previously installed with pip. Please refer to **System Requirements section B, item no. 4 to troubleshoot**. This is also true if one or more sections of the web application display an error message.
 - b) If successful, you will be greeted with the same welcome screen as the already deployed application but with a different url:

```
PS C:\Users\arlei\Downloads\Thesis\Thesis_Edits-main> streamlit run Welcome.py
```

You can now view your Streamlit app in your browser.

Local URL: <http://localhost:8501>

Network URL: <http://192.168.1.4:8501>




IV. Usage

Currently, the web application has 3 main features:

- Automatic Forecasting via uploading a csv file (with the help of PythonAF or Python Automatic Forecasting)
- Manual Forecasting via manually inputting variable inputs and displaying a forecast value (with the help of Multiple Linear Regression)
- Forecasting and prediction of values through set timeframes with Multiple Linear Regression via uploading a csv file.

Automatic Forecasting

1. For Python Automatic Forecasting, select the “AF” option on the sidebar and this will lead you to the AF page of the application.



2. This will prompt you to upload a CSV file for the prediction algorithm. (If you receive an error please refer to the troubleshooting guide.)

Welcome

AF

Prediction Tool

Upload

Upload Own Files for Prediction (Please Use CSV File)

Navigation

Upload

Profiling

Modelling

Please make sure categorical data is changed to numerical data beforehand

Upload Your Dataset

Drag and drop file here

Limit 200MB per file

Browse files

Covid.csv 2.2KB

	Month	Positivity	TotalCases	NewCases	LocalTransmission	ReturningResidents	ROFW	Deaths
0	2021-05-02	8.5000	40	6	0	3	1	0
1	2021-05-09	12.3000	22	10	12	1	0	0
2	2021-05-16	13.8000	49	4	45	0	0	0
3	2021-05-23	11.6000	51	0	41	0	3	0
4	2021-05-30	17.7000	101	0	67	0	0	0
5	2021-06-06	17.7000	107	0	89	0	0	0
6	2021-06-13	17.4000	79	0	60	0	0	0
7	2021-06-20	19.5000	27	13	14	0	0	0
8	2021-06-27	20.1000	74	16	57	0	0	1
9	2021-07-04	21.4000	58	29	0	1	3	1

- The Profiling option will then generate a report on the data gathered from the csv file for further viewing.

Exploratory Data Analysis

Generating profile report...

	Month	Positivity	TotalCases	NewCases	LocalTransmission	ReturningResidents	ROFW	Deaths
0	2021-05-02	8.5000	40	6	0	3	1	0
1	2021-05-09	12.3000	22	10	12	1	0	0
2	2021-05-16	13.8000	49	4	45	0	0	0
3	2021-05-23	11.6000	51	0	41	0	3	0
4	2021-05-30	17.7000	101	0	67	0	0	0
5	2021-06-06	17.7000	107	0	89	0	0	0
6	2021-06-13	17.4000	79	0	60	0	0	0
7	2021-06-20	19.5000	27	13	14	0	0	0
8	2021-06-27	20.1000	74	16	57	0	0	1
9	2021-07-04	21.4000	58	29	0	1	3	1

- Users may then view the Overview, Alerts, as well as the Reproduction tab which will allow them to download a .json file that can be used for external data us

×

Welcome

AF

Prediction Tool

Upload

Upload Own Files for Prediction (Please Use CSV File)

Navigation

Upload

Profiling

Modelling

Please make sure categorical data is changed to numerical data beforehand

Exploratory Data Analysis

Overview

Alerts 10

Reproduction

Dataset statistics

Number of variables	12
Number of observations	45
Missing cells	0
Missing cells (%)	0.0%
Duplicate rows	0
Duplicate rows (%)	0.0%
Total size in memory	4.3 KiB
Average record size in memory	98.8 B

Variable types

Categorical	6
Numeric	6

Variables

Exploratory Data Analysis

Overview

Overview

Alerts 19

Reproduction

Alerts

Positivity	is highly overall correlated with TotalCases and 2 other fields	High correlation
TotalCases	is highly overall correlated with Positivity and 3 other fields	High correlation
NewCases	is highly overall correlated with Positivity and 3 other fields	High correlation
LocalTransmission	is highly overall correlated with TotalCases and 1 other fields	High correlation
Increaseincases	is highly overall correlated with Month	High correlation
IncreaseinPositivityRate	is highly overall correlated with Month	High correlation
Month	is highly overall correlated with Positivity and 10 other fields	High correlation
ReturningResidents	is highly overall correlated with Month	High correlation
ROFW	is highly overall correlated with Month and 1 other fields	High correlation
Deaths	is highly overall correlated with NewCases and 1 other fields	High correlation
APOR	is highly overall correlated with Month and 1 other fields	High correlation
LDOrder	is highly overall correlated with Month	High correlation
Month	is uniformly distributed	Uniform

Figure 4a.

Exploratory Data Analysis

Overview

Overview

Alerts 19

Reproduction

Reproduction

Analysis started	2023-03-16 15:06:24.518462
Analysis finished	2023-03-16 15:06:29.503675
Duration	4.99 seconds
Software version	pandas-profiling v3.6.6
Download configuration	config.json

Variables

Select Columns ▼

Month

Categorical

HIGH CORRELATION

UNIFORM

UNIQUE

Distinct

45


Figure 4b.

- Users may then opt to see the actual data modelling process by clicking the modelling tab followed by selecting the specific variables followed by the **Run Modelling** function.

The screenshot shows a web application interface with a dark theme. On the left is a sidebar with a 'Welcome' message, a user profile 'AF', and navigation links for 'Prediction Tool' and 'Upload'. Below these is a section titled 'Upload Own Files for Prediction (Please Use CSV File)' with a 'Navigation' menu containing 'Upload', 'Profiling', and 'Modelling' (which is selected with a red dot). A blue box below the navigation menu contains the text: 'Please make sure categorical data is changed to numerical data beforehand'. The main content area on the right has a top bar with a 'RUNNING...' status, a 'Stop' button, and a menu icon. The main area contains two dropdown menus: 'Choose Your Dependent Variable' with 'Positivity' selected, and 'Choose Column with Date Configuration' with 'Month' selected. Below these is a red 'Run Modelling' button. At the bottom of the main area, it says 'Made with: Streamlit' and there is a red crown icon in the bottom right corner.


6. The modelled data is then displayed for interpretation.

	Month	Positivity	Positivity_Forecast	Positivity_Forecast_Upper_Bound	Positivity_Forecast
0	2021-05-02T00:00:00	8.5000	8.5000	0.0000	
1	2021-05-09T00:00:00	12.3000	12.3000	0.0000	
2	2021-05-16T00:00:00	13.8000	13.8000	0.0000	
3	2021-05-23T00:00:00	11.6000	11.6000	0.0000	
4	2021-05-30T00:00:00	17.7000	17.7000	0.0000	
5	2021-06-06T00:00:00	17.7000	17.7000	0.0000	
6	2021-06-13T00:00:00	17.4000	17.4000	0.0000	
7	2021-06-20T00:00:00	19.5000	19.5000	0.0000	
8	2021-06-27T00:00:00	20.1000	20.1000	0.0000	
9	2021-07-04T00:00:00	21.4000	21.4000	0.0000	



Manually Inputting Values

1. Navigate to the Prediction Tool Page of the app.



- Users may opt to input values to predict the positivity rate. Even leaving the data at 0 yields a result since this was during a period where Covid Cases were still being recorded.

Covid-19 Positivity Rate Prediction Tool

Total Cases

0.00 - +

New Cases

0.00 - +

Local Transmissions

0.00 - +

Returning Residents

0.00 - +

ROFWs

0.00 - +

Deaths

0.00 - +

Authorized Personnel Outside Residence

0.00 - +

Select Lockdown Order

Travel Protocol ▼

Enter Increase in Cases

0.00 - +

Enter Increase in Positivity Rate


0.00 - +

Submit

The predicted Positivity Rate is: 4.331438221240502


Multiple Linear Regression

1. Similar to Automatic Forecasting, users will have a similar experience when visiting this tab, the only difference is the ability to change the Test Size as well as having a fixed dependent variable.



2. Users can click “Run Modelling” to get the results of using the algorithm.





V. Troubleshooting for fixing possible bugs

A. Deployment

1. Most bugs or errors would occur if the user chooses to deploy the application locally rather than use the application that has already been deployed by the team. For instance these could be but are not limited to:

a) Missing dependencies

- (1) Please refer to the requirements section of the guide to check if you are missing any dependencies. If the application successfully runs on the Streamlit engine, sections of the application will display error messages referring to the dependency that is missing.
- (2) If the application is not running at all or is not displaying on the Streamlit browser, this is most likely caused by not having Streamlit installed with pip.
- (3) Please check Streamlit's official documentation for any changes or errors that might be happening with the version you are using.
- (4) Streamlit has specific conventions on how to properly deploy an app with Github. For more information, please visit <https://docs.streamlit.io/streamlit-community-cloud/get-started/deploy-an-app>

b) Version Errors

- (1) Please check the requirements section to see which versions of the tools we recommend to use for the application to run successfully.

c) Application Errors

- (1) Our application only utilizes **.csv** extensions. If you upload a different file format on the upload sections, this will display an error such as the one below:

Upload Your Dataset

Upload Your Dataset (Please Use CSV Format)



Drag and drop file here

Limit 200MB per file

Browse files



FDM9mlp8j7xFVrVK.mp4 0.7MB



UnicodeDecodeError: This app has encountered an error. The original error message is redacted to prevent data leaks. Full error details have been recorded in the logs (if you're on Streamlit Cloud, click on 'Manage app' in the lower right of your app).

Traceback:

```
File "/home/appuser/venv/lib/python3.9/site-packages/streamlit/runtime/script_runner.py", line 141, in exec(code, module.__dict__)
File "/app/thesis_edits/pages/Upload.py", line 24, in <module>
    df = pd.read_csv(file, index_col=None)
File "/home/appuser/venv/lib/python3.9/site-packages/pandas/util/_decorators.py", line 331, in wrapper
    return func(*args, **kwargs)
File "/home/appuser/venv/lib/python3.9/site-packages/pandas/io/parsers/readers.py", line 943, in _read(filepath_or_buffer, kwds)
File "/home/appuser/venv/lib/python3.9/site-packages/pandas/io/parsers/readers.py", line 1126, in parser = TextFileReader(filepath_or_buffer, **kwds)
File "/home/appuser/venv/lib/python3.9/site-packages/pandas/io/parsers/readers.py", line 1164, in self._engine = self._make_engine(f, self.engine)
File "/home/appuser/venv/lib/python3.9/site-packages/pandas/io/parsers/readers.py", line 1254, in return mapping[engine](f, **self.options)
File "/home/appuser/venv/lib/python3.9/site-packages/pandas/io/parsers/c_parser_wrapper.py", line 75, in self._reader = parsers.TextReader(src, **kwds)
File "pandas/_libs/parsers.pyx", line 544, in pandas._libs.parsers.TextReader._
```

VI. Frequently Asked Questions

Q: Who is the application made for? What goal did your team want to achieve?

A: The application is free to use for anyone but we focused on making it a useful tool for health professionals and government officials to have a better way to analyze and interpret Covid Data as well as show the strengths of algorithms in trying to combat Covid-19 as a whole through predicting positivity rates.

Q: Is your application free to use? Do you plan to monetize this application?

A: Yes, since Streamlit is a free to use platform that isn't gated behind premium tiers, the application is free to use and can be deployed locally for free.

Q: I noticed that on your project, you have a .pkl file or a pickle file. What is this used for?

A: We utilized pickle to streamline how our application reads data to be used for our Algorithm and is also used to store the algorithm/s used. If you wish to replicate or download the pickle file for your own data science project, feel free to do so by getting it from the project link.

Q: Do you have plans to continually update or improve the application being used?

A: We have lots of ideas to further improve the innovativeness of our application such as giving it the ability to extract live data and improving the algorithm and results by itself. Unfortunately, the sources of Covid Data are not as concise as we would want it to be. However, if you wish to use this application as inspiration for creating a project with more Covid Data, our project link is always public.

Q: How do you ensure the deployed application cannot be tampered with or changed to skew data results?

A: The application uses the configuration which was deployed on Github. If we wish to make any changes we would have to redeploy the application with Streamlit again and any changes are documented within the repository on Github as well. Locally deployed versions of the application with different datasets might skew the results if changes are made.

Q: Is this application accessible through mobile phones?

A: Yes, since it is a web application - mobile phones with browsers can easily access our application.

Q: Do you plan to deploy it as a standalone application?

A: Currently, no. We feel the web version is sufficient and also removes the need to install anything either on your phone or on operating systems.

Q: Is it possible to deploy any modifications we've made to the application to Streamlit as well?

A: For deployment to Streamlit please check their documentation here:
<https://docs.streamlit.io/streamlit-community-cloud/get-started/deploy-an-app>

VII. Contact Details

Arle Kai Franco E. Gorriceta

arlekai.gorriceta@wvsu.edu.ph

Regina Flor P. Tonogbanua

reginaflor.tonogbanua@wvsu.edu.ph

April Joy N. Gallano

apriljoy.gallano@wvsu.edu.ph

Joan Marie D. Arseno

joanmarie.arsenio@wvsu.edu.ph

Hiro G. Parcon

hiro.parcon@wvsu.edu.ph