

Name Armaan Aulakh

Student id 500228506

The image shows two screenshots of the MongoDB Compass application. The top screenshot shows the 'My Queries' tab with a message: 'No saved queries yet. Start saving your aggregations and find queries, you'll see them here. Not sure where to start? Visit our Docs →'. The bottom screenshot shows the same interface but with a terminal window open at the bottom, displaying the following commands:

```
> use student_performance_traking
< switched to db student_performance_traking
student_performance_traking> db.createCollection("users")
db.createCollection("tasks")
db.createCollection("projects")
db.createCollection("logs")
db.createCollection("reports")
```

The terminal window also shows the prompt '>_MONGOSH' at the top. The interface includes a sidebar with 'Performance', 'Databases', and a search bar. The 'Databases' section lists 'admin', 'config', and 'local'. The 'My Queries' section is currently empty.

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
> MONGODB
> use student_performance_tracking
switched to db student_performance_tracking
> db.createCollection("users")
db.createCollection("tasks")
db.createCollection("projects")
db.createCollection("logs")
db.createCollection("reports")
{ ok: 1 }
student_performance_tracking>
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
> MONGODB
> }
> mongoimport --db performance_tracking --collection users --type csv --headerline --file users.csv
SyntaxError: Missing semicolon. (1:14)

> 1 | mongoimport --db performance_tracking --collection users --type csv --headerline --file users.csv
    |          ^
    2 |
student_performance_tracking>
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
>
> mongoimport --db performance_tracking --collection users --type csv --headerline --file users.csv
SyntaxError: Missing semicolon. (1:14)

> 1 | mongoimport --db performance_tracking --collection users --type csv --headerline --file users.csv
    |           ^
    2 |

student_performance_traking> db.tasks.updateOne({ title: "Task 1" }, { $set: { status: "Completed" } })
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
> db.tasks.updateOne({ title: "Task 1" }, { $set: { status: "Completed" } })
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
student_performance_traking>
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

> MONGODB

```
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

student_performance_tracking> db.tasks.updateOne({ title: "Task 1" }, { \$set: { status: "Completed" } })

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

> MONGODB

```
/ db.tasks.updateOne({ title: "Task 1" }, { $set: { status: "Completed" } })
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 0,
  upsertedCount: 0
}
```

student_performance_tracking>

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

> MONGODB

```
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 0,
  upsertedCount: 0
}
```

student_performance_tracking> db.tasks.updateMany({ status: "In Progress" }, { \$set: { status: "Completed" } })

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

> MONGODB

```
/ db.tasks.updateMany({ status: "In Progress" }, { $set: { status: "Completed" } })
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 0
}
```

student_performance_tracking>

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

>_MONGOSH

```
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 0
}
```

student_performance_tracking> db.users.findOne({ name: "Alice" })

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

>_MONGOSH

```
> db.users.findOne({ name: "Alice" })
< {
  _id: ObjectId('661012e4e9e8844fd368bdc'),
  name: 'Alice',
  age: 28,
  email: 'alice@example.com'
}
```

student_performance_tracking>

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
> db.users.findOne({ name: "Alice" })
< {
  _id: ObjectId('661012e4e9e8844fd368bdc'),
  name: 'Alice',
  age: 28,
  email: 'alice@example.com'
}
student_performance_tracking> db.users.findOne({ name: "Alice" })
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
>
> db.users.findOne({ name: "Alice" })
< {
  _id: ObjectId('661012e4e9e8844fd368bdc'),
  name: 'Alice',
  age: 28,
  email: 'alice@example.com'
}
student_performance_tracking>
```


MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
> db.users.findOne({ name: "Alice" })
< {
  _id: ObjectId('661012e4e9e8844fd368bdc'),
  name: 'Alice',
  age: 28,
  email: 'alice@example.com'
}
student_performance_tracking> db.tasks.find({ status: "Completed" })
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
>
> db.tasks.find({ status: "Completed" })
< {
  _id: ObjectId('6610130be9e8844fd368bdd'),
  title: 'Task 1',
  description: 'Description for Task 1',
  status: 'Completed'
}
student_performance_tracking>
```


MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
> db.tasks.find({ status: "Completed" })
< {
  _id: ObjectId('6610130be9e8844fd368bdd'),
  title: 'Task 1',
  description: 'Description for Task 1',
  status: 'Completed'
}
student_performance_tracking> db.users.deleteOne({ name: "Alice" })
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
  description: 'Description for Task 1',
  status: 'Completed'
}
> db.users.deleteOne({ name: "Alice" })
< {
  acknowledged: true,
  deletedCount: 1
}
student_performance_tracking>
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#) →

```
>_MONGOOSH
status: "Completed"
}
> db.users.deleteOne({ name: "Alice" })
< {
  acknowledged: true,
  deletedCount: 1
}
student_performance_tracking> db.tasks.deleteMany({ status: "Completed" })
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#) →

```
>_MONGOOSH
  acknowledged: true,
  deletedCount: 1
}
> db.tasks.deleteMany({ status: "Completed" })
< {
  acknowledged: true,
  deletedCount: 1
}
student_performance_tracking>
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
< switched to db student_performance_tracking
> db.createCollection("users")
db.createCollection("tasks")
db.createCollection("projects")
db.createCollection("logs")
db.createCollection("reports")
< { ok: 1 }
student_performance_tracking> db.users.insertOne({ name: "Alice", age: 28, email: "alice@example.com" })
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
db.createCollection("logs")
db.createCollection("reports")
< { ok: 1 }
> db.users.insertOne({ name: "Alice", age: 28, email: "alice@example.com" })
< {
  acknowledged: true,
  insertedId: ObjectId('661012e4e9e8844f1d368bdc')
}
student_performance_tracking>
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
use('student_performance_tracking')
db.createCollection("reports")
{ ok: 1 }
> db.users.insertOne({ name: "Alice", age: 28, email: "alice@example.com" })
{
  acknowledged: true,
  insertedId: ObjectId('661012e4e9e8844fd368bdc')
}
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOOSH
{
  acknowledged: true,
  insertedId: ObjectId('661012e4e9e8844fd368bdc')
}
student_performance_tracking> db.tasks.insertMany([
  { title: "Task 1", description: "Description for Task 1", status: "In Progress" },
  { title: "Task 2", description: "Description for Task 2", status: "To Do" }
])
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOSH
//
< {
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6610130be9e8844fd368bdd'),
    '1': ObjectId('6610130be9e8844fd368bde')
  }
}
student_performance_tracking>
```

MongoDB Compass - localhost:27017/My Queries

Connect Edit View Help

localhost:27017

My Queries

Performance

Databases

Search

admin

config

local

No saved queries yet.

Start saving your aggregations and find queries, you'll see them here.

Not sure where to start? [Visit our Docs](#)

```
>_MONGOSH
< {
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6610130be9e8844fd368bdd'),
    '1': ObjectId('6610130be9e8844fd368bde')
  }
}
student_performance_tracking> mongoimport --db performance_tracking --collection users --type csv --headerline --file users.csv
```

