

# Rapport d'intervention


*Cliente : Nina Carducci*

## Table des matières


I - Score Lighthouse .....	2
Score Lighthouse avant optimisation .....	2
Score Lighthouse après optimisation .....	2
II - Détails des optimisations et interventions effectuées.....	2
1 - Les images .....	2
2 - HTML, CSS & JS .....	4
III - Accessibilité du site .....	5
Accessibilité avant optimisation .....	5
Accessibilité après optimisation .....	5
Modifications effectuées .....	6
IV - Détails de réalisations additionnelles à la demande du client.....	7
1 –Référencement local .....	7
Mise en place de balises Schema.org (LocalBusiness).....	7
V - Cahier de recette .....	8
Annexe .....	8
Rapport complet de l'audit Lighthouse .....	8

## I - Score Lighthouse

Score Lighthouse avant optimisation



Score Lighthouse après optimisation



## II - Détails des optimisations et interventions effectuées

### 1 - Les images

Le projet comporte originellement XX images pour un poids total de XX MB. Nous avons effectué les modifications suivantes aux images :  
Conversion en formats modernes WebP

- Ajout de srcset + sizes → choix automatique de la bonne résolution selon l'écran.

- Ajout de width et height → suppression des décalages visuels (CLS).
- Préchargement de l'image LCP (carrousel) → affichage accéléré.
- Application du lazy-loading (loading="lazy") sur toutes les images non critiques (galerie, About, Portfolio, Contact).

Après les modifications, le poids total des images est de XX MB, soit un gain de XX %.


## 2 - HTML, CSS & JS

- Ajout de `<meta charset="UTF-8">` en tout début du `<head>` → parsing plus rapide.
- Réorganisation des ressources : jQuery avant mauGallery.js (nécessaire).
- Ajout de `defer` sur tous les scripts → le rendu de la page n'est plus bloqué.
- Ajout de `preconnect` et `preload` pour Google Fonts → latence réduite.
- Utilisation de `media="print" onload="this.media='all'"` pour charger Bootstrap → CSS non bloquant.
- Nettoyage et refactorisation du CSS (suppression redondances, règles inutiles).
- Refactorisation du JS (simplification des listeners).
- Correction du plugin mauGallery :
- Méthodes manquantes ajoutées (`createRowWrapper`, `wrapItemInColumn`, `showItemTags`, `createLightBox`).
- Bug `createRowWrapper is not a function` corrigé.
- Galerie désormais 100 % fonctionnelle (responsive, filtrage, lightbox, navigation fluide).


### III - Accessibilité du site

- Plusieurs images sans attribut alt.
- Hiérarchie des titres incorrecte.
- Labels manquants dans le formulaire.
- Accessibilité après optimisation

### Accessibilité avant optimisation



### Accessibilité après optimisation



# Modifications effectuées

## Images et médias

- Ajout d'attributs alt descriptifs et pertinents pour toutes les images (ex. : "Icône Instagram", "Homme traversant la rue").
- Ajout systématique de width et height sur les images afin d'éviter les décalages visuels
- Mise en place du lazy loading (loading="lazy") pour les images non critiques afin d'améliorer l'expérience sur mobile et en connexion lente.

## Structure et contenu

Ajout de lang="fr" dans la balise <html> pour une meilleure prise en charge par les lecteurs d'écran.

## Correction de la hiérarchie des titres :

- un seul <h1> → "Nina Carducci - Photographe",
- utilisation des <h2> et <h3> pour structurer correctement les sections.

## Formulaire et navigation

- Ajout de labels reliés aux inputs avec l'attribut for="id" pour une meilleure accessibilité clavier et compatibilité avec les lecteurs d'écran.
- Vérification que les éléments interactifs (boutons, liens) sont accessibles au clavier.

## Techniques diverses

- Suppression du position: absolute; inutile sur .gallery-item pour éviter des problèmes d'affichage et améliorer la lecture.
- Ajustements responsive dans les media queries afin de garantir une bonne lisibilité sur les petits écrans.

**Résultat : 96/100 en Accessibilité sur Lighthouse.**

## IV - Détails de réalisations additionnelles à la demande du client

### 1 –Référencement local

#### Mise en place de balises Schema.org (LocalBusiness)

- Implémentation du balisage JSON-LD pour décrire l'activité comme un commerce local.
- Type utilisé : LocalBusiness.
- Champs renseignés :
  - name: "Nina Carducci - Photographe".
  - address: 68 avenue Alsace-Lorraine, 33200 Bordeaux.
  - telephone: 05 56 67 78 89.
  - openingHours: Lundi au vendredi, 10h–19h.
- Optimisation des métadonnées HTML
- Ajout d'une balise meta description précisant la localisation ("photographe professionnelle à Bordeaux").
- Ajout du nom de la ville ("Bordeaux") dans le <title> pour renforcer le SEO local.
- Cohérence NAP (Name – Address – Phone)
- Uniformisation et affichage clair du nom, de l'adresse et du numéro de téléphone dans le footer et dans le Schema.org.
- Formatage conforme aux standards SEO (numéro de téléphone lisible par les moteurs de recherche).

## V - Cahier de recette

Détail des fonctionnalités débuggées et de leur statut :

ID	Action	Résultat initial	Résultat attendu	Statut	Remarques et commentaires
1	Bug createRowWrapper dans mauGallery	Galerie cassée, erreurs console	Galerie fonctionnelle et fluide	Résolu	Ajout des méthodes manquantes
2	CLS (layout shift)	Déplacement images / nav	CLS corrigé (width/height fixés)	Résolu	Score CLS proche de 0
3	Accessibilité images	Alt manquants	Tous les alt descriptifs	Résolu	Améliore SEO + UX
4	Formulaire contact	Labels manquants	Labels reliés correctement avec l'attribut « for »	Résolu	Compatible lecteurs d'écran

## Annexe


Rapport complet de l'audit Lighthouse





Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



METRICS

Expand view

First Contentful Paint

0.9 s

▲ Largest Contentful Paint

5.4 s

Total Blocking Time

0 ms

Cumulative Layout Shift


0.418

Speed Index

0.9 s



View Treemap



Later this year, insights will replace performance audits. [Learn more and provide feedback](#)

[here.](#)

Try insights

Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

Avoid large layout shifts — 2 layout shifts found



These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS


Element	Layout shift score
<div><div></div><div>div#about</div></div>	0.411
<div><div></div><div>img.d-block.w-100</div><div>Media element lacking an explicit size</div></div>	
<div><div></div><div>div.picture.left</div></div>	0.008
<div><div></div><div>img.d-block.w-100</div><div>Media element lacking an explicit size</div></div>	

Element	Layout shift score
...v19/UcCO3FwrK....woff2 (fonts.gstatic.com)	Web font loaded
...v14/rnCu-xNNw....woff2 (fonts.gstatic.com)	Web font loaded
...v14/rnCu-xNNw....woff2 (fonts.gstatic.com)	Web font loaded
...v14/rnCr-xNNw....woff2 (fonts.gstatic.com)	Web font loaded

▲ Largest Contentful Paint element — 5,390 ms



This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

Element
<div>img.d-block.w-100</div>

Phase	% of LCP	Timing
TTFB	7%	360 ms
Load Delay	34%	1,860 ms
Load Time	32%	1,700 ms
Render Delay	27%	1,470 ms

▲ Properly size images — Est savings of 22,520 KiB



Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#) FCP LCP

URL	Resource Size	Est Savings
GitHub <span>Utility</span> <span>1st Party</span>	23,004.0 KiB	22,519.9 KiB

	URL	Resource Size	Est Savings
 img.gallery-item.img-fluid	...mariage/jakob-owens-SiniLJkXhMc-unsplash.jpg (nina-carducci.github.io)	6,129.4 KiB	6,105.6 KiB
 img.gallery-item.img-fluid	...portraits/nino-van-....jpg (nina-carducci.github.io)	2,468.4 KiB	2,456.5 KiB
 img	...images/nina.png (nina-carducci.github.io)	2,105.8 KiB	1,889.4 KiB
 img.gallery-item.img-fluid	...entreprise/mateus-ca....jpg (nina-carducci.github.io)	1,878.9 KiB	1,869.0 KiB
img.d-block.w-100	...slider/nicholas-....jpg (nina-carducci.github.io)	1,859.8 KiB	1,784.6 KiB
 img.gallery-item.img-fluid	...mariage/hannah-bu....jpg (nina-carducci.github.io)	1,737.0 KiB	1,724.2 KiB
 img	...images/camera.png (nina-carducci.github.io)	1,625.1 KiB	1,543.2 KiB

	URL	Resource Size	Est Savings
 img.gallery-item.img-fluid	...concerts/austin-ne...jpg (nina-carducci.github.io)	1,437.7 KiB	1,428.5 KiB
 img.gallery-item.img-fluid	...enterprise/ali-morsh...jpg (nina-carducci.github.io)	1,073.6 KiB	1,068.4 KiB
 img.gallery-item.img-fluid	...concerts/aaron-pau...jpg (nina-carducci.github.io)	1,011.6 KiB	996.8 KiB
 img.gallery-item.img-fluid	...portraits/ade-tunji-rVkhWWZFAtQ-unsplash.jpg (nina-carducci.github.io)	979.0 KiB	963.4 KiB
 img.gallery-item.img-fluid	...enterprise/jason-goo...jpg (nina-carducci.github.io)	697.8 KiB	690.6 KiB

▲ Serve images in next-gen formats — Est savings of 8,069 KiB



Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#) FCP LCP

	URL	Resource Size	Est Savings
GitHub <span>Utility</span> <span>1st Party</span>		18,887.0 KiB	8,068.7 KiB
img.d-block.w-100	...slider/edward-ci...jpg (nina-carducci.github.io)	5,561.6 KiB	3,157.4 KiB


	URL	Resource Size	Est Savings
 img	...images/nina.png (nina-carducci.github.io)	2,105.8 KiB	1,759.8 KiB
 img.gallery-item.img-fluid	...marriage/jakob-owens-SiniLJkXhMc- unsplash.jpg (nina-carducci.github.io)	6,129.4 KiB	1,229.4 KiB
 img	...images/camera.png (nina-carducci.github.io)	1,625.1 KiB	959.6 KiB
 img.gallery-item.img-fluid	...enterprise/mateus-ca....jpg (nina- carducci.github.io)	1,878.9 KiB	928.0 KiB
 img.d-block.w-100	...slider/ryoji-iwa....jpg (nina- carducci.github.io)	1,586.2 KiB	34.5 KiB

▲ Defer offscreen images — Est savings of 1,586 KiB



Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) FCP LCP

	URL	Resource Size	Est Savings
GitHub <span>Utility</span> <span>1st Party</span>		1,586.2 KiB	1,586.2 KiB

URL	Resource Size	Est Savings
 img.d-block.w-100	...slider/ryoji-iwa....jpg (nina-carducci.github.io) 1,586.2 KiB	1,586.2 KiB

▲ Eliminate render-blocking resources — Est savings of 300 ms ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

☒ Show 3rd-party resources (2)

URL	Transfer Size	Est Savings
GitHub <span>Utility</span> <span>1st Party</span>	70.5 KiB	200 ms
...bootstrap/bootstrap.bundle.js (nina-carducci.github.io)	43.8 KiB	120 ms
...bootstrap/bootstrap.css (nina-carducci.github.io)	26.7 KiB	80 ms
Google Fonts <span>Cdn</span>	1.4 KiB	480 ms
/css2?family=... (fonts.googleapis.com)	1.4 KiB	480 ms
jQuery CDN <span>Cdn</span>	30.3 KiB	260 ms
/jquery-3.4.1.min.js (code.jquery.com)	30.3 KiB	260 ms

Image elements do not have explicit width and height ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

URL
GitHub <span>Utility</span> <span>1st Party</span>
img.d-block.w-100
...slider/nicholas-....jpg (nina-carducci.github.io)

URL		
	img	...images/camera.png (nina-carducci.github.io)
	img	...images/nina.png (nina-carducci.github.io)
	img	...images/instagram.png (nina-carducci.github.io)

Minify CSS — Est savings of 5 KiB



Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Est Savings
GitHub <span>Utility</span> <span>1st Party</span>	<b>26.7 KiB</b>	<b>5.2 KiB</b>
...bootstrap/bootstrap.css (nina-carducci.github.io)	26.7 KiB	5.2 KiB

Serve static assets with an efficient cache policy — 20 resources found



A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

URL	Cache TTL	Transfer Size
GitHub <span>Utility</span> <span>1st Party</span>		<b>30,249 KiB</b>
...mariage/jakob-owens-SiniLJkXhMc-unsplash.jpg (nina-carducci.github.io)	10m	6,133 KiB
...slider/edward-ci....jpg (nina-carducci.github.io)	10m	5,565 KiB
...portraits/nino-van-....jpg (nina-carducci.github.io)	10m	2,470 KiB



URL	Cache TTL	Transfer Size
...images/nina.png (nina-carducci.github.io)	10m	2,107 KiB
...entreprise/mateus-ca....jpg (nina-carducci.github.io)	10m	1,880 KiB
...slider/nicholas-....jpg (nina-carducci.github.io)	10m	1,861 KiB
...mariage/hannah-bu....jpg (nina-carducci.github.io)	10m	1,738 KiB
...images/camera.png (nina-carducci.github.io)	10m	1,626 KiB
...slider/ryoji-iwa....jpg (nina-carducci.github.io)	10m	1,587 KiB
...concerts/austin-ne....jpg (nina-carducci.github.io)	10m	1,439 KiB
...entreprise/ali-morsh....jpg (nina-carducci.github.io)	10m	1,075 KiB
...concerts/aaron-pau....jpg (nina-carducci.github.io)	10m	1,013 KiB
...portraits/ade-tunji-rVkhWWZFAtQ-unsplash.jpg (nina-carducci.github.io)	10m	980 KiB
...entreprise/jason-goo....jpg (nina-carducci.github.io)	10m	698 KiB
...bootstrap/bootstrap.bundle.js (nina-carducci.github.io)	10m	44 KiB
...bootstrap/bootstrap.css (nina-carducci.github.io)	10m	27 KiB
/assets/maugallery.js (nina-carducci.github.io)	10m	2 KiB
/assets/style.css (nina-carducci.github.io)	10m	2 KiB
...images/instagram.png (nina-carducci.github.io)	10m	1 KiB
/assets/scripts.js (nina-carducci.github.io)	10m	0 KiB

Efficiently encode images — Est savings of 1,955 KiB



Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#) FCP LCP

URL	Resource Size	Est Savings
GitHub <span>Utility</span> <span>1st Party</span>	5,561.6 KiB	1,955.4 KiB

URL		Resource Size	Est Savings
img.d-block.w-100	...slider/edward-ci...jpg (nina-carducci.github.io)	5,561.6 KiB	1,955.4 KiB

Avoid serving legacy JavaScript to modern browsers — Est savings of 20 KiB



Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

URL	Est Savings
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	12.0 KiB
<div>bubble_compiled.js:17</div> <div>bubble_compiled.js:4667</div>	<div>@babel/plugin-transform-regenerator</div> <div>Promise.allSettled</div>
chrome-extension://ofaokhiedipichpaobibbnahnkdoiiah/js/sha256.min.js	8.5 KiB
<div>sha256.min.js:9</div>	<div>Array.isArray</div>

Reduce unused JavaScript — Est savings of 547 KiB



Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). FCP LCP

URL	Transfer Size	Est Savings
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	737.6 KiB	422.4 KiB
chrome-extension://hgeljhfekpckiiplhkigfehkdpldcgmm/content-scripts/script.js	88.7 KiB	61.5 KiB
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	47.1 KiB	42.7 KiB
../react-devtools-shared/src/backend/fiber/renderer.js	16.5 KiB	16.4 KiB
../build/oss-experimental/react-debug-tools/cjs/react-debug-tools.production.js	4.1 KiB	3.7 KiB
../react-devtools-shared/src/backend/legacy/renderer.js	3.6 KiB	3.6 KiB
../react-devtools-shared/src/backend/profilingHooks.js	2.9 KiB	2.7 KiB

URL	Transfer Size	Est Savings
../../react-devtools-shared/src/utils.js	2.7 KiB	2.6 KiB
chrome-extension://ofaokhiedipichpaobibbnahnkdoiiah/js/jquery-3.1.1.min.js	27.9 KiB	21.0 KiB

Avoid enormous network payloads — Total size was 30,350 KiB



Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

URL	Transfer Size
GitHub <span>Utility</span> <span>1st Party</span>	26,407.7 KiB
...marriage/jakob-owens-SiniLJkXhMc-unsplash.jpg (nina-carducci.github.io)	6,133.1 KiB
...slider/edward-ci....jpg (nina-carducci.github.io)	5,565.0 KiB
...portraits/nino-van-....jpg (nina-carducci.github.io)	2,470.2 KiB
...images/nina.png (nina-carducci.github.io)	2,107.2 KiB
...enterprise/mateus-ca....jpg (nina-carducci.github.io)	1,880.4 KiB
...slider/nicholas-....jpg (nina-carducci.github.io)	1,861.2 KiB
...marriage/hannah-bu....jpg (nina-carducci.github.io)	1,738.3 KiB
...images/camera.png (nina-carducci.github.io)	1,626.3 KiB
...slider/ryoji-iwa....jpg (nina-carducci.github.io)	1,587.3 KiB
...concerts/austin-ne....jpg (nina-carducci.github.io)	1,438.8 KiB

User Timing marks and measures — 2 user timings



Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
__v3	Mark	0.00 ms	

Name	Type	Start Time	Duration
clearMarks	Mark		173.92 ms

○ Avoid chaining critical requests — 10 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#)

Maximum critical path latency: **636.407 ms**

Initial Navigation

https://nina-carducci.github.io

- ...bootstrap/bootstrap.css (nina-carducci.github.io) - **292.071 ms**, 26.66 KiB
- /assets/style.css (nina-carducci.github.io) - **283.723 ms**, 1.52 KiB
- /css2?family=... (fonts.googleapis.com)
  - ...v19/UcCO3FwrK....woff2 (fonts.gstatic.com) - **13.989 ms**, 23.27 KiB
  - ...v14/rnCu-xNNw....woff2 (fonts.gstatic.com) - **19.651 ms**, 14.65 KiB
  - ...v14/rnCu-xNNw....woff2 (fonts.gstatic.com) - **16.646 ms**, 15.38 KiB
  - ...v14/rnCr-xNNw....woff2 (fonts.gstatic.com) - **20.848 ms**, 13.73 KiB
- ...bootstrap/bootstrap.bundle.js (nina-carducci.github.io) - **317.919 ms**, 43.80 KiB
- /jquery-3.4.1.min.js (code.jquery.com) - **17.493 ms**, 30.28 KiB
- /assets/maugallery.js (nina-carducci.github.io) - **281.805 ms**, 2.17 KiB
- /assets/scripts.js (nina-carducci.github.io) - **282.945 ms**, 0.43 KiB

○ Minimize third-party usage — Third-party code blocked the main thread for 40 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
jQuery CDN <span>Cdn</span>	<b>30 KiB</b>	<b>44 ms</b>
/jquery-3.4.1.min.js (code.jquery.com)	30 KiB	44 ms
Google Fonts <span>Cdn</span>	<b>68 KiB</b>	<b>0 ms</b>
...v19/UcCO3FwrK....woff2 (fonts.gstatic.com)	23 KiB	0 ms
...v14/rnCu-xNNw....woff2 (fonts.gstatic.com)	15 KiB	0 ms
...v14/rnCu-xNNw....woff2 (fonts.gstatic.com)	15 KiB	0 ms
...v14/rnCr-xNNw....woff2 (fonts.gstatic.com)	14 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms

Avoid long main-thread tasks — 4 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

☒ Show 3rd-party resources (1)

URL	Start Time	Duration
Unattributable		<b>151 ms</b>
chrome-extension:///aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	539 ms	151 ms
GitHub <span>Utility</span> <span>1st Party</span>		<b>113 ms</b>
https://nina-carducci.github.io	424 ms	57 ms
https://nina-carducci.github.io	483 ms	56 ms
jQuery CDN <span>Cdn</span>		<b>94 ms</b>
/jquery-3.4.1.min.js (code.jquery.com)	728 ms	94 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (21) Hide

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). FCP LCP

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression](#). FCP LCP

Preconnect to required origins



Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) LCP FCP

Initial server response time was short — Root document took 120 ms



Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
GitHub <span>Utility</span> <span>1st Party</span>	120 ms
https://nina-carducci.github.io	120 ms

Avoid multiple page redirects



Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) LCP FCP

Use HTTP/2



HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP FCP

Use video formats for animated content



Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) FCP LCP

Remove duplicate modules in JavaScript bundles



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP

Preload Largest Contentful Paint image



If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

Avoids an excessive DOM size — 131 elements



A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		131
Maximum DOM Depth	div.mg-prev	9
Maximum Child Elements	<div><div></div></div> div.gallery-items-row.row	9

JavaScript execution time — 0.3 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

☒ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	475 ms	35 ms	122 ms
Unattributable	321 ms	7 ms	0 ms
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	155 ms	28 ms	122 ms
GitHub <span>Utility</span> <span>1st Party</span>	264 ms	30 ms	26 ms
https://nina-carducci.github.io	264 ms	30 ms	26 ms
jQuery CDN <span>Cdn</span>	193 ms	35 ms	4 ms
/jquery-3.4.1.min.js (code.jquery.com)	193 ms	35 ms	4 ms

Minimizes main-thread work — 1.0 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Other	541 ms

Category	Time Spent
Script Parsing & Compilation	165 ms
Script Evaluation	124 ms
Style & Layout	114 ms
Rendering	21 ms
Parse HTML & CSS	20 ms

All text remains visible during webfont loads



Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display.](#)

☐ Lazy load third-party resources with facades




Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Largest Contentful Paint image was not lazily loaded



Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

Element
 <code>img.d-block.w-100</code>

Uses passive listeners to improve scrolling performance



Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Avoids `document.write()`



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\).](#)



Avoid non-composited animations

^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

Page didn't prevent back/forward cache restoration

^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

Image elements do not have `[alt]` attributes

^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

#### Failing Elements




img




img.gallery-item.img-fluid

Failing Elements




img.gallery-item.img-fluid




img.gallery-item.img-fluid



img.gallery-item.img-fluid




img.gallery-item.img-fluid




img.gallery-item.img-fluid



img.gallery-item.img-fluid




img.gallery-item.img-fluid



img.gallery-item.img-fluid

## Failing Elements



img

▲ Document doesn't have a <title> element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

## Failing Elements



html

▲ Form elements do not have associated labels



Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

## Failing Elements



input#nom



input#email




textarea#message

### ▲ Links do not have a discernible name



Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

#### Failing Elements



a.social-link

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.


## CONTRAST

### ▲ Background and foreground colors do not have a sufficient contrast ratio.



Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

#### Failing Elements



span.nav-link.active.active-tag

These are opportunities to improve the legibility of your content.

## INTERNATIONALIZATION AND LOCALIZATION

### ▲ `<html>` element does not have a `[lang]` attribute



If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#)

#### Failing Elements



html

Failing Elements




These are opportunities to improve the interpretation of your content by users in different locales.

NAVIGATION

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)


Failing Elements



h6.about-me\_\_introduction



h3.title



h3

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

○ Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

○ Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

---

☐ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

---

☐ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

---

☐ User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

---

☐ The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

---

☐ HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

---

☐ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

---

☐ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

---

☐ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

---

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

## PASSED AUDITS (15)

Hide

[aria-\*] attributes match their roles



Each ARIA role supports a specific subset of aria-\* attributes. Mismatching these invalidates the aria-\* attributes. [Learn how to match ARIA attributes to their roles.](#)

[aria-hidden="true"] is not present on the document <body>



Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[aria-\*] attributes have valid values



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[aria-\*] attributes are valid and not misspelled



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Buttons have an accessible name



When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

Input buttons have discernible text.



Adding discernible and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.



Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

ARIA attributes are used as specified for the element's role



Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

[aria-hidden="true"] elements do not contain focusable descendents



Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

#### Elements use only permitted ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

#### Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).



Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

#### List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements



Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

#### Touch targets have sufficient size and spacing.



Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

#### Uses ARIA roles only on compatible elements



Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#)

#### Image elements do not have `[alt]` attributes that are redundant text.



Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

### NOT APPLICABLE (35)

Hide

#### ☐ `[accesskey]` values are unique



Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

#### ☐ `button`, `link`, and `menuitem` elements have accessible names





When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

---

☐ Deprecated ARIA roles were not used ^

---

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

---

☐ Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ^

---

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

---

☐ ARIA input fields have accessible names ^

---

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

---

☐ ARIA `meter` elements have accessible names ^

---

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

---

☐ ARIA `progressbar` elements have accessible names ^

---

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

---

☐ `[role]`s have all required `[aria-*)` attributes ^

---

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

---

☐ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

---

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

---

☐ `[role]`s are contained by their required parent element ^

---

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

---

☐ `[role]` values are valid ^

---

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

- Elements with the `role=text` attribute do not have focusable descendents. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#)

- ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

- ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

- ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#)

- The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- `<d1>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

- Definition list items are wrapped in `<d1>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<d1>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

- ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

- No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

---

☐ `<frame>` or `<iframe>` elements have a title ^

---

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

---

☐ `<html>` element has a valid value for its `[lang]` attribute ^

---

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

---

☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

---

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

---

☐ `<input type="image">` elements have `[alt]` text ^

---

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

---

☐ Links are distinguishable without relying on color. ^

---

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

---

☐ The document does not use `<meta http-equiv="refresh">` ^

---

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

---

☐ `<object>` elements have alternate text ^

---

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

---

☐ Select elements have associated label elements. ^

---

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

---

☐ Skip links are focusable. ^

---

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

- No element has a `[tabindex]` value greater than 0



A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute.](#)

- Tables have different content in the `summary` attribute and `<caption>`.



The `summary` attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about `summary` and `caption`.](#)

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.



Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the `headers` attribute.](#)

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.



Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

- `[lang]` attributes have a valid value



Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute.](#)

- `<video>` elements contain a `<track>` element with `[kind="captions"]`



When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)



## Best Practices

### TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks



A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

☐ Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

Description	Directive	Severity
No `includeSubDomains` directive found	includeSubDomains	Medium
No `preload` directive found	preload	Medium

☐ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

☐ Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

Description	Severity
No frame control policy found	High

GENERAL

☐ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
Bootstrap	5.1.3
jQuery	3.4.1

PASSED AUDITS (14)

Hide

Uses HTTPS



All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

Avoids deprecated APIs



Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Avoids third-party cookies



Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Allows users to paste into input fields



Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers.[Learn more about user-friendly input fields.](#)

Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

Serves images with appropriate resolution



Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Has a `<meta name="viewport">` tag with `width` or `initial-scale`



A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset



A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

No browser errors logged to the console



Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

No issues in the [Issues](#) panel in Chrome Devtools



Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps



Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

URL	Map URL
Unattributable	
chrome-extension://fmkadmappgofadopljbjfkapdkoienihi/build/installHook.js	chrome-extension://fmkadmappgofadopljbjfkapdkoienihi/build/installHook.js.map
Warning: missing 46 items in `.sourcesContent`	

URL	Map URL
GitHub <span>Utility</span> <span>1st Party</span>	
...bootstrap/bootstrap.bundle.js (nina-carducci.github.io)	...bootstrap/bootstrap.bundle.js.map (nina-carducci.github.io)

NOT APPLICABLE (2)

Hide

- ☐

Redirects HTTP traffic to HTTPS

^
- Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)
- ☐

Document uses legible font sizes

^
- Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes.](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials.](#)

CONTENT BEST PRACTICES

- ☐

Document doesn't have a `<title>` element

^
- The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)



## Failing Elements



html

▲ Document does not have a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

▲ Image elements do not have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)


## Failing Elements




img




img.gallery-item.img-fluid



img.gallery-item.img-fluid




img.gallery-item.img-fluid




img.gallery-item.img-fluid

Failing Elements




img.gallery-item.img-fluid




img.gallery-item.img-fluid




img.gallery-item.img-fluid



img.gallery-item.img-fluid



img.gallery-item.img-fluid



img

Format your HTML in a way that enables crawlers to better understand your app’s content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Structured data is valid



Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (5)

Hide

Page isn't blocked from indexing	^
Search engines are unable to include your pages in search results if they don't have permission to crawl them. <a href="#">Learn more about crawler directives.</a>	
Page has successful HTTP status code	^
Pages with unsuccessful HTTP status codes may not be indexed properly. <a href="#">Learn more about HTTP status codes.</a>	
Links have descriptive text	^
Descriptive link text helps search engines understand your content. <a href="#">Learn how to make links more accessible.</a>	
Links are crawlable	^
Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. <a href="#">Learn how to make links crawlable</a>	
Document has a valid hreflang	^
hreflang links tell search engines what version of a page they should list in search results for a given language or region. <a href="#">Learn more about hreflang.</a>	

NOT APPLICABLE (2)

Hide

<input type="radio"/> robots.txt is valid	^
If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. <a href="#">Learn more about robots.txt.</a>	
<input type="radio"/> Document has a valid rel=canonical	^
Canonical links suggest which URL to show in search results. <a href="#">Learn more about canonical links.</a>	

Captured at Sep 8, 2025, 1:20 PM GMT+2

Initial page load

Emulated Desktop with Lighthouse 12.6.1

Custom throttling

Single page session

Using Chromium 139.0.0.0 with devtools





Performance



Accessibility



Best Practices



SEO



# Performance


Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100



## METRICS

Expand view

First Contentful Paint

0.7 s

Largest Contentful Paint

1.1 s

Total Blocking Time


0 ms

Cumulative Layout Shift

0

Speed Index

0.7 s



Later this year, insights will replace performance audits. [Learn more and provide feedback](#)

[here.](#)

[Go back to audits](#)

Show audits relevant to: [All](#) [FCP](#) [LCP](#) [CLS](#)

INSIGHTS

▲ Improve image delivery — Est savings of 317 KiB	▼
▲ LCP request discovery	▼
Document request latency — Est savings of 11 KiB	▼
○ Layout shift culprits	▼
○ Optimize DOM size	▼
○ LCP breakdown	▼
○ 3rd parties	▼

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce unused CSS — Est savings of 154 KiB	▼
▲ Reduce unused JavaScript — Est savings of 122 KiB	▼
▲ Page prevented back/forward cache restoration — 1 failure reason	▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (23)

Show



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### CONTRAST

<div><div></div></div> <div>Background and foreground colors do not have a sufficient contrast ratio.</div> <div>▼</div>
--

These are opportunities to improve the legibility of your content.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)

Show

NOT APPLICABLE (35)

Show



## Best Practices

### TRUST AND SAFETY

<div><div></div></div> <div>Ensure CSP is effective against XSS attacks</div> <div>▼</div>
<div><div></div></div> <div>Use a strong HSTS policy</div> <div>▼</div>
<div><div></div></div> <div>Ensure proper origin isolation with COOP</div> <div>▼</div>

- Mitigate clickjacking with XFO or CSP

▼
- Mitigate DOM-based XSS with Trusted Types

▼

GENERAL

- Detected JavaScript libraries

▼

PASSED AUDITS (14)

Show

NOT APPLICABLE (2)

Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Show

NOT APPLICABLE (2)

Show

Captured at Sep 21, 2025, 9:12 PM GMT+2

Initial page load

Emulated Desktop with Lighthouse 12.8.1

Custom throttling

Single page session

Using Chromium 140.0.0.0 with devtools