

PRD - Unit Page

Complete operational workspace for one apartment, office, parking space, retail space or other unit

Prepared for Full Stack Product, Design, Backend, Frontend, Data, QA and DevOps teams

Document	PRD - Unit Page
Version	1.0
Date	2026-08-04
Status	Implementation-ready functional PRD
Access model	Phase 1: every authenticated user can view and use every feature

Role restrictions and field-level visibility will be introduced in a later permissions PRD. The implementation must remain permission-ready while defaulting to allow-all behavior in this phase.

Contents

- [1. Executive Summary](#)
- [2. Goals, Scope and Access Model](#)
- [3. Navigation and Page Structure](#)
- [4. Unit Header and Primary Actions](#)
- [5. Unit Overview and Type-Specific Fields](#)
- [6. Area Components and Pricing Engine](#)
- [7. Sales, Client and Interested Parties](#)
- [8. Hold and Reservation Protection](#)
- [9. Unit Status Lifecycle](#)
- [10. Payments and Finance](#)
- [11. Documents, Visuals and 3D Position](#)
- [12. Linked Assets and Sales Packages](#)
- [13. Client Changes and Approvals](#)
- [14. Handover and Defects](#)
- [15. Activity Timeline](#)
- [16. Split, Merge, Archive and Recovery](#)
- [17. Functional Data Model](#)
- [18. API Contract](#)
- [19. Frontend Architecture and State](#)
- [20. Backend Domain Services and Events](#)
- [21. Validation, Edge Cases and Error Handling](#)
- [22. Non-Functional Requirements](#)
- [23. QA Strategy and Test Matrix](#)
- [24. Acceptance Criteria](#)
- [25. Page and Flow Registry](#)

1. Executive Summary

The Unit Page is the complete operational workspace for one specific unit. A unit may be an apartment, office, retail space, parking space, storage room, villa, hotel room, land plot or custom trackable space. The page connects physical information, area-based pricing, current sales state, buyer/client, payment schedule, documents, 3D position, linked assets, client changes, approvals and handover.

The Unit Page is distinct from the Units Page. The Units Page manages inventory and bulk operations; the Unit Page manages the complete lifecycle and detail of one unit.

2. Goals, Scope and Access Model

Goals

- Provide one complete and understandable record for a unit from Draft through Handed Over.
- Allow fast sales actions without losing technical, financial or document context.
- Support type-specific fields while using one universal Unit domain.
- Calculate current final price from multiple area components.
- Prevent double holds and reservations through transactional concurrency control.
- Show payment state from authoritative Finance records.
- Connect to 3D, documents, approvals, client changes, linked assets and handover.

Access model

Every authenticated user can view and use every Unit Page feature in this phase, including commercial, client, payment, document, status, hold, reservation, split, merge and handover actions.

The frontend and backend must call permission hooks, but the default policy is allow-all. No field-level hiding or read-only behavior is implemented until the later Permissions PRD.

Non-goals

- Defining role restrictions.
- Replacing the Finance ledger, contract authoring system or document repository.
- Maintaining a dedicated asking-price history. Current pricing is editable and replaces the previous current price.
- Designing the complete Approval Page or Client Page.

3. Navigation and Page Structure

Entry point	Result
Units Page row/card	Open selected Unit Page.
3D Project Viewer	Open Unit Page with 3D context and return link.
Client Page	Open purchased/reserved Unit Page.
Reservation/Contract	Open linked Unit Page.
Global Search	Open Unit Page directly.
Project Page -> Units	Navigate to Units Page, then selected unit.

Recommended page sections

1. Header and current lifecycle status.
2. Overview.
3. Area and Pricing.
4. Sales and Client.
5. Payments.
6. Documents and Visuals.
7. Linked Assets / Package.

8. Client Changes and Approvals.
9. Handover.
10. Activity Timeline.

UNIT-001 - Desktop may use tabs or anchored sections, but deep links must address each section directly.

UNIT-002 - Mobile must provide a compact sticky header with unit code, status and primary action menu.

4. Unit Header and Primary Actions

Header element	Requirement
Unit identity	Unit code, type and optional display name.
Hierarchy	Project, optional structure/building and optional floor/level.
Lifecycle status	Prominent status badge and status detail.
Current client	Buyer/reservation client, if linked.
Current final price	Current calculated final price and currency.
Visual	Floor-plan or render thumbnail.
Primary actions	Reserve, Sell/Contract, Edit, Release, Change Status, Open in 3D.
Secondary actions	Duplicate, create package, split, merge, archive, export/share.

UNIT-003 - Actions must adapt to current status but remain available to every authenticated user when logically valid.

UNIT-004 - Invalid actions must be disabled with an explanation rather than silently hidden.

5. Unit Overview and Type-Specific Fields

Universal fields

- Unit code and type.
- Project, optional structure, optional floor.
- Internal area, balcony/terrace area, garden/storage/custom areas and total physical area.
- Orientation, view, features and notes.
- Construction/completion status.
- Current lifecycle status.
- Configured custom fields.

Type-specific fields

Unit type	Fields
Apartment / Villa	Bedrooms, bathrooms, living rooms, kitchen type, balconies, orientation, view, furnishing/finish package.
Office	Capacity, open-space seats, private offices, meeting rooms, reception, server room, fit-out state.
Parking	Covered/open, garage/lot, level, bay dimensions, vehicle type, EV charger, accessibility.
Retail	Frontage, ceiling height, permitted/commercial use, service access, extraction, terrace rights.
Storage	Area, volume, ceiling height, access type, humidity/temperature notes.
Hotel Room	Room category, beds, occupancy, bathroom type, balcony, connecting room.
Land Plot	Plot area, zoning, buildability, frontage, cadastral reference, permitted use.
Custom	Schema-driven fields configured by unit type.

UNIT-005 - Changing unit type must show a preview of fields that will be added, retained or removed and require confirmation when data would be lost.

6. Area Components and Pricing Engine

Pricing is component-based. Internal area and every optional area component can use its own manually entered price per m2. The final unit price is calculated automatically from all priced components.

Area component field	Behavior
Component type	Internal, balcony, terrace, garden, storage or custom.
Label	User-facing name.
Area m2	Manually entered decimal area.
Price per m2	Manually entered current price for that component.
Included in total	Boolean; excluded components remain informational.
Subtotal	Area x component price/m2, rounded to currency precision.

Calculation rules

- Component subtotal = component area x component price/m2.
- Final price = sum of included component subtotals plus configured fixed add-ons/adjustments, when used.
- Internal area is the main pricing component for apartments/offices unless another component is explicitly marked main.
- Balcony price/m2 is manually entered and may be lower, equal to or higher than internal price/m2.
- Editing main price/m2 recalculates the main subtotal and final price.
- Editing final total price recalculates the main component price/m2 while keeping other component prices unchanged.
- When editing total price, main component subtotal = entered total - sum(other included component subtotals) - fixed adjustments.
- Reject a total price lower than the sum of non-main included component subtotals and fixed adjustments.
- Displayed blended price/m2 may be calculated from final price / selected area basis for reporting, but is not a separate source of truth.

No asking-price history: saving a pricing change updates the current pricing snapshot. Do not create a dedicated price-history timeline or Unit Activity Timeline entry for price changes.

Pricing Calculation Breakdown

Example	Area	Price/m2	Subtotal
Internal area	100.00 m2	EUR 2,000	EUR 200,000
Balcony	20.00 m2	EUR 1,000	EUR 20,000
Final price	-	-	EUR 220,000

UNIT-006 - All price calculations must use Decimal/Numeric types and execute on the backend as the final authority.

UNIT-007 - The frontend may preview calculations but must display the backend-calculated result after save.

7. Sales, Client and Interested Parties

Section	Fields/actions
Interested clients	Client, source, sales agent, interest level, last contact, next action.
Current hold	Client, sales agent, start, expiry, deposit requirement, notes.
Reservation	Reservation id, client, amount/deposit, created date, expiry, status, documents.
Buyer	Primary buyer and optional co-buyers/company buyer.
Sales agent	Responsible user/team.
Contract	Contract id, value, status, signed date, documents.
Sale details	Sale date, final sale value, package, discounts/adjustments where supported.

UNIT-008 - A unit can have many interested clients but only one active exclusive hold/reservation/contract chain at a time.

UNIT-009 - Changing the active buyer or contract must use a controlled workflow and cannot be a plain free-text edit.

8. Hold and Reservation Protection

Temporary holds and reservations prevent two salespeople from committing the same unit simultaneously.

Hold property	Requirement
Client	Required for external hold; optional internal operational hold type may be configured later.
Sales agent	Required.
Start and expiry	Required; expiration timestamp stored in UTC.
Deposit requirement	Optional amount and due time.
Reason/notes	Optional but recommended.
Exclusivity	One active exclusive hold/reservation per physical unit.
Auto-release	Background job releases expired hold and updates status.

Concurrency contract

- Client requests hold/reservation with an idempotency key.
- Backend begins transaction and locks the unit exclusivity row or uses a unique partial index.
- Backend verifies current status and active hold/reservation.
- Backend creates hold/reservation and transitions status atomically.
- Second concurrent request receives a conflict response containing current holder and expiry where allowed by current phase access.
- Event updates Units Page, Unit Page and 3D status.

UNIT-010 - Expired holds must be released automatically even when no user opens the page.

UNIT-011 - Hold extension must be explicit and must revalidate exclusivity and current status.

9. Unit Status Lifecycle

Primary lifecycle: Draft -> Available -> On Hold -> Reserved -> Contracted -> Sold -> Handed Over.

From	Allowed next states	Key conditions
Draft	Available, Not for Sale, Archived	Required identity, hierarchy, area and type validation.
Available	On Hold, Reserved, Not for Sale, Company-Owned, Rented, Archived	No conflicting active exclusive relation.
On Hold	Reserved, Available, Cancelled/Released	Only active hold; expiry may auto-release.
Reserved	Contracted, Available, Cancelled Reservation	Reservation valid; cancellation workflow for release.
Contracted	Sold, Reserved/Available through contract cancellation workflow	Contract state controls transition.
Sold	Handed Over	Sale complete; payment policy may warn but not necessarily block unless configured later.
Handed Over	No normal forward state	Correction requires explicit recovery workflow.
Not for Sale	Available, Company-Owned, Archived	Operational decision.
Company-Owned	Available, Rented, Archived	Ownership retained by company.
Rented	Company-Owned, Available	Lease end/termination workflow.

Cancelled Reservation and Released Back to Available are transition outcomes recorded in activity, not permanent inventory statuses unless the implementation requires short-lived processing states.

UNIT-012 - All status changes use a transition endpoint and validated transition rules; direct database status editing is prohibited.

UNIT-013 - Status transition updates must be atomic with the related hold, reservation or contract operation.

10. Payments and Finance

Displayed value	Behavior
Sale/contract value	Authoritative active contract or sale package value.
Amount paid	Sum of posted and allocated payments from Finance.
Remaining balance	Contract value minus posted payments and approved credits.
Payment percentage	Paid / contract value with zero-safe handling.
Payment schedule	Installment number, amount, due date, status and paid amount.
Next payment	Nearest unpaid or partially paid installment.
Overdue	Due date passed and required amount not fully posted.
Transactions	Linked payment/credit/refund records with navigation to Finance.

Unit Page presents a project-filtered finance view. It does not duplicate the Finance ledger. Posted payments and schedules remain owned by Finance.

UNIT-014 - Finance integration failure must show a clear unavailable state without blocking the rest of the Unit Page.

UNIT-015 - Amounts must never be computed from client-side editable totals alone once a contract exists; the active contract is authoritative.

11. Documents, Visuals and 3D Position

Category	Examples and behavior
Floor plan	Primary plan preview, versioned document link and download/open action.
Technical drawings	Architectural, MEP, details, approved revisions.
Reservation documents	Forms, deposit proof and reservation terms.
Contract documents	Contracts, annexes and signed documents.
Render gallery	Unit renders and images; one may be pinned as unit thumbnail.
Attachments	General files with document passport and versioning.
3D position	Model object/feature id, open in 3D action, highlight selected unit.

UNIT-016 - Documents are linked by immutable document/revision ids; the Unit Page must not store duplicate file bytes.

UNIT-017 - Open in 3D must fail gracefully when the unit is not mapped to a 3D object.

12. Linked Assets and Sales Packages

The Unit Page can link other physical units or non-unit add-ons that are sold, assigned or presented together.

- Parking spaces.
- Storage rooms.
- Garden or terrace rights.
- Additional apartment/office/retail unit.
- Furniture package.
- Finish/material package.
- Custom non-unit add-on.

Package action	Behavior
Create package	Create linked package from current unit.
Add item	Search available units/add-ons and add with allocated price.
Remove item	Allowed before binding contract unless contract amendment flow is used.
Reserve package	Atomically reserve all exclusive physical units or fail the operation.
Sell/contract package	Use one contract context with item allocations.

UNIT-018 - Package reservation must be atomic across all physical unit items to prevent partial double booking.

13. Client Changes and Approvals

- Material selection requests.
- Layout changes, such as removing a bathroom or moving a wall.
- Alternative tiles, finishes or fixtures.
- Additional works and contractor costs.
- Cost impact, timeline impact and technical impact.
- Linked approval request and decision.
- Attachments, comments and implementation status.

The Unit Page shows requests and summary status. Detailed decision workflow opens the dedicated Approval Page, which will be defined later.

UNIT-019 - Approved client changes must remain linked to the exact unit, client, approval and resulting document/work item.

14. Handover and Defects

Handover element	Requirement
Readiness	Completion checks and required-document status.
Inspection checklist	Configurable items with pass/fail/not applicable.
Defects/snags	Title, location, severity, assignee, due date, photos and status.
Keys/access	Key/access-device count and delivery confirmation.
Meters/readings	Electricity, water, gas or custom readings.
Handover documents	Protocol, manuals, warranties and signed acceptance.
Final acceptance	Client acceptance state, date and signatory.
Handover date	Actual handover timestamp.

UNIT-020 - Transition to Handed Over must validate configured mandatory checklist and document items, with an explicit override confirmation in this unrestricted phase.

15. Activity Timeline

The Unit Activity Timeline provides a chronological business history of operational events.

Included event	Example
Lifecycle transition	Available -> On Hold.
Hold/reservation	Hold created, extended, expired, released; reservation created/cancelled.
Client assignment	Buyer/co-buyer linked or changed through workflow.
Contract	Created, signed, cancelled, amended.
Payment	Payment posted, refund/credit posted, installment overdue/resolved.
Documents	Document linked, revision approved, contract attached.
Approvals/client changes	Request submitted/approved/rejected/implemented.
Linked assets/package	Item added/removed, package reserved/sold.
Handover	Inspection, defect, acceptance and keys delivered.
Split/merge/archive	Structural operation completed.

Explicit exclusion: asking-price edits are not presented as a price-history timeline or Unit Activity Timeline event. The record still retains current updated_at and updated_by metadata.

UNIT-021 - Timeline events must deep-link to their source record and be filterable by event category.

16. Split, Merge, Archive and Recovery

Split

- Available from Unit Page secondary actions.
- Preview successor units, areas, prices, codes and hierarchy.

- Block when active reservation, contract, posted payments or unresolved package exclusivity exists.
- Commit creates successors and marks source as split/archived with immutable links.

Merge

- Select compatible source units from the same project.
- Preview merged identity, type, hierarchy, areas and pricing.
- Block on conflicting commercial dependencies.
- Commit creates successor and marks sources merged/archived.

Archive and recovery

- Use soft archive, not hard delete, for normal user actions.
- Show dependency summary before archive.
- Archived units are excluded from default inventory but searchable through archived filter.
- Restore is allowed when the unit code and hierarchy constraints can be satisfied.

17. Functional Data Model

Entity	Key fields
Unit	id UUID; tenant/company/project; nullable structure/floor; code; type; lifecycle status; currency; current price fields; version; archived_at.
UnitAreaComponent	component type/label; area; price/m2; subtotal; main flag; included flag; order.
UnitDynamicFieldValue	unit; field definition; typed value/JSON.
UnitHold	unit; client; sales agent; start; expiry; deposit requirement; active state; idempotency key.
UnitReservation	unit; client; hold link; deposit; expiry; status; contract link.
UnitInterestedClient	unit; client; sales agent; source; interest level; follow-up.
UnitClientLink	buyer/co-buyer/company buyer roles; effective state.
UnitPaymentProjection	contract value; paid; remaining; next payment; overdue summary; source version.
UnitDocumentLink	unit; document id; exact revision id; category; pinned/primary flag.
Unit3DLink	unit; model/project version; object/feature id; mapping state.
UnitPackage / Item	package and linked physical/non-physical items.
UnitClientChange	request; impacts; approval link; implementation state.
UnitHandover	readiness; inspection; acceptance; keys; date.
UnitDefect	handover; title; severity; assignee; due; status; media.
UnitActivityEvent	unit; event type; source id; actor; timestamp; summary; metadata; excludes price history events.

Constraints

- Unique unit code inside project or configured structure scope.
- At most one active exclusive hold/reservation chain per physical unit.
- Floor must belong to selected structure and project.
- All money uses Decimal/Numeric and currency ISO code.
- Optimistic concurrency version on Unit and mutable sub-resources.
- Soft archive preserves links and timeline.

18. API Contract

Method and endpoint	Purpose
GET /units/{unitId}	Complete Unit Page aggregate/read model.
PATCH /units/{unitId}	Edit current identity, overview and type-specific fields.
PUT /units/{unitId}/area-components	Replace/reconcile current area and pricing components.
POST /units/{unitId}/recalculate-price	Preview pricing calculation without commit.
POST /units/{unitId}/holds	Create exclusive hold.

Method and endpoint	Purpose
PATCH /unit-holds/{holdId}	Extend/update hold.
POST /unit-holds/{holdId}/release	Release hold.
POST /units/{unitId}/reservations	Create reservation.
POST /unit-reservations/{id}/cancel	Cancel and release according to workflow.
POST /units/{unitId}/status-transitions	Validated lifecycle transition.
GET /units/{unitId}/payments	Payment projection and schedule.
GET/POST /units/{unitId}/documents	List/link documents.
GET/PUT /units/{unitId}/3d-link	Read/update 3D mapping.
GET/POST /units/{unitId}/interested-clients	Manage interested clients.
GET/POST /units/{unitId}/client-changes	Manage unit changes and approval links.
GET/POST /units/{unitId}/handover	Manage handover workspace.
GET /units/{unitId}/activity	Paginated activity events.
POST /unit-structure-operations/split	Split workflow.
POST /unit-structure-operations/merge	Merge workflow.
POST /units/{unitId}/archive	Soft archive.
POST /units/{unitId}/restore	Restore archived unit.

All mutating endpoints accept idempotency keys where duplicate submission is possible and a version/If-Match precondition for optimistic concurrency.

19. Frontend Architecture and State

Component	Responsibility
UnitPageShell	Fetch aggregate, route/deep-link sections, error boundary.
UnitHeader	Identity, status, current price and actions.
UnitOverviewPanel	Universal and dynamic type-specific fields.
AreaPricingEditor	Area components, current prices and backend preview.
PricingBreakdown	Component rows, subtotals, final total and validation.
SalesClientPanel	Interested clients, hold, reservation, buyer and contract.
PaymentPanel	Finance projection and schedule.
DocumentsVisualsPanel	Documents, render gallery, primary plan and 3D link.
LinkedAssetsPanel	Package items and package actions.
ClientChangesPanel	Change requests and approval links.
HandoverPanel	Checklist, defects, keys, meters, documents and acceptance.
ActivityTimeline	Paginated/filterable event stream.

- Use section-level loading so a slow Finance or Documents call does not block the complete page.
- Use dirty-state protection and explicit Save/Cancel for complex editors.
- Use optimistic updates only for reversible low-risk changes; status/hold/reservation actions wait for authoritative response.
- Subscribe to unit, hold, reservation, payment and document events for live refresh.
- Persist last-opened section per user/unit where useful.

20. Backend Domain Services and Events

Service	Responsibility
Unit Domain Service	Identity, type, hierarchy, dynamic fields, lifecycle and archive.
Unit Pricing Service	Area-component validation and deterministic current-price calculation.
Unit Availability Service	Exclusive hold/reservation lock and status synchronization.
Sales Adapter	Interested clients, reservation and contract context.
Finance Adapter	Payment projection and schedule.
Document Adapter	Document passport/revision links and thumbnails.
3D Adapter	Unit-model mapping and status sync.
Handover Service	Checklist, defects and acceptance.
Activity Projector	Build user-facing timeline from domain events.

Domain events

Event	Notes
unit.updated	Overview/type/area metadata changed.
unit.pricing_updated	Refresh current projections only; excluded from business price-history timeline.
unit.status_changed	Lifecycle transition.
unit.hold_created/extended/released/expired	Availability and timeline.
unit.reserved/reservation_cancelled	Sales and availability.
unit.contract_linked / unit.sold	Sales/Finance/Project.
unit.document_linked	Documents and timeline.
unit.client_change_updated	Approval/work context.
unit.handover_updated	Handover and project progress.
unit.split_completed / unit.merge_completed	3D, documents, sales and inventory.

21. Validation, Edge Cases and Error Handling

Case	Required behavior
Total price below other component subtotals	Reject and identify minimum valid total.
Main area zero when total edited	Cannot back-calculate main price/m2; require valid main area or edit component prices.
Structure/floor removed	Validate no incompatible dependencies and clear hierarchy consistently.
Unit type changed	Preview dynamic-field effects and preserve compatible values.
Hold expires during edit	Refresh status; prevent stale reservation submit.
Two simultaneous holds	One succeeds; one receives 409 Conflict.
Package partially unavailable	Atomic reserve/sell fails with unavailable item list.
Finance unavailable	Show unavailable state and retry; do not infer paid values.
Document revision removed/replaced	Retain immutable linked revision or show missing dependency warning.
3D object deleted in new model version	Mark mapping stale and request remap.
Archive with active contract/payment	Block and list dependencies.
Restore code conflict	Require new code or conflict resolution.

UNIT-022 - All validation errors must be machine-readable and mapped to fields/actions in the UI.

UNIT-023 - The page must show last successful data state during recoverable refresh errors where safe.

22. Non-Functional Requirements

Area	Target
Performance	Header/overview usable under 2.0 s p75; independent sections load progressively.
Availability	Core Unit domain read target 99.9%; external adapters may degrade independently.
Accessibility	WCAG 2.1 AA target, keyboard-complete actions and non-color status labels.
Security baseline	Authenticated access, validation, CSRF/XSS protection, encrypted transport and signed file URLs.
Data integrity	Transactions for hold/reservation/status/package; Decimal money; version checks.
Localization	Currency, dates, decimal separators, area units and translated dynamic field labels.
Audit	Operational activity timeline and technical logs; no dedicated asking-price history.
Mobile	All read and action workflows usable in mobile browser.

23. QA Strategy and Test Matrix

Test category	Minimum scenarios
Pricing	Internal only; internal+balcony; custom components; total edit back-

Test category	Minimum scenarios
	calculation; invalid minimum; rounding.
Lifecycle	Every allowed and rejected transition; release/cancel outcomes.
Concurrency	Double hold, double reservation, stale edit, package atomicity.
Type schemas	Each standard type and custom dynamic field set; type conversion warning.
Finance	Paid/partial/overdue/refund/credit; adapter unavailable.
Documents/3D	Link exact revision; missing mapping; stale model version.
Handover	Checklist, defects, override, final acceptance.
Split/merge	Valid operation, blocked dependencies, reconciliation.
Accessibility	Keyboard, focus, screen reader labels, mobile bottom sheets.
End-to-end	Draft -> Available -> Hold -> Reserve -> Contract -> Sold -> Handover.

24. Acceptance Criteria

AC-P-01 - The Unit Page opens from Units Page, Global Search and 3D context.

AC-P-02 - Header shows identity, hierarchy, status, client and current final price.

AC-P-03 - Every authenticated user can view and use every page section and action in this phase.

AC-P-04 - Universal and unit-type-specific fields render from the configured schema.

AC-P-05 - Internal and balcony/custom area components accept manual area and price/m2 values.

AC-P-06 - Final price calculates automatically from component subtotals.

AC-P-07 - Editing final total back-calculates the main component price/m2 while preserving other component prices.

AC-P-08 - No dedicated asking-price history or price-change activity entry is created.

AC-P-09 - Exclusive holds and reservations are concurrency-safe and auto-expire.

AC-P-10 - All lifecycle transitions use validated transition APIs.

AC-P-11 - Payment values come from Finance and show paid, remaining, next and overdue state.

AC-P-12 - Documents link exact revisions and Unit Page can open the unit in 3D when mapped.

AC-P-13 - Linked unit packages reserve/sell physical items atomically.

AC-P-14 - Client changes link to approvals and implementation records.

AC-P-15 - Handover supports checklist, defects, documents, keys and acceptance.

AC-P-16 - Activity Timeline includes operational events and excludes asking-price history.

AC-P-17 - Split, merge, archive and restore use controlled workflows.

AC-P-18 - The page supports degraded external integrations without losing core unit access.

25. Page and Flow Registry

Name	Purpose / status
Unit Page / Unit Profile	Defined by this PRD.
Units Page	Defined by separate PRD.
Create New Unit	Creation flow.
Unit Area & Pricing Setup	Edit area components and current prices.
Area Component Editor	Add/edit/remove priced and informational areas.
Pricing Calculation Breakdown	Show current component calculation.
Unit Hold Flow	Create/extend/release temporary hold.
Unit Reservation Flow	Create/cancel reservation.
Unit Status Change Flow	Validated lifecycle transitions.
Linked Unit Package Setup	Package current unit with other units/add-ons.
Unit Split Flow	Controlled split.
Unit Merge Flow	Controlled merge.
Unit Handover	Inspection, defects and acceptance.
Unit Activity Timeline	Operational history excluding price history.
Project 3D Viewer	Open and highlight unit.

Name	Purpose / status
Approval Page	Detailed decision workflow, later PRD.
Client Page	Buyer/client profile, later/other PRD.
Finance Transaction / Payment Schedule	Authoritative payment workflows.