

CONSTRUCION OS

PRD - Sales Dashboard

Sales / CRM Role Workspace, Dashboard and Navigation

Implementation-ready Product Requirements Document for Product, UX/UI, Frontend, Backend, Security, QA and DevOps Teams.

Product purpose: Define the exact Sales workspace shell, left navigation, dashboard content, interactions, data boundaries, authorization behavior and test requirements. This document intentionally locks the dashboard scope so no additional dashboard content may be introduced without an approved revision.

Field	Value
Document	PRD_Sales_Dashboard
Version	1.0
Status	Implementation-ready role dashboard specification
Primary role	Sales / CRM
Parent business PRD	PRD_CRM_Module v1.0
Platform alignment	Role Context, Role & Permission Matrix, Platform UI/UX Architecture
Scope	Sales dashboard overview + Sales role application shell/sidebar
Date	2026-08-07

Permanent dashboard scope lock

The Sales Dashboard shall contain only the navigation items, KPIs, dashboard sections, controls and quick actions explicitly defined in this PRD. Developers must not add, infer, duplicate, substitute or auto-expose any additional dashboard content. Platform Configuration may hide approved elements; it may not create unapproved ones.

Contents

1. Executive Summary
2. Document Authority and Precedence
3. Goals, Non-Goals and Scope Lock
4. Sales User and Workspace Context
5. Sales Application Shell
6. Left Sidebar - Exact Navigation
7. Dashboard Information Architecture
8. KPI Cards - Exact Set
9. Sales Pipeline Widget
10. Leads Widget
11. Opportunities Widget
12. Reservations Widget
13. Sales & Units Widget
14. Financial Summary Widget
15. Work Widget
16. Performance Widget
17. Recent Activity Widget
18. Quick Actions - Exact Set
19. Filters, Search and Saved Views
20. Interaction and Deep-Link Rules
21. Data Ownership and Source-of-Truth Boundaries
22. Authorization and Permission Behavior
23. Dashboard Isolation and Shared-Module Navigation
24. Platform Configuration
25. API Contract
26. Frontend Architecture
27. Responsive UX and Motion
28. Empty, Loading, Error and Partial Failure States
29. Performance, Caching and Freshness
30. Audit, Security and Observability
31. Testing Strategy
32. Acceptance Criteria
33. Explicitly Not Allowed
34. Definition of Done
- Appendix A. Source Alignment Matrix

1. Executive Summary

The Sales Dashboard is the role-specific home workspace for Sales / CRM users. It presents the commercial information defined by the CRM PRD without duplicating the underlying business records. The dashboard is a summarized, permission-filtered view over CRM and linked source modules.

The Sales shell remains active while the user opens shared pages such as Clients, Units, Contracts, Payments, Tasks or Meetings. A shared page may be reused by multiple roles, but it must never replace the authenticated user's Sales shell or switch the user to another role dashboard.

Core implementation principle

Role/workspace determines the shell. Route determines the page content. Permissions determine visible data and available actions. Source modules remain authoritative for their own records.

ID	Area	Requirement	Priority	Acceptance signal
SD-001	Scope	Implement one locked Sales dashboard and Sales role shell exactly as defined in this PRD.	Must	No unlisted dashboard element exists.
SD-002	Source linkage	All dashboard values resolve from CRM or authoritative linked source modules.	Must	No duplicate editable business truth exists in dashboard storage.
SD-003	Role context	Opening a shared module never changes the active Sales shell.	Must	Sales sidebar/header remain active on every allowed shared route.
SD-004	Permissions	Every widget, value, action and deep link is permission filtered by backend authorization.	Must	Unauthorized data is absent, not merely hidden in UI.
SD-005	Isolation	Dashboard state and data never cross users, companies or tenants.	Must	Negative isolation suite passes.

2. Document Authority and Precedence

This PRD is a specialized implementation contract. It narrows the Sales dashboard and Sales role navigation without redefining CRM business rules or platform security rules.

Priority	Document / authority	Controls
1	Complete Role & Permission Matrix	Authorization, deny-by-default behavior, scopes, field security, revocation and audit.
2	Source module PRDs	Business truth and lifecycle for Units, Contracts, Finance, Documents, Tasks, Meetings and other linked domains.
3	PRD_CRM_Module v1.0	CRM entities, pipeline, dashboard source metrics, CRM APIs and CRM business behavior.
4	PRD_Sales_Dashboard v1.0	Exact Sales dashboard composition, Sales sidebar and Sales role workspace behavior.
5	Platform UI/UX Architecture	Shared shell, design system, responsive, accessibility, motion and UI patterns.

Conflict rule: this PRD may restrict what appears on the Sales dashboard or sidebar, but it may not grant authority, alter source ownership, bypass workflow, or change the lifecycle rules of linked modules.

3. Goals, Non-Goals and Scope Lock

3.1 Goals

- Give Sales users one clear commercial home with the exact information required by the CRM PRD.
- Keep the dashboard focused: high-value summaries, pipeline, active work and recent activity.
- Keep shared module navigation inside the Sales shell.
- Make every dashboard item deep-link to the authoritative record or list.
- Support desktop, tablet and mobile without introducing different business behavior.
- Allow Platform Configuration and permissions to hide approved items cleanly without adding new items.

3.2 Non-goals

- The dashboard does not replace Clients, Leads, Opportunities, Pipeline, Reservations, Units, Contracts, Payments, Tasks, Meetings, Communications, Support or Reports pages.
- The dashboard does not become a source of truth for Finance, Units, Contracts, Documents, Tasks or Meetings.
- The dashboard does not introduce live email, WhatsApp, SMS or telephony integrations.
- The dashboard does not create arbitrary drag-and-drop customization in V1.
- The dashboard does not infer permission from the label "Sales" alone.

Scope lock

The exact approved dashboard elements are Sections 8-19 of this PRD. Anything else is out of scope until this PRD is revised.

4. Sales User and Workspace Context

The Sales Dashboard template may be shared by Sales users, but each authenticated user has an isolated effective dashboard context. Permissions and record scopes determine which approved elements and values are returned.

Context	Required behavior
Tenant	Resolved from authenticated session; never client-selectable.
Active company	Explicit shell context; never guessed by backend.
Active role/workspace	Sales shell remains active until the user explicitly changes authorized role/workspace.
User	All dashboard state, saved views and personalized preferences are isolated by authenticated user.
Permissions	Backend evaluates capabilities, scope, field policy and explicit denial.
Configuration	Company/platform configuration can disable approved elements independently from permission.

5. Sales Application Shell

The Sales workspace uses the shared ConstructionOS application shell and premium design system. The shell is persistent across the Sales dashboard and every shared page opened from the Sales sidebar.

5.1 Header

- Sales page/workspace identity.
- Active company/workspace context control when the user is authorized for more than one context.

Global Search.

Notifications entry point from the shared platform shell.

User/profile menu.

Quick Action control containing only the actions in Section 18.

5.2 Shell rule

Shared-module behavior

Clients, Units, Contracts, Payments, Tasks, Meetings and other shared routes render inside the current Sales shell. The route must not select a different role layout.

6. Left Sidebar - Exact Navigation

The following is the complete Sales sidebar for V1. Labels and grouping are locked by this PRD unless changed through an approved revision.

Group	Item	Destination / purpose
Dashboard	Dashboard	Sales overview home.
CRM	Clients	Client register / Client Page.
CRM	Contacts	Contact register / Contact Page.
CRM	Leads	Lead register / Lead Page.
CRM	Opportunities	Opportunity register / Opportunity Page.
CRM	Sales Pipeline	Pipeline board/list/forecast views.
CRM	Reservations	Reservation records and flow.
Sales	Units	Shared Units module in Sales shell.
Sales	Contracts	Shared Contracts module in Sales shell.
Sales	Payments	Permission-filtered Finance/CRM payment summary entry.
Work	Tasks	Shared Tasks module in Sales shell.
Work	Meetings	Shared Meetings module in Sales shell.
Work	Communications	CRM communication log.
After Sales	Support	Support and after-sales cases.
Analytics	Reports	CRM reports.

Sidebar lock

No other CRM page is shown as a first-level Sales sidebar item in V1. Contextual pages may still be reached from client/opportunity/detail flows where the parent CRM PRD requires them.

7. Dashboard Information Architecture

The Sales dashboard overview is composed in the following order. Layout may reflow responsively but the logical order must remain stable.

1. KPI cards
2. Sales Pipeline
3. Leads

- 4. Opportunities
- 5. Reservations
- 6. Sales & Units
- 7. Financial Summary
- 8. Work
- 9. Performance
- 10. Recent Activity

Desktop should use a calm dashboard grid. Tablet reflows to fewer columns. Mobile uses stacked cards and horizontally scrollable pipeline/stage content where necessary. Hidden items reflow without blank spaces.

8. KPI Cards - Exact Set

The dashboard contains exactly the following twelve KPI cards. Each card is clickable when the user has authority to open the target list or record set.

KPI	Source owner	Definition	Deep link
Total Clients	CRM	Count of client records in current authorized scope.	Clients
Active Clients	CRM	Count of clients with Active status in authorized scope.	Clients filtered to Active
New Leads	CRM	Count of new leads in current dashboard context.	Leads
Qualified Leads	CRM	Count of qualified leads.	Leads filtered to Qualified
Open Opportunities	CRM	Count of open opportunities.	Opportunities
Pipeline Value	CRM	Aggregated opportunity pipeline value.	Sales Pipeline
Reservations	CRM + Units	Reservation summary synchronized with Units.	Reservations
Contracts	Contracts projection	Count/summary of linked contracts visible to Sales.	Contracts
Units Sold	CRM + Units/Contracts	Sold unit count from linked authoritative records.	Units / purchases
Revenue	Finance projection	Permission-filtered revenue summary.	Reports / Finance deep link
Outstanding Payments	Finance projection	Permission-filtered outstanding payment summary.	Payments
Conversion Rate	CRM reporting	CRM conversion metric.	CRM Reports

ID	Area	Requirement	Priority	Acceptance signal
SD-KPI-001	Exact set	Render all twelve approved KPI types when enabled and permitted.	Must	No thirteenth KPI exists.
SD-KPI-002	No duplication	Do not persist editable KPI truth in dashboard tables.	Must	KPI is reproducible from source records/projections.
SD-KPI-003	Permissions	Restricted financial values are omitted or replaced by an authorized non-sensitive state; never	Must	Backend projection contains no unauthorized values.

ID	Area	Requirement	Priority	Acceptance signal
		leaked then hidden.		

9. Sales Pipeline Widget

The pipeline widget summarizes the configured Sales Pipeline. Pipeline stages are company-configurable through Platform Configuration. The default CRM example is Lead, Contacted, Qualified, Meeting, Site Visit, Negotiation, Reservation, Contract, Deposit Paid, Completed and After Sales.

Field / behavior	Requirement
Stage	Use active configured stage name and order.
Stage count	Show number of opportunities in stage within authorized scope.
Stage value	Show aggregated opportunity value when permitted.
Probability	Use configured stage/opportunity probability where relevant.
Time in stage	Available in drill-down/source view; dashboard may summarize aging without adding a new KPI card.
Interaction	Selecting a stage opens Sales Pipeline filtered to that stage.
Editing	Dashboard overview is not the primary pipeline editing surface; drag/drop belongs to Sales Pipeline page.

10. Leads Widget

The Leads widget presents actionable CRM lead information using the CRM lead fields and qualification model.

Element	Dashboard behavior
New / qualified state	Use the approved KPI cards for totals; the widget shows the underlying actionable list/summary.
Lead source	Summarize configured lead sources.
Priority	Display priority on lead rows where present.
Estimated value	Display only where permitted.
Next action	Show next action / expected qualification context.
Qualification score	May appear on lead row/detail when configured and permitted.
Deep link	Row opens Lead Page; source summary opens Leads register.

11. Opportunities Widget

The Opportunities widget shows open commercial opportunities and the fields required by the CRM PRD.

Element	Required value
Opportunity	Opportunity title.
Client	Linked client/contact.

Element	Required value
Project	Linked project where present.
Interest	Units or services of interest.
Estimated value	Opportunity value subject to permission.
Probability	0-100 configured opportunity probability.
Expected close	Expected close date.
Owner	Sales owner.
Stage	Current pipeline stage.
Risk / next action	Compact risk and next-action context.

Selecting an opportunity opens the Opportunity Page. The dashboard must not implement a second opportunity editor.

12. Reservations Widget

The Reservations widget is a CRM summary synchronized with the Units Module. It must never create an independent availability or reservation truth.

Field	Requirement
Client	Linked client.
Project / Building / Unit	Linked source identifiers and display labels.
Reservation date	CRM reservation date.
Expiration	Reservation expiration.
Deposit amount	Visible only with permission.
Deposit status	Current deposit status.
Salesperson	Assigned salesperson.
Reservation status	Current reservation status.
Interaction	Open reservation or linked Unit source record.

13. Sales & Units Widget

This widget summarizes client-unit sales relationships defined by CRM. It does not replace the Units Module.

Relationship / sale field	Dashboard behavior
Interested units	Count/list summary with deep link.
Viewed units	Count/list summary with deep link.
Reserved units	Count/list summary with deep link.
Purchased units	Count/list summary with deep link.
Rented units	Count/list summary with deep link where applicable.
Released reservations	Count/list summary with deep link.
Asking price / discount / final sale price	Display only when authorized; values come from linked Unit, Contract and Finance records.

Relationship / sale field	Dashboard behavior
Sale status / date / salesperson	Display from linked purchase/sale relationship.

Source-of-truth rule

Unit availability and pricing remain owned by Units. Contract truth remains owned by Contracts. Financial truth remains owned by Finance.

14. Financial Summary Widget

The Financial Summary is a permission-filtered projection. CRM displays summaries and deep links; Finance remains authoritative.

Contract value
Amount paid
Remaining balance
Payment percentage
Installment schedule
Next payment
Overdue payments
Deposits
Refunds
Commissions
Outstanding invoices
Payment history

The dashboard may present compact totals, progress or next-due information derived from this set, but it may not create additional financial KPIs beyond the exact KPI cards in Section 8.

15. Work Widget

The Work widget contains only the two dashboard work summaries defined by the CRM dashboard: Upcoming Meetings and Open Tasks.

Subsection	Required behavior
Upcoming Meetings	Show upcoming CRM-linked meetings/site visits/sales meetings permitted to the current user; selecting opens the meeting or Meetings page.
Open Tasks	Show client/opportunity/reservation/contract-linked open tasks visible under participant-based task rules; selecting opens the authoritative Task.

Task privacy

Task visibility remains participant-based. Sales dashboard access must not expand Task authority.

16. Performance Widget

Performance uses only CRM reporting concepts already defined by the parent PRD. It is a summarized view, not a separate reporting engine.

Metric / view	Requirement
Sales by owner	Show salesperson/owner performance within current scope.
Lead sources	Show lead-source contribution.
Conversion	Use CRM conversion reporting.
Pipeline value	May be visualized using the existing Pipeline Value KPI/source dataset.
Revenue	May be visualized only when financial summary permission is present.
Units sold	May be visualized using the existing Units Sold KPI/source dataset.

Detailed salesperson performance, team performance, lost leads, attribution, client lifetime value and other CRM reports remain on the Reports page unless explicitly added to this PRD in a future revision.

17. Recent Activity Widget

Recent Activity is a compact CRM activity feed. Each event preserves source module, actor, timestamp and linked record. Events may include lead creation, contact, meeting, site visit, opportunity, reservation, contract, payment, unit sale, document upload, approval, support case and client status change when visible to the current user.

Field	Required
Time	Event timestamp.
Actor	Authorized display of actor/user.
Event	Human-readable event type.
Context	Client / opportunity / unit / source module label as permitted.
Link	Deep link to the source record when authorized.

18. Quick Actions - Exact Set

The Sales Dashboard Quick Action menu contains exactly these five CRM creation actions:

- Add Client
- Add Client Company
- Add Contact
- Add Lead
- Add Opportunity

Quick Action lock

Reserve Unit, Create Contract, Record Payment, Create Task, Schedule Meeting, Upload Document and other contextual actions remain on their respective source/detail pages. They are not Sales Dashboard Quick Actions in V1.

19. Filters, Search and Saved Views

The Sales workspace supports the CRM header concepts Global Search, Filters and Saved Views. Import, Export and List/Grid switch belong to applicable registers/pages and must not appear as dashboard overview widgets.

Control	Dashboard behavior
Global Search	Uses shared platform Global Search; result visibility follows permissions.
Assigned user	Filter dashboard summaries to authorized assigned user/owner scope.
Team	Filter to an authorized Sales team.
Pipeline stage	Filter pipeline/opportunity/lead-related summaries where applicable.
Lead source	Filter lead-related summaries.
Project of interest	Filter relevant leads/opportunities/reservations to project context.
Saved Views	Persist the user's approved filter state as user-isolated preferences.
Clear filters	Return to authorized default Sales dashboard context.

Company switching is a shell/workspace context operation, not an ordinary dashboard filter. The backend must never guess the active company.

20. Interaction and Deep-Link Rules

Element	Click behavior
KPI card	Open corresponding filtered source list/report if authorized.
Pipeline stage	Open Sales Pipeline filtered to selected stage.
Lead row	Open Lead Page.
Opportunity row	Open Opportunity Page.
Reservation row	Open Reservation flow/detail or linked Unit source record.
Unit relationship	Open linked Unit/client-unit context.
Financial summary item	Open permitted Payments/Finance source context.
Task	Open Task in Sales shell.
Meeting	Open Meeting in Sales shell.
Activity event	Open linked source record if current permission allows.

If the user lacks permission to open a target, the dashboard must not expose a functional deep link. No link may broaden access.

21. Data Ownership and Source-of-Truth Boundaries

Domain	Authoritative ownership
CRM	Clients, contacts, leads, opportunities, pipelines, notes, communications, support cases and CRM activity.
Companies	Canonical organization records.
Units	Unit availability and pricing.
Contracts	Contract records and contract lifecycle.

Domain	Authoritative ownership
Finance	Invoices, payments, balances and authoritative financial values.
Documents	Files and revisions.
Tasks	Task visibility and execution.
Meetings / Calendar	Meeting/calendar records according to their module contracts.

Dashboard ownership

The Sales Dashboard owns presentation configuration only. It does not own the business facts it displays.

22. Authorization and Permission Behavior

Authorization is deny-by-default and capability/context based. A Sales title or dashboard assignment does not grant business authority by itself.

Layer	Rule
Module/page entry	User must have authority for the requested page/module.
Widget	Widget is shown only when configuration enables it and the user can receive its safe projection.
Record scope	Counts, lists and totals include only authorized tenant/company/project/relationship records.
Field policy	Sensitive values such as financial amounts or identity fields are omitted/masked according to backend field policy.
Action	Quick Actions and source actions require explicit capability.
Explicit deny	Deny overrides ordinary grants.
Revocation	Revoked authority must propagate to dashboard, cached projections, search and linked routes.

ID	Area	Requirement	Priority	Acceptance signal
SD-AUTH-001	Backend	Do not rely on sidebar or widget visibility as the security control.	Must	Direct API request without authority is denied.
SD-AUTH-002	Aggregation	Aggregated counts and totals include only records the current authorization policy permits in the defined projection.	Must	No hidden record contributes unauthorized sensitive information.
SD-AUTH-003	Field security	Financial/identity fields are filtered in backend response.	Must	Frontend never receives hidden values.

23. Dashboard Isolation and Shared-Module Navigation

This section is a critical release blocker because the platform has experienced dashboard-context crossover on shared modules.

23.1 Required resolution model

Input	Use
Authenticated tenant	Isolation boundary.
Active company	Operational scope.
Authenticated user	Personal dashboard state and permission subject.
Active role/workspace	Sales shell selection.
Route/module	Page content only.
Effective authorization	Visible data/actions.

23.2 Mandatory behavior

A Sales user opening Clients remains in the Sales shell.

A Sales user opening Units remains in the Sales shell.

A Finance or Architect user opening the same shared page remains in that user's own shell and must never be switched into Sales.

A dashboard template may be shared, but cached state, saved views, personalized state and returned data must never cross authenticated users.

Logout, user switch, company switch, role/workspace switch and permission change must invalidate incompatible dashboard state.

Late/stale responses from an old user/company/workspace context must not overwrite the current dashboard.

ID	Area	Requirement	Priority	Acceptance signal
SD-ISO-001	Shell	Route cannot select another role dashboard.	P0	Cross-role navigation test passes for every shared route.
SD-ISO-002	User isolation	No dashboard state or data crosses authenticated users.	P0	Two-user concurrent test produces isolated responses and UI state.
SD-ISO-003	Company isolation	No dashboard state or data crosses active companies.	P0	Company-switch test has zero stale values.
SD-ISO-004	Cache	Cache/query identity includes enough authenticated context to prevent cross-user/company/workspace reuse.	P0	Cache poisoning/isolation tests pass.

24. Platform Configuration

The parent CRM PRD requires configuration compatibility at module, page, section, widget, feature and action level. For this locked dashboard, configuration can only disable or enable approved elements and configure CRM-owned taxonomies; it cannot create new dashboard types or arbitrary widgets.

Configurable	Rule
Sales/CRM module	May be enabled/disabled by company policy.
Sidebar pages	Approved sidebar items may be disabled.
Dashboard sections	Approved sections may be disabled.
KPI widgets	Approved KPI cards may be disabled.

Configurable	Rule
Pipeline stages	Use CRM Platform Configuration.
Lead sources	Use CRM Platform Configuration.
Reports	Use CRM report availability.
Support section	May be disabled.

Disabled elements disappear from navigation, search exposure, relevant APIs and layouts without dead links or blank spaces.

25. API Contract

The parent CRM PRD defines GET /crm/overview for dashboard aggregation. This PRD locks the minimum Sales dashboard response responsibilities while preserving the platform API registry as the final contract authority.

25.1 Dashboard read endpoint

GET /crm/overview

Response group	Required content
context	Resolved dashboard/workspace identity, active company reference and freshness metadata; no arbitrary target user selection.
kpis	The twelve KPI types from Section 8, permission-filtered.
pipeline	Configured stage summaries and deep-link identifiers.
leads	Lead summary/list data needed by Section 10.
opportunities	Opportunity summary/list data needed by Section 11.
reservations	Reservation summary/list data needed by Section 12.
sales_units	Unit relationship/sale summary needed by Section 13.
financial_summary	Finance-owned filtered summary needed by Section 14.
work	Upcoming meetings and open tasks.
performance	Sales by owner, lead sources and allowed existing KPI/report datasets.
recent_activity	CRM activity feed with source links.
capabilities	Safe UI capability hints; backend remains authoritative on each action.

25.2 API rules

Tenant and authenticated user are derived from session/authentication, not trusted request parameters.

Active company must be explicit and validated.

Aggregated endpoint returns summaries and deep links rather than duplicated complete source records.

Partial source failure must be represented per section so one unavailable dependency does not corrupt unrelated dashboard data.

No unauthorized field may be serialized and then hidden by the frontend.

26. Frontend Architecture

Use the shared application shell and CRM frontend components. Do not create a second standalone Sales application or duplicate CRM record components.

Component / layer	Responsibility
SalesRoleShell	Role-specific shell wrapper; persistent sidebar/header/context.
CRMDashboard	Dashboard overview container.
CRMFilterBar	Approved dashboard filters and saved-view controls.
SalesPipelineBoard / summary adapter	Pipeline visualization and links.
Lead/Opportunity summary components	Compact dashboard projections with source links.
ReservationPanel	Reservation summary.
PaymentsPanel / finance summary adapter	Permission-safe financial summary.
Shared source pages	Client, Lead, Opportunity, Units, Contracts, Tasks, Meetings and other destination pages render inside Sales shell.

26.1 Frontend state rules

Dashboard stores may hold presentation/filter state only; business truth remains server/source-owned.

User/company/workspace context changes invalidate incompatible dashboard state before new content is committed to screen.

Requests must be cancellable or context-checked to prevent stale response overwrite.

Permission-hidden elements are not rendered and the layout reflows cleanly.

The frontend never infers authority from role display name.

27. Responsive UX and Motion

Follow the Platform UI/UX Architecture and CRM responsive rules: premium light-mode baseline, dark-grey typography, restrained gold/company accents, clear hierarchy and progressive disclosure.

Surface	Required behavior
Desktop	Persistent sidebar; dashboard grid; wide pipeline/performance visualizations.
Tablet	Collapsible sidebar/panels; two-column dashboard where space permits; horizontal pipeline.
Mobile	Compact header, stacked cards, card lists, bottom action sheet where shared platform pattern requires it, horizontal stage scroller.

27.1 Motion

Card hover/lift: 120-180 ms where hover exists.

Pipeline transitions: smooth, restrained and state-preserving.

Loading: skeletons match final geometry.

Preview drawers follow shared platform motion; CRM baseline is 220-280 ms slide/fade.

Reduced-motion preference must be respected.

No bounce, decorative parallax or motion that delays task completion.

28. Empty, Loading, Error and Partial Failure States

State	Required behavior
Initial loading	Render geometry-matched skeletons; do not show stale data

State	Required behavior
	from another context.
No clients	Neutral empty state with Add Client only if permitted.
No leads	Neutral empty state with Add Lead only if permitted.
No opportunities	Neutral empty state with Add Opportunity only if permitted.
No reservations	Neutral empty state; no fabricated values.
No payments / restricted Finance	Differentiate no data from no permission without exposing sensitive metadata.
No meetings / tasks	Compact empty work state.
Module disabled	Remove related nav/widget/action and reflow.
Source unavailable	Show section-level unavailable/retry state with source label; preserve other healthy sections.
Partial dashboard failure	Failed section does not blank the entire dashboard unless core overview request is unusable.
Archived client encountered	Respect CRM archive rules and prevent invalid new sales actions.

29. Performance, Caching and Freshness

The CRM PRD requires dashboard/client-header priority loading, precomputed dashboard summaries, incremental pipeline counters, avoidance of N+1 aggregation and initial interactive load below two seconds under normal enterprise conditions.

ID	Area	Requirement	Priority	Acceptance signal
SD-PERF-001	Initial load	Prioritize shell + KPI/dashboard overview and progressively hydrate lower sections.	Must	Interactive overview target <2s under normal enterprise conditions.
SD-PERF-002	Aggregation	Avoid N+1 cross-module aggregation.	Must	Performance profiling shows bounded source queries.
SD-PERF-003	Summary	Use precomputed/reconciled summaries where parent architecture provides them.	Must	Dashboard scale test passes.
SD-PERF-004	Freshness	Each projection must have deterministic refresh/invalidation behavior after relevant source changes.	Must	Source update appears within defined projection SLA.
SD-PERF-005	Isolation	Caching optimization must not weaken user/company/tenant isolation.	P0	Negative cache-isolation tests pass.

30. Audit, Security and Observability

Area	Requirement
Audit	Sensitive reads/actions follow source-module and authorization audit policy.
Dashboard reads	Operational telemetry may record dashboard request, duration, failed section and correlation ID without logging sensitive payloads.
Deep links	Source actions remain audited by their owning module.
Errors	Logs include correlation ID, tenant-safe identifiers and source dependency; never plaintext secrets.
Security	Tenant isolation, company scope, field security and no linked-module access expansion are mandatory.
Diagnostics	Authorized administrators can determine why a widget/action is allowed or denied through platform authorization diagnostics.

31. Testing Strategy

31.1 Unit tests

KPI mapping and formatting
 Dashboard filter state
 Widget configuration resolution
 Deep-link generation
 Permission-aware rendering decisions
 Context change state reset
 Partial failure rendering

31.2 Integration tests

CRM overview aggregation
 Units reservation synchronization
 Contracts projection
 Finance summary projection
 Tasks participant privacy
 Meetings linkage
 CRM activity feed
 Platform Configuration hide/reflow
 Authorization field filtering

31.3 End-to-end tests

Sales user logs in and receives Sales shell and exact sidebar.
 Sales user creates Client, Lead and Opportunity through approved Quick Actions.
 Opportunity moves through pipeline and dashboard summary updates.
 Reservation is created in source flow and reflected in dashboard.
 Contract/payment source updates appear as authorized summaries.
 Opening Clients, Units, Contracts, Payments, Tasks and Meetings never changes Sales shell.
 A Finance/Architect user opening the same shared routes never receives Sales shell.
 Two Sales users with different record scopes receive different authorized dashboard values without state crossover.

Logout/login as another user does not flash or reuse previous dashboard data.

Company switch does not retain stale previous-company values.

Revoked permission removes affected widget/value/deep link according to propagation policy.

Mobile/tablet retain core navigation and dashboard actions.

31.4 Visual regression

Sales Dashboard desktop

Collapsed/expanded sidebar

Tablet

Mobile

Permission-hidden widget reflow

Module-disabled reflow

Partial failure

Reduced motion

Large dataset / long labels

32. Acceptance Criteria

ID	Acceptance criterion
AC-01	Sales Dashboard contains exactly the twelve KPI cards defined in Section 8, subject only to configuration/permission hiding.
AC-02	Dashboard contains exactly the ten logical sections defined in Section 7.
AC-03	Sales sidebar contains exactly the navigation entries defined in Section 6.
AC-04	Quick Action contains exactly Add Client, Add Client Company, Add Contact, Add Lead and Add Opportunity.
AC-05	No unlisted dashboard widget, KPI, chart, shortcut or sidebar item is introduced.
AC-06	Dashboard widgets link to authoritative source records/lists.
AC-07	CRM owns CRM records; Units, Contracts, Finance, Documents, Tasks and other domains retain their source ownership.
AC-08	Reservations remain synchronized with Units.
AC-09	Financial values are Finance-owned, permission-filtered summaries.
AC-10	Task visibility remains participant-based.
AC-11	Platform Configuration can disable approved dashboard/sidebar elements with no blank spaces or dead links.
AC-12	Role/workspace resolves the shell; route resolves content.
AC-13	A shared route never switches a Sales user into another role dashboard.
AC-14	A non-Sales role never receives the Sales shell merely by opening a shared CRM page.
AC-15	Two users cannot receive each other's dashboard state, preferences, cached data or unauthorized records.

ID	Acceptance criterion
AC-16	Active company isolation is enforced and company switching removes stale context.
AC-17	Backend, not UI hiding, enforces record and field permissions.
AC-18	Explicit denial and revocation propagate to dashboard and linked surfaces.
AC-19	Desktop, tablet and mobile retain core Sales navigation and actions.
AC-20	Loading uses geometry-matched skeletons and never exposes stale prior-user data.
AC-21	Empty, disabled, source-unavailable and partial-failure states are implemented.
AC-22	Reduced-motion behavior is supported.
AC-23	Normal enterprise initial interactive load meets the CRM target below two seconds.
AC-24	Large dashboard datasets do not trigger N+1 aggregation behavior.
AC-25	Critical isolation, authorization, navigation and confidentiality tests block release on failure.

33. Explicitly Not Allowed

Additional KPI cards.
 Additional dashboard widgets.
 Additional charts or graphs not derived from the approved dashboard sections.
 Additional first-level Sales sidebar items.
 Developer-created shortcuts or convenience cards.
 A generic module route selecting the Sales shell.
 Another user's dashboard record/state used as fallback.
 Cross-user, cross-company or cross-tenant cache reuse.
 Frontend-only hiding of unauthorized data.
 Duplicate editable copies of Unit, Contract, Finance, Document, Task or Meeting truth.
 Role-name hard-coding as the authorization decision.
 Arbitrary end-user dashboard drag-and-drop in V1.
 Live email, WhatsApp, SMS or telephony integrations in this PRD.
 AI lead scoring or next-best-action widgets in this PRD.

Change control

Any addition to the dashboard or Sales sidebar requires an approved PRD_Sales_Dashboard revision. A feature existing elsewhere in CRM does not automatically make it eligible for this dashboard.

34. Definition of Done

All Must and P0 requirements in this PRD are implemented and tested.
 The exact Sales sidebar and dashboard scope match this document.
 All dashboard values trace to CRM or authoritative linked sources.
 All shared routes preserve Sales shell context.

No unresolved dashboard crossover, stale-context, cross-company or cross-user defect remains.

Permission-hidden and configuration-disabled content reflows cleanly.

Responsive, reduced-motion and visual regression checks pass.

Performance targets and large-data tests pass.

Full-stack team documents the final endpoint/contract implementation in the API registry without changing this dashboard scope.

QA signs off the exact-content checklist: nothing missing and nothing extra.

Appendix A. Source Alignment Matrix

This PRD was built from the current ConstructionOS PRDs. The table below identifies the controlling source for each requirement family.

Requirement family	Primary source
CRM dashboard KPIs and dashboard concepts	PRD_CRM_Module v1.0 - CRM Dashboard.
Clients, leads, opportunities, pipeline, reservations, sales/unit relationships, contracts, payments, tasks, meetings, communications, support, reports	PRD_CRM_Module v1.0.
CRM API /crm/overview, frontend components, performance, testing and responsive CRM behavior	PRD_CRM_Module v1.0.
Role shell persistence on shared routes	PRD_5 - Role Context and Shared Module Navigation.
Deny-by-default, company scope, field security, revocation, capability-based authorization	PRD_Complete_Role_Permission_Matrix v1.0.
Shared shell, role-specific experience, progressive disclosure, premium design system, accessibility and responsive principles	PRD_Platform_UI_UX_Architecture_Premium_Design_System v1.0.
Exact Sales sidebar, exact dashboard composition, quick-action lock, user-isolated Sales dashboard implementation	PRD_Sales_Dashboard v1.0 - new locked decisions approved for this role workspace.

Final architectural position

The Sales Dashboard is a focused role workspace, not a second CRM. It presents permission-safe summaries from authoritative domains, preserves the active user shell, and contains only the elements explicitly approved in this PRD.