

CONSTRUCTION OS

PRD - Inventory Dashboard

Inventory / Warehouse Manager Role Workspace

Product purpose

Define the exact Inventory / Warehouse Manager role shell, dashboard, warehouse control surfaces, daily accountability workflow and cross-module behavior. The experience is operational first: see stock risk, see today’s movements, resolve confirmations, close the day.

Field	Value
Document	PRD_Inventory_Dashboard
Version	1.0
Status	Implementation-ready role dashboard specification
Primary role	Inventory / Warehouse Manager / Stock Manager
Base requirements	PRD_Inventory_Module + Master PRD Warehouses/Stock + PRD_2 Role Centers
Connected domains	Projects, Procurement, Finance, Documents, Tasks, Assets, Users
Scope	Inventory role dashboard + exact sidebar + warehouse control workspace
Date	2026-08-07

Permanent dashboard scope lock

The Inventory Dashboard and Inventory role sidebar shall contain only the elements explicitly defined in this PRD. Developers must not add, infer, duplicate, substitute or auto-expose extra dashboard widgets, modules or shortcuts without an approved PRD revision. Platform Configuration may hide approved elements; it may not create unapproved ones.

1. Document Authority and Product Position

Priority	Authority	Controls
1	Complete Role & Permission Matrix	Authorization, scopes, deny-by-default behavior, sensitive valuation/adjustment restrictions, revocation and audit.
2	Construction OS Master PRD - Warehouses, Stock and Material Accountability	Daily confirmation, recipient acknowledgement, transfer dual confirmation, insufficient-stock rule and escalation.
3	PRD_2 - Role Centers and Operational Journals	Four Stock Manager cues, Work Inbox, fixed role center, stock journals and daily close integration.
4	PRD_Inventory_Module v1.0	Products, warehouses, stock ledger, receipts, issues, transfers, reservations, counts, valuation, APIs and source-of-truth rules.
5	Role Context and Shared Module Navigation	Inventory shell persists when shared Project, Task, Document or related pages are opened.
6	Platform UI/UX Architecture	Shared shell, progressive disclosure, responsive/mobile patterns, accessibility, motion and loading/error states.
7	This PRD	Exact Inventory dashboard composition, role sidebar, warehouse controls and approved role-specific UX decisions.

1.1 Executive purpose

- Give Stock Managers one calm control surface for assigned warehouses and today's material accountability.
- Put operational exceptions before passive analytics: low stock, movement activity, pending acknowledgements, variances and daily close.
- Make receiving, issuing, transfer, count and scan actions reachable within two navigation decisions.
- Keep company, warehouse and project context visible while reusing authoritative Inventory, Projects, Procurement, Finance, Tasks and Documents records.
- Prevent dashboard convenience from bypassing immutable movement, approval, availability or audit rules.

Final product position

Stock Manager opens Dashboard -> sees warehouse risk -> sees today's movement state -> resolves confirmations/variances -> closes the day. Inventory remains the stock ledger; the dashboard is a permission-safe operational projection.

2. Goals, Non-Goals and Role Scope

In scope	Out of scope
Exact Inventory role shell, sidebar and fixed dashboard	A separate warehouse application with copied Inventory records
Assigned/authorized warehouse portfolio	Automatic visibility of every company warehouse
Low stock, movements, confirmations and daily close	Arbitrary dashboard drag-and-drop in v1
Receipts, issues, transfers, counts, reorder and scanning navigation	Replacing Procurement approval or supplier selection
Project-linked material issue/consumption context	Posting Finance journals from the dashboard
Warehouse/task/document deep links	Replacing Assets lifecycle for long-lived equipment
Operational valuation where permitted	Exposing valuation/cost fields without authorization

2.1 Role scope model

```
AUTHENTICATED USER
-> Active Company
    -> Active Role: Inventory / Warehouse Manager
        -> Authorized Warehouse Scope
            -> Optional Project Filter
                -> Inventory Dashboard / Shared Source Pages
```

- Warehouse scope is explicit. Same-company membership alone never grants warehouse control.
- Project filter narrows goods issues, reservations and project consumption; it never expands warehouse or project permissions.
- Cost/valuation visibility is independently permission controlled from quantity visibility.
- Multi-role users remain in the active Inventory role until they explicitly switch roles.

3. Inventory Application Shell and Exact Sidebar

3.1 Header

Inventory

[Company] [All Assigned Warehouses v] [Project v] [Search] [Scan] [+ New]

3.2 Exact v1 sidebar

INVENTORY

Dashboard

STOCK

Products

Stock

Warehouses

OPERATIONS

Receiving

Goods Issues

Transfers

Returns

Reservations

CONTROL

Counts

Reorder

Expiration

REPORTING

Valuation

Reports

SETTINGS

Inventory Settings

- Group labels are visual separators, not separate routes.
- Unauthorized or configuration-disabled items disappear with clean reflow and no dead links.
- Sidebar state and Inventory shell persist on permitted shared routes.

4. Full Dashboard Architecture Map

INVENTORY DASHBOARD

+-- Header / Scope

+-- Company

+-- Assigned Warehouse selector

+-- Project filter

+-- Search / Scan / + New

+-- Primary Cues

+-- Low Stock

+-- Movements Today

+-- Pending Confirmations

+-- Daily Close

+-- Stock Overview

+-- Today's Operations

+-- Warehouse Status

+-- Discrepancies & Counts

+-- Work Inbox

+-- Recent Activity

Layout lock

These dashboard regions are the complete v1 Inventory Dashboard. There is no generic company KPI canvas, arbitrary chart area, employee productivity scoring or user-added widget region.

4.1 Primary cues - exact set

Cue	Definition	Click-through
Low Stock	Authorized products below configured reorder/minimum threshold in current warehouse scope.	Stock/Product register filtered to low stock.
Movements Today	Count of today's authorized receipt, issue, transfer, return and adjustment movements in scope.	Movements register filtered to today.
Pending Confirmations	Open recipient acknowledgements, transfer receipts or disputes requiring action/monitoring.	Confirmation queue / relevant movement records.
Daily Close	Today's warehouse close state: due, complete, no movement, or attention required.	Daily close workspace / Work Inbox item.

5. Stock Overview

5.1 Dashboard summary

Metric	Definition / rule
Total Stock Quantity	On-hand stock in authorized warehouse scope; unit-aware and not summed across incompatible units without governed conversion.
Available Stock	On-hand minus reserved minus blocked quantity.
Reserved Stock	Quantity reserved by authoritative reservation records; still on hand.
In-Transit Stock	Transferred stock dispatched but not yet received. Displayed separately from available.
Inventory Value	Operational inventory value only where cost visibility is authorized.
Out of Stock	Items with zero available quantity where product/status is active.
Expiring Items	Batch/lot items within configured expiration warning window.

5.2 Stock truth rules

- Stock balances are derived from immutable posted movements and must remain reproducible.
- Available quantity = on-hand - reserved - blocked. In-transit and on-order are separate.
- No dashboard card may store an editable local stock value.
- Every metric drills through to the exact product, warehouse/location and movement records that compose it.
- Late or failed source refresh must show freshness/error state rather than silently displaying stale totals as current.

6. Today's Operations

6.1 Operational lanes

Lane	Shows	Primary action
Deliveries / Open Receipts	Expected/open purchase receipts and today's received deliveries in authorized warehouses.	Open receipt / receive stock.
Goods Received	Posted or in-process receipts, supplier/PO link, variance, quality status and put-away state.	Inspect receipt details.
Goods Issued	Issues to project, department, user/team or task; acknowledgement state visible.	Open issue / follow confirmation.
Transfers	Dispatches, in-transit transfers, partial receipts and destination confirmation.	Open transfer / receive transfer.
Returns	Supplier/project/unused/damaged returns and disposition state.	Open return.
Adjustments	Authorized count or correction adjustments; approval and posting state.	Open movement/approval.

6.2 Today definition

- Date uses company/warehouse operational timezone.
- Movements Today reconciles exactly with the resulting filtered movement register.
- Posted, reversed and cancelled states remain visually distinguishable; reversed movement history is never hidden.
- Operations show source PO, project, task, recipient or transfer relation when authorized.

7. Pending Confirmations and Material Accountability

7.1 Confirmation queue

Type	Open condition	Resolution
Tagged Goods Issue	Stock Out remains open because recipient has not confirmed quantity/condition.	Recipient confirms, partially confirms, disputes, returns or comments.
Transfer Receipt	Destination warehouse has not confirmed receipt.	Receiving manager confirms received quantity and variance.
Receipt Dispute	Recipient/warehouse reports mismatch or damage.	Issue workflow / authorized manager resolution with reason.
Quantity Difference	Dispatch, receipt or count quantities do not reconcile.	Variance record plus evidence/approval as applicable.

7.2 Tagged Stock Out flow

Stock Manager selects item + qty + project/destination/purpose/task

- > available stock validated
- > receiving user/contractor tagged
- > stock issue submitted / recipient notified
- > recipient confirms | partial | disputes | damage
- > movement closes OR discrepancy/issue workflow opens
- > warehouse/project/task/user timelines update

Control rule

A Stock Out requiring recipient acknowledgement must not appear fully closed solely because the issuing user posted it. Closure follows recipient confirmation or an authorized managerial close with recorded reason.

8. Daily Close

8.1 Daily close purpose

Daily close is a mandatory operational accountability control for each assigned Stock Manager and working day.

```
Configured End of Day
-> Persistent Work Inbox item
-> Select NO MOVEMENT
    OR
-> Review / enter / validate receipts, issues, transfers, returns, damage, corrections
-> validate stock journals
-> post permitted batches
-> Daily Close recorded
-> audit event + timeline
-> unresolved confirmation stays open
-> missing close escalates
```

8.2 Close states

State	Meaning
Due	Working day close has not been submitted.
No Movement	Manager explicitly confirms no stock entered or left during the working day.
Complete	Required day movements have been validated/posted and close confirmed.
Attention Required	Blocking validation, discrepancy, failed posting or unresolved required action prevents clean close.
Escalated	Configured deadline passed without valid close confirmation.

- Unconfirmed close remains visible and escalates; it is never silently auto-completed.
- Daily close never edits posted movements. Corrections use reversing/adjusting movements.
- Close history records actor, warehouse, date, result, movement/journal references and server timestamp.

9. Warehouse Status and Warehouse Workspace

9.1 Dashboard warehouse cards

Card field	Requirement
Warehouse	Name/code, type and owning company.
Manager	Assigned warehouse manager where visible.
Stock	Quantity and optional value summary.
Open Receipts / Issues	Current operational queue counts.
Pending Transfers	Inbound/outbound not fully completed.
Low Stock	Count of threshold exceptions.
Count Status	Next/active count and unresolved variance state.
Capacity / Locations	Optional authorized capacity and location summary.

9.2 Warehouse page

- Warehouse identity, address/map reference, company, manager, operating hours and capacity.
- Location hierarchy supports Warehouse -> Zone -> Aisle -> Rack -> Shelf -> Bin, with optional levels.
- Warehouse page includes stock value where permitted, open receipts/issues, pending transfers, low stock, counts, users, documents, tasks and activity.
- Clicking a warehouse card preserves Inventory shell and applies the warehouse scope to downstream pages.

10. Stock Movements and Operational Journals

10.1 Supported movement types

Inbound / neutral	Outbound / transfer / control
Receipt, Transfer In, Return In, Adjustment Increase, Production Output	Issue, Transfer Out, Return Out, Adjustment Decrease, Reservation/Release, Project Consumption, Maintenance Consumption, Count Adjustment, Disposal

10.2 Movement rules

- Every movement has unique number, source, destination, date, quantity, unit, product, actor and status.
- Posted movements are immutable; corrections use linked reversing movements.
- Issue cannot exceed available stock unless an authorized override exists with mandatory comment.
- Origin and destination cannot be identical; destination must be active.
- Batch and serial requirements are validated before posting.
- Posting actions are server-confirmed and idempotent; no optimistic stock posting.

10.3 Journal pattern

```
Draft Stock Journal
-> lines entered / scanned / imported
-> Validate required fields + availability + permissions + duplicates
-> Review / approval when configured
-> Post
-> immutable movement entries + posting references
-> dashboard / balances / activity refresh
```

11. Core Operational Workspaces

Workspace	Required business context
Receiving	PO reference, supplier, warehouse, date, delivery note, expected vs received qty, cost where permitted, batch/serial, quality, damage, put-away, documents, posting status.
Goods Issues	Requesting company/department/project, recipient user/team, warehouse, product, requested/issued qty, purpose, cost center, project, task/work order, approval, pick location, date, acknowledgement.
Transfers	Origin/destination, date, expected arrival, products/qty, carrier/user, in-transit state, partial receipt, variance, documents, approval and activity.
Returns	Supplier/customer/project/unused/damaged returns, reason, condition, disposition, credit/debit reference, restock/quarantine decision.
Reservations	Product, qty, warehouse, project/unit/order/work order/user/team, dates, priority, status and partial release.

11.1 Navigation principle

- Dashboard operational cards deep-link to the authoritative source workspace with the same company/warehouse/project filters.
- Dashboard never duplicates a receipt, issue, transfer, return or reservation as a second editable record.
- All cross-module references use stable IDs and preserve ownership boundaries.

12. Counts, Variances and Discrepancies

12.1 Count control

Area	Requirement
Cycle Count	Plan, warehouse/location/product scope, counters, blind-count option, first count, recount, variance, approval and adjustment posting.
Physical Inventory	Full warehouse count, optional freeze, snapshot, counting teams, reconciliation, variance valuation, approval, adjustment journal and final report.
Count Variance	Expected vs counted quantity; reason/evidence and approval according to configured threshold.
Transfer Variance	Dispatched vs received difference with dual confirmation and issue creation.
Receipt Variance	PO expected vs warehouse received difference, including damage/quality context.
Dispute	Tagged recipient disagreement or damage report with evidence and resolution history.

12.2 Discrepancies & Counts dashboard panel

- Open count variances
- Transfers with quantity difference
- Receipt/issue disputes
- Damaged / quarantine / quality-hold stock requiring attention
- Counts due or overdue

Immutability rule

Count and discrepancy history is preserved. Approval/posting may create adjustment movements, but the original count result, expected quantity and evidence remain immutable audit evidence.

13. Low Stock, Reorder and Expiration Control

13.1 Stock risk panel

Risk	Dashboard behavior
Low Stock	Show active items below configured reorder/minimum threshold; cue drills to exact products/warehouses.
Out of Stock	Show active items with zero available stock.
Overstock	Show configured overstock exceptions where rules exist.
Expiring	Show batch/lot items approaching configured expiration warning.
Dead Stock	Show source-classified dead stock when enabled.
Fast Moving	Show source analytics only when enabled; not a required primary cue.

13.2 Reorder

- Reorder rules are product + warehouse specific and may include minimum, maximum, reorder point and lead days.
- Reorder recommendation does not bypass Procurement. Inventory may create/link restock tasks or replenishment recommendations; Procurement owns purchasing workflow and supplier selection.
- Low-stock notification may publish through Notifications/Event Centre according to user/company policy.
- No AI demand forecast is part of v1.

14. Project and Cross-Module Integration

14.1 Projects inside Inventory

Project interaction	Rule
Dashboard Project Filter	Narrows authorized goods issues, reservations, project consumption and related movement views. Never expands access.
Goods Issue to Project	Movement stores project reference, destination/purpose and optional task/work order.
Project Consumption	Inventory owns stock movement; Projects/Work Progress own project/work context.
Project Return	Unused/damaged project material may return through authoritative Inventory return flow.
Project Timeline	Posted movement events may project to the project timeline when configured and authorized.

14.2 Source-of-truth boundaries

Domain	Owns
Inventory	Product stock configuration, warehouses, locations, stock quantities, movements, reservations, batches/serials and operational valuation.
Procurement	Purchase requisitions, purchase orders, supplier selection and procurement approval.
Finance	Accounting journals, payables, statutory statements and financial posting consequences.
Projects	Project identity and work context.
Assets	Long-lived asset lifecycle after conversion/commissioning.
Documents	Files and revisions.
Tasks	Executable tasks and participant visibility.

15. Work Inbox, Recent Activity and Quick Actions

15.1 Work Inbox

Inbox item	Typical source/action
Daily close due / escalated	Open daily close workflow.
Recipient confirmation dispute	Open issue movement and evidence.
Transfer receipt pending	Receive/confirm destination quantity.
Count variance approval	Open count/approval workspace.
Adjustment approval	Open controlled movement approval.
Low-stock restock task	Open linked Task or replenishment recommendation.
Inspection / quality hold task	Open linked QA/QC/Task record where authorized.
Shortage resolution	Open linked Task / source record.

15.2 Recent Activity

- Stock received / issued / transferred / returned
- Recipient confirmed / disputed / reported damage
- Transfer received with or without variance
- Count completed / variance approved / adjustment posted
- Low-stock or expiration event
- Daily close completed / no movement / escalated
- Master-data or configuration change visible to the user

15.3 + New exact actions

+ New

- Add Product
- Create Receipt
- Create Issue
- Create Transfer
- Start Count
- Scan

Only actions permitted by the current user, warehouse scope and Platform Configuration appear.

16. Search, Filters and Saved Views

16.1 Search

- Product name
- SKU
- Barcode/QR
- Serial number
- Batch/lot
- Category/brand
- Warehouse/location
- Supplier SKU where permitted

16.2 Dashboard/global filters

Filter	Behavior
Company	Required tenant/company context; changes invalidate dashboard cache.
Warehouse	Defaults to all assigned warehouses or last authorized selection.
Project	Optional narrowing filter for project-linked inventory records.
Date	Today for movement operations; report pages may use broader ranges.
Stock status	Available, reserved, blocked, quality hold, quarantine, damaged, expired, in transit, pending inspection.
Product dimensions	Type, category, brand, batch/serial, supplier, expiration.

- Saved views apply only to registers and filters approved by source modules; they do not rearrange the fixed dashboard.
- Filter state is URL-addressable where practical and never expands authorization.
- Counts must reconcile with the exact filtered source list opened from a cue.

17. Data, API, Frontend and Backend Architecture

17.1 Dashboard data path

```
InventoryDashboardPage
-> GET /inventory/overview + scoped source queries
-> authorization + Platform Configuration
-> stock ledger / receipts / issues / transfers / counts
-> permission-filtered dashboard projection
-> cue drill-through to authoritative records
```

17.2 Required source APIs

Contract family	Source endpoints / behavior
Overview	GET /inventory/overview
Stock	GET /stock, GET /stock/availability
Movements	GET/POST /inventory-movements; approve/post/reverse actions
Operations	POST /receipts, /issues, /transfers, /returns
Reservations	GET/POST /reservations; release action
Counts	GET/POST /inventory-counts; complete action
Master/context	Products, Warehouses, Batches, Serial Numbers, Reorder Rules
Reporting	GET /inventory/valuation, GET /inventory/reports

17.3 Frontend components

```
InventoryDashboardPage
  InventoryDashboardHeader
  InventoryPrimaryCueGrid
  StockOverviewPanel
  TodayOperationsPanel
  WarehouseStatusPanel
  DiscrepancyCountPanel
  InventoryWorkInbox
  RecentInventoryActivity
  DailyCloseDrawer
  ScannerDrawer
```

18. Authorization, Isolation and Platform Configuration

18.1 Authorization

- Inventory management authority belongs to Warehouse/Inventory roles; valuation and adjustments are sensitive sub-capabilities.
- Every sidebar item, cue count, row, field, activity event and deep link is backend permission filtered.
- Warehouse scope is enforced server-side; frontend hiding is not authorization.
- Project filter and source links never expand access to Projects, Procurement, Finance, Tasks or Documents.
- Cost visibility, supplier price visibility, posting, reversal and high-value adjustment are independently permission-ready.

18.2 Personal dashboard isolation

Dashboard context key

tenant_id + company_id + user_id + active_role_id + warehouse_scope + project_filter + authorization_version

- Backend derives user identity from the authenticated session.
- Cache/read-model keys include tenant, company, user/effective authorization, role and warehouse/project filters.
- Late responses from a prior company/warehouse/role context cannot overwrite the active dashboard.
- Revocation invalidates relevant cached projections and client state.

18.3 Platform Configuration

- Configuration may hide approved module/page/section/widget/action/report elements but cannot create unapproved dashboard content.
- Disabled functionality disappears from navigation, search, APIs and layout with no dead space.
- Serial/batch, BOM, valuation methods, warehouse-specific overrides and group/company inheritance remain source-module configuration.

19. Responsive, Scanning, Accessibility and UI States

19.1 Responsive behavior

Desktop	Tablet	Mobile
Wide dashboard; sticky inventory navigation; dense readable tables; split product/location views.	Two-column dashboard; collapsible navigation; horizontal movement tables; drawer detail.	Scanner-first actions; card-based stock lists; bottom action sheet; compact movement forms; full core functionality.

19.2 Scanning

- Scan action supports product, location, serial and batch identification where configured.
- Receiving, issue, transfer and count flows may use mobile camera scanning.
- Scanner response target is under 300 ms in normal supported conditions.
- RFID reader integration and full offline synchronization remain future scope.

19.3 Motion and accessibility

- Restrained 120-180 ms card/status motion; drawer slide 220-280 ms; no bounce or decorative distraction.
- Critical stock pulse only when necessary and never as the sole status cue.
- Reduced motion supported.
- Keyboard navigation, visible focus, screen-reader headers, readable contrast and no hover-only actions.
- Core experience meets the platform WCAG baseline.

19.4 Required states

- No products
- No warehouses
- No stock
- No movements
- No count results
- No expiring items
- Module disabled
- Source unavailable
- Partial dashboard failure
- Archived product
- Import validation failure

20. Performance, Audit, Events and Observability

20.1 Performance

- Dashboard target under 2 seconds under normal enterprise conditions.
- Append-only movement ledger; cached balances are rebuildable from movements.
- Cursor pagination and virtualized tables for large registers.
- Warehouse/product/date indexes and partitioning readiness.
- Asynchronous heavy reports and support for millions of movement lines.
- No dashboard cache may weaken authorization or tenant/company/warehouse isolation.

20.2 Audit and immutability

- Every movement records actor, date, source, relevant before/after context and correlation ID.
- Posted movements immutable; reversals link to original.
- Count results, imports, bulk actions, valuation changes and sensitive master-data changes are traceable.
- Daily close records actor, warehouse, working day, state and related movement/journal references.
- Audit history cannot be edited by normal product actions.

20.3 Relevant events

```
stock.received  
stock.issued  
stock.transferred  
stock.reserved  
stock.released  
stock.adjusted  
stock.counted  
stock.expiring  
stock.low  
inventory.value_changed
```

20.4 Background processing

- Low-stock evaluation
- Expiration status calculation
- Reorder recommendations
- Valuation snapshots
- Dead-stock classification
- Search indexing
- Count reminders
- Cache reconciliation

21. Testing Strategy and Acceptance Criteria

21.1 Required test groups

- Unit tests for stock availability formula, movement state, daily close state and count variance logic.
- Integration tests for receipts, issues, transfers, returns, reservations, counts and source-module links.
- Daily-close tests for No Movement, movement posting, validation failure, escalation and audit.
- Recipient confirmation tests for full, partial, dispute, damage and authorized managerial close.
- Permission tests across company, warehouse, project, valuation, adjustment, posting and reversal scopes.
- Negative isolation tests across users, companies, tenants and stale authorization contexts.
- Responsive/scanner tests on desktop, tablet and mobile.
- Performance tests using large movement volumes and multi-warehouse data.
- Visual regression for dashboard, warehouse page, count workspace, disabled-section reflow and reduced motion.

21.2 Acceptance criteria

- ID-01.** Inventory role login opens the fixed Inventory Dashboard and Inventory shell.
- ID-02.** Dashboard contains exactly Primary Cues, Stock Overview, Today's Operations, Warehouse Status, Discrepancies & Counts, Work Inbox and Recent Activity.
- ID-03.** Primary cues are exactly Low Stock, Movements Today, Pending Confirmations and Daily Close.
- ID-04.** Only authorized warehouse data appears; project filter only narrows data.
- ID-05.** Low Stock and Movements Today counts reconcile with their filtered source registers.
- ID-06.** Pending confirmations reconcile with open recipient/transfer acknowledgement state.
- ID-07.** Daily close requires explicit confirmation for each assigned working day and escalates when missing.
- ID-08.** Posted movements cannot be edited; correction uses reversal/adjustment.
- ID-09.** Goods Issue enforces available-stock rules and retains project/task/recipient links.
- ID-10.** Transfer requires dispatch and receipt confirmation; differences create an auditable issue/variance.
- ID-11.** Count variance preserves original count evidence and uses controlled adjustment posting.
- ID-12.** Dashboard uses source Inventory status and does not invent parallel lifecycles.
- ID-13.** Shared Project/Task/Document/Procurement-related pages preserve Inventory shell and permissions.
- ID-14.** Cost/valuation fields are absent when user lacks permission.
- ID-15.** Platform-disabled features reflow cleanly with no dead links or blank regions.
- ID-16.** Desktop, tablet and mobile remain usable with scanning available where configured.
- ID-17.** Cross-user/company/tenant negative isolation tests pass.
- ID-18.** No unapproved dashboard widget or sidebar item is present.

22. Explicitly Not Allowed and Definition of Done

22.1 Explicitly not allowed

- Additional dashboard KPI cards, charts or widgets not defined in this PRD.
- User rearrangement of dashboard regions in v1.
- Automatic access to every company warehouse.
- Finance, HR, Sales or unrelated company KPI widgets on the Inventory Dashboard.
- Duplicating Inventory, Procurement, Finance, Projects, Tasks, Documents or Assets records in dashboard storage.
- Editing posted stock movements or rewriting count history.
- Using in-transit or on-order stock as available stock.
- Closing recipient-confirmation movements solely because the issuer posted the movement.
- Auto-completing daily close without explicit No Movement or validated movement confirmation.
- AI forecasting, RFID reader integrations, courier integrations or full offline sync in v1.
- Hard-coded role checks that replace platform capability/scope authorization.

22.2 Definition of Done

1. Exact Inventory sidebar, header and fixed dashboard layout are implemented.
2. Assigned warehouse scope and optional project filtering are fully connected.
3. Low Stock, Movements Today, Pending Confirmations and Daily Close reconcile with authoritative sources.
4. Receiving, issues, transfers, returns, reservations, counts, reorder, valuation and reports deep-link to source modules.
5. Daily close, recipient confirmation and transfer dual-confirmation rules pass end-to-end tests.
6. Role context, permission filtering and personal dashboard isolation pass shared-route/direct-link tests.
7. Responsive, scanner, accessibility, loading, empty, error and partial-failure states pass visual QA.
8. Performance and cache-isolation targets pass with representative enterprise data.
9. Audit and negative isolation tests pass with zero critical defects.
10. Dashboard scope lock is respected with zero unapproved elements.

Final implementation rule

If an element is not defined in PRD_Inventory_Dashboard, it does not appear on the Inventory Dashboard or Inventory role sidebar. New dashboard content requires an approved PRD revision.

Appendix A. Source Alignment Matrix

PRD decision	Primary source alignment
Four Stock Manager cues	PRD_2 Role Center: Low Stock, Movements Today, Pending Confirmations, Daily Close.
Daily close	Master PRD Warehouses/Stock + PRD_2 warehouse daily close integration.
Recipient confirmation / transfer dual confirmation	Master PRD Warehouses, Stock and Material Accountability.
Stock Overview metrics and drill-through	PRD_Inventory_Module Inventory Dashboard.
Products, warehouses, movements, receipts, issues, transfers, reservations, counts	PRD_Inventory_Module information architecture and operational sections.
Immutable movement ledger / reproducible balances	PRD_Inventory_Module movement and stock rules.
Project filter / project consumption linkage	PRD_Inventory_Module filters, Goods Issue and project integration.
Procurement/Finance/Assets ownership boundaries	PRD_Inventory_Module data ownership rules.
Role shell persistence	Role Context and Shared Module Navigation PRD.
Fixed layout, progressive disclosure, responsive/mobile UX	PRD_2 + Platform UI/UX Architecture.
Authorization and sensitive Inventory restrictions	Complete Role & Permission Matrix + Inventory security readiness.

Appendix B. Route and Context Map

```
/inventory/dashboard
-> Products / Stock / Warehouses
-> Receiving / Goods Issues / Transfers / Returns / Reservations
-> Counts / Reorder / Expiration
-> Valuation / Reports / Settings

Shared source routes
-> Project / Task / Document / Procurement / Finance reference
-> active Inventory role shell remains resolved from session context
```