

Sigma 9 (Web Development)

15 %

10. CSS - Part 4



11. CSS - Part 5



What is Flexbox?

video

06:43



Display Flex

video

08:10



Flex Direction

video

04:39



Justify Content

video

08:04



Flex Wrap

video

05:03



Align Items

video

05:23



Align Content

video

03:20



Align Self

video

02:26



Flex Sizing

video

11:09



Flex Shorthand

video

03:14



Assignment Questions

pdf



Assignment Solutions

pdf



FlexBox Summary

This is the summary of flexbox. (Order is one property not covered in class, you...

Flexbox



00:56 / 06:43



What is Flexbox?

→ responsive ↖


Flexible Box Layout

It is a one-dimensional layout method for arranging items in rows or columns.


armankhan082020@gmail.com




The Flex Model



direction = row



General Example



flex item

div

flex container

<div>

<div> </div>

<div> </div>

<div> </div>

</div>

par


display: flex

block ✓
inline ✓
inline-block —



Flexbox Playground





EXPLORER


css


- index.html
- style.css

```
# style.css > #container div
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7  }
8
9  h1 {
10     text-align: center;
11 }
12
13 #container div {
14     height: 100px;
15     width: 300px;
16     color: ■ white;
17     text-align: center;
18     font-size: 1.5em;
19 }
20
```



Flexbox Playground





EXPLORER

css

- index.html
- style.css

```
# style.css > #container
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7      display: flex;
8  }
9
10 h1 {
11     text-align: center;
12 }
13
14 #container div {
15     height: 100px;
16     width: 300px;
17     color: ■ white;
18     text-align: center;
19     font-size: 1.5em;
20 }
21
```



EXPLORER

index.html

style.css

CSS

index.html

style.css

style.css > #container

```
1 #container {
2   height: 300px;
3   width: 80%;
4   background-color: azure;
5   margin: 10px auto;
6   border: 2px solid black;
7   display: flex;
8   flex-direction: column;
```

The flex container's main axis has the same orientation as the block axis of the current writing mode.


column
column-reverse

armankhan082020@gmail.com

```
12   text-align: center;
13 }
14
15 #container div {
16   height: 100px;
17   width: 300px;
18   color: white;
19   text-align: center;
20   font-size: 1.5em;
21 }
22
```



Flexbox Playground





EXPLORER

CSS

index.html

style.css

index.html

style.css



style.css > #container div

```
1  #container {
2    height: 300px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid ■ black;
7    display: flex;
8    flex-direction: row;
9  }
10
11  h1 {
12    text-align: center;
13  }
14
15  #container div {
16    height: 100px;
17    width: 50px;
18    color: ■ wh 50px
19    text-align: center;
20    font-size: 1.5em;
21  }
22
```

armankhan082020@gmail.com




07:33 / 08:10



Flexbox Playground

violet indigo blue green yellow orange red



armankhan0820@gmail.com



Flexbox Playground





EXPLORER

...

<> index.html

style.css X

CSS

<> index.html

style.css


armankhan082020@gmail.com

style.css > #container div

```
1  #container {
2    height: 300px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid □ black;
7    display: flex;
8    flex-direction: row;
9  }
10
11  h1 {
12    text-align: center;
13  }
14
15  #container div {
16    height: 100px;
17    width: 500px;
18    color: ■ white;
19    text-align: center;
20    font-size: 1.5em;
21  }
22
```



Flexbox Direction



It sets **how flex items are placed** in the flex container, along which axis and direction.

- `flexbox-direction : row;` *main axis, left to right*
- `flexbox-direction : row-reverse;` *main axis, right to left*
- `flexbox-direction : column;` *main axis, top to bottom*
- `flexbox-direction : column-reverse;` *main axis, bottom to top*





EXPLORER

css


- index.html
- style.css

```

# style.css > #container
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: azure;
5      margin: 10px auto;
6      border: 2px solid black;
7      display: flex;
8      flex-direction: row-reverse;
9  }
10
11  h1 {
12      text-align: center;
13  }
14
15  #container div {
16      height: 100px;
17      width: 100px;
18      color: white;
19      text-align: center;
20      font-size: 1.5em;
21  }
22
  
```



Flexbox Playground





EXPLORER

CSS

index.html

style.css

index.html

style.css



style.css > #container

```
1  #c
2
3
4
5
6
7
8  flex-direction: column;
9  }
10
11  h1 {
12    text-align: center;
13  }
14
15  #container div {
16    height: 100px;
17    width: 100px;
18    color: white;
19    text-align: center;
20    font-size: 1.5em;
21  }
22
```

Specifies how flex items are placed in the flex container, by setting the direction of the flex container's main axis.

(Edge 12, Firefox 81, Safari 9, Chrome 29, IE 11, Opera 12)

Syntax: row | row-reverse | column | column-reverse

[MDN Reference](#)

armankhan082020@gmail.com



03:42 / 04:39



Flexbox Playground





EXPLORER

CSS

index.html

style.css

index.html

style.css



style.css > #container


```
1  #container {  
2    height: 300px;  
3    width: 80%;  
4    background-color: ■ azure;  
5    margin: 10px auto;  
6    border: 2px solid ■ black;  
7    display: flex;  
8    flex-direction: column-reverse;  
9  }  
10  
11  h1 {  
12    text-align: center;  
13  }  
14  
15  #container div {  
16    height: 100px;  
17    width: 100px;  
18    color: ■ white;  
19    text-align: center;  
20    font-size: 1.5em;  
21  }  
22
```



03:44 / 04:39




Flexbox Playground



Justify Content

Tells how the browser **distributes space** between and around content items along the main-axis

- `justify-content : flex-start;`
- `justify-content : flex-end;`
- `justify-content : center;`





EXPLORER

CSS

index.html

style.css

index.html

style.css

style.css > #container

```
1  #container {
2    height: 300px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid □ black;
7    display: flex;
8    flex-direction: row-reverse;
9    justify-content: flex-start;
10 }
11
12 h1 {
13   text-align: center;
14 }
15
16 #container div {
17   height: 100px;
18   width: 100px;
19   color: ■ white;
20   text-align: center;
21   font-size: 1.5em;
22 }
23
```





EXPLORER

CSS

index.html

style.css

index.html


style.css

style.css > #container

```
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid □ black;
7      display: flex;
8      flex-direction: column-reverse;
9      justify-content: center;
10 }
11
12 h1 {
13     text-align: center;
14 }
15
16 #container div {
17     height: 20px;
18     width: 100px;
19     color: ■ white;
20     text-align: center;
21     font-size: 1.5em;
22 }
23
```



Flexbox Playground



Justify Content

- `justify-content : space-between;`
- `justify-content : space-around;`
- `justify-content : space-evenly;`





EXPLORER

...

<> index.html

style.css X

CSS

<> index.html

style.css


style.css > #container

```
1  #container {
2    height: 300px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid □ black;
7    display: flex;
8    flex-direction: row;
9    justify-content: space-between;
10 }
11
12 h1 {
13   text-align: center;
14 }
15
16 #container div {
17   height: 100px;
18   width: 100px;
19   color: ■ white;
20   text-align: center;
21   font-size: 1.5em;
22 }
23
```



Flexbox Playground





EXPLORER


css

- index.html
- style.css

```
# style.css > #container
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: azure;
5      margin: 10px auto;
6      border: 2px solid black;
7      display: flex;
8      flex-direction: row;
9      justify-content: space-around;
10 }
11
12 h1 {
13     text-align: center;
14 }
15
16 #container div {
17     height: 100px;
18     width: 100px;
19     color: white;
20     text-align: center;
21     font-size: 1.5em;
22 }
23
```



Flexbox Playground





EXPLORER

CSS

index.html

style.css

index.html


style.css

style.css > #container

```
1  #container {
2    height: 300px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid ■ black;
7    display: flex;
8    flex-direction: row;
9    justify-content: space-evenly;
10 }
11
12 h1 {
13   text-align: center;
14 }
15
16 #container div {
17   height: 100px;
18   width: 100px;
19   color: ■ white;
20   text-align: center;
21   font-size: 1.5em;
22 }
23
```



Flexbox Playground



EXPLORER

index.html

style.css

✓ CSS

index.html

style.css

style.css > #container

```
1 #container {
2   height: 300px;
3   width: 80%;
4   background-color: azure;
5   margin: 10px auto;
6   border: 2px solid black;
7   display: flex;
8   flex-direction: column-reverse;
9   justify-content: space-around;
```

Flex items are evenly distributed in the line,
with half-size spaces on either end.


space-around

```
12
13   text-align: center;
14 }
15
16 #container div {
17   height: 20px;
18   width: 100px;
19   color: white;
20   text-align: center;
21   font-size: 1.5em;
22 }
23
```

armankhan082020@gmail.com



Flexbox Playground





EXPLORER

css


- index.html
- style.css

index.html style.css

```
# style.css > #container
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: azure;
5      margin: 10px auto;
6      border: 2px solid black;
7      display: flex;
8      flex-direction: column-reverse;
9      justify-content: space-evenly;
10 }
11
12 h1 {
13     text-align: center;
14 }
15
16 #container div {
17     height: 20px;
18     width: 100px;
19     color: white;
20     text-align: center;
21     font-size: 1.5em;
22 }
23
```



Flexbox Playground




5 → 100px

Flex Wrap

Sets whether flex items are **forced onto one line or can wrap** onto multiple lines

- flex-wrap : nowrap;
- flex-wrap : wrap;
- flex-wrap : wrap-reverse;





EXPLORER

CSS

index.html

style.css

armankhan082020@gmail.com

index.html

style.css

style.css > #container


```
1  #container {
2    height: 300px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid ■ black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   flex-wrap: nowrap;
11 }
12
13 h1 {
14   text-align: center;
15 }
16
17 #container div {
18   height: 100px;
19   width: 300px;
20   color: ■ white;
21   text-align: center;
22   font-size: 1.5em;
23 }
24
```



02:31 / 05:03



Flexbox Playground



EXPLORER

<> index.html

style.css

CSS

<> index.html

style.css

style.css > #container

```
1  #container {
2    height: 300px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid ■ black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   flex-wrap: nowrap;
11 }
12
13 h1 {                                armankhan082020@gmail.com
14   text-align: center;
15 }
16
17 #container div {
18   height: 100px;
19   width: 300px;
20   color: ■ white;
21   text-align: center;
22   font-size: 1.5em;
23 }
24
```



Flexbox Playground



EXPLORER

CSS

index.html

style.css

index.html

style.css

style.css > #container

```
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: azure;
5      margin: 10px auto;
6      border: 2px solid black;
7      display: flex;
8      flex-direction: row;
9      justify-content: flex-start;
10     flex-wrap: wrap-reverse;
11 }
12
13 h1 {                                armankhan082020@gmail.com
14     text-align: center;
15 }
16
17 #container div {
18     height: 100px;
19     width: 300px;
20     color: white;
21     text-align: center;
22     font-size: 1.5em;
23 }
24
```



Flexbox Playground



EXPLORER


✓ CSS

- <> index.html
- # style.css

style.css > #container

```
1 #container {
2   height: 300px;
3
4   Controls whether the flex container is single-line or multi-line, and the direction of the
5   cross-axis, which determines the direction new lines are stacked in.
6
7   (Edge 12, Firefox 28, Safari 9, Chrome 29, IE 11, Opera 17)
8
9   Syntax: nowrap | wrap | wrap-reverse
10
11   MDN Reference
12
13 flex-wrap: wrap-reverse;
14 }
15
16 h1 {
17   text-align: center;
18 }
19
20 #container div {
21   height: 100px;
22   width: 300px;
23   color: white;
24   text-align: center;
25   font-size: 1.5em;
26 }
```





EXPLORER

✓ CSS

- index.html
- # style.css

```
# style.css > #container
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7      display: flex;
8      flex-direction: column-reverse;
9      justify-content: flex-start;
10     flex-wrap: wrap;

13  h1 {
14      text-align: center;
15  }

16
17  #container div {
18      height: 100px;
19      width: 300px;
20      color: ■ white;
21      text-align: center;
22      font-size: 1.5em;
23  }
24
```

The flexbox is multi-line.

wrap
wrap-reverse



Flexbox Playground



EXPLORER

index.html

style.css

✓ CSS

index.html

style.css

style.css > #container

```
1 #container {
2   height: 300px;
3   width: 80%;
4   background-color: azure;
5   margin: 10px auto;
6   border: 2px solid black;
7   display: flex;
8   flex-direction: column-reverse;
9   justify-content: flex-start;
10  flex-wrap: wrap-reverse;
```

Same as 'wrap', except the cross-start and cross-end directions are swapped.

× wrap-reverse

```
14   text-align: center;
15 }
16
17 #container div {
18   height: 100px;
19   width: 300px;
20   color: white;
21   text-align: center;
22   font-size: 1.5em;
23 }
24
```

armankhan082020@gmail.com



04:17 / 05:03



Flexbox Playground




5 → 100px

Flex Wrap


Sets whether flex items are **forced onto one line or can wrap** onto multiple lines

- flex-wrap : nowrap;
- flex-wrap : wrap;
- flex-wrap : wrap-reverse;



↪ cross axis
reverse direction
wr.





EXPLORER

✓ CSS

- <> index.html
- # style.css

```
# style.css > #container
1  #container {
2      height: 300px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7      display: flex;
8      flex-direction: row;
9      justify-content: flex-start;
10     flex-wrap: wrap;
11     align-items: flex-start;
12 }
13
14 h1 {
15     text-align: center;
16 }
17
18 #container div {
19     height: 100px;
20     width: 300px;
21     color: ■ white;
22     text-align: center;
23     font-size: 1.5em;
24 }
25
```



Flexbox Playground





EXPLORER

CSS

index.html

style.css

armankhan082020@gmail.com

index.html

style.css

style.css > #container


```
1  #container {
2    height: 300px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid ■ black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   flex-wrap: wrap;
11   align-items: center;
12 }
13
14 h1 {
15   text-align: center;
16 }
17
18 #container div {
19   height: 50px;
20   width: 300px;
21   color: ■ white;
22   text-align: center;
23   font-size: 1.5em;
24 }
25
```



02:06 / 05:23



Flexbox Playground



EXPLORER

<> index.html

style.css X

CSS

<> index.html

style.css

style.css > #container

```
1  #container {
2      height: 600px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7      display: flex;
8      flex-direction: row;
9      justify-content: flex-start;
10     flex-wrap: wrap;
11     align-items: baseline;
12 }
13
14 h1 {
15     text-align: center;
16 }
17
18 #container div {
19     height: 100px;
20     width: 300px;
21     color: ■ white;
22     text-align: center;
23     font-size: 1.5em;
24 }
25
```



Flexbox Playground





EXPLORER

css

index.html

style.css



index.html • style.css

index.html > html > body > div#container > div

```

1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>CSS</title>
8      <link rel="stylesheet" href="style.css" />
9    </head>
10   <body>
11     <h1>Flexbox Playground</h1>
12     <div id="container">
13       <div style="background-color: #9400d3">violet</div>
14       <div style="background-color: #4b0082">indigo</div>
15       <div style="background-color: #0000ff; height: 75px">blue</div>
16       <div style="background-color: #00ff00">green</div>
17       <div style="background-color: #ffff00">yellow</div>
18       <div style="background-color: #ff7f00; height: 200px; font-size: 24px">
19         orange
20       </div>
21       <div style="background-color: #ff0000">red</div>
22     </div>
23   </body>
24 </html>
25

```



Align Items

- `justify-content : baseline;`

*content
baseline*




Align Content

it sets the distribution of **space between and around** content items along a flexbox's cross-axis

- align-content : flex-start / flex-end / center
- align-content : space-between / space-around / evenly
- align-content : baseline;






EXPLORER

✓ CSS

- <> index.html
- # style.css

```
# style.css > #container
1  #container
2      height: 600px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7      display: flex;
8      flex-direction: row;
9      justify-content: flex-start;
10     /* flex-wrap: wrap; */
11     /* align-items: baseline; */
12     align-content: flex-start;
13 }
14
15 h1 {
16     text-align: center;
17 }
18
19 #container div {
20     height: 100px;
21     width: 300px;
22     color: ■ white;
23     text-align: center;
24     font-size: 1.5em;
25 }
26
```





EXPLORER

✓ CSS


- <> index.html
- # style.css


style.css > #container

```
1  #container {
2    height: 600px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid ■ black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   flex-wrap: wrap;
11   /* align-items: baseline; */
12   align-content: flex-end;
13 }
14
15 h1 {
16   text-align: center;
17 }
18
19 #container div {
20   height: 100px;
21   width: 300px;
22   color: ■ white;
23   text-align: center;
24   font-size: 1.5em;
25 }
26
```



Flexbox Playground





EXPLORER


✓ CSS

- index.html
- # style.css

```
# style.css > #container
1  #container
2      height: 600px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7      display: flex;
8      flex-direction: row;
9      justify-content: flex-start;
10     flex-wrap: wrap;
11     /* align-items: baseline; */
12     align-content: center;
13 }
14
15 h1 {
16     text-align: center;
17 }
18
19 #container div {
20     height: 100px;
21     width: 300px;
22     color: ■ white;
23     text-align: center;
24     font-size: 1.5em;
25 }
26
```



Flexbox Playground



armankhan082020@gmail.com

EXPLORER

CSS

index.html

style.css

index.html


style.css

style.css > #container

```
1  #container {
2    height: 600px;
3    width: 80%;
4    background-color: azure;
5    margin: 10px auto;
6    border: 2px solid black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   flex-wrap: wrap;
11   /* align-items: baseline; */
12   align-content: space-between;
13 }
14
15 h1 {
16   text-align: center;
17 }
18
19 #container div {
20   height: 100px;
21   width: 300px;
22   color: white;
23   text-align: center;
24   font-size: 1.5em;
25 }
26
```



Flexbox Playground



Flexbox Playground



EXPLORER

<> index.html

style.css

CSS

<> index.html

style.css


style.css > #container

```
1  #container {
2    height: 600px;
3    width: 80%;
4    background-color: #azure;
5    margin: 10px auto;
6    border: 2px solid #black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   flex-wrap: wrap;
11   /* align-items: baseline; */
12   align-content: space-around;
13 }
14
15 h1 {
16   text-align: center;
17 }
18
19 #container div {
20   height: 100px;
21   width: 300px;
22   color: #white;
23   text-align: center;
24   font-size: 1.5em;
25 }
26
```



Flexbox Playground





EXPLORER

css

- index.html
- style.css

```
# style.css > #container
1  #container
2      height: 600px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7      display: flex;
8      flex-direction: row;
9      justify-content: flex-start;
10     flex-wrap: wrap;
11     /* align-items: baseline; */
12     align-content: space-evenly;
13 }
14
15 h1 {
16     text-align: center;
17 }
18
19 #container div {
20     height: 100px;
21     width: 300px;
22     color: ■ white;
23     text-align: center;
24     font-size: 1.5em;
25 }
26
```



Flexbox Playground



EXPLORER

<> index.html

style.css

CSS

<> index.html

style.css

style.css > #container

```
1  #container {
2    height: 600px;
3    width: 80%;
4    background-color: #azure;
5    margin: 10px auto;
6    border: 2px solid #black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   flex-wrap: wrap;
11   /* align-items: baseline; */
12   align-content: baseline;
13 }
14
15 h1 {
16   text-align: center;
17 }
18
19 #container div {
20   height: 100px;
21   width: 300px;
22   color: #white;
23   text-align: center;
24   font-size: 1.5em;
25 }
26
```



Flexbox Playground



Align Self

individuals

align items (groups)

Aligns an item along the **cross axis**

- **align-self : flex-start;**
- **align-self : flex-end;**
- **align-self : center;**
- **align-self : baseline;**

align self > align

APNA

COLLEGE





EXPLORER

CSS

index.html

style.css

armankhan082020@gmail.com

index.html


style.css

style.css > #org

```
1  #container {
2    height: 600px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid ■ black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   /* flex-wrap: wrap; */
11   /* align-items: baseline; */
12   align-content: flex-start;
13 }
14
15 #org {
16   align-self: flex-end;
17 }
18
19 h1 {
20   text-align: center;
21 }
22
23 #container div {
24   height: 100px;
25   width: 300px;
26   color: ■ white;
27   text-align: center;
28   font-size: 1.5em;
```

APNA
COLLEGE

Flexbox Playground





EXPLORER

✓ CSS

<> index.html

style.css

armankhan082020@gmail.com

<> index.html

style.css X

style.css > #org

```
1  #container {
2    height: 600px;
3    width: 80%;
4    background-color: ■ azure;
5    margin: 10px auto;
6    border: 2px solid ■ black;
7    display: flex;
8    flex-direction: row;
9    justify-content: flex-start;
10   /* flex-wrap: wrap; */
11   /* align-items: baseline; */
12   align-content: flex-start;
13 }
14
15 #org {
16   align-self: flex-end;
17 }
18
19 h1 {
20   text-align: center;
21 }
22
23 #container div {
24   height: 100px;
25   width: 300px;
26   color: ■ white;
27   text-align: center;
28   font-size: 1.5em;
```



Flexbox Playground



EXPLORER

...

<> index.html# style.css X

✓ CSS

<> index.html# style.css

style.css > #org

1 #container {
2 height: 600px;
3 width: 80%;
4 background-color: ■ azure;
5 margin: 10px auto;
6 border: 2px solid □ black;
7 display: flex;
8 flex-direction: row;
9 justify-content: flex-start;
10 /* flex-wrap: wrap; */
11 /* align-items: baseline; */
12 align-content: flex-start;
13 }
14
15 #org {
16 align-self: baseline;
17 }
18
19 h1 {
20 text-align: center;
21 }
22
23 #container div {
24 height: 100px;
25 width: 300px;
26 color: ■ white;
27 text-align: center;
28 font-size: 1.5em;

APNA COLLEGE

mankhan082020@gmail.com



Flexbox Playground





Flex Sizing

- flex-basis

It sets the initial main size of a flex item.

`flex-basis : 100px;`





EXPLORER

✓ CSS

<> index.html

style.css

<> index.html

style.css X



```
# style.css > #org
1  #container {
2      height: 600px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid ■ black;
7      display: flex;
8      flex-direction: row;
9      justify-content: flex-start;
10     flex-wrap: wrap;
11     /* align-items: baseline; */
12     align-content: flex-start;
13 }
14
15 #org {
16     align-self: flex-start;
17     flex-basis: 50px;
18 }
19
20 h1 {
21     text-align: center;
22 }
23
24 #container div {
25     height: 100px;
26     width: 300px;
27     color: ■ white;
28     text-align: center;
```



red

CSS property documentation in the



EXPLORER

✓ CSS

<> index.html

style.css

<> index.html

style.css



```
# style.css > #blue
1  #container {
2      height: 600px;
3      width: 80%;
4      background-color: ■ azure;
5      margin: 10px auto;
6      border: 2px solid □ black;
7      display: flex;
8      flex-direction: row;
9      justify-content: flex-start;
10     flex-wrap: wrap;
11     /* align-items: baseline; */
12     align-content: flex-start;
13 }
14
15 #org {
16     align-self: flex-start;
17     flex-basis: 50px;
18 }
19
20 #blue {
21     flex-basis: 400p[];
22 }
23
24 h1 {
25     text-align: center;
26 }
27
28 #container div {
```



Flexbox Playground



Elements

```
<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body>
    <h1>Flexbox Playground</h1>
    <div id="container"> flex == $0
      <div style="background-color: #9400d3">violet</div>
      <div style="background-color: #4b0082">indigo</div>
      <div id="blue" style="background-color: #0000ff; height: 75px">blue</div>
      <div style="background-color: #00ff00">green</div>
      <div style="background-color: #ffff00">yellow</div>
      <div style="background-color: #ff4500">orange</div>
      <div style="background-color: #ff0000">red</div>
    </div>
  </body>
</html>
```

html body div#container

Styles Computed Layout >>

Filter :hov .cls +

```
element.style {
}

#container {
  height: 600px;
  width: 80%;
  background-color: #0000ff;
  margin: 10px;
}
```

style.css:



EXPLORER

index.html

style.css



CSS

index.html

style.css

style.css > #container

```
1 #container {
2   height: 600px;
3   width: 80%;
4   background-color: azure;
5   margin: 10px auto;
6   border: 2px solid black;
7   display: flex;
8   flex-direction: column;
```

The flex container's main axis has the same orientation as the block axis of the current writing mode.


column
column-reverse
ne; */

```
12 align-content: flex-start;
13 }
14
15 #org {
16   align-self: flex-start;
17   flex-basis: 50px;
18 }
19
20 #blue {
21   flex-basis: 400px;
22 }
23
24 h1 {
25   text-align: center;
26 }
27
28 #container div {
```

armankhan082020@gmail.com



Flexbox Playground



Flex Sizing

- **flex-grow**

It specifies how much of the flex container's remaining space should be assigned to the flex item's main size

flex-grow : 1



Flex Sizing

- **flex-grow**

It specifies how much of the flex container's remaining space should be assigned to the flex item's main size

flex-grow : 1 *(default)*

2

3



EXPLORED

✓ CSS

<> index.html

style.css 1

style.css > #blue

```
6 border: 2px solid black;
7 display: flex;
8 flex-direction: row;
9 justify-content: flex-start;
10 flex-wrap: wrap;
11 /* align-items: baseline; */
12 align-content: flex-start;
13 }
14
15 #org {
16   align-self: flex-start;
17   /* flex-basis: 50px; */
18 }
19
20 #blue {
21   /* flex-basis: 400px; */
22 }
23
24 h1 {
25   text-align: center;
26 }
27
28 #container div {
29   height: 100px;
30   width: 50px;
31   color: white;
32   text-align: center;
33   font-size: 1.5em;
```

APNA COLLEGE



Flexbox Playground

violet indigo blue green yellow orange red



EXPLORER

css

index.html


style.css

style.css > #blue

```
6 border: 2px solid black;
7 display: flex;
8 flex-direction: row;
9 justify-content: flex-start;
10 flex-wrap: wrap;
11 /* align-items: baseline; */
12 align-content: flex-start;
13 }
14
15 #org {
16   align-self: flex-start;
17   /* flex-basis: 50px; */
18 }
19
20 #blue {
21   /* flex-basis: 400px; */
22   flex-grow: 1;
23 }
24
25 h1 {
26   text-align: center;
27 }
28
29 #container div {
30   height: 100px;
31   width: 50px;
32   color: white;
33   text-align: center;
```



Flexbox Playground



EXPLORER

css

index.html


style.css

style.css > #org

```
6 border: 2px solid black;
7 display: flex;
8 flex-direction: row;
9 justify-content: flex-start;
10 flex-wrap: wrap;
11 /* align-items: baseline; */
12 align-content: flex-start;
13 }
14
15 #org {
16   align-self: flex-start;
17   /* flex-basis: 50px; */
18   flex-grow: 1;
19 }
20
21 #blue {
22   /* flex-basis: 400px; */
23   flex-grow: 1;
24 }
25
26 h1 {
27   text-align: center;
28 }
29
30 #container div {
31   height: 100px;
32   width: 50px;
33   color: white;
```



Flexbox Playground



EXPLORER

<> index.html

style.css X

CSS

<> index.html


style.css

style.css > #blue

```
6   border: 2px solid black;
7   display: flex;
8   flex-direction: row;
9   justify-content: flex-start;
10  flex-wrap: wrap;
11  /* align-items: baseline; */
12  align-content: flex-start;
13  }
14
15  #org {
16    align-self: flex-start;
17    /* flex-basis: 50px; */
18    flex-grow: 1;
19  }
20
21  #blue {
22    /* flex-basis: 400px; */
23    flex-grow: 2;
24  }
25
26  h1 {
27    text-align: center;
28  }
29
30  #container div {
31    height: 100px;
32    width: 50px;
33    color: white;
```



Flexbox Playground



Elements

```
<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body>
    <h1>Flexbox Playground</h1>
    <div id="container"> flex == $0
      <div style="background-color: #9400d3">violet</div>
      <div style="background-color: #4b0082">indigo</div>
      <div id="blue" style="background-color: #0000ff; height: 75px">blue</div>
      <div style="background-color: #00ff00">green</div>
      <div style="background-color: #ffff00">yellow</div>
      <div style="background-color: #ffa500">orange</div>
      <div style="background-color: #ff0000">red</div>
    </div>
  </body>
</html>
```

html body div#container

Styles Computed Layout

Filter :hov .cls +

element.style { }

#container { height: 600px; width: 80%; background-color: #0000ff; margin: 0; }

style.css:



red

```
Elements
<div style="background-color: #400000; height: 20px; width: 100px;">indigo</div>
<div id="blue" style="background-color: #0000ff; height: 75px;">blue</div>
<div style="background-color: #00ff00;">green</div>
<div style="background-color: #ffff00;">yellow</div>
<div id="org" style="background-color: #ff7f00; height: 200px; font-size: 3.5em;">orange</div>
<div style="background-color: #ff0000;">red</div>
</div>
</body>
</html>

html body div#container
Styles Computed Layout >>
Filter :hov .cls +, -, <
element.style {
}
#container { style.css:1
  height: 600px;
  width: 80%;
  background-color: #00bfff;
  margin: 10px auto;
  border: 2px solid black;
  display: flex;
  flex-direction: row;
  justify-content: flex-start;
  flex-wrap: wrap;
  align-items: baseline;
  align-content: flex-start;
}
div { user agent stylesheet
  display: block;
}

Console What's New x Issues x
Highlights from the Chrome 112 update
CSS property documentation in the
```

APNA COLLEGE

EXPLORER


index.html style.css

index.html style.css

border: 2px solid black; display: flex; flex-direction: row; justify-content: flex-start; flex-wrap: wrap; /* align-items: baseline; */ align-content: flex-start; } #org { align-self: flex-start; /* flex-basis: 50px; */ flex-grow: 1; } #blue { /* flex-basis: 400px; */ flex-grow: 3; } h1 { text-align: center; } #container { height: 600px; width: 80%; color: white; }

armankhan082020@gmail.com

Flexbox Playground



Elements

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>
  </title>
  <body>
    <h1>Flexbox Playground</h1>
    <div id="container">
      <div style="background-color: #9400d3">violet</div>
      <div style="background-color: #4b0082">indigo</div>
      <div id="blue" style="background-color: #0000ff; height: 75px">blue</div>
      <div style="background-color: #00ff00">green</div>
      <div style="background-color: #ffff00">yellow</div>
      <div style="background-color: #ffa500">orange</div>
      <div style="background-color: #ff0000">red</div>
    </div>
  </body>
</html>
```

html body div#container

Styles Computed Layout

Filter :hov .cls +

```
element.style {
}

#container {
  height: 600px;
  width: 80%;
  background-color: #0000ff;
  margin: 0 auto;
}
```

style.css

