

Sigma 9 (Web Development)

4 %

5. HTML (Level 2)




-  **Inline v/s Block**
✓ video 10:25
-  **Div Element**
✓ video 04:56
-  **Span Element**
✓ video 02:39
-  **Hr Tag**
✓ video 03:08
-  **Sup & Sub Tags**
✓ video 04:32
-  **Practice Qs**
✓ video 01:52
-  **Semantic Markup**
✓ video 06:52
-  **Semantic Tags**
✓ video 10:17
-  **Practice Qs**
✓ video 04:07
-  **HTML Entities**
✓ video 11:05
-  **Practice Qs**
✓ video 02:52
-  **Emmets**
✓ video 11:59
-  **Further Understanding HTML**
✓ video 05:21

Inline v/s Block

Block Elements

Takes up the full-width available (whole block)

Start from new line



Inline Elements

Takes up only necessary width

Don't start from new line



Inline v/s Block


$$\left[\begin{array}{c} \text{<h1>hello</h1>} \\ \text{<p>} \end{array} \right]$$

hello → line
≡

Block Elements

Takes up the full-width available (whole block)

Start from new line



Inline Elements

Takes up only necessary width

Don't start from new line



Am I Inline or Block?

- Heading Element block
- Paragraph Element $\langle p \rangle \equiv \langle /p \rangle$ block
- Anchor Tag Inline $\langle p \rangle = \langle /p \rangle$
- Image Element Inline



Div Element

content
division
element

Div is a **container** used to hold other HTML elements or group elements together

It is a **block** Element



Span Element

Span is also a generic **container** used to hold other HTML elements or group elements together

It is an **inline** Element



Hr Tag

Horizontal Rule Element

This is my name
which is

Shradha
I Chopra

`<hr>` divider
`<br>` line break



Sub & Sup Tag

$$a^2 = b^2 + c^2$$

Superscript

a ²

armankhan082020@gmail.com



H ₂ O



Practice Qs 4

Print the following on the screen using `<h1>` heading elements

(i)

Pythagoras theorem says $a^2 + b^2 = c^2$

(ii)

Formula for glucose is $C_6H_{12}O_6$

eng



<> Classroom.html X

<> Classroom.html > html > body > h1 > sub

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 2</title>
8    </head>
9    <body>
10     <h1>
11       | Pythagoras theorem says  $a^2 + b^2 = c^2$ 
12     </h1>
13     <h1>Formula for glucose is  $C_6H_{12}O_6$ </h1>
14   </body>
15 </html>
16
```



Semantic Markup

it is the markup that relates to the **meaning of content**

↓
semantic
<h1>
<p>

↓
non-semantic
<div>

armankhan082020@gmail.com



Semantic Markup

it is the markup that relates to the **meaning of content**

- ① meaningful / layout → structured
- ② seo friendly
↓
search engine optimization
- ③ readable + screen readers
↓
UX ~~UI~~ improve



Semantic Markup

`<header> </header>`

`<main> </main>`

`<footer> </footer>`

`<nav> </nav>`

armankhan082020@gmail.com



<> Classroom.html X

<> Classroom.html > html > body > header > nav

```
4 <meta charset="UTF-8" />
5 <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7 <title>HTML - Level 2</title>
8 </head>
9 <body>
10 <header>
11   Apna College
12   <nav>
13     <ul>
14       <li>About Us</li>
15       <li>Contact Us</li>
16     </ul>
17   </nav>
18 </header>
19 <main>This is my main content.</main>
20 <footer>Made with &hearts;</footer>
21 </body>
22 </html>
23
```



nav 1110x37

- [About Us](#)
- [Contact Us](#)

This is my main content.
Made with ♥

Elements

```
<!DOCTYPE html>
...<html lang="en"> == $0
  <head> ... </head>
  <body>
    <header>
      " Apna College "
      <nav> ... </nav>
    </header>
    <main>This is my main content.</main>
    <footer>Made with ♥</footer>
  </body>
</html>
```

html

Styles Computed Layout >>

Filter :hov .cls +

```
element.style {
}
html[Attributes Style] {
  -webkit-locale: "en";
}
html {
```



Semantic Markup

`<article> </article>`

`<section> </section>`

`<aside> </aside>`



Practice Qs 6

- Add semantic markup to your Portfolio page.



Shradha Khapra

I love to teach:-)



Education

- Class X (CBSE) : 10 CGPA
- Class XII (CBSE) : 94.4%
- B.Tech (NSIT, Delhi): 8.9 CGPA

Skills

- HTML, CSS, JavaScript, Bootstrap
- ReactJS
- NodeJS, MySQL, MongoDB

Hobbies

- Reading Books
- Debating

Contact

- Email - hello@apnacollege.in
- LinkedIn



Shradha Khapra

I love to teach:-)



www.apnacollege.in – To exit full screen, press Esc

Education

- Class X (CBSE) : 10 CGPA
- Class XII (CBSE) : 94.4%
- B.Tech (NSIT, Delhi): 8.9 CGPA

Skills

- HTML, CSS, JavaScript, Bootstrap
- ReactJS
- NodeJS, MySQL, MongoDB


Hobbies

- Reading Books
- Debating

Contact

- Email - hello@apnacollege.in
- [LinkedIn](#)

Made with ♥ by me



HTML Entities

- An HTML entity is a piece of text ("string") that begins with an ampersand (&) and ends with a semicolon (;).
- used to display **reserved characters** (which would otherwise be interpreted as HTML code), and **invisible characters** (like non-breaking spaces).
- can also use in place of characters that are difficult to type with a standard keyboard.
- browser interprets them & renders correct character

armankhan082020@gmail.com



HTML Entities

Character	Entity	Note
&	<code>&amp;</code>	Interpreted as the beginning of an entity or character reference.
<	<code>&lt;</code>	Interpreted as the beginning of a tag
>	<code>&gt;</code>	Interpreted as the ending of a tag
"	<code>&quot;</code>	Interpreted as the beginning and end of an attribute 's value.



bepsi;	U+003F6	⌘	GreaterEqualLess;	U+022DB	≧≦	NotGreater;	U+0226F	≧	Sopf;
bernou;	U+0212C	ℬ	GreaterFullEqual;	U+02267	≧	NotGreater;	U+0226F	≧	sopf;
Bernoullis;	U+0212C	ℬ	GreaterGreater;	U+02AA2	≧≧	NotGreaterSlantEqual;	U+02A7E U+00338	≧̸	spades;
Beta;	U+00392	Β	GreaterLess;	U+02277	≧≠	NotGreaterTilde;	U+02275	≧̃	spadesuit;
beta;	U+003B2	β	GreaterSlantEqual;	U+02A7E	≧̃	NotHumpDownHump;	U+0224E U+00338	≧̸	spar;
beth;	U+02136	ⲃ	GreaterTilde;	U+02273	≧̃	NotHumpEqual;	U+0224F U+00338	≧̸̃	sqcap;
between;	U+0226C	⋈	Gscr;	U+1D4A2	ℳ	notin;	U+02209	∉	sqcaps;
Bfr;	U+1D505	ℬ	gscr;	U+0210A	ℳ	notindot;	U+022F5 U+00338	∉̇	sqcup;
bfr;	U+1D51F	ℬ	gsim;	U+02273	≧̃	notinE;	U+022F9 U+00338	∉̸	sqcups;
bigcap;	U+022C2	⋈	gsime;	U+02A8E	≧̃	notinva;	U+02209	∉̸	Sqrt;
bigcirc;	U+025EF	◯	gsiml;	U+02A90	≧̃	notinvb;	U+022F7	∉̸̃	sqsub;
bigcup;	U+022C3	⋈	GT;	U+0003E	>	notinvc;	U+022F6	∉̸̃	sqsube;
bigodot;	U+02A00	⊙	GT	U+0003E	>	NotLeftTriangle;	U+022EA	⋈	sqsubset;
bigoplus;	U+02A01	⊕	Gt;	U+0226B	≧̃	NotLeftTriangleBar;	U+029CF U+00338	⋈̸	sqsubseteq;
bigotimes;	U+02A02	⊗	gt;	U+0003E	>	NotLeftTriangleEqual;	U+022EC	⋈̸	sqsup;
bigsqcup;	U+02A06	⋈	gt	U+0003E	>	NotLess;	U+0226E	⋈̸	sqsupe;
bigstar;	U+02605	★	gtcc;	U+02AA7	≧̃	NotLessEqual;	U+02270	⋈̸	sqsupset;
bigtriangledown;	U+025BD	▽	gtcir;	U+02A7A	≧̃	NotLessGreater;	U+02278	⋈̸	
bigtriangleup;	U+025B3	△	gtdot;	U+022D7	≧̃	NotLessLess;	U+0226A U+00338	⋈̸	
bigupplus;	U+02A04	⋈	gtlPar;	U+02995	⋈̸	NotLessSlantEqual;	U+02A7D	≧̸̃	
bigvee;	U+022C1	⋈	gtquest;	U+02A7C	≧̸̃	NotLessTilde;	U+02275	≧̸̃	
bigwedge;	U+022C0	⋈	gtrapprox;	U+02A86	≧̸̃	NotNestedGreaterGreater;	U+02267	≧̸̃	
bkarow;	U+0290D	↗	gtrarr;	U+02978	↗̸	NotNestedLessLess;	U+02267	≧̸̃	
blacklozenge;	U+029EB	⬠	gtrdot;	U+022D7	≧̸̃	notni;			
blacksquare;	U+025AA	▪	gtreqless;	U+022DB	≧̸̃	notniva;			
blacktriangle;	U+025B4	▲	gtreqqless;	U+02A8C	≧̸̃	notnivb;			
blacktriangledown;	U+025BE	▼	gtrless;	U+02277	≧̸̃	notnivc;			
blacktriangleleft;	U+025C2	◀	gtrsim;	U+02273	≧̸̃	NotPrecedes;			
blacktriangleright;	U+025B8	▶	gvertneqq;	U+02269 U+0FE00	≧̸̃	NotPrecedesEqual;	U+02267	≧̸̃	



Practice Qs 5

Print the following on the screen using an `<h1>` heading element and entities

*search for suitable cloud & rain entities

The sky is cloudy ☁ & it will rain 🌧 today.

↑
cloud



Emmet

visit emmet.io





Emmet

Tools for web-developers

[DOCUMENTATION](#)[DOWNLOAD](#)[CREDITS](#) [ads via Carbon](#)[Your AD here](#)[ads via Carbon](#)

[Become a sponsor](#)
or [backer](#)

Sponsors:

 RAMOTION TOP APP DEVELOPERS JAP likewave

Emmet — the essential toolkit for web-developers

Emmet is a plugin for many popular text editors which greatly improves HTML & CSS workflow:

```
<!doctype html>
<html lang="en">
<head>
  <title>Demo</title>
</head>
<body>

</body>
</html>
```



Watch demo

HTML from CSS

You've already known how to use Emmet abbreviations: its [syntax](#) is inspired by CSS selectors.

Dynamic snippets

Each abbreviation is transformed in runtime: just slightly change its name [to](#) [get a different result](#).

Ultra-fast coding

With Emmet you can [write a bunch of code with new tags](#) [traverse](#) and [select](#) code parts [and more](#).



← Emmet Documentation

Download cheat sheet as printable PDF A5

Syntax

Child: >

```
nav>ul>li
<nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Sibling: +

```
div+p+bq
<div></div>
<p></p>
<blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
<div></div>
<div>
  <p><span></span><em></em></p>
  <blockquote></blockquote>
</div>
```

```
div+div>p>span+em^^bq
<div></div>
<div>
  <p><span></span><em></em></p>
</div>
<blockquote></blockquote>
```

Multiplication: *

```
ul>li*5
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Item numbering: \$

```
ul>li.item$*5
<ul>
  <li class="item1"></li>
  <li class="item2"></li>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
</ul>
```

```
h${title=item${Header $}}*3
```

```
<h1 title="item1">Header 1</h1>
<h2 title="item2">Header 2</h2>
<h3 title="item3">Header 3</h3>
```

```
ul>li.item$$$*5
```

```
<ul>
  <li class="item001"></li>
  <li class="item002"></li>
  <li class="item003"></li>
  <li class="item004"></li>
```

ID and CLASS attributes

```
#header
<div id="header"></div>

.title
<div class="title"></div>

form#search.wide
<form id="search" class="wide"></form>

p.class1.class2.class3
<p class="class1 class2 class3"></p>
```

Custom attributes

```
p[title="Hello world"]
<p title="Hello world"></p>


td[rowspan=2 colspan=2]
<td rowspan="2" colspan="2"></td>

[a='value1' b='value2']
<div a="value1" b="value2"></div>
```

Text: {}

```
a{Click me}
<a href="#">Click me</a>

p>{Click }+a{here}</p>
```



Emmet

visit emmet.io

parent - child relation



family tree

main

↓
p
↓
ul
↓
li

<main>

<p>

</p>

</main>



Syntax

Child: >

nav>ul>li

```
<nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Sibling: +

div+p+bq

```
<div></div>
<p></p>
<blockquote></blockquote>
```

Multiplicat

ul>li*5

```
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
```




Emmet

visit emmet.io

sibling

par ♂ ♂



(P) → div + img

APNA
COLLEGE

<p>
<div> </div>

<p>



Understanding HTML 5

The term HTML5 is essentially a buzzword that refers to a set of modern web technologies. This includes the [HTML](#) Living Standard, along with [JavaScript APIs](#) to enhance storage, multimedia, and hardware access.



Understanding HTML 5

The term HTML5 is essentially a buzzword that refers to a set of modern web technologies. This includes the HTML Living Standard, along with JavaScript APIs to enhance storage, multimedia, and hardware access.

① new features/
upgrades
in
HTML + other things/features
not part of HTML2



How HTML works?

HTML Standard

HTML Standard is a document that tells to the browser how HTML should work.


good read for more details



How HTML works?

HTML Standard → *living standard*

HTML Standard is a document that tells to the browser how HTML should work.



good read for more details



A Beginner's Guide to HTML5

Learn what HTML5 is, how it differs from previous versions of HTML, and why you should use it on your site.



Sigma 9 (Web Development)

4 %

6. HTML (Level 3)



	Tables in HTML	14:12
	Semantics in Tables	03:02
	Colspan & Rowspan Attributes	09:45
	Practice Qs	07:54
	Forms in HTML	05:12
	Input - Form Element	08:00
	Placeholders & Labels	09:31
	Button Element	09:45
	Name Attribute	10:24
	Practice Qs	02:49
	Checkbox - Input Element	04:07
	Radio - Input Element	06:47
	Select - Input Element	04:13
	Range - Input Element	05:04
	Text Area	03:17
	Practice Qs	06:46
	Assignment Questions	pdf
	Assignment Solutions	pdf

Tables in HTML

Tables are used to represent real life table data.

Name	Roll No
Aman	24
Shradha	86
Rajat	12
Sudhir	10

Handwritten annotations:

- An arrow labeled "table" points to the entire table structure.
- An arrow labeled "Table Header" points to the first row (Name, Roll No).
- The text "Row" and "Column" are written below the table.



Tables in HTML

```
<table>
  <caption> Table Caption </caption>
  <tr>
    <th> header 1 </th>
    <th> header 2 </th>
  </tr>
  <tr>
    <td> data 1 </td>
    <td> data 2 </td>
  </tr>
</table>
```

HTML

Item	Price
Frooti	10
Samosa	12
Chips	20



Tables in HTML

- `<tr>` used to display table row
- `<td>` used to display table data
- `<th>` used to display table header



Tables in HTML

<thead> to wrap table header

<tbody> to wrap table body

<tfoot> to wrap table footer



Tables in HTML

<thead> to wrap table header

<tbody> to wrap table body

<tfoot> to wrap table footer

Item	Price
A	10
B	20
C	30
Sum	60

← header

} body

} footer



Colspan & Rowspan Attributes

span →
(area)

1 row
1 col

used to create cells which spans over multiple rows or columns

Food Menu		
Item	Price	
	INR	USD
Frooti	10	0.14
Samosa	12	0.17
Chips	20	0.28

rowspan = " "

colspan = " "

armankhan082020@gmail.com

Price → 1 row
2 cols

Item → 2 rows
1 col



Colspan & Rowspan Attributes

span →
(area) 1 row
1 col

used to create cells which spans over multiple rows or columns

Food Menu		
Item	Price	
	INR	USD
Frooti	10	0.14
Samosa	12	0.17
Chips	20	0.28

rowspan = " "

colspan = " "

armankhan082020@gmail.com

<th colspan="2"> Price </th>
<th rowspan="2"> Item </th>



Practice Qs 7

Re-create the following table using HTML

A test table with merged cells

	Average		Red eyes
	Height	Weight	
Males	1.9	0.003	40%
Females	1.7	0.002	43%



Classroom.html X

<> Classroom.html > html > body > table > tr > td

```
6    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7    <title>HTML - Level 3</title>
8  </head>
9  <body>
10   <table border="black">
11     <caption>
12       A test table with merged cells
13     </caption>
14     <tr>
15       <td rowspan="2"></td>
16       <td colspan="2">Average</td>
17       <td rowspan="2">Red eyes</td>
18     </tr>
19     <tr>
20       <td>Height</td>
21       <td>Weight</td>
22     </tr>
23     <tr>
24       <td>Males</td>
25       <td>1.9</td>
26       <td>0.003</td>
27       <td>40%</td>
28     </tr>
29     <tr>
30       <td>Females</td>
31       <td>1.7</td>
32       <td>0.002</td>
33       <td>43%</td>
```




Forms in HTML

Forms are used to collect data from the user



A mockup of the Instagram login form. It features the Instagram logo at the top. Below it is a text input field with the placeholder text "Phone number, username or email address". Underneath that is a password input field with the placeholder text "Password". At the bottom is a blue button with the text "Log in".



A mockup of the Instagram sign-up form. It features the Instagram logo at the top. Below it is the text "Sign up to see photos and videos from your friends." followed by a blue button with the Facebook logo and the text "Log in with Facebook". Below this is a horizontal line with the text "OR" in the center. Underneath is a text input field with the placeholder text "Mobile number or email address". Below that are three more text input fields labeled "Full Name", "Username", and "Password". Below these fields is a paragraph of text: "People who use our service may have uploaded your contact information to Instagram. [Learn more](#)". At the bottom is a blue button with the text "Sign Up".



Forms in HTML

`<form>`

form content

`</form>`



Action Attribute

Action attribute is used to define what action needs to be performed when a form is submitted or where the form data should be sent

```
<form action="/action.php" >
```

```
<form action="/action" >
```



Form Elements

Input

- used to create multiple form controls
- there are multiple types of inputs that can be created using type attribute



Form Elements

type attribute

`<input>`

`<input type="text">`

`<input type="password">`

`<input type="number">`

`<input type="time">`

`<input type="color">`

armankhan082020@gmail.com



Form Elements

placeholder attribute

```
<input type="text" placeholder="Enter Name">
```

type here / username



Form Elements

Label

- Label element represents a caption for an item in a user interface

<label >

Enter your username :

<input type="text" placeholder="username">

</label>



Classroom.html

<> Classroom.html > html > body > form > label

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/action">
11       <label>
12         Username
13         <input type="text" placeholder="enter username" />
14       </label>
15
16       <br />
17       <label>
18         Password
19         <input type="password" placeholder="enter password" />
20       </label>
21
22
23       <br />
24     </form>
25   </body>
26 </html>
27
```



Username Password 

Form Elements

Label Classical Approach

*id → unique name
element*

```
<label for="username"> Enter your username : </label>
```

```
<input type="text" id="username" placeholder="username">
```



<> Classroom.html X

<> Classroom.html > html > body > form > label

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/action">
11       <label for="username">Username : </label>
12       <input type="text" placeholder="enter username" id="username" />
13       <br />
14       <label for="password">Password : </label>
15       <input type="password" placeholder="enter password" id="password" />
16
17       <br />
18     </form>
19   </body>
20 </html>
21
```



Classroom.html X

<> Classroom.html > html > body > form > div > label

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/action">
11       <div>
12         <label for="username">Username : </label>
13         <input type="text" placeholder="enter username" id="username" />
14       </div>
15       <div>
16         <label for="password">Password : </label>
17         <input type="password" placeholder="enter password" id="password" />
18       </div>
19       <div>
20         <label for="age">Enter Age : </label>
21         <input type="number" placeholder="age" id="age" />
22       </div>
23
24       <br />
25     </form>
26   </body>
27 </html>
28
```



Username :

Password :

Enter Age :



Button Element

type attribute

```
<button type="submit"> submit </button>
```

```
<button type="button"> do something </button>
```

```
<button type="reset"> do something </button>
```



Classroom.html X

<> Classroom.html > html > body > button

```
3  <head>
4    <meta charset="UTF-8" />
5    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7    <title>HTML - Level 3</title>
8  </head>
9  <body>
10   <button type="submit">hello</button>
11   <form action="/server">
12     <div>
13       <label for="username">Username : </label>
14       <input type="text" placeholder="enter username" id="username" />
15     </div>
16     <div>
17       <label for="password">Password : </label>
18       <input type="password" placeholder="enter password" id="password" />
19     </div>
20     <div>
21       <label for="age">Enter Age : </label>
22       <input type="number" placeholder="age" id="age" />
23     </div>
24     <button>Submit</button>
25     <button type="submit">type1</button>
26
27     <br />
28   </form>
29 </body>
30 </html>
```



Classroom.html

Classroom.html > html > body > form > button

```
3  <head>
4    <meta charset="UTF-8" />
5    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7    <title>HTML - Level 3</title>
8  </head>
9  <body>
10   <button type="submit">hello</button>
11   <form action="/server">
12     <div>
13       <label for="username">Username : </label>
14       <input type="text" placeholder="enter username" id="username" />
15     </div>
16     <div>
17       <label for="password">Password : </label>
18       <input type="password" placeholder="enter password" id="password" />
19     </div>
20     <div>
21       <label for="age">Enter Age : </label>
22       <input type="number" placeholder="age" id="age" />
23     </div>
24     <button>Submit</button>
25     <button type="button">hello</button>
26     <button type="reset">reset</button>
27     <br />
28   </form>
29 </body>
30 </html>
```

abc reset



Username : Password : Enter Age :

armankhan082020@gmail.com



Classroom.html X

<> Classroom.html > html > body > form > input

```
3  <head>
4    <meta charset="UTF-8" />
5    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7    <title>HTML - Level 3</title>
8  </head>
9  <body>
10    <button type="submit">hello</button>
11    <form action="/server">
12      <div>
13        <label for="username">Username : </label>
14        <input type="text" placeholder="enter username" id="username" />
15      </div>
16      <div>
17        <label for="password">Password : </label>
18        <input type="password" placeholder="enter password" id="password" />
19      </div>
20      <div>
21        <label for="age">Enter Age : </label>
22        <input type="number" placeholder="age" id="age" />
23      </div>
24      <button>Submit</button>
25      <button type="button">hello</button>
26      <button type="reset">reset</button>
27      <br />
28      <input type="button" value="click me" />
29      <input type="submit" />
30    </form>
```



Username : Password : Enter Age :

armankhan082020@gmail.com



name - val
text

Name Attribute

Name of the form control. Submitted with the form as part of a name/value pair

```
<input type="text" placeholder="enter name" id="username" name="username"/>
```



<> Classroom.html ●

<> Classroom.html > html > body > form > div > input#username

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/server">
11       <div>
12         <label for="username">Username : </label>
13         <input
14           type="text"
15           placeholder="enter username"
16           id="username"
17           name="username"
18         />
19       </div>
20       <div>
21         <label for="password">Password : </label>
22         <input type="password" placeholder="enter password" id="password" />
23       </div>
24       <button>submit</button>
25     </form>
26     name=value
27     file:///server?username=abcd
28   </body>
```





Your file couldn't be accessed

It may have been moved, edited or deleted.

ERR_FILE_NOT_FOUND





Parallels® Desktop 18 for Mac - Run Windows on Mac. Optimized for macOS Ventura, M-chips

Ad · Parallels

Run All Your Favorite Windows Software On Your Mac

Download




Microsoft's AI Future of Work Event: Everything Revealed in 8 Minutes

133K views · 1 day ago

CNET

At a media event in Redmond, Washington, Microsoft CEO Satya Nadella and his team shows off new advancements in artificial intelligence.

New



Introducing Microsoft 365 Copilot | Your Copilot for Work

560K views · 1 day ago

Microsoft 365

With Microsoft 365 Copilot, we are bringing the power of next-generation AI to work. Microsoft

New Subtitles

The Future of Work With AI - Microsoft March 2023 Event



Classroom.html X

<> Classroom.html > html > body > hr

```
12      <label for="username">Username : </label>
13      <input
14          type="text"
15          placeholder="enter username"
16          id="username"
17          name="user"
18      />
19  </div>
20  <div>
21      <label for="password">Password : </label>
22      <input
23          type="password"
24          placeholder="enter password"
25          id="password"
26          name="pass"
27      />
28  </div>
29  <button>submit</button>
30 </form>
31 <hr />
32 <form action="https://www.youtube.com/results">
33     <input type="text" placeholder="search in youtube" name="search_query" />
34     <button>search</button>
35 </form>
36 </body>
37 </html>
38
```



Username :

Password :



Subscriptions

Explore

Filters



Apple - Official Site

Get ₹20000-₹57800 in credit towards iPhone 14 when you trade in iPhone 11 or higher.

Ad · <https://www.apple.com/in>

Apple

@Apple · 16.9M subscribers

Welcome to the official Apple YouTube channel. Here you'll find news about product launches, tutorials, and other great content.

Subscribe

Latest from Apple



iPhone 14

The new AirPods Pro | Quiet the noise | Apple

1.4M views · 2 days ago



The new AirPods Pro. Up to 2x more Active Noise Cancellation than the previous generation.

New Subtitles

iPhone 14 & iPhone 14 Plus | Hello Yellow | Apple

2.5M views · 3 days ago



<> Classroom.html ●

<> Classroom.html > html > body > form

```
12 <label for="username">Username : </label>
13 <input
14   type="text"
15   placeholder="enter username"
16   id="username"
17   name="user"
18 >/>
19 </div>
20 <div>
21   <label for="password">Password : </label>
22   <input
23     type="password"
24     placeholder="enter password"
25     id="password"
26     name="pass"
27   >/>
28 </div>
29 <button>submit</button>
30 </form>
31 <hr />
32 <form action="https://www.youtube.com/results?search=">
33   <input type="text" placeholder="search in youtube" name="search_query" />
34   <button>search</button>
35 </form>
36 </body>
37 </html>
38
```



Practice Qs 8

Create a search option that redirects its search request to google



<> Classroom.html ●

<> Classroom.html > html > body > form > button

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="https://www.google.com/search">
11       <input type="text" name="q" placeholder="search in google">
12       <button>search</button>
13     </form>
14   </body>
15
16 </html>
17
```





Google

apple

- apple india
- apple store
- apple id
- apple watch
- apple iphone
- apple login
- apple.com career opportunities
- apple dubai

Report inappropriate predictions

Get ₹20000-₹57800 in credit towards iPhone 14 when you trade in iPhone 11 or higher. Get 3- or 6-month No Cost EMI on selected products. Terms apply. Services: **Apple** Trade In, Shop with Specialists, Free delivery, No Cost EMI available.

iPhone 14

With superfast 5G. Now with a splash of yellow.

The new MacBook Pro

Mover. Maker. Boundary breaker. With M2 Pro or M2 Max. Order now.

iPad

Get 3 months of Apple Arcade. Free engraving. Only at Apple.

Apple Watch Series 8

A healthy leap ahead. Learn more and shop now.



Apple

Apple

Technology company



Apple Inc. is an American multinational technology company headquartered in Cupertino, California. Apple is the largest technology company by revenue. [Wikipedia](#)

Customer service: 000 800 100 9009

Stock price: AAPL (NASDAQ)
\$155.19 -0.66 (-0.42%)

17 Mar, 12:40 pm GMT-4 - Disclaimer

Founders: Steve Jobs, Steve
Wayne

Products: iPhone, iPad, Ap
macOS, MORE

CEO: Tim Cook (24 Aug 201

Headquarters: Cupertino, Cal

Subsidiaries: Apple Store, Bea



Input Element

Checkbox

```
<input type="checkbox" name="age" id="age" checked />
```

```
<label for="age"> I am 18+ </label>
```

armankhan082020@gmail.com



Classroom.html X

<> Classroom.html > html > body > form > input#age

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/server">
11       <input type="checkbox" id="age" name="age" checked />
12       <label for="age"> I am 18+ </label>
13     </form>
14   </body>
15 </html>
16
```



☒ I am 18+



Classroom.html X

Classroom.html > html > body > form > input#age

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/server">
11       <input type="checkbox" id="age" name="age" checked />
12       <label for="age"> I am 18+ </label>
13       <button>submit</button>
14     </form>
15   </body>
16 </html>
17
```





Your file couldn't be accessed

It may have been moved, edited or deleted.

ERR_FILE_NOT_FOUND



Input Element

Radio Button

```
<input type="radio" name="fruit" id="apple" " value="apple" />
```

```
<label for="apple"> Apple </label>
```



Input Element

Radio Button ✓

[yes/no
male/female/other
true/false

```
<input type="radio" name="fruit" id="apple" value="apple" />
```

```
<label for="apple"> Apple </label>
```



Input Element

Radio Button

- ☐ apple
- ☐ mango
- ☐ banana

```
<input type="radio" name="fruit" id="apple" value="apple" />  
<label for="apple"> Apple </label>
```

armankhan082020@gmail.com



<> Classroom.html X

<> Classroom.html > html > body > form > div > input#mango

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/server">
11       <input type="checkbox" id="age" name="age" checked />
12       <label for="age"> I am 18+ </label>
13       <div>
14         <input type="radio" name="fruit" id="apple" />
15         <label for="apple">apple</label>
16         <input type="radio" name="fruit" id="mango" />
17         <label for="mango">mango</label>
18         <input type="radio" name="fruit" id="banana" />
19         <label for="banana">banana</label>
20       </div>
21       <button>submit</button>
22     </form>
23   </body>
24 </html>
25
```





Your file couldn't be accessed

It may have been moved, edited or deleted.

ERR_FILE_NOT_FOUND



<> Classroom.html > html > body > form > div > input#banana

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/server">
11       <input type="checkbox" id="age" name="age" checked />
12       <label for="age"> I am 18+ </label>
13       <div>
14         <input type="radio" name="fruit" id="apple" value="apple" />
15         <label for="apple">apple</label>
16         <input type="radio" name="fruit" id="mango" value="mango" />
17         <label for="mango">mango</label>
18         <input type="radio" name="fruit" id="banana" value="banana" />
19         <label for="banana">banana</label>
20       </div>
21       <button>submit</button>
22     </form>
23   </body>
24 </html>
25
```





Your file couldn't be accessed

It may have been moved, edited or deleted.

ERR_FILE_NOT_FOUND





Your file couldn't be accessed

It may have been moved, edited or deleted.

ERR_FILE_NOT_FOUND



Classroom.html X

<> Classroom.html > html > body > form > div > input#banana

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>HTML - Level 3</title>
8    </head>
9    <body>
10     <form action="/server">
11       <input type="checkbox" id="age" name="age" checked />
12       <label for="age"> I am 18+ </label>
13       <div>
14         <input type="radio" name="fruit1" id="apple" value="apple" />
15         <label for="apple">apple</label>
16         <input type="radio" name="fruit2" id="mango" value="mango" />
17         <label for="mango">mango</label>
18         <input type="radio" name="fruit3" id="banana" value="banana" />
19         <label for="banana">banana</label>
20       </div>
21       <button>submit</button>
22     </form>
23   </body>
24 </html>
25
```



☒ I am 18+☐ apple ☒ mango ☒ banana

<> Classroom.html •

<> Classroom.html > html > body > form > div > label

```
9   <body>
10  <form action="/server">
11    <input type="checkbox" id="age" name="age" checked />
12    <label for="age"> I am 18+ </label>
13    <div>
14      <input type="radio" name="fruit" id="apple" value="apple" />
15      <label for="apple">apple</label>
16      <input type="radio" name="fruit" id="mango" value="mango" />
17      <label for="mango">mango</label>
18      <input type="radio" name="fruit" id="banana" value="banana" />
19      <label for="banana">banana</label>
20    </div>
21    <br>
22    <div>
23      Choose your subjects:
24      <input type="checkbox" id="math" name="subjects" />
25      <label for="math">math</label>
26      <input type="checkbox" id="science" name="subjects" />
27      <label for="science"> science</label>
28      <input type="checkbox" id="english" name="subjects" />
29      <label for="english"> english</label>
30    </div>
31    <button>submit</button>
32  </form>
33 </body>
34 </html>
35
```



Classroom.html •

<> Classroom.html > html > body > form > div > input#math

```
9   <body>
10   <form action="/server">
11     <input type="checkbox" id="age" name="age" checked />
12     <label for="age"> I am 18+ </label>
13     <div>
14       <input type="radio" name="fruit" id="apple" value="apple" />
15       <label for="apple">apple</label>
16       <input type="radio" name="fruit" id="mango" value="mango" />
17       <label for="mango">mango</label>
18       <input type="radio" name="fruit" id="banana" value="banana" />
19       <label for="banana">banana</label>
20     </div>
21     <br />
22     <div>
23       Choose your subjects:
24       <input type="checkbox" id="math" name="subjects" value="math"/>
25       <label for="math">math</label>
26       <input type="checkbox" id="science" name="subjects" value="sci"/>
27       <label for="science"> science</label>
28       <input type="checkbox" id="english" name="subjects" value="eng"/>
29       <label for="english"> english </label>
30     </div>
31     <button>submit</button>
32   </form>
33 </body>
34 </html>
35
```



☒ I am 18+
☐ apple ☒ mango ☐ banana

Choose your subjects: ☒ math ☒ science ☒ english

armankhan082020@gmail.com



Select Element

Dropdown

```
<select name="profession" id="profession">
```

```
  <option value="student">Student</option>
```

```
  <option value="dev">Developer</option>
```

```
</select>
```



Classroom.html X

<> Classroom.html > html > body > form > div > select#profession > option

```
13 <div>
14   <input type="radio" name="fruit" id="apple" value="apple" />
15   <label for="apple">apple</label>
16   <input type="radio" name="fruit" id="mango" value="mango" />
17   <label for="mango">mango</label>
18   <input type="radio" name="fruit" id="banana" value="banana" />
19   <label for="banana">banana</label>
20 </div>
21 <br />
22 <div>
23   Choose your subjects:
24   <input type="checkbox" id="math" name="sub" value="math" />
25   <label for="math">math</label> armankhan082020@gmail.com
26   <input type="checkbox" id="science" name="sub" value="sci" />
27   <label for="science"> science</label>
28   <input type="checkbox" id="english" name="sub" value="eng" />
29   <label for="english"> english </label>
30 </div>
31 <div>
32   Choose your profession
33   <select name="profession" id="profession">
34     <option value="stu">Student</option>
35     <option value="dev">Developer</option>
36   </select>
37 </div>
38 <button>submit</button>
39 </form>
40 </body>
```



☒ I am 18+☐ apple ☐ mango ☐ bananaChoose your subjects: ☐ math ☐ science ☐ englishChoose your profession

armankhan082020@gmail.com



Classroom.html X

Classroom.html > html > body > form > div > select#profession > option

```
13 <div>
14   <input type="radio" name="fruit" id="apple" value="apple" />
15   <label for="apple">apple</label>
16   <input type="radio" name="fruit" id="mango" value="mango" />
17   <label for="mango">mango</label>
18   <input type="radio" name="fruit" id="banana" value="banana" />
19   <label for="banana">banana</label>
20 </div>
21 <br />
22 <div>
23   Choose your subjects:
24   <input type="checkbox" id="math" name="sub" value="math" />
25   <label for="math">math</label>
26   <input type="checkbox" id="science" name="sub" value="sci" />
27   <label for="science"> science</label>
28   <input type="checkbox" id="english" name="sub" value="eng" />
29   <label for="english"> english </label>
30 </div>
31 <div>
32   Choose your profession
33   <select name="profession" id="profession">
34     <option>Select your option</option>
35     <option value="stu" selected>Student</option>
36     <option value="dev">Developer</option>
37   </select>
38 </div>
39 <button>submit</button>
40 </form>
```



☒ I am 18+☐ apple ☐ mango ☐ bananaChoose your subjects: ☐ math ☐ science ☐ englishChoose your profession 

Input

Range

```
<label for="volume">Volume</label>
```

```
<input type="range" min="0" max="100" name="vol" />
```



Classroom.html X

<> Classroom.html > html > body > form > input#vol

```
18 <input type="radio" name="fruit" id="banana" value="banana" />
19 <label for="banana">banana</label>
20 </div>
21 <br />
22 <div>
23   Choose your subjects:
24   <input type="checkbox" id="math" name="sub" value="math" />
25   <label for="math">math</label>
26   <input type="checkbox" id="science" name="sub" value="sci" />
27   <label for="science"> science</label>
28   <input type="checkbox" id="english" name="sub" value="eng" />
29   <label for="english"> english </label>
30 </div>
31 <div>
32   Choose your profession
33   <select name="profession" id="profession">
34     <option>Select your option</option>
35     <option value="stu">Student</option>
36     <option value="dev" selected>Developer</option>
37   </select>
38 </div>
39 <label for="vol">Select your volume level : </label>
40 <input type="range" id="vol" min="0" max="100" name="vol" />
41 <button>submit</button>
42 </form>
43 </body>
44 </html>
45
```





Your file couldn't be accessed

It may have been moved, edited or deleted.

ERR_FILE_NOT_FOUND



<> Classroom.html X

<> Classroom.html > html > body > form > input#vol

```
30     </div>
31     <div>
32         Choose your profession
33         <select name="profession" id="profession">
34             <option>Select your option</option>
35             <option value="stu">Student</option>
36             <option value="dev" selected>Developer</option>
37         </select>
38     </div>
39     <label for="vol">Select your volume level : </label>
40     <input
41         type="range"
42         id="vol"
43         min="0"
44         max="100"
45         name="vol"
46         step="10"
47         value="70"
48     />
49     <button>submit</button>
50 </form>
51 </body>
52 </html>
53
```



☒ I am 18+
☐ apple ☐ mango ☐ banana

Choose your subjects: ☐ math ☐ science ☐ english
Choose your profession:
Select your volume level : submit



Text Area

`<label for="feedback">Please provide your valuable feedback :</label>`

`<textarea id="feedback" > </textarea>`



☒ I am 18+
☐ apple ☐ mango ☐ banana

Choose your subjects: ☐ math ☐ science ☐ english

Choose your profession:

Select your volume level :

Please give your valuable feedback :





Your file couldn't be accessed

It may have been moved, edited or deleted.

ERR_FILE_NOT_FOUND



Classroom.html X

<> Classroom.html > html > body > form > textarea#feedback

```
30     </div>
31     <div>
32         Choose your profession
33         <select name="profession" id="profession">
34             <option>Select your option</option>
35             <option value="stu">Student</option>
36             <option value="dev" selected>Developer</option>
37         </select>
38     </div>
39     <label for="vol">Select your volume level : </label>
40     <input
41         type="range"
42         id="vol"
43         min="0"
44         max="100"
45         name="vol"
46         step="10"
47         value="70"
48     />
49     <br />
50     <label for="feedback">Please give your valuable feedback : </label>
51     <textarea id="feedback" name="feedback" rows="5" cols="100"></textarea>
52     <button>submit</button>
53 </form>
54 </body>
55 </html>
56
```



☒ I am 18+
☐ apple ☐ mango ☐ banana

Choose your subjects: ☐ math ☐ science ☐ english

Choose your profession:

Select your volume level:

Please give your valuable feedback :

submit



Classroom.html X

<> Classroom.html > html > body > form > textarea#feedback

```
30     </div>
31     <div>
32         Choose your profession
33         <select name="profession" id="profession">
34             <option>Select your option</option>
35             <option value="stu">Student</option>
36             <option value="dev" selected>Developer</option>
37         </select>
38     </div>
39     <label for="vol">Select your volume level : </label>
40     <input
41         type="range"
42         id="vol"
43         min="0"
44         max="100"
45         name="vol"
46         step="10"
47         value="70"
48     />
49     <br />
50     <label for="feedback">Please give your valuable feedback : </label>
51     <textarea
52         id="feedback"
53         name="feedback"
54         placeholder="write your feedback here"
55     ></textarea>
56     <button>submit</button>
57 </form>
```

armankhan082020@gmail.com



☒ I am 18+
☐ apple ☐ mango ☐ banana

Choose your subjects: ☐ math ☐ science ☐ english

Choose your profession:

Select your volume level:

Please give your valuable feedback :

armankhan082020@gmail.com



Practice Qs 9

Recreate the following form with suitable elements & input types

Male
Female
Others

Registration Form

First Name Last Name

Please select gender

Do you agree to all terms of service? ☒ Yes, I agree

text input

dropdown (select)
+ options

checkbox

button



Classroom.html

Classroom.html > html > body > form > div

```
8  </head>
9  <body>
10 <h3>Registration Form</h3>
11 <form action="/action">
12   <div>
13     <input type="text" placeholder="First Name" name="fname" />
14     <input type="text" placeholder="Last Name" name="lname" />
15   </div>
16   <div>
17     <label for="gender">Please select gender </label>
18     <select name="gender" id="gender">
19       <option value="m">Male</option>
20       <option value="f">Female</option>
21       <option value="o">Others</option>
22     </select>
23   </div>
24   <div>
25     Do you agree to all terms of service?
26     <input type="checkbox" id="tos_agree" name="tos_agree" />
27     <label for="tos_agree">Yes, I agree</label>
28   </div>
29   <button>Register</button>
30 </form>
31 </body>
32 </html>
33
```



Registration Form

First Name Last Name

Please select gender

Do you agree to all terms of service? ☐ Yes, I agree

armankhan032020@gmail.com





Your file couldn't be accessed

It may have been moved, edited or deleted.

ERR_FILE_NOT_FOUND armankhan082020@gmail.com



```
<label for="rating">Rate us our of 5:</label><br />
```

```
<input type="radio" name="rating" id="one" value="one" />
```

```
<label for="one">1</label><br />
```

```
<input type="radio" name="rating" id="two" value="two" />
```

```
<label for="two">2</label><br />
```

```
<input type="radio" name="rating" id="three" value="three" />
```

```
<label for="three">3</label><br />
```

```
<input type="radio" name="rating" id="four" value="four" />
```

```
<label for="four">4</label><br />
```