


Intermediate CSS




Box Model in CSS

- Height
- Width
- Border
- Padding
- Margin



Height

By default, it sets the **content area height** of the element




```
div {  
    height: 100px;  
}
```



Height

By default, it sets the **content area height** of the element



```
div {
```


```
height: 100px;
```

```
}
```

```
<div>
```


```
abcd
```

```
</div>
```



Width

By default, it sets the **content area width** of the element



```
div {
```

```
  width: 300px;
```

```
}
```

armankhan082020@gmail.com





EXPLORER



<> index.html

style.css

✓ CSS

> PracticeQs

<> index.html

style.css

style.css > div

```
1  div {  
2    height: 200px;  
3    width: 500px;  
4  }  
5
```



Random Heading

Now is the winter of our discontent Made glorious summer by this sun of
York; And all the clouds that lour'd upon our house In the deep bosom of the
ocean buried. Now are our brows bound with victorious wreaths; Our bruised
arms hung up for monuments; Our stern alarums changed to merry meetings,
Our dreadful marches to delightful measures. Grim-visaged war hath
smooth'd his wrinkled front;

hunting barded steeds To fright the souls of fearful
limbly in a lady's chamber To the lascivious pleasing
not shaped for sportive tricks, Nor made to court an
I, that am rudely stamp'd, and want love's majesty To
nbling nymph; I, that am curtail'd of this fair

div 500 x 200

Color #000000

Font 16px Times

ACCESSIBILITY

Contrast Aa 21 ✓

Name

Role generic

Keyboard-focusable

Click me

Elements Console Sources

```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body> == $0
    <h1>Random Heading</h1>
    <div> ... </div>
    <div> ... </div>
    <button>Click me</button>
  </body>
</html>
```

html body

Styles Computed Layout Event Listeners

Filter :hov .cls +

```
element.style {
}

body {
  display: block;
  margin: 8px;
}
```

Console


Highlights from



Border

Used to set an element's border

- border-width
- border-style
- border-color



Border

armankhan082020@gmail.com



Border Shorthand

width | style | color

```
div {
```

```
border: 2px solid blue;
```

```
}
```

armankhan082020@gmail.com





EXPLORER



<> index.html

style.css X

CSS

> PracticeQs

<> index.html

style.css

armankhan082020@gmail.com

style.css > div

```
1  div {
2    height: 200px;
3    width: 500px;
4    background-color: pink;
5    /* border-width: 5px;
6    border-style: solid;
7    border-color: black; */
8    border: 5px solid black;
9  }
10
11  h1 {
12    border-width: 2px;
13    border-style: dashed;
14    border-color: green;
15  }
16
```



Border Sides

To control an **individual side** of the box



- border-left
- border-right
- border-top
- border-bottom



EXPLORER

- css
 - PracticeQs
 - index.html
 - style.css

style.css > div

```

1  div {
2      height: 200px;
3      width: 500px;
4      background-color: pink;
5      /* border-width: 5px;
6      border-style: solid;
7      border-color: black; */
8      border: 5px solid yellow;
11 }
12
13 h1 {
14     /* border-width: 2px;
15     border-style: dashed;
16     border-color: green; */
17     border: 2px dashed green;
18 }
19

```

#ffff00

yellow

#ffff00

yellowgreen

#9acd32

armankhan082020@gmail.com



Random Heading

Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our bruised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front;

And now, instead of mounting barded steeds To fright the souls of fearful adversaries, He capers nimbly in a lady's chamber To the lascivious pleasing of a lute. But I, that am not shaped for sportive tricks, Nor made to court an amorous looking-glass; I, that am rudely stamp'd, and want love's majesty To strut before a wanton ambling nymph; I, that am curtail'd of this fair proportion,



arman082020@gmail.com



Click me

Border Radius



Used to **round the corners** of an element's outer border edge

```
div {  
    border-radius: 15px;  
}
```

```
div {  
    border-radius: 50%;  
}
```





EXPLORER

CSS

> PracticeQs

<> index.html

style.css

<> index.html

style.css



style.css > h1

```
1  div {
2    height: 200px;
3    width: 500px;
4    background-color: pink;
5    /* border-width: 5px;
6    border-style: solid;
7    border-color: black; */
8    border: 5px solid black;
9    border-radius: 50%;
10 }
11
12 h1 {
13   /* border-width: 2px;
14   border-style: dashed;
15   border-color: green; */
16   border: 2px dashed green;
17   border-radius: 50%;
18 }
19
```



Random Heading

Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our braised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front;

And now, instead of mounting barded steeds To fright the souls of fearful adversaries, He capers nimbly in a lady's chamber To the lascivious pleasing of a lute. But I, that am not shaped for sportive tricks, Nor made to court an amorous looking-glass; I, that am rudely stamp'd, and want love's majesty To strut before a wanton ambling nymph; I, that am curtail'd of this fair proportion,

Click me



- border-inline-width
- border-left
- border-left-color
- border-left-style
- border-left-width
- border-radius**
- border-right
- border-right-color
- border-right-style
- border-right-width
- border-spacing
- border-start-end-radius
- border-start-start-radius
- border-style
- border-top

a single radius to make circular corners, or two radii to make elliptical corners.

Try it

CSS Demo: border-radius **RESET**

```
border-radius: 30px;
```

```
border-radius: 25% 10%;
```

```
border-radius: 10% 30% 50% 70%;
```

```
border-radius: 10% / 50%;
```

```
border-radius: 10px 100px / 120px
```

```
border-radius: 50% 20% / 10% 40%;
```



This is a box with rounded corners.

In this article

- Try it
- Constituent properties
- Syntax
- Formal definition
- Formal syntax
- Examples

The radius applies to the whole [background](#), even if the element has no border; the exact position of the clipping is defined by the [background-clip](#) property.



EXPLORER

✓ CSS

> PracticeQs

<> index.html

style.css

<> index.html

style.css

style.css > div

1 div {

2

3

4

5

6

7

8

9

10 }

11

12 h1 {

13

14

15

16

17

18

19

Shorthand property for setting border width, style, and color.

(Edge 12, Firefox 1, Safari 1, Chrome 1, IE 4, Opera 3)

Syntax: <line-width> || <line-style> || <color>

[MDN Reference](#)

border: 5px solid black;

border-top-right-radius: 50px;

[border-top-right-radius](#)

Defines the radii of the top right outer border edge.

(Edge 12, Firefox 4, Safari 5, Chrome 4, IE 9, Opera 10)

Syntax: <length-percentage>{1,2}

[MDN Reference](#)

/* border-width:

border-style: das

border-color: gre

border: 2px dashe

border-radius: 50

}

armankhan082020@gmail.com



Random Heading

Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our bruised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front;



amankhan082020@gmail.com

And now, instead of mounting barded steeds To fright the souls of fearful adversaries, He capers nimbly in a lady's chamber To the lascivious pleasing of a lute. But I, that am not shaped for sportive tricks, Nor made to court an amorous looking-glass; I, that am rudely stamp'd, and want love's majesty To strut before a wanton ambling nymph; I, that am curtail'd of this fair proportion,



Padding

- padding-left
- padding-right
- padding-top
- padding-bottom



```
div {  
  padding-left: 50px;  
}
```



Random Heading

Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our bruised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front;

feeds To fright the souls of fearful
chamber To the lascivious pleasing
tive tricks, Nor made to court an
mp'd, and want love's majesty To
am curtail'd of this fair



Elements Console Sources >> ⚙

```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body>
    <h1>Random Heading</h1>
    <div> ... </div> == $0
    <div> ... </div>
    <button>Click me</button>
  </body>
</html>
```

html body div

Styles Computed Layout Event Listeners DOM Breakpoints

Filter

```
width: 500px;
background-color: pink;
border: 5px solid black;
border-radius: 10px;
padding-top: 50px;
padding-left: 20px;
padding-bottom: 50px;
}

div {
  display: block;
}
```

margin 5 border 5 padding 50 5 20 500x200 5

Console What's New x Issues

Highlights from the Chrome 112 update

The Avengers (2012 film)

80 languages

Article Talk

Read View source View history Tools

From Wikipedia, the free encyclopedia

"Marvel's *The Avengers*" redirects here. For the original comic book characters, see *Avengers (comics)*.

Marvel's *The Avengers*^[5] (classified under the name **Marvel Avengers Assemble** in the United Kingdom and Ireland),^{[1][6]} or simply ***The Avengers***, is a 2012 American superhero film based on the **Marvel Comics** superhero team of the same name. Produced by Marvel Studios and distributed by Walt Disney Studios Motion Pictures,^[a] it is the sixth film in the **Marvel Cinematic Universe** (MCU). Written and directed by Joss Whedon, the film features an ensemble cast including Robert Downey Jr., Chris Evans, Mark Ruffalo, Chris Hemsworth, Scarlett Johansson, and Jeremy Renner as the **Avengers**, alongside Tom Hiddleston, Stellan Skarsgård, and Samuel L. Jackson. In the film, Nick Fury and the spy agency S.H.I.E.L.D. recruit Tony Stark, Steve Rogers, Bruce Banner, Thor, Natasha Romanoff, and Clint Barton to form a team capable of stopping Thor's brother Loki from subjugating Earth.

The film's development began when Marvel Studios received a loan from Merrill Lynch in April 2005. After the success of the film *Iron Man* in May 2008, Marvel announced that *The Avengers* would be released in July 2011 and would bring together Stark (Downey), Rogers (Evans), Banner (at the time Edward Norton),^[b] and Thor (Hemsworth) from Marvel's previous films. With the signing of Johansson as Romanoff in March 2009, as Barton in June 2010, and Ruffalo replacing Norton as Banner in July 2010, the film was pushed back for a 2012 release. Whedon was brought on board in April 2010 and wrote the original screenplay by Zak Penn. Production began in April 2011 in Albuquerque, New Mexico, before moving to Cleveland, Ohio in August and New York City in September. The film has more than 2,200 visual effects shots.

The Avengers premiered in Los Angeles on April 11, 2012, and was released in the United States on April 13, 2012, as the final film in **Phase One** of the MCU. The film received praise for its ensemble cast, Whedon's direction and screenplay, visual effects, action sequences, acting, and musical score. It grossed over \$1.5 billion worldwide, setting numerous box office records and becoming the **third-highest-grossing film of all time** at the time of its release and the **highest-grossing film of 2012**, as well as the first Marvel production to generate \$1 billion in box office. In 2017, *The Avengers* was featured as one of the **100 greatest films of all time**.

The Avengers



Theatrical release poster

Directed by Joss Whedon
Screenplay by Joss Whedon
Story by Zak Penn
Joss Whedon
Based on Avengers
by Stan Lee
Jack Kirby
Produced by Kevin Feige
Starring Robert Downey Jr.
Chris Evans
Mark Ruffalo
Chris Hemsworth
Scarlett Johansson

```
<div class="mw-page-container-inner">
  <div class="vector-main-menu-container">
  <div class="vector-sitenotice-container">
    <input type="checkbox" id="vector-toc-collapsed-check" />
  <nav id="mw-panel-toc" role="navigation" aria-label="Table of contents">
    <div id="vector-toc-pinned-container" class="vector-pinnable-element">
      <div id="vector-toc" class="vector-toc vector-pinnable-element">
    </div>
  </nav>
  <div class="mw-content-container">
    <main id="content" class="mw-body" role="main">
      <div class="vector-page-toolbar">
      <div class="vector-column-end">
```

```
background: linear-gradient(to right, transparent 49%, #fff 49%, #fff 51%, transparent 51%);
background-repeat: no-repeat;
background-position: -12px;
pointer-events: none;
```



Padding Shorthand

#1. **for all 4 sides**

padding: 50px;

#2. top & bottom | left & right

padding: 1px 2px;

#3. **top | left & right | bottom**

padding: 1px 2px 3px;

***clockwise**

#4. **top | right | bottom | left**

padding: 1px 2px 3px 4px;



Padding Shorthand

#1. for all 4 sides

padding: 50px;

#2. top & bottom | left & right


padding: 1px 2px;

#3. top | left & right | bottom

padding: 1px 2px 3px;


*clockwise
#4. top | right | bottom | left

padding: 1px 2px 3px 4px;



Margin

To set spacing on the **outside** of border




- margin-left
- margin-right
- margin-top
- margin-bottom

```
div {  
    margin-left: 50px;  
}
```

CSS





The browser shows a page with a pink box containing the following text:

"Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our bruised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front; "

The browser's developer tools are open, showing the HTML structure and the CSS styles applied to the box.

Elements:

```
<!DOCTYPE html>
<html lang="en">
  <head>
  </head>
  <body>
    <h1>Random Heading</h1>
    <div>
      "Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our bruised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front; "
    </div>
  </body>
</html>
```

Styles:


element.style { }

div { style.css:1

```
height: 200px;
width: 500px;
background-color: pink;
border: 5px solid black;
border-radius: 10px;
padding-top: 10px;
margin-bottom: 25px;
```

div { user agent stylesheet

```
display: block;
```



The code editor shows the CSS file (style.css) and the HTML file (index.html).

EXPLORER:

- css
 - PracticeQs
 - index.html
 - style.css

style.css:

```
1 div {
2   height: 200px;
3   width: 500px;
4   background-color: pink;
5   /* border-width: 5px;
6   border-style: solid;
7   border-color: black; */
8   border: 5px solid black;
9   border-radius: 10px;
10  padding-top: 10px;
11  margin-bottom: 25px;
12  margin-left: 20px;
13 }
14
15 h1 {
16   /* border-width: 2px;
17   border-style: dashed;
18   border-color: black;
19   border: 2px solid black;
20   /* border-width: 2px;
21 }
22
23 button {
24   border: 2px solid black;
25   /* border-width: 2px;
26   padding: 5px;
27   background-color: pink;
28 }
```


Random Heading

Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our bruised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front;

And now, instead of mounting barded steeds To fright the souls of fearful adversaries, He capers nimbly in a lady's chamber To the lascivious pleasing of a lute. But I, that am not shaped for sportive tricks, Nor made to court an amorous looking-glass; I, that am rudely stamp'd, and want love's majesty To strut before a wanton ambling nymph; I, that am curtail'd of this fair proportion,

Click me

```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body>
    <h1>Random Heading</h1>
    ... <div> == $0
      " Now is the winter of our discontent Made glorious sun
      by this sun of York; And all the clouds that lour'd upo
      house In the deep bosom of the ocean buried. Now are ou
      brows bound with victorious wreaths; Our bruised arms h
      up for monuments; Our stern alarums changed to merry
      meetings, Our dreadful marches to delightful measures.
      visaged war hath smooth'd his wrinkled front; "
    </div>
  </div> ... </div>
```

html body div

Styles Computed Layout Event Listeners DOM Breakpoints

Filter

```
margin-left: 20px;
}
```

```
div {
  display: block;
}
```

user agent styl

Console

Highlights from

CSS property



Random Heading

Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our bruised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front;

And now, instead of mounting barded steeds To fright the souls of fearful adversaries, He capers nimbly in a lady's chamber To the lascivious pleasing of a lute. But I, that am not shaped for sportive tricks, Nor made to court an amorous looking-glass; I, that am rudely stamp'd, and want love's majesty To strut before a wanton ambling nymph; I, that am curtail'd of this fair proportion,

Click me

APNA COLLEGE

Elements Console Sources

```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body>
    <h1>Random Heading</h1>
    <div> ... </div> == $0
    <div> ... </div>
      <button>Click me</button>
    </body>
  </html>
```

html body div

Styles Computed Layout Event Listeners DOM Breakpoints

Filter :hov .cls +

```
margin: 20px;
}
div {
  display: block;
}
```

Console Highlights from CSS property



Margin Shorthand

#1. for all 4 sides

margin : 50px;

#2. top & bottom | left & right

margin : 1px 2px;

#3. top | left & right | bottom

margin : 1px 2px 3px;




*clockwise
#4. top | right | bottom | left

margin : 1px 2px 3px 4px;



Practice Qs

Recreate the following elements using given css:



- Create a div & 3 sibling divs inside it
- For the outer div set following styling
height 200px, width 70px and border as 2px solid black color
- For the inner divs set following styling
height 50px, width 50px and border as 2px solid black color
also set a margin of 10px
make inner divs circular in shape & given them individual colors (red, yellow & green)





EXPLORER

CSS

> PracticeQs

<> index.html

style.css

<> index.html

style.css X

APNA
COLLEGE

style.css > #green

```
1  #outer {
2      height: 200px;
3      width: 70px;
4      border: 2px solid black;
5  }
6
7  .inner {
8      height: 50px;
9      width: 50px;
10     border: 2px solid black;
11     margin: 10px;
12     border-radius: 50%;
13 }
14
15 #red {
16     background-color: red;
17 }
18
19 #yellow {
20     background-color: yellow;
21 }
22
23 #green {
24     background-color: green;
```

armankhan082020@gmail.com

#008000

X


■ green

■ greenyellow



06:32 / 07:01





armarkhan082020@gmail.com



Inline v/s Block

Block Elements

Takes up the full-width available (whole block)

Start from new line



Inline Elements

Takes up only necessary width

Don't start from new line



Display

It sets whether an element is treated as a block or inline element and the **layout** used for its children

display : inline

display : block



- content
- content-visibility
- counter-*
- cursor
- direction
- display
- empty-cells
- filter
- flex-*
- float
- font-*
- forced-color-adjust
- gap
- grid-*
- hanging-punctuation

happens when `display: flex` is declared is defined in the CSS Flexible Box Model specification.

Try it

CSS Demo: displayRESET

```
display: block;
```

```
display: inline-block;
```

```
display: none;
```

```
display: flex;
```

```
display: grid;
```

One

Two

Three

In this article

- Try it
- Syntax
- Grouped values
- Description
- Accessibility concerns
- Formal definition
- Formal syntax

Syntax

The CSS `display` property is specified using keyword values



Heading 1

Heading 2

Span 1

Span 2



armankhan082020@gmail.com



04:46 / 12:01



EXPLORER

CSS

PracticeQs

index.html

style.css

index.html

style.css

style.css > h2

1 h2 {

2 display: inline;

3 background-color: pink;

4 }

5

6 span {

7 display: block;

8 background-color: yellowgreen;

9 }

10

EXPLORER

<> index.html

style.css X

CSS

> PracticeQs

<> index.html

style.css

style.css > span

```
1 span {  
2   /* background-color: pink; */  
3   border: 2px solid black;  
4   height: 100px;  
5   width: 200px;  
6   padding: 50px;  
7   margin: 20px;  
8 }  
9
```

armankhan082020@gmail.com




Random Heading

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Nam, voluptas facere sapiente harum, quisquam pariatur,
 necessitatibus adipisci illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet accusamus
 molestiae?Lorem ipsum, dolor sit amet consectetur adipisicing elit. Nam, voluptas facere sapiente harum, quisquam
 pariatur, necessitatibus adipisci illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repella
 Lorem ipsum, dolor sit amet consectetur adipisicing elit. Nam, voluptas facere sapiente harum, quisquam pariatur,
 necessitatibus adipisci illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet accusamus
 molestiae?Lorem ipsum, dolor sit amet consectetur ad
 ipisicing elit. Nam, voluptas facere sapiente harum, quisquam
 pariatur, necessitatibus adipisci illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet
 accusamus molestiae?Lorem ipsum, dolor sit amet
 sapiente harum, quisquam pariatur, necessitatibus adip
 isci illum aliquid veritatis odio. Voluptates neque porro deserunt
 cumque repellat amet accusamus molestiae?Lorem ipsu
 m, dolor sit amet consectetur adipisicing elit. Nam, voluptas
 facere sapiente harum, quisquam pariatur, necessitati
 bus adipisci illum aliquid veritatis odio. Voluptates neque porro
 deserunt cumque repellat amet accusamus molestiae?
 e sapiente harum, quisquam pariatur, necessitatibus adipisci illum
 aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet accusamus molestiae?Lorem ipsum, dolor
 sit amet consectetur adipisicing elit. Nam, voluptas facere sapiente harum, quisquam pariatur, necessitatibus adipisci
 illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet

INLINE

pariatur, necessitatibus adipisci illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet accusamus molestiae?Lorem ipsum, dolor sit amet consectetur adipisicing elit. Nam, voluptas facere sapiente harum, quisquam pariatur, necessitatibus adipisci illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet accusamus molestiae?Lorem ipsum, dolor sit amet " " adipisicing elit. Nam, voluptas facere sapiente harum, quisquam pariatur, necessitatibus adipisci illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet accusamus molestiae?Lorem ipsum, dolor sit amet consectetur adipisicing elit. Nam, voluptas facere sapiente harum, quisquam pariatur, necessitatibus adipisci illum aliquid veritatis odio. Voluptates neque porro deserunt cumque repellat amet accusamus molestiae?e san



The screenshot shows the 'Styles' panel in Chrome DevTools. The 'Computed' tab is active, displaying a list of CSS properties for the selected element. The properties are:

- border:** 2px solid black
- height:** 100px
- width:** 200px
- padding:** 50px
- margin:** 20px

The 'border' property is highlighted with a mouse cursor. The 'width' property has an information icon (i) next to it. The 'padding' and 'margin' properties are also highlighted. The 'height' property is not highlighted.



⋮ Console What's New x Issu

Highlights from the Chrome 112 upd



Block & Inline

Conclusions

BLOCK	INLINE
Always start on a new line	Do not start on a new line
Take up as much horizontal space as possible (the full width of the container or browser window if there is no container)	Only use as much horizontal space as required by the content. Do not accept width and height CSS properties
Will respect width and height CSS properties	Margins will work horizontally, but not vertically
Horizontal and vertical margins both work	Padding works on all sides, but the top and bottom may overlap other elements.

EXPLORER

... index.html # style.css X

✓ CSS


- > PracticeQs
- <> index.html
- # style.css

style.css > div

```
1  div {  
2    height: 200px;  
3    width: 200px;  
4    background-color: greenyellow;  
5    border: 2px solid black;  
6    margin: 5px;  
7    display: inline;  
8  }  
9
```







EXPLORER

...

<> index.html

style.css X

APNA
COLLEGE

✓ CSS

> PracticeQs


<> index.html

style.css

style.css > div

```
1  div {  
2    height: 200px;  
3    width: 200px;  
4    background-color: greenyellow;  
5    border: 2px solid black;  
6    margin: 5px;  
7    display: inline-block;  
8  }  
9
```





display: inline-block
elements style block
behave inline
single line



EXPLORER

index.html

style.css

CSS

> PracticeQs

<> index.html

style.css

style.css > #third



```
1  div {
2    height: 200px;
3    width: 200px;
4    background-color: greenyellow;
5    border: 2px solid black;
6    margin: 5px;
7    display: inline-block;
8  }
9
10 #third {
11   display: none;
12 }
13
```

none

The element and its descendants generates no boxes.

✕





Units in CSS

Absolute

px

pt

pc

cm

mm

in

Relative

%

em

rem

ch

vh

vw + many more



Percentages (%)

It is often used to define a **size as relative to an element's parent** object.

eg:

width : 33.33% // relative to the parent

margin-left : 50% //relative to the parent size



EXPLORER

CSS

> PracticeQs

<> index.html

style.css

<> index.html

style.css X

style.css > h1

```
1  h1 {  
2    border: 2px solid black;  
3    width: 50%;  
4  }  
5
```

armankhan082020@gmail.com



Heading

armankhan082020@gmail.com



EXPLORER

index.html

style.css

CSS

> PracticeQs

<> index.html


style.css

style.css > #inner

```
1  h1 {
2    border: 2px solid black;
3    width: 50%;
4  }
5
6  #outer {
7    height: 400px;
8    width: 400px;
9    background-color: pink;
10   margin: 50px;
11 }
12
13 #inner {
14   height: 100px;
15   width: 100px;
16   background-color: cornflowerblue;
17   margin-left: 10%;
18 }
19
```



Heading




```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body>
    <h1>Heading</h1>
    <div id="outer">
      <div id="inner"></div>
    </div>
  </body>
</html>
```

html body div#outer div#inner

Styles Computed Layout Event Listeners DOM Breakpoints

Filter :hov .cls +

```
margin-left: 10%;
}
div {
  display: block;
}
```



Em

Unit	Relative to
em	Font size of the parent, in the case of typographical properties like <code>font-size</code> , and font size of the element itself, in the case of other properties like <code>width</code> .



EXPLORER

✓ CSS

> PracticeQs

<> index.html

style.css

<> index.html

style.css X

style.css > #inner

```

1  #outer {
2      height: 400px;
3      width: 400px;
4      border: 2px solid black;
5      background-color: pink;
6      font-size: 20px;
7  }
8
9  #inner {
10     height: 100px;
11     width: 100px;
12     background-color: cornflowerblue;
13     font-size: 2em;
14 }
15
```

2em
2rem





armankhan082020@gmail.com

```
Elements Console Sources
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body> == $0
    <div id="outer">
      " This is outer "
      <div id="inner">This is inner</div>
    </div>
  </body>
</html>

html body
Styles Computed Layout Event Listeners DOM Breakpoints
Filter :hov .cls +
element.style {
}
body {
  display: block;
  margin: 8px;
}
```



EXPLORER

CSS

> PracticeQs

<> index.html

style.css

<> index.html

style.css X

style.css > #inner

```
1  #outer {
2      height: 400px;
3      width: 400px;
4      border: 2px solid black;
5      background-color: pink;
6      font-size: 20px;
7  }
8
9  #inner {
10     height: 100px;
11     width: 100px;
12     background-color: cornflowerblue;
13     font-size: 0.5em;
14 }
15
```



CSS

x

+

File | /Users/shradhakhapra/WebClassroom/CSS/index.html

🔗

★

Sources

⚙️

⋮

Elements

Console

Sources

»

⚙️

⋮

```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body> == $0
    <div id="outer">
      " This is outer "
      <div id="inner">This is inner</div>
    </div>
  </body>
</html>
```

html body

Styles

Computed

Layout

Event Listeners

DOM Breakpoints

»

Filter

:hov .cls +

🔍

```
element.style {
}
```


```
body {
  display: block;
  margin: 8px;
}
```

user agent style

Con

Highligh





EXPLORER

✓ CSS

- > PracticeQs
- <> index.html
- # style.css

```
# style.css > #inner
1  #outer {
2      height: 400px;
3      width: 400px;
4      border: 2px solid black;
5      background-color: pink;
6      font-size: 20px;
7  }
8
9  #inner {
10     height: 100px;
11     width: 100px;
12     background-color: cornflowerblue;
13     font-size: 0.5em;
14     padding: 1em;
15 }
16
```



This is outer

This is inner


```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body>
    <div id="outer">
      " This is outer "
      <div id="inner">This is inner</div>
    </div>
  </body>
</html>
```

html body div#outer div#inner

Styles Computed Layout Event Listeners DOM Breakpoints

Filter :hov .cls +

```
height: 400px;
width: 400px;
border: 2px solid black;
background-color: pink;
font-size: 20px;
}
```



Console What's New x Issu


Highlights from the Chrome 112 updat

CSS property document



Em

Unit	Relative to
em	Font size of the <u>parent</u> , in the case of <u>typographical</u> properties like <code>font-size</code> , and font size of the element itself, in the case of other properties like <code>width</code> .



font size = 10px
font size = 2em = 30px
padding = 1em = 30px

EXPLORER

<> index.html

style.css

CSS

> PracticeQs

<> index.html

style.css

style.css > button

```
1  #outer {
2      height: 400px;
3      width: 400px;
4      border: 2px solid black;
5      background-color: pink;
6      font-size: 10px;
7  }
8
9  #inner {
10     height: 100px;
11     width: 100px;
12     background-color: cornflowerblue;
13     font-size: 3em;
14     padding: 1em;
15 }
16
17 button {
18     font-size: 50px;
19     border-radius: 15px;
20     border: 5px solid green;
21     padding-left: 1em;
22     padding-right: 1em;
23 }
24
```



Click Me

armankhan082020@gmail.com



Click Me

armankhan082020@gmail.com

Elements Console Sources >> ⚙️


```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body>
    ... <button>Click Me</button> == $0
  </body>
</html>
```

html body button

Styles Computed Layout Event Listeners DOM Breakpoints >>

Filter :hov .cls + 🗨️

```
padding: 2px 0px;
border-width: 2px;
border-style: outset;
border-color: buttonborder;
border-image: initial;
}
```



Console What's New x Iss

Highlights from the Chrome 112 up



Drawback of Em

Snowball effect in nested elements





EXPLORER



index.html

style.css



✓ CSS

> PracticeQs

index.html

style.css

style.css > div

```
1  div {  
2    font-size: 2em;  
3  }  
4
```

APNA
COLLEGE

armankhan082020@gmail.com



section

div1

div2

div3

armankhan082020@gmail.com



EXPLORER

<> index.html

style.css X

CSS

> PracticeQs

<> index.html

style.css

style.css > div


```
1  section {  
2    font-size: 15px;  
3  }  
4  
5  div {  
6    font-size: 0.5em;  
7  }  
8
```


section

div1

div2

div3



Rem (Root Em)

Unit	Relative to
rem	Font size of the root element.



Rem (Root Em)

ems → par / self
rems → root el

Unit	Relative to
rem	Font size of the root element.

section



div



div



For an HTML document, the root element is `<html>`. So, rem will work according to that. Here, font-size is changing based on `<html>`, not `<section>`.



EXPLORER

CSS

> PracticeQs

<> index.html

style.css

<> index.html

style.css X

style.css > div


```
1  section {  
2    font-size: 15px;  
3  }  
4  
5  div {  
6    font-size: 2rem;  
7  }  
8
```


section

div1

div2

div3




armankhan082020@gmail.com

Rem (Root Em)

ems → par / self
rem → root el

APNA
COLLEGE
%.
em.

Unit	Relative to
rem	Font size of the root element.



 Download Starter HTML
✓ pdf

 Box Model
✓ video

04:28

 Height & Width
✓ video

07:34

 Border
✓ video

09:09

 Border Radius
✓ video

05:37

 Padding Property
✓ video

11:47

 Margin Property
✓ video

06:24

 Practice Qs
✓ video

07:01

 Display Property
✓ video

12:01

 Conclusions (Block & Inline)
✓ pdf

 Inline-Block
✓ video

04:05

 Relative Units (Percentage)
✓ video

07:07

 Em & Rem in Units
✓ video

12:46

 Assignment Questions
✓ pdf

 Assignment Solutions
✓ pdf