

Bantos Gateway API 3.0.0 OAS 3.0

API Gateway para integración de servicios de pago: Dynamicore, Openpay, Conekta, Jumio y Belvo

[Contact Bantos Development Team](#)
MIT

Servers

http://localhost:3000 - Development server

Authorize 

Dynamicore - Clients Client management endpoints



GET

/api/v1/dynamicore/clients

List all clients



Parameters

Try it out

Name	Description
page integer (query)	Default value : 1 1
limit integer (query)	Default value : 25 25

Responses

Code	Description	Links
200	Clients retrieved successfully	No links

POST

/api/v1/dynamiccore/clients

Create a new client



Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "client_type": "17",
  "pii": {
    "firstname": "Rafael",
    "lastname": "Lopez",
    "rfc": "RAL0101086GT4",
    "email": "email@example.com"
  }
}
```

Responses

Code	Description	Links
201	Client created successfully	No links

GET

/api/v1/dynamiccore/clients/{id}

Get client by ID



Parameters

Try it out

Name

Description

id * required

string (path)

id

Responses

Code	Description	Links
200	Client retrieved successfully	No links
404	Client not found	No links

PUT

/api/v1/dynamiccore/clients/{id}

Update client



Parameters

Try it out

Name	Description
id * required string (path)	id

Request body

required

application/json

Example Value

Schema

```
{
  "client_type": "17",
  "pii": {
    "firstname": "Rafael",
    "lastname": "Lopez",
    "rfc": "RAL0101086GT4",
    "email": "email@example.com"
  }
}
```

Responses

Code	Description	Links
200	Client updated successfully	No links

DELETE

/api/v1/dynamiccore/clients/{id}

Delete client



Parameters

Try it out

Name	Description
id * required string (path)	id

Responses

Code	Description	Links
200	Client deleted successfully	No links

GET

/api/v1/dynamiccore/clients/{clientId}/biometrics

Get client biometrics



Parameters

Try it out

Name	Description
clientId * required string (path)	clientId

Responses

Code	Description	Links
200	Biometrics retrieved successfully	No links

POST

/api/v1/dynamiccore/clients/{clientId}/biometrics

Register biometric data



Parameters

Try it out

Name

Description

clientId * required

string

(path)

clientId

Request body required

application/json

Example Value | Schema

```
{  "biometric_type": "string",  "data": "string"}
```

Responses

Code	Description	Links
201	Biometric registered successfully	No links

POST

/api/v1/dynamiccore/otp/generate

Generate OTP code

 

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  "phone": "+525512345678",  "channel": "sms"}
```

Responses

Code

Description

Links

200

OTP sent successfully

No links

POST

/api/v1/dynamiccore/otp/validate

Validate OTP code

🔒

⌵

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{  "phone": "string",  "code": "string"}
```

Responses

Code

Description

Links

200

OTP validated successfully

No links

GET

/api/v1/dynamiccore/curp/{curp}/validate

Validate CURP

🔒

⌵

Parameters

Try it out

Name

Description

curp

* required

string

(path)

curp

Responses

Code	Description	Links
200	CURP validation result	No links

GET/api/v1/dynamiccore/curp/{curp}Get CURP data

Parameters

Try it out

Name	Description
curp * required string (path)	curp

Responses

Code	Description	Links
200	CURP data retrieved	No links

Dynamiccore - Accounts Account management endpoints
Dynamiccore - SAT SAT integration endpoints
Dynamiccore - Card Payments Card payment processing
Dynamiccore - Campaigns Campaign management
Dynamiccore - Products Product management

Openpay Openpay payment processing



GET

/api/v1/openpay/customers

List all customers

Parameters

Try it out

Name	Description
limit integer (query)	limit
offset integer (query)	offset

Responses

Code	Description	Links
200	Customers retrieved successfully	No links

POST

/api/v1/openpay/customers

Create customer

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "name": "Juan Pérez",
  "email": "juan@example.com",
  "phone_number": "5512345678",
  "address": {
    "line1": "string",
    "city": "string",
    "state": "string",

```



```
"postal_code": "string",
"country_code": "MX"
}
```

Responses

Code	Description	Links
201	Customer created	No links

GET /api/v1/openpay/customers/{customerId} Get customer by ID



Parameters

Try it out

Name Description

customerId * required
string
(path)

customerId

Responses

Code	Description	Links
200	Customer retrieved	No links

PUT /api/v1/openpay/customers/{customerId} Update customer



Parameters

Try it out

Name

Description

customerId * required

string

(path)

customerId

Request body required

application/json

Example Value | Schema

```
{  "name": "Juan Pérez",  "email": "juan@example.com",  "phone_number": "5512345678",  "address": {    "line1": "string",    "city": "string",    "state": "string",    "postal_code": "string",    "country_code": "MX"  }}
```

Responses

Code	Description	Links
200	Customer updated	No links

DELETE

/api/v1/openpay/customers/{customerId}

Delete customer



Parameters

Try it out

Name

Description

customerId * required

string

(path)

customerId

Responses

Code	Description	Links
200	Customer deleted	No links

POST

/api/v1/openpay/charges

Create charge



Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "method": "card",
  "amount": 100,
  "description": "string",
  "order_id": "string",
  "currency": "MXN"
}
```

Responses

Code	Description	Links
201	Charge created successfully	No links

GET

/api/v1/openpay/charges/{chargeId}

Get charge details



Parameters

Try it out

Name	Description
chargeld * required string (path)	chargeld

Responses

Code	Description	Links
200	Charge details	No links

POST

/api/v1/openpay/charges/{chargeId}/capture

Capture pre-authorized charge



Parameters

Try it out

Name	Description
chargeId * required string (path)	chargeId

Request body

application/json

Example Value

Schema

```
{
  "amount": 0
}
```

Responses

Code	Description	Links
200	Charge captured	No links

POST

/api/v1/openpay/charges/{chargeId}/refund

Refund charge



Parameters

Try it out

Name

Description

chargeld * required

string (path)

chargeld

Request body

application/json

Example Value | Schema

```
{  "description": "string",  "amount": 0}
```

Responses

Code	Description	Links
200	Charge refunded	No links

GET

/api/v1/openpay/customers/{customerId}/cards

List customer cards



Parameters

Try it out

Name

Description

customerId * required

string (path)

customerId

Responses

Code

Description

Links

200

Cards retrieved

No links

POST

/api/v1/openpay/customers/{customerId}/cards

Add card to customer



Parameters

Try it out

Name

Description

customerId * required

string (path)

customerId

Request body required

application/json

Example Value

Schema

{

"token_id": "string",

"device_session_id": "string"

}

Responses

Code

Description

Links

201

Card added

No links

DELETE

/api/v1/openpay/customers/{customerId}/cards/{cardId}

Delete customer card



Parameters

Try it out

Name	Description
customerId * required string (path)	customerId
cardId * required string (path)	cardId

Responses

Code	Description	Links
200	Card deleted	No links

GET

/api/v1/openpay/customers/{customerId}/subscriptions

List customer subscriptions



Parameters

Try it out

Name	Description
customerId * required string (path)	customerId

Responses

Code	Description	Links
200	Subscriptions retrieved	No links

POST

/api/v1/openpay/customers/{customerId}/subscriptions

Create subscription



Parameters

Try it out

Name	Description
customerId * required string (path)	customerId

Request body required

application/json

Example Value | Schema

```
{
  "plan_id": "string",
  "card_id": "string"
}
```

Responses

Code	Description	Links
201	Subscription created	No links

Conekta

Conekta payment processing



GET

/api/v1/conekta/customers

List all customers

Parameters

Try it out

No parameters

Responses

Code

Description

Links

200	Customers retrieved	No links
-----	---------------------	----------

POST

/api/v1/conekta/customers

Create customer



Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "name": "string",
  "email": "string",
  "phone": "string"
}
```

Responses

Code

Description

Links

201	Customer created	No links
-----	------------------	----------

GET

/api/v1/conekta/customers/{customerId}

Get customer by ID



Parameters

Try it out

Name

Description

customerId * required

string

(path)

customerId

Responses

Code	Description	Links
200	Customer retrieved	No links

PUT

/api/v1/conekta/customers/{customerId}

Update customer



Parameters

Try it out

Name	Description
customerId * required string (path)	customerId

Responses

Code	Description	Links
200	Customer updated	No links

DELETE

/api/v1/conekta/customers/{customerId}

Delete customer



Parameters

Try it out

Name	Description
customerId * required string (path)	customerId

Responses

Code

Description

Links

200

Customer deleted

No links

POST

/api/v1/conekta/orders

Create order



Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "currency": "MXN",
  "line_items": [
    {
      "name": "string",
      "unit_price": 0,
      "quantity": 0
    }
  ],
  "customer_info": {
    "name": "string",
    "email": "string",
    "phone": "string"
  },
  "charges": [
    {}
  ]
}
```

Responses

Code

Description

Links

201

Order created

No links

GET

/api/v1/conekta/orders

List orders



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Orders retrieved	No links

GET /api/v1/conekta/orders/{orderId} Get order by ID



Parameters

Try it out

Name Description

orderId * required
string
(path)

orderId

Responses

Code	Description	Links
200	Order retrieved	No links

PUT /api/v1/conekta/orders/{orderId} Update order



Parameters

Try it out

Name Description

orderId * required
string
(path)

orderId

Responses

Code	Description	Links
200	Order updated	No links

POST

/api/v1/conekta/orders/{orderId}/capture

Capture order



Parameters

Try it out

Name	Description
orderId * required string (path)	orderId

Responses

Code	Description	Links
200	Order captured	No links

POST

/api/v1/conekta/payments/oxxo

Create OXXO payment



Generate OXXO payment reference

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value | Schema

```
{
  "amount": 10000,
  "description": "string"
}
```

Responses

Code	Description	Links
201	OXXO reference generated	No links

POST /api/v1/conekta/payments/spei Create SPEI payment



Generate SPEI bank transfer reference

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "amount": 0,
  "description": "string"
}
```

Responses

Code	Description	Links
201	SPEI reference generated	No links

POST

/api/v1/conekta/payments/card

Create card payment



Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{  "token_id": "string",  "amount": 0}
```

Responses

Code	Description	Links
201	Card payment processed	No links

POST

/api/v1/conekta/webhooks

Webhook endpoint



Receive Conekta event notifications

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{}
```

Responses		
Code	Description	Links
200	Webhook processed	No links

Belvo Belvo bank account domiciliation



GET

/api/v1/belvo/customers

List all customers

Parameters

Try it out

Name	Description
page integer (query)	Page number page
limit integer (query)	Items per page limit

Responses

Code	Description	Links
200	Customers retrieved successfully	No links

Media type

Controls Accept header

Example Value | Schema

```
{
  "success": true,
  "message": "Operation successful",
}
```


Code

Description

Links

```
"data": {}
}
```

POST

/api/v1/belvo/customers

Create a new customer

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "firstname": "Juan",
  "lastname": "P  rez",
  "email": "juan@example.com",
  "documentType": "RFC",
  "documentNumber": "PERJ850101XXX",
  "phoneNumber": "525512345678"
}
```

Responses

Code	Description	Links
201	Customer created successfully	No links
400	Validation error	No links

PUT

/api/v1/belvo/customers

Update customer information

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "firstname": "Juan",
  "lastname": "Pérez",
  "email": "juan@example.com",
  "documentType": "RFC",
  "documentNumber": "PERJ850101XXX",
  "phoneNumber": "525512345678"
}
```

Responses

Code	Description	Links
200	Customer updated successfully	No links

GET /api/v1/belvo/customers/detail Get customer details



Parameters

Try it out

Name	Description
id * required string (query)	Customer ID

Responses

Code	Description	Links
200	Customer retrieved successfully	No links
404	Customer not found	No links

GET /api/v1/belvo/payment-methods List all payment methods (CLABE accounts)



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Payment methods retrieved successfully	No links

POST /api/v1/belvo/payment-methods Register a CLABE account as payment method



Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value Schema

```
{
  "accountNumber": "012180001234567897",
  "accountType": "checking",
  "bank": "BBVA",
  "reference": "Cuenta principal",
  "customerId": "customer_123"
}
```

Responses

Code	Description	Links
201	Payment method created successfully	No links

GET /api/v1/belvo/payment-methods/detail Get payment method details



Parameters

Try it out

Name	Description
payment_method_id ★ required string (query)	payment_method_id

Responses

Code	Description	Links
200	Payment method retrieved successfully	No links

POST **/api/v1/belvo/payment-methods/deactivate** Deactivate a payment method  

Parameters Try it out

No parameters

Request body required

Example Value Schema

```
{
  "payment_id": "string"
}
```

Responses

Code	Description	Links
200	Payment method deactivated successfully	No links

POST **/api/v1/belvo/agreements/generate** Generate domiciliation agreement  

Creates an agreement that requires customer authorization

Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value | Schema

```
{
  "payment_method_id": "string"
}
```

Responses

Code	Description	Links
201	Agreement generated successfully (includes authorization URL)	No links

POST

/api/v1/belvo/agreements/confirm Confirm domiciliation agreement



Confirms the agreement after customer authorization

Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value | Schema

```
{
  "agreement_id": "string"
}
```

Responses

Code	Description	Links
200	Agreement confirmed successfully	No links

GET /api/v1/belvo/payment-requests List all payment requests



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Payment requests retrieved successfully	No links

GET /api/v1/belvo/payment-requests/detail Get payment request details



Parameters

Try it out

Name Description

request_id * required
string
(query)

request_id

Responses

Code

Description

Links

200

Payment request retrieved successfully

No links

POST

/api/v1/belvo/payment-requests/cancel

Cancel a payment request



Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "payment_id": "string"
}
```

Responses

Code

Description

Links

200

Payment request cancelled successfully

No links

Jumio

Jumio biometric verification and KYC

GET

/api/v1/jumio/account

Get Jumio account data



Retrieve Jumio account information and configuration

Parameters

Try it out

Name	Description
client string (query)	Client ID filter client

Responses

Code	Description	Links
200	Account data retrieved successfully Media type application/json <i>Controls Accept header</i> Example Value Schema <pre>{ "success": true, "message": "Operation successful", "data": {} }</pre>	No links

POST

/api/v1/jumio/verification

Create verification session



Create a new Jumio identity verification session

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  
  "client": "1",  
  "customer_internal_reference": "CUST-12345",  
  "successUrl": "https://myapp.com/verification/success",  
}
```



```
}
"errorUrl": "https://myapp.com/verification/error"
}
```

Responses

Code	Description	Links
201	Verification session created successfully	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "redirectUrl": "string",
    "transactionReference": "string",
    "instructions": {}
  }
}
```

POST /api/v1/jumio/kyc Initiate KYC verification



Start KYC (Know Your Customer) verification process

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "clientId": "1",
  "customerReference": "CUST-12345",
  "successUrl": "https://myapp.com/kyc/success",
  "errorUrl": "https://myapp.com/kyc/error"
}
```

Responses		
Code	Description	Links
201	KYC verification initiated successfully	No links

Health API health check endpoints



GET

/api/v1/health

API Health Check

^

Check if the API is running and healthy

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	API is healthy	No links

Media type

application/json

Controls Accept header.

Example Value

Schema

```
{  "success": true,  "message": "Bantos Gateway API is running",  "timestamp": "2026-02-10T12:04:17.642Z",  "version": "v1"}
```

GET

/api/v1

API Information

^

Get API version and available services

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	API information Media type application/json Controls Accept header Example Value Schema <pre>{ "success": true, "message": "string", "description": "string", "version": "string", "services": {}}</pre>	No links

Documentation

^

GET

/api-docs

Swagger UI Documentation

^

Interactive API documentation

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Swagger UI page	No links

Schemas



```
Error  {
  success          boolean
                  example: false
  message          string
                  example: Error message
  errors           [ string]
}
```

```
SuccessResponse {
  success          boolean
                  example: true
  message          string
                  example: Operation successful
  data             {
  }
}
```

```
BelvoCustomer  {
  firstname*    string
                example: Juan
  lastname*    string
                example: Pérez
  email*       string($email)
                example: juan@example.com
  documentType* string
                example: RFC
                Enum:
  documentNumber* string
                example: PERJ850101XXX
  phoneNumber   string
                example: 525512345678
}
```

```
BelvoPaymentMethod {
  accountNumber* string
                minLength: 18
                maxLength: 18
                example: 012180001234567897
  accountType*   string
                example: checking
                Enum:
  bank*          Array [ 2 ]
  reference      string
                example: BBVA
  customerId*    string
                example: Cuenta principal
}
```

```
ConektaOrder  {
  currency*
    string
    default: MXN

  line_items*
    [ {
      name
      unit_price      string
      quantity        integer
    }

  customer_info*
    {
      name      string
      email     string
      phone     string
    }

  charges
    [ {
  }
```



```
DynamicoreClient  {
  client_type*
    string
    example: 17

  pii
    {
      firstname      string
                        example: Rafael
      lastname       string
                        example: Lopez
      rfc            string
                        example: RAL0101086GT4
      email          string
                        example: email@example.com
    }
}
```

```

JumioVerificationSession  {
    client*
        string
        example: 1
        Client ID

    customer_internal_reference*
        string
        example: CUST-12345
        Internal customer reference

    successUrl
        string($uri)
        example: https://myapp.com/verification/success
        URL to redirect on successful verification

    errorUrl
        string($uri)
        example: https://myapp.com/verification/error
        URL to redirect on verification error
}

```

```

JumioKYCRequest  {
    clientId*
        string
        example: 1

    customerReference*
        string
        example: CUST-12345

    successUrl
        string($uri)
        example: https://myapp.com/kyc/success

    errorUrl
        string($uri)
        example: https://myapp.com/kyc/error
}

```

```

OpenpayCustomer  {
    name*
        string
        example: Juan Pérez

    email*
        string
        example: juan@example.com

    phone_number
        string
        example: 5512345678

    address
        {
            line1
            city
            state
            postal_code
            country_code
            string
            string
            string
            string
            string
            example: MX
        }
}

```

```
OpenpayCharge {
  method*      string
               Enum:
               Array [ 3 ]
  amount*      number
               example: 100
  description*  string
  order_id     string
  currency     string
               default: MXN
}
```