

A Review of Reinforcement Learning Applications for Monetization-Aware Content Ranking in Large-Scale Recommendation Systems

ARMANDO ORDORICA, University of Toronto, Canada

YURI LAWRYSHYN, University of Toronto, Canada

Balancing advertisements with organic content in large-scale recommendation engines is a challenge in the industry. Ads are central to platform revenue, but jointly serving them with organic content creates trade-offs between monetization and user experience. The key challenges in achieving this balance include ad selection, ranking, and integration with organic content. These involve decisions about whether to insert an ad, which ad to select, and where to place it.

Many production systems frame these decisions as supervised learning problems that optimize the probability of immediate ad clickthrough under fixed placements. However, these approaches estimate conditional expectations of immediate outcomes under a historical logging policy, treating decisions as independent and optimizing short-horizon objectives. A formulation that accounts for contextual information and policy-induced state evolution, and that optimizes long-horizon value over action sequences to jointly balance engagement and revenue, remains an active area of research.

Reinforcement Learning (RL) provides a principled framework for modeling recommendation as a sequential decision process under uncertainty. However, implementing RL in large-scale recommendation systems faces challenges including high-dimensional state and action spaces, the risk of poorly chosen reward functions and unsafe exploration, high computational costs, and the difficulty of interpreting online policy learning.

This survey, aimed at industry practitioners, synthesizes prior RL work on the joint optimization of ads and organic content, distilling design choices, trade-offs, and evaluation practices through a unifying taxonomy that organizes each system by how it formulates the MDP (state, action, reward) and learns its policy. Our review indicates that while fully online RL is theoretically appealing, documented industrial systems more frequently adopt hybrid architectures that leverage supervised learning for short-term estimation while incorporating RL components for long-horizon value optimization. Furthermore, many large-scale deployments rely on offline and constrained RL formulations, such as contextual bandits and counterfactual policy evaluation, that enable policy learning from logged interaction data while balancing scalability, safety, and interpretability.

Additional Key Words and Phrases: Reinforcement Learning, Ad Policy Optimization, Contextual Bandits, Recommendation Systems, Off-Policy Learning, Online Advertising, Deep Reinforcement Learning, Multi-Objective Optimization

Compiled: 2026-05-25 14:08 EDT

1 Introduction

Large-scale content recommendation platforms in industry deploy systems whose revenue models depend on jointly optimizing monetization and long-term engagement in interactive environments [Zhao et al. 2020]. Failing to achieve an adequate balance can result in issues such as ad fatigue, where users become less responsive to ads due to overexposure, and user churn, where users discontinue using the platform [Sagtani et al. 2023; Silberstein et al. 2023].

Jointly optimizing revenue and long-term engagement is structurally difficult for several fundamental reasons. First, the monetization and engagement objectives can conflict: actions that

Authors' Contact Information: Armando Ordorica, University of Toronto, Toronto, Canada; Yuri Lawryshyn, University of Toronto, Toronto, Canada.

2025. ACM 1557-7341/2025/5-ART
<https://doi.org/10.1145/nnnnnnn.nnnnnnn>

increase immediate monetization, such as higher ad load, typically degrade future engagement and retention [Sagtani et al. 2023; Yan et al. 2020]. Second, immediate per-interaction signals are directly observable and easier to optimize, whereas long-term outcomes unfold over extended horizons and are harder to measure and attribute to specific actions [Hohnhold et al. 2015b; McDonald et al. 2023b; Wang et al. 2022]. Third, current decisions shape the user responses used to update future decisions, making the optimization signal endogenous to the policy, i.e., shaped by the very decisions it is meant to evaluate [Ie et al. 2019c; Zou et al. 2019]. These properties make the trade-off inherently sequential and policy-dependent.

To address these challenges, large-scale platforms have relied on supervised machine learning models optimized for short-term engagement signals such as clicks, dwell time, and conversions [Cheng et al. 2016; Covington et al. 2016; McMahan et al. 2013; Yi et al. 2014]. By learning rich representations of users, items, and context from large-scale interaction logs, these models estimate conditional expectations of immediate outcomes and use these predictions to guide content selection and ranking. This paradigm has delivered substantial improvements in short-term engagement [Cheng et al. 2016] and click-through prediction performance [McMahan et al. 2013]. It remains a backbone of large-scale industrial recommender systems [Naumov et al. 2019].

While neural networks remain powerful function approximators, optimizing supervised objectives on historical logged data does not directly address the sequential and interactive nature of the system. In such settings, SL is structurally insufficient for two key reasons. First, SL ignores policy-induced distribution shifts. It optimizes conditional expectations of immediate outcomes (e.g., $\mathbb{E}[r_t \mid s_t, a_t]$) using data generated under a historical policy. This implicitly assumes that the training distribution is fixed. In interactive systems, however, the recommendation policy shapes user behavior, and user behavior in turn determines future training data. This violates the stationarity assumptions underlying standard supervised optimization [Dudík et al. 2011; Swaminathan and Joachims 2015]. Second, SL lacks a principled mechanism for evaluating counterfactual trajectories as it relies exclusively on realized trajectories. Because user journeys are highly personalized and path-dependent, most possible interaction sequences are never observed in logged data. Long-term outcomes therefore depend not only on the current state-action pair but also on the policy that generates the subsequent trajectory [Agarwal and Chen 2016].

RL provides a framework in recommendation systems to solve the two problems above [Afsar et al. 2022]. First, RL explicitly represents policy-induced distribution shifts by modeling recommendation as a Markov Decision Process (MDP) in which actions influence future states, providing the framework within which RL algorithms can account for this dependence [Sutton and Barto 2018]. Second, RL leverages off-policy estimators that re-weight observed trajectories under a candidate policy to evaluate counterfactual trajectories from logged data, and enables policy improvement by optimizing the expected cumulative return under policy-induced dynamics [Swaminathan and Joachims 2015]. Rather than replacing SL, RL can be viewed as embedding supervised prediction within a sequential control framework [Chen et al. 2022]. Deep models remain central for representation learning and reward estimation, while RL augments them with the machinery required to optimize policy-dependent, long-term objectives [Dulac-Arnold et al. 2019; Levine et al. 2020].

Despite the promising theoretical framework that RL offers for optimizing long-term value in recommendation systems, implementing RL in real-world, large-scale platforms remains complex [Dulac-Arnold et al. 2021]. First, the state space, which reflects the current context of the user and the environment, and the action space, which captures how the recommender system can be tuned, are both essentially infinite [Zhu et al. 2021]. This vastness makes learning and optimization computationally intensive and requires scalable approximation methods, as exact dynamic programming over such state and action spaces is infeasible in practice [Afsar et al. 2022]. Second, designing appropriate reward functions is non-trivial, as poorly chosen reward functions can lead

to unintended system behaviors that degrade user experience or negatively affect business revenue [Everitt et al. 2021]. For example, a reward function that overly prioritizes click-based metrics may drive the system to promote clickbait content, boosting short-term engagement but eroding user trust and satisfaction over time [Wu et al. 2017]. Conversely, a reward function too heavily skewed toward revenue metrics could result in excessive ad load, degrading the user experience and accelerating churn [Sagtani et al. 2024]. Furthermore, interpretability is a major challenge in RL deployment. Understanding the learned policies can be particularly difficult when policies are updated in real-time during user interactions (online policy learning) [Dulac-Arnold et al. 2019; Glanois et al. 2024; Vouros 2022]. In extreme cases, this lack of transparency could result in non-compliant or unethical behavior, posing significant risks to both users and the business [Lambert et al. 2023].

In light of the challenges outlined above, this paper provides a synthesis of RL approaches to monetization-aware recommendation systems, using the MDP elements (state, action, reward) and policy learning as a unifying taxonomy. Although previous surveys address RL in recommendation systems [Afsar et al. 2022; Lin et al. 2023], our systematic literature search (see Section 2) did not identify any survey that explicitly focuses on the joint optimization of ads and organic content in sequential and interactive environments, which leaves limited guidance for systems that must jointly reason about monetization and long-term user value. This paper addresses this limitation by reviewing approaches that move beyond supervised objectives defined under fixed logging policies to analyze how RL agents model and optimize sequential trade-offs between revenue and engagement.

This survey introduces a component-level taxonomy that clarifies how existing systems operationalize state, action, reward, and policy, and uses it to systematically organize and analyze more than 150 academic and industrial works. Beyond the categorization itself, we synthesize the design choices, trade-offs, and evaluation practices that recur across these systems, with particular attention to how each balances the joint optimization of monetization and long-term engagement. The resulting framework is intended as a practical reference for industry practitioners exploring how RL components have been combined with supervised learning in production-scale ad and recommendation systems.

The paper begins with a historical overview of recommendation systems with monetization components, tracing the evolution from rule-based and heuristic approaches to tree-based models and modern deep learning architectures. This progression highlights the limitations of short-horizon optimization and motivates reinforcement learning as a framework for modeling long-horizon, policy-dependent objectives. The remainder of the paper is structured around these components (state, action, reward, and policy) using them as analytical categories to compare and contrast existing systems. Rather than structuring prior work chronologically or by algorithmic family, we compare systems according to how they define and operationalize these components.

2 Paper Collection Methodology

To ensure broad coverage, relevant papers were collected from both academic and industry sources. Foundational academic works such as *Reinforcement Learning: An Introduction* [Sutton and Barto 2018], *Statistical Methods for Recommender Systems* [Agarwal and Chen 2016], and *Artificial Intelligence: A Modern Approach* [Russell and Norvig 2016] were used to establish key mathematical foundations, including Markov Decision Processes (MDPs), Contextual Bandits, Off-Policy Learning, and Offline Replay.

To reflect the internal perspective of a production-facing ad policy team, 14 papers from an industry curated reading list were also compiled. Examples include *Jointly Learning to Recommend and Advertise* [Zhao et al. 2020], *DEAR: Deep Reinforcement Learning for Online Advertising Impressions*

in *Recommender Systems* [Zhao et al. 2021], *Ad-load Balancing via Off-Policy Learning* [Sagtani et al. 2024], and *Practical Bandits* [van den Akker et al. 2024]. In addition, targeted keyword searches such as “Reinforcement Learning ads [company name]” and “Contextual Bandit [company name]” were conducted for leading companies in the advertising and recommendation space (e.g., Google, Meta, Pinterest, Microsoft, TikTok, YouTube, LinkedIn), surfacing additional papers describing real-world systems and methodologies. To complement those efforts, a separate search was conducted on Google Scholar for relevant review papers. While no surveys were found that specifically focused on RL in ad recommendation systems, related reviews on “contextual bandits”, “ad fatigue”, and “recommender systems” were used to identify additional references.

Finally, manual crawling of citation networks in cornerstone papers was used to identify additional key contributions. For instance, tracing citations from *Jointly Learning to Recommend and Advertise* [Zhao et al. 2020], *DEAR* [Zhao et al. 2021], and *Offline Reinforcement Learning* [Levine et al. 2020] led to works such as *Ads Allocation in Feed via Constrained Optimization* [Yan et al. 2020] and *A Contextual Bandit Bake-off* [Bietti et al. 2021]. In total, 153 papers were selected and reviewed. Papers were ranked according to three main criteria: influence, to capture the foundational or widely adopted ideas in the field; industry relevance, to ensure that the outcomes were sound, implementable, and actionable; and recency, to reflect the latest methodological developments and deployment practices.

While recent and highly cited work was prioritized, papers introducing novel methodologies were also included regardless of citation count. To contextualize the selected works, this survey reviews the five design questions that structure the RL formulation: reward design, action-space design, state-space representation, policy learning, and exploration-exploitation. These design questions are not a one-to-one expansion of the MDP tuple; rather, they identify the modeling choices that recur when RL is applied to industrial recommender systems with ads. Drawing on existing methods and lessons from industry, the resulting framework is intended to inform practitioners exploring how RL can be applied in their organizations to develop ad policies that balance monetization with organic engagement. Table 1 serves as a compact notation guide for the recurring RL constructs used throughout the paper, including the environment, goal, episode, actions, and policy.

3 A Brief History of Advertising and Recommendation Systems: From Rule-Based to Deep Learning-Based Joint Optimization

The goal is not to provide a general history of online advertising, but to explain why earlier approaches became insufficient for monetization-aware feeds that must balance advertiser value, platform revenue, user engagement, and long-term retention. The history begins with rule-based advertising, which gave platforms simple control over eligibility and placement but could not personalize ads at scale. Performance-based pricing reframed ad allocation around observable outcomes such as clicks and conversions. Supervised machine learning and representation learning then improved platforms’ ability to estimate conditional expectations from logged interaction data, but these methods remained largely pointwise and myopic. Bandits and offline policy evaluation introduced adaptive policy selection under uncertainty, but they still struggled when present ad decisions shaped future user states. RL therefore appears as the next step for modeling ad recommendation as a sequential policy-optimization problem. This evolution is summarized in Figure 1 and Table 2.

Table 2 summarizes the historical evolution of ad optimization using the MDP elements that organize the rest of the paper: reward design, action spaces, state spaces, and policy learning. These dimensions evolved somewhat in parallel rather than strictly sequentially, and modern

RL construct	Notation	Role in monetization-aware recommendation
Environment	$\mathcal{E}$; dynamics $P(s_{t+1} \mid s_t, a_t)$	The platform setting that reacts to the ranking policy: users, ad inventory, organic items, auction context, and the interface where ads displace or accompany organic content.
Goal	$\max_{\pi} \mathbb{E}_{\pi} [\sum_{t=0}^T \gamma^t R_t]$	Learn a policy that optimizes a weighted utility over monetization, engagement, retention, and user-experience costs. The weights encode the platform's chosen trade-off among these objectives.
Episode / horizon	$\tau = (s_0, a_0, r_0, \dots, s_T); T$	A user session, repeated-visit window, or A/B experiment horizon over which cumulative effects of ad and organic ranking decisions are measured.
State	$s_t \in \mathcal{S}$	The partially observed user, session, request, context, ad-history, and organic-interaction signals available before a ranking decision.
Action	$a_t \in \mathcal{A}^{\text{ad}} \cup \mathcal{A}^{\text{org}}$	The decision the platform takes at a ranking opportunity: which ads are eligible, how many ads to show, where to place them, which quality thresholds to enforce, and how to order organic items.
Reward	R_t or $R(s_t, a_t)$	The scalar utility that combines monetization and user-side outcomes, such as revenue, clicks, conversions, dwell time, retention, and ad-fatigue penalties.
Policy	$\pi(a \mid s)$ or π_{θ}	The learned rule that maps observed context to ranking actions, thereby controlling ad load, placement, eligibility, and organic ordering.
Exploration strategy	e.g., ϵ , UCB, Thompson sampling	The action-selection strategy that allocates traffic to uncertain ad or organic ranking decisions to reduce uncertainty about outcomes not yet observed with enough support. These are examples rather than an exhaustive list.
Logging policy	$\mu(a \mid s)$	The historical or experimental policy that generated logged impressions used for offline replay, counterfactual evaluation, and off-policy learning.

Table 1. Notation guide for RL formulation in monetization-aware recommendation

systems typically combine advances from all of them. The table keeps the history visible while previewing the design questions that recur in the RL formulation: what signal is optimized, what decisions the system can make, what user and context information the policy observes, and how candidate policies are learned and evaluated. Evaluating these choices is difficult because reward functions, action discretizations, state definitions, and policy-learning methods create a large and often intractable search space. Although online A/B testing remains the gold standard for causal validation, testing every candidate live is prohibitively expensive and risky. Offline replay and related counterfactual methods are therefore used to narrow the set of promising candidates before A/B testing, balancing broad coverage of the design space with high-confidence online validation.

3.1 From Rule-Based Advertising to Traditional Machine Learning

Around the early 2000s, online advertising largely mirrored offline practices, heavily relying on non-targeted formats such as banner ads [Kant 2021]. These generic advertising methods conflicted with the objective of search engines of efficiently directing users to relevant content [Fain and Pedersen 2006]. As a marginal improvement on nontargeted ad formats like banner ads, advertisers began to utilize simple if-then logic with predefined rules to select and display ads based on basic criteria like user demographics. While rule-based systems were straightforward to implement, their lack of flexibility and personalization became evident as ad fatigue, defined as reduced user engagement due to repeated exposure to the same advertisement, persisted [Abrams and Vee 2007]. This issue underscored the necessity of not only leveraging user signals but also optimizing ad load tuning parameters, such as frequency and placement, to maintain user interest and maximize




Fig. 1. Timeline Showing Initial Adoption and Popularization of Techniques and Methodologies in Online Advertising

Note: The boundaries and lengths of rectangles are approximate. Innovations and transitions between techniques and objectives occurred gradually and continuously, rather than sharply at specific dates.

click-through rates [Abrams and Vee 2007]. For instance, researchers at LinkedIn introduced concepts like top slot - highest eligible position for an ad within the feed - and minimum gap - the required distance between consecutive ads to prevent oversaturation - as ad load tuning parameters [Yan et al. 2020]. Their research indicated that users are more likely to click on ads that are spaced farther apart [Yan et al. 2020].

The evolution of ad pricing, from paying for impressions to paying for user actions, created pressure within the online advertising industry to improve relevance and performance-based metrics [Hu 2004]. Sponsored search, introduced by GoTo (later Overture), allowed advertisers to bid on specific keywords, directly linking ads to user queries and addressing the limitations of generic advertising [Fain and Pedersen 2006]. Foundational pricing models, such as Cost per Mille (CPM), charged advertisers per 1,000 impressions and closely mirrored offline practices [Wikipedia contributors 2025]. Yahoo!, through the acquisition of Overture [Staff 2003], later introduced Cost per Click (CPC) [Ellam and Ottaviani 2003], a performance-based pricing model that shifted costs to reflect measurable user engagement. This evolution continued with the introduction of Cost per Action (CPA), which tied fees to specific user actions beyond clicks, such as purchases or sign-ups. These changes incentivized the advertising industry to innovate, leading to the development of more relevance-focused strategies. These foundational pricing models remain integral to the utility functions that underpin contemporary ranking algorithms [Fain and Pedersen 2006]. As advertisers increasingly demanded performance-based pricing, the ad tech industry was compelled to innovate within a competitive yet lucrative market, addressing the limitations of rule-based and heuristic models through the adoption of machine learning techniques to enable more dynamic and data-driven approaches [Zhang et al. 2018].

The next set of innovations following heuristics and performance-based targeting was led by machine learning (ML) and A/B testing [Barajas et al. 2022]. From 2010 to 2015, ad selection techniques evolved significantly with the adoption of machine learning models such as Logistic Regression, Decision Trees, and Gradient Boosting Machines [Cui et al. 2015]. By leveraging historical data and

Reward Design			
Stage	Optimization Signal	Limitation	When Sufficient
CPM	Impressions and reach	Weak alignment with relevance or user value	Brand exposure and guaranteed reach
CPC	Clicks and traffic	Can overvalue immediate engagement	Direct-response campaigns
CPA	Conversions and purchases	Sparse feedback and attribution challenges	Clear conversion funnels
Utility functions	Revenue, engagement, fatigue, and other objectives	Objective weights are hard to choose and validate	Explicit multi-objective trade-offs
Representative sources: [Engel and Chickering 2008; Fain and Pedersen 2006; Hu 2004; Yan et al. 2020].			
Action and State Spaces			
Stage	Action / State Representation	Limitation	When Sufficient
Rules and segments	Eligible ads, placements, demographics, and location	Coarse action sets and limited personalization	Small inventories or strict policy constraints
Tabular features	Engineered user, ad, item, and session variables	Limited nonlinear interaction modeling	Interpretable models or limited compute
Embeddings	Dense user, ad, item, and context vectors	Pointwise similarity does not model policy feedback	Large-scale retrieval and ranking
Sequential encoders	User histories, evolving interests, and session context	More complex training and harder action attribution	Session-aware ranking and dynamic intent
Representative sources: [Cheng et al. 2016; Covington et al. 2016; Vorotilov and Shugaepov 2023; Zhou et al. 2019].			
Policy Learning and Evaluation			
Stage	Horizon Modeled	Limitation	When Sufficient
Rule-based	None; static allocation	No learning from user response	Stable, low-complexity policy settings
Supervised ML	Pointwise immediate response	Treats logged impressions as independent labels	Decisions are approximately independent
Bandits	One-step exploration and exploitation	Limited treatment of future state changes	Few policy arms and immediate rewards
Contextual bandits	One-step decisions with user and item context	Actions are not modeled as changing future states	Real-time adaptation with short-horizon goals
Full RL	Multi-step cumulative return	Harder reward design, evaluation, and deployment	Ad fatigue, retention, and long-horizon objectives
Representative sources: [Bietti et al. 2021; Gauci et al. 2018; Li et al. 2010; Swaminathan and Joachims 2015; Zhao et al. 2021].			

Table 2. Historical Evolution of Ad Optimization Through the Main RL Design Dimensions. The table summarizes how earlier advertising and recommendation methods shaped reward signals, action and state representations, and policy-learning choices in modern monetization-aware recommendation systems.

diverse user behavior signals, these models enabled more accurate predictions of user engagement [Cui et al. 2015]. In parallel, A/B testing allowed practitioners to systematically compare models

and features, ensuring that any new implementation delivered measurable performance gains [Barajas et al. 2022]. As ad and content inventories grew, representation learning became central to large-scale retrieval and ranking. Industrial recommender systems used deep models to encode users, items, and context for candidate generation and ranking [Cheng et al. 2016; Covington et al. 2016]. Two-tower architectures extended this pattern by learning separate user-side and ad-side representations that could be matched efficiently at scale [Vorotilov and Shugaepov 2023]. These models improved the state representation available to ad-ranking systems, but they usually remained trained on pointwise or short-horizon objectives such as clicks, conversions, or engagement estimates. As a result, they did not by themselves resolve the reward-design and policy-learning challenges created by revenue-engagement trade-offs, ad fatigue, and long-term retention.

Multi-Armed Bandits (MABs) are a class of algorithms for dynamic decision-making under uncertainty designed to tackle the explore-exploit tradeoff: finding the optimal balance between choosing new ad policies with unknown performance and showing older ad policies with known positive performance [Burtini et al. 2015; Schwartz et al. 2017]. Their goal is to reduce unnecessary exposure to suboptimal treatments by continuously updating the estimates of expected reward and uncertainty as new data arrives [Kuleshov and Precup 2014]. In the context of online advertising, these “treatments” are typically specific ad configurations, defined by parameters such as displacement cost, reserve price, ad load, and ad placement, while “rewards” represent user engagement metrics such as clicks or conversions [Schwartz et al. 2017].

Although the theoretical foundations of this technique date back to early- and mid-20th-century probability theory [Robbins 1952], the computational infrastructure required to support live, large-scale implementation did not exist until much later. As a result, our literature search identified broader industrial adoption of MABs in web and advertising platforms only beginning in the late 2000s and early 2010s [Chapelle and Li 2011; Li et al. 2010; Schwartz et al. 2017].

In contrast to traditional A/B tests, where there are randomized treatments assigned for a predetermined amount of time, MABs dynamically learn which configuration yields the highest reward for each user at a particular time. Although this adaptive learning framework manages the trade-off between minimizing regret from suboptimal treatments and exploring potentially superior configurations, defining the precise reward function to optimize remains an open challenge [Wen et al. 2019].

To formalize multi-objective trade-offs such as balancing revenue and user satisfaction, utility functions have been employed in online advertising since the early 2000s [Engel and Chickering 2008]. Drawing on microeconomic utility theory, platforms formalized multi-objective trade-offs through scalar utility functions that encode multiple objectives — such as long term revenue and engagement — into a single metric, enabling principled comparison and optimization [Engel and Chickering 2008]. When integrated into MAB frameworks, this unified reward signal guides exploration toward policies that balance short-term performance (e.g., clicks or conversions) with long-term considerations such as user trust and fatigue.

Although utility-weighted bandits can encode long-term targets via proxy rewards, they remain structurally one-step: they estimate conditional expectations under a logging policy and do not represent policy-induced feedback loops, thereby limiting counterfactual evaluation of multi-step trajectories under alternative policies.

3.2 Advances in Deep Learning: Attention Models, Transformers, and Contextual Bandits

This section explains how deep learning, sequential models, and contextual bandits advanced the goal of jointly optimizing engagement and revenue over time before the adoption of full reinforcement learning. The discussion is organized into three parts: first, it establishes why interleaving

ads within organic content streams created a joint optimization problem; second, it examines how neural representations improved pointwise response prediction and how Transformer architectures scaled sequential user modeling through attention; and third, it discusses how contextual bandits enabled adaptive exploration while remaining constrained by short-horizon objectives.

As platforms evolved from static web pages with dedicated ad slots to unified, infinite content feeds, the fundamental ad-selection problem changed in two distinct stages. First, in early web layouts, advertisements were confined to isolated placements outside the primary content area, such as banner regions or dedicated sidebars in search results, which allowed platforms to optimize ad selection independently from organic content [Zhang et al. 2018]. Second, as feed-based architectures emerged, platforms introduced fixed slotting within the feed itself, inserting ads at deterministic positions, such as every N -th post or pin. Although fixed slotting placed ads inside the organic stream, the choice of which ad to insert at a given slot remained largely decoupled from the organic ranker. However, in modern feeds, ads and organic items occupy the same set of positions, so every ad insertion displaces a candidate organic item. The cost of that displacement depends primarily on the relative relevance of the ad and the displaced organic item to the user's current intent. When commercial intent is high, for example a user comparing products or planning a purchase, an ad with a relevant outbound link can serve the user better than the next organic item, lowering or even reversing the displacement cost; when intent is low, the same ad insertion sacrifices a more engaging organic alternative. Although platforms can still rank ads and organic items in isolation, doing so ignores how this relevance-driven displacement cost varies across requests and systematically leaves revenue-engagement trade-offs unmanaged. Joint ad and organic ranking addresses this by explicitly trading off immediate ad revenue against the engagement cost of displacing more relevant organic content [Yan et al. 2020; Zhao et al. 2020].

To support this joint optimization, deep learning improved the representation of users, ads, organic items, and their interactions. In particular, learned embeddings advanced representation by encoding users, ads, organic items, and context in a shared feature space, while neural ranking models improved the mapping from those representations to immediate objectives such as click and conversion signals [Cheng et al. 2016; Covington et al. 2016; Vorotilov and Shugaepov 2023]. While these representational advances successfully improved short-term response prediction, they fundamentally relied on the assumption that impressions could be treated as independent events. Because the underlying models were trained on pointwise labels from logged impressions, they optimized for immediate outcomes under a historical logging policy rather than evaluating the sequential impact of ad insertion on future user states [Chen et al. 2022; Swaminathan and Joachims 2015]. Consequently, these models weakly captured how the order, spacing, and accumulation of prior recommendations shaped later outcomes. This representational gap motivated sequential models, including Transformer-based architectures, which can encode user histories and changing intent from ordered interaction sequences [Kang and McAuley 2018a; Vaswani 2017; Zhou et al. 2019]. Even with better sequence representations, however, the core policy-learning problem remains unresolved: the platform must still choose actions, such as ad load, placement, reserve prices, or ranking policy, whose effects are only observed through delayed user responses and future logged data [Sagtani et al. 2024; Zou et al. 2019].

To address this policy-learning gap, *Offline Replay* is often employed to find optimal policies in large parameter search spaces [Agarwal and Chen 2016; Agarwal et al. 2020; Levine et al. 2020]. This technique typically begins with data collection via A/B/n experiments, where different policies are randomly assigned to users [Agarwal et al. 2019; Chen et al. 2009]. Afterward, Offline Replay simulates the effects of various ad policies across different user segments and estimates the potential rewards based on logged interactions [Agarwal and Chen 2016]. In this context, "reward" refers to the performance metric being maximized, such as clicks, likes, shares, or revenue. However, in many

cases, the true optimal treatment is not explicitly tested [Agarwal et al. 2019]. Here, importance sampling corrects for differences between the observed behavior policy and the target policy, improving estimation accuracy [Dudík et al. 2011; Sutton and Barto 2018]. Based on the collected data on random assignments between policies and users typically involved in Offline Replay, one can use different policy learning methods to map the optimal policies from user ids, content types, and other contextual signals for the optimal weights at any point in time [Swaminathan and Joachims 2015].

Offline replay often assumes that user preferences and item availability do not change significantly during data collection. However, in real ad systems, these factors can shift, causing offline data to become stale or biased [Agarwal et al. 2014; Levine et al. 2020]. Contextual bandits address this limitation by leveraging continuous feedback from live user interactions, preventing the policy from being locked into a static offline dataset [Li et al. 2010]. Contextual bandits can be thought of as a special case of RL, where an action selection does not influence future states [Bubeck et al. 2012; Sutton and Barto 2018]. Unlike full RL, which models long-term state transitions, contextual bandits assume that each decision is independent, optimizing for immediate rewards rather than a multi-step trajectory [Bubeck et al. 2012; Sutton and Barto 2018]. This makes them particularly well-suited for recommender systems, where ranking decisions can be treated as independent events [Afsar et al. 2022; Zhou and Brunskill 2016]. Additionally, contextual bandits naturally balance exploration and exploitation, allowing them to adapt dynamically to user behavior in real time [Li et al. 2010]. However, a practical limitation of contextual bandits is that they select actions from a fixed set defined at deployment time, such as preconfigured ad policies or treatment arms [Bietti et al. 2021]. As a result, the policy's performance is inherently constrained by the quality and granularity of the available states and actions at the time of inference [Dimitrakakis and Ortner 2018].

Although contextual bandits inherently focus on short-term rewards, they can be tuned to approximate long-term objectives by encoding historical or delayed outcomes into the feature space or the immediate reward function [McDonald et al. 2023a; Wu et al. 2017]. For instance, delayed retention or repeat-visit signals can be folded into proxy rewards so that the policy favors configurations associated with longer-term user value [Yi et al. 2023]. However, full RL remains more appropriate for scenarios demanding explicit multi-step optimization, where actions taken now significantly shape future user states [Gauci et al. 2018]. Contextual bandits thus offer a practical trade-off, providing continuous adaptation and efficient online learning without the computational complexity of fully modeling multi-step state transitions [Gauci et al. 2018; Levine et al. 2020].

Despite the practical advantages that contextual bandits offer for real-time experimentation and short-horizon reward maximization, they remain limited in scenarios where user states evolve over repeated interactions [Sutton and Barto 2018]. Modern advertising platforms often contend with extended user sessions and multiple recurring visits, demanding an approach capable of modeling multi-step feedback loops. RL naturally extends these capabilities by incorporating stateful dynamics and cumulative rewards, capturing phenomena like ad fatigue [Çelik et al. 2023] and long-term retention [Wu et al. 2017]. Recent industrial deployments underscore RL's growing importance in ads: ByteDance uses RL-based systems [Zhao et al. 2021, 2020] to balance immediate revenue with session-level engagement in short-video feeds, while Meta (Facebook) has leveraged policy-gradient methods for sequencing notifications and ad placements over evolving user states [Gauci et al. 2018]. These efforts demonstrate how RL can transcend the myopic focus of bandits to address long-horizon outcomes, multi-objective trade-offs, and dynamic user behaviors. In the sections that follow, we explore how these RL paradigms are integrated into large-scale advertising stacks, focusing on core algorithms, design decisions, and lessons learned from real-world implementations.

4 The RL Formulation of Jointly Optimizing Ads and Content

4.1 Formulating Joint Ad and Organic Ranking as a Markov Decision Process

We formalize joint ad and organic content ranking as a Markov Decision Process [Puterman 2014; Sutton and Barto 2018], defined by the tuple $\mathcal{M} = (\mathcal{S}, \mathcal{A}, P, R, \gamma)$. At each timestep t , the platform observes a user state $s_t \in \mathcal{S}$, selects an action $a_t \in \mathcal{A}$, transitions to a new state s_{t+1} according to the dynamics $P(s_{t+1} | s_t, a_t)$, and receives a scalar reward $R_t \in \mathbb{R}$. The discount factor $\gamma \in [0, 1]$ trades off immediate against delayed feedback. The policy $\pi(a | s)$ governs which action the platform takes in each state, and the objective is to find $\pi^* = \arg \max_{\pi} \mathbb{E}_{\pi} [\sum_{t=0}^T \gamma^t R_t]$. Table 1 summarizes how each of these components is operationalized in industrial ad systems.

The action space decomposes into ad and organic candidates, $\mathcal{A} = \mathcal{A}^{\text{ad}} \cup \mathcal{A}^{\text{org}}$, with the policy choosing both what to insert and where, rather than treating ads and organic items as independent ranking problems [Sagtani et al. 2024; Yan et al. 2020]. The reward R_t similarly aggregates ad-side and organic-side outcomes through a utility function (Section 4.2), so that the policy evaluates monetization and engagement within the same optimization objective rather than optimizing each signal in isolation.

Two practical complications separate this formulation from the fully observed, on-policy MDP abstraction used to introduce the notation above. First, the platform observes behavioral traces (clicks, dwell time, profile attributes) rather than the user’s latent intent or satisfaction, so the state representation is inherently *partially observable* [Kaelbling et al. 1998; Lu and Yang 2016]. Second, in an on-policy setting, the same policy generates the data used to update or evaluate it. By contrast, ad systems often learn from historical impressions collected under an already-deployed ranking or allocation rule, called the *logging policy* $\mu(a | s)$. A new candidate policy π_{θ} may choose different ad loads, placements, or organic items from the same state, so the logged data do not directly show what would have happened under that candidate policy. Offline learning and evaluation therefore must account for the gap between μ and π_{θ} through importance weighting or doubly robust estimation [Dudík et al. 2011; Levine et al. 2020; Swaminathan and Joachims 2015].

The remainder of Section 4 is organized around the components of this MDP. Section 4.2 discusses how R is specified to balance monetization and engagement. Section 4.3 addresses the structure of $\mathcal{A}$, including the ad-versus-organic split and constraints such as ad load and frequency capping. Section 4.4 reviews state representations that summarize partially observed user histories. Section 4.5 surveys methods for learning π under the off-policy data conditions noted above. Section 4.6 treats exploration as the deliberate divergence between μ and π_{θ} used to discover better policies under uncertainty.

4.2 Reward Design for Monetization-Aware Recommendation Systems

This subsection provides a structured synthesis of reward design in monetization-aware recommendation systems. It first discusses the properties a reward function should ideally satisfy and why reward specification is difficult in practice due to partial observability, sparse and delayed long-term outcomes, and competing objectives such as revenue, engagement, and ad fatigue. It then reviews how prior work operationalizes these objectives through proxy metrics and blended utility formulations, along with the rationale for these choices and their main limitations.

Relatively simple reward functions may be sufficient in controlled settings, where the objective is directly specified and outcomes are immediately observable. Reward design is substantially harder in monetization-aware recommendation systems, where the platform must infer long-term user value from noisy behavioral traces while balancing monetization against user experience.

In principle, an effective reward signal for monetization-aware recommendation systems should satisfy at least three properties. First, it should be sufficiently informative about the user’s latent

preferences and intent, even though these quantities are not directly observed. Second, it should provide feedback at a timescale and frequency that makes learning feasible, even when the platform ultimately cares about sparse and delayed long-term outcomes such as retention or habit formation. Third, it should faithfully encode trade-offs among competing objectives, such as revenue, engagement, and ad fatigue, rather than overemphasize any single short-term metric in isolation.

In practice, however, satisfying these properties is difficult for at least three reasons. First, reward design is constrained by *partial observability*: the system must infer users' latent preferences and intent through a fixed set of observable signals that capture different stages of response, such as immediate reactions (clicks), deeper consumption (dwell time or completion), and downstream value signals (saves, purchases, or return visits) that provide only a noisy and incomplete view of the underlying user state. Second, many of the outcomes platforms ultimately care about are *sparse and delayed*: retention and longer-term satisfaction may take weeks or months to manifest, and the effect of any single intervention is often subtle, making meaningful changes difficult to detect within the short time horizons of typical experiments [McDonald et al. 2023b]. Third, reward specification is inherently *multi-objective*: recommendation engines must simultaneously account for potentially competing goals such as revenue, engagement, and ad fatigue, rather than optimize a single scalar outcome in isolation [Sagtani et al. 2024; Yan et al. 2020; Zhang et al. 2018].

Metrics such as click-through rate (CTR), predicted CTR, and ad impressions are commonly used as proxies for monetization, while session duration, saves, shares, and return-based signals stand in for longer-term engagement [Wang et al. 2022]. Their appeal is obvious: they provide dense, behaviorally grounded feedback that is relatively easy to log, predict, and optimize. Yet this same convenience is also their main limitation. When optimized in isolation, such proxies can misrepresent the platform's true long-term objective [Mazouze et al. 2021]. Click-based signals provide a clear example: although they are frequent and immediately observable, high CTR does not necessarily imply high ad quality, and repeated exposure to low-quality or poorly matched ads can degrade user satisfaction and future responsiveness to ads [Hohnhold et al. 2015a; Silberstein et al. 2020; Yan et al. 2020]. Even within the same family of signals, semantics can vary: short clicks may function as implicit negative feedback, whereas longer clicks or post-click dwell may better reflect genuine value. Similar tensions arise elsewhere. Diversity-related signals, for instance, may be desirable when they reflect broader use-case coverage over time, which prior work associates with improved long-term user experience and retention [Wang et al. 2022; Xu et al. 2023], yet high click entropy within a session can also indicate confusion, low relevance, or friction [Sagtani et al. 2023]. Tables 3, 4, and 5 summarize representative proxies for revenue, engagement, and ad fatigue. Overall, the issue is not the absence of informative signals, but the fact that each captures only a narrow and context-dependent slice of user value. This is precisely what motivates composite utility functions that blend multiple signals rather than relying on any single proxy in isolation.

While proxy metrics ensure that the system has informative observable signals for multiple latent aspects of user behavior, the utility function determines how those signals are combined into a single optimization objective. Some desirable properties of utility functions overlap with those of proxy metrics: the objective should remain aligned with long-term platform value, provide reward signals dense enough to support learning, and capture the relevant trade-offs among competing goals. However, utility functions also introduce an additional requirement that is distinct from proxy design: structural correctness of aggregation. In particular, the utility must specify not only which components enter the objective, but also the direction of each component's contribution, its relative magnitude, and the functional form through which components interact. This includes whether effects are linear or nonlinear, additive or interaction-dependent, and whether they exhibit saturation, thresholds, or state dependence. In monetization-aware recommendation, this distinction is critical because engagement, revenue, and fatigue signals rarely combine in a purely additive or

context-invariant way. As a result, even well-chosen proxies may yield a misspecified objective if they are combined with incorrect signs, poorly calibrated coefficients, or an inappropriate functional form. For example, ad revenue may increase utility up to a point but reduce it beyond a saturation threshold; dwell time may be informative only within a certain range; and an ad click followed by a hide may convey a different signal than either event in isolation.

Proxy Metric	Short Description	Polarity
CTR (Click-Through Rate)	Approximates revenue potential; higher CTR often correlates with higher ad clicks [Yan et al. 2020; Zhang et al. 2018; Zhao et al. 2020].	Positive (higher is better)
pCTR (Predicted CTR)	Model-estimated probability that a user will click on an ad.	Positive (higher is better)
Predicted Revenue	Often a function of bids and pCTR to estimate expected revenue [Yan et al. 2020; Zhang et al. 2018].	Positive (higher is better)
Click Yield	Ratio of total clicks (ads + organic) to total impressions on a page; helps avoid optimizing CTR in isolation [Zhang et al. 2018].	Positive (higher is better)
Ad Impressions	Number of times an ad is displayed to users.	Mixed (context-dependent)

Table 3. Revenue proxy metrics and their polarity.

Proxy Metric	Short Description	Polarity
Session Duration	Tracks how long users stay engaged per session (proxy for longer-term engagement).	Positive (higher is better)
30-day Total Sessions	Aggregated count of user sessions over a 30-day window, proxy for habit or stickiness [Xu et al. 2023].	Positive (higher is better)
Likes / Adds to Library	High-intent actions indicating deeper user satisfaction and long-term retention [McDonald et al. 2023b].	Positive (higher is better)
Shares	High-intent action reflecting strong engagement.	Positive (higher is better)
High-quality Consumption	Consumption of content with high engagement (e.g., full video views, long reads) [Wang et al. 2022].	Positive (higher is better)
User Return Rate (URR)	Fraction of users who revisit the platform after a fixed interval [Wu et al. 2017].	Positive (higher is better)
Relative Watch Time	Percentage of a video watched, normalized by video length [Wu et al. 2018b].	Positive (higher is better)
Dwell Time	Actual time spent viewing/reading an item, capturing depth of engagement [Yi et al. 2014].	Mixed (threshold-dependent: < 5s negative; ≥ 10s positive)
Ratio-based Diversity	Proportion of unique topic clusters in consumption history [Wang et al. 2022].	Mixed (context-dependent)
Repeated Consumption	How often users revisit similar content, reflecting satisfaction [Wang et al. 2022].	Mixed (context-dependent)
Distribution-based Diversity	Entropy-based spread of consumed topics [Wang et al. 2022].	Mixed (context-dependent)
Short-view Rate (SVR)	Fraction of impressions where watch time is below a low threshold (e.g., < 5s) [Pan et al. 2023].	Negative (higher is worse)
Early-skip Rate	Fraction of videos skipped or swiped away within the first few seconds (e.g., < 2 to 3s) [Pan et al. 2023].	Negative (higher is worse)
Skip / Not-click Rate	Fraction of impressions with explicit negative feedback signals (e.g., skips or non-clicks), indicating low relevance [Zhao et al. 2018b].	Negative (higher is worse)
Non-completion Rate	Fraction of plays that end before a minimum completion threshold (e.g., < 20% watched) [Pan et al. 2023].	Negative (higher is worse)
Time to Revisit	Interval between consecutive visits; shorter intervals suggest higher retention [Wang et al. 2022].	Negative (higher is worse)

Table 4. Engagement proxy metrics and their polarity.

Proxy Metric	Short Description	Polarity
Depth	Reduction in engagement (e.g., fewer impressions per session) over time [Sagtani et al. 2023].	Negative (higher is worse)
Length	Decrease in time spent per session [Sagtani et al. 2023].	Negative (higher is worse)
Frequency	Decrease in number of sessions per week [Sagtani et al. 2023].	Negative (higher is worse)
Ad Load (Sessions)	Number of sessions that end (or quit) during an ad [Sagtani et al. 2023].	Negative (higher is worse)
Ad Load (Absolute)	Absolute ad volume across sessions and changes in that volume [Sagtani et al. 2023].	Negative (higher is worse)
Click Entropy	Uncertainty/diversity in ad clicks for a query; high values can indicate lower relevance [Sagtani et al. 2023].	Negative (higher is worse)

Table 5. Ad fatigue proxy metrics and their polarity.

4.2.1 Why Blending Ad and Organic Reward Signals Is Structurally Hard. Combining ad and organic signals into a single utility is harder than combining signals within either content type alone. Two structural asymmetries between the two content types make this particularly challenging. First, they operate on different reward timescales. Monetization outcomes such as clicks and conversions are typically attributed within a short, well-defined window and therefore generate relatively dense, observable feedback. Conversely, organic engagement outcomes such as retention, habit formation, and long-term satisfaction manifest over much longer horizons, often measured across weeks or months [Hohnhold et al. 2015b; McDonald et al. 2023b]. A simple additive utility collapses this temporal distinction into a single scalar, implicitly treating a same-day ad click as equivalent to a longer-term retention signal.

Second, the two objectives are expressed in incommensurable units. Ad utility is typically computed as $\text{bid} \times \text{pCTR}$, a monetary quantity [Yan et al. 2020; Zhang et al. 2018], whereas organic utility is expressed in behavioral units such as saves, shares, or dwell time [McDonald et al. 2023b; Wang et al. 2022]. Combining them requires a conversion factor that translates engagement into revenue-equivalent units. The appropriate value of this factor is context-dependent: it can shift across user segments, content types, and business priorities [Hohnhold et al. 2015b], and different platforms operationalize it differently—through constrained optimization [Yan et al. 2020], context-sensitive valuation [Carrion et al. 2021], or separate reward functions with learned weighting [Zhao et al. 2020].

A canonical utility function at the policy layer to blend ads and organic content can be represented as follows [Carrion et al. 2021; Sagtani et al. 2024; Yan et al. 2020]:

$$U(x) = \alpha \times \text{Revenue} + \beta \times \text{Engagement} - \gamma \times \text{Ad Fatigue}$$

where α , β , and γ are weights that determine the relative importance of each factor. To compute the utilities of “Revenue”, “Engagement”, and “Ad Fatigue”, typically many signals feed into each component. These signals include, but are not limited to, the ones shown in Tables 3, 4, and 5. In a bandit or RL context, $U(x)$ serves as the reward signal guiding policy updates.

4.2.2 Utility Function Validation and Reward Design. Validating and improving a utility function involves two distinct problems. Reward validation verifies whether a given configuration of weights, signs, and functional form produces the intended outcomes, and whether the specified utility function $U(x)$ tracks the platform objectives it is meant to represent. In practice, this is assessed through online A/B experiments that track top-line platform metrics such as daily, weekly, and

monthly active users (DAU/WAU/MAU) for engagement and direct revenue for monetization [Gauci et al. 2018; Hohnhold et al. 2015b]. Standard A/B tests are typically run long enough to account for day-of-week variation and reach statistical significance (commonly on the order of one to two weeks in practice) and are well-suited for detecting short-term changes in click-through rate, revenue, and session engagement [Hohnhold et al. 2015b]. However, certain effects manifest over longer periods and are not reliably detectable within such short windows [Hohnhold et al. 2015b]. To capture these delayed effects, platforms employ long-term holdout groups, in which a subset of users is withheld from a new policy for an extended period (e.g., several months), allowing the cumulative effect to be measured before a comparison is drawn [Hohnhold et al. 2015b; McDonald et al. 2023b]. Iterative live validation of reward weights is also reported in the literature. Zhao et al. [Zhao et al. 2020] describe a multi-objective reward framework at ByteDance in which separate reward functions are defined for organic content and ads, with the relative weights between them validated through a sequence of live experiments.

The second problem, reward design, is substantially harder: the goal is to identify a better-specified $U(x)$ by iterating over the reward function itself, that is, its component selection, coefficient magnitudes, signs, and functional form. The number of candidate configurations grows combinatorially with the number of parameters: each additional weight or proxy component multiplies the number of combinations that must be evaluated, making exhaustive A/B testing prohibitively expensive at scale [Gauci et al. 2018]. This creates two compounding problems. First, the sample size required to detect meaningful differences across a large number of treatment arms grows with the number of comparisons, straining experimentation infrastructure. Second, A/B testing is inherently limited to the treatments that are explicitly tested [Dudík et al. 2011; Swaminathan and Joachims 2015]; it provides no information about the performance of configurations that were never deployed. Offline replay addresses this second limitation by enabling counterfactual estimation: logged interaction data from randomized experiments is re-weighted using importance sampling to estimate how untested configurations would have performed under historical traffic [Dudík et al. 2011; Levine et al. 2020; Swaminathan and Joachims 2015]. This allows practitioners to evaluate a much larger set of candidate configurations cheaply before committing to a live experiment.

Offline RL extends this further by not only evaluating fixed configurations but actively searching for improved reward formulations within the space of possible configurations, using logged data as a surrogate for live interaction [Levine et al. 2020]. Rather than testing each configuration independently, offline RL methods learn a policy that maximizes the blended utility while staying close to the behavior policy that generated the data, thereby limiting the risk of out-of-distribution extrapolation [Chen et al. 2022; Levine et al. 2020]. This makes offline RL a natural fit for reward design in large-scale systems, where the cost of live experimentation is high and the search space is too large for exhaustive enumeration.

Alibaba’s whole-page optimization formulation illustrates a more constrained alternative to searching over many reward-weight configurations. Researchers at Alibaba introduced the concept of Click Yield, which is defined as the ratio of the total number of clicks on all items (ads + organic results) to the total number of impressions on a page [Zhang et al. 2018]. Click Yield provides a holistic evaluation of page performance, accounting for the interactive effects between ads and organic content, and helping to mitigate the bias that arises from examining CTR in isolation. Their optimization task maximizes total revenue while ensuring that the Click Yield does not fall below a certain threshold (T) [Zhang et al. 2018]. A comparison of utility function formulations is shown in Table 6.

Company	Paper	Organic Content Reward/Utility	Ads Reward/Utility	Blended Reward/Utility
TikTok	[Zhao et al. 2021]	User Experience (r_t^{ex}): Measures the negative impact of displaying an ad on the user's experience, with a binary outcome. A positive reward (1) is given if the user continues browsing after seeing the ad, while a negative reward (-1) is given if the user leaves the platform after seeing the ad.	Ad Income (r_t^{ad}): Represents the immediate revenue generated from displaying an ad. It provides a positive value if an ad is displayed, contributing to maximizing advertising income.	$r_t(s_t, a_t) = r_t^{ad} + \alpha \cdot r_t^{ex}$ Here, α is a hyperparameter that controls the trade-off between maximizing ad revenue and minimizing negative user experience.
TikTok	[Zhao et al. 2020]	$R_{rec}(s_t, a_t)$ Engagement metric (e.g., dwell time, clicks, purchases)	$R_{ad}(s_t, a_t) = \begin{cases} 1 & \text{if user stays after ad} \\ 0 & \text{if user leaves after ad} \end{cases}$	$R_{total}(s_t, a_t) = \alpha \cdot R_{rec}(s_t, a_t) + \beta \cdot R_{ad}(s_t, a_t)$
Alibaba	[Zhang et al. 2018]	Click Yield (CY): Measures the overall performance of the entire page, considering both ads and organic content. It is defined as the ratio of total clicks on all items (both ads and organic) over the total number of impressions. $CY_{ij} = \frac{\sum_{n=1}^N Click(i, j, n)}{Imp(i, j)}$ Where $Click(i, j, n)$ is the click for item n in list j, and $Imp(i, j)$ is the number of impressions.	Revenue (REV): For sponsored content, revenue is computed based on the click-through rate (CTR) and cost per click (CPC). $REV_{ij} = \sum_{n=1}^N CTR(i, j, n) \times CPC(i, j, n)$ The CPC is determined by the auction mechanism (usually Generalized Second Price Auction).	The system optimizes the trade-off between revenue (REV) and Click Yield (CY). The optimization problem is defined as: $\max \sum_{i,j} REV_{ij} \cdot x_{ij}$ Subject to the constraint: $\frac{\sum_{i,j} CY_{ij} \cdot x_{ij}}{\sum_{i,j} x_{ij}} \geq T$ Where T is a threshold for the average Click Yield, ensuring user satisfaction.
LinkedIn	[Yan et al. 2020]	Expected Engagement Utility: Measures user actions like clicks, comments, shares, or time spent on organic content. The goal is to maximize engagement with organic content.	Expected Revenue Utility (for ads): Evaluates the revenue generated from ads, typically calculated as the product of the bid amount and the predicted click-through rate (pCTR).	The utility function for ads and organic content is formulated as: $\max \sum_i x_i r_i - \frac{w}{2} \ x\ ^2$ Subject to the engagement constraint: $\sum_i x_i u_{ai} + (1 - x_i) u_{oi} \geq C$ Where: x_i is a decision variable determining whether to place an ad in position i, r_i represents the revenue utility for ad i, u_{ai} and u_{oi} represent the engagement utilities for ads and organic content, respectively, C is the engagement threshold. The shadow bid α acts as a conversion factor to blend the two objectives by equating engagement utility and revenue in a comparable manner.

Table 6. Comparison of Utility/Reward Formulation Approaches across Different Companies

Critical comparison of utility formulations. Table 6 presents four distinct utility formulations from three companies. While all four seek to balance ad revenue with user experience, they differ substantially in how they represent each objective, how the two objectives are combined, and what signals are excluded. Understanding these differences is essential for practitioners selecting or adapting a formulation for their own systems.

Blending mechanism. Two of the four formulations use a linear weighted sum of separate ad and organic reward signals. In DEAR [Zhao et al. 2021], the blended reward is $r_t = r_t^{ad} + \alpha \cdot r_t^{ex}$, where α is a scalar hyperparameter set manually. Similarly, Zhao et al. [Zhao et al. 2020] use $R_{total} = \alpha \cdot R_{rec} + \beta \cdot R_{ad}$, with α and β tuned via live experiments. These additive forms are simple to implement and straightforward to interpret, but they implicitly assume that one unit of ad revenue is commensurable with one unit of engagement, an assumption that is context-dependent and difficult to validate without careful calibration [Hohnhold et al. 2015b]. In contrast, Alibaba [Zhang et al. 2018] avoids direct blending altogether by formulating the problem as constrained optimization: revenue is maximized subject to a minimum Click Yield threshold T . This sidesteps the unit-conversion problem by treating engagement as a hard constraint rather than a term in the objective, but it introduces a different design choice: setting T requires understanding what level of Click Yield is acceptable, which must itself be validated. LinkedIn [Yan et al. 2020] takes a third approach, using a shadow bid α as an implicit conversion factor that translates engagement utility into revenue-equivalent units during the optimization, making the exchange rate explicit and learnable, though it still requires regularization via w to prevent the revenue term from dominating.

Representation of ad reward. The formulations differ considerably in how they define the ad-side reward. DEAR [Zhao et al. 2021] and Zhao et al. [Zhao et al. 2020] use binary signals: a reward of +1 if the user continues browsing after the ad and 0 or -1 if they leave. This is an intuitive proxy for user tolerance of an ad, but it is extremely coarse. It treats all ad exposures that do not immediately cause churn as equally valuable, regardless of whether the user clicked, converted, or simply ignored the ad. Importantly, it also does not capture revenue magnitude: a high-value ad that the user tolerates is treated identically to a low-value ad. Alibaba [Zhang et al. 2018] and LinkedIn [Yan et al. 2020] instead define ad utility in monetary terms, as $CTR \times CPC$ and $bid \times pCTR$ respectively. These formulations are more aligned with the actual revenue objective of the platform, but they require accurate CTR or pCTR estimates, which introduce their own modeling challenges, particularly for rare or cold-start ads [McMahan et al. 2013].

Representation of organic reward. The organic-side signals also vary in richness. Zhao et al. [Zhao et al. 2020] define R_{rec} broadly as an engagement metric (dwell time, clicks, or purchases), leaving the specific operationalization unspecified. DEAR [Zhao et al. 2021] frames the organic reward as a binary user-experience signal identical in structure to its ad reward, which again sacrifices nuance for simplicity. Alibaba's Click Yield [Zhang et al. 2018] is a page-level aggregate that treats organic and ad clicks interchangeably in the numerator, which avoids the need to specify separate organic and ad utilities but loses the ability to distinguish between the two content types or to penalize ad fatigue. LinkedIn [Yan et al. 2020] explicitly separates engagement utilities for ads (u_{ai}) and organic content (u_{oi}) into a shared constraint, making the trade-off structure the most transparent of the four.

Limitations of existing utility formulations. A consistent limitation across all four formulations is the absence of explicit ad fatigue or long-term engagement signals. None of the blended utilities incorporate signals such as session exit rates due to ads, long-term return rates, or repeated exposure effects. As a result, policies optimized under these objectives may extract short-term revenue at the cost of gradual engagement degradation that accumulates over weeks or months and falls outside the observation window of typical A/B tests [Hohnhold et al. 2015b; McDonald et al. 2023b]. Additionally, none of the formulations account for session-level dynamics: the reward at each step is evaluated independently, without modeling how a sequence of ad exposures within a session compounds to affect the final user state. LinkedIn's constrained formulation comes closest to capturing session-level budget effects through its engagement constraint C , but this is a per-decision threshold rather than a cumulative session-level model.

Reported results. Zhao et al. [Zhao et al. 2021] report that their DEAR system, deployed on TikTok’s short-video feed, achieves significant improvements in ad revenue without statistically significant degradation in organic engagement metrics in online A/B tests, though exact magnitudes are not publicly disclosed. Zhao et al. [Zhao et al. 2020] similarly report that their jointly-trained RL policy outperforms baseline bandit approaches in both revenue and engagement metrics in live experiments, with the relative weights α and β validated across a sequence of experiments. Zhang et al. [Zhang et al. 2018] report that their whole-page optimization at Alibaba yields improved revenue while maintaining Click Yield above the specified threshold T in production, demonstrating that a constrained formulation can be practically deployed at scale. Yan et al. [Yan et al. 2020] report improvements in both revenue and user engagement metrics at LinkedIn’s feed, with the shadow bid approach enabling the system to adaptively balance monetization and organic quality as traffic conditions change.

Guidance for practitioners. The choice of utility formulation involves a fundamental trade-off between simplicity, revenue fidelity, and organic representativeness. The binary reward formulations (DEAR, Zhao et al. 2020) are the easiest to implement and require no revenue model, making them suitable for early-stage systems or platforms where revenue attribution is difficult. However, their coarseness limits optimization precision. The monetary utility formulations (Alibaba, LinkedIn) more faithfully represent actual platform revenue objectives, but they depend on accurate pCTR models and require setting additional hyperparameters such as the Click Yield threshold T or the regularization weight w . The constrained formulation of Alibaba is particularly well-suited when engagement is treated as a non-negotiable floor, since it directly encodes that requirement without requiring a precise conversion factor between engagement and revenue. LinkedIn’s shadow-bid approach is appropriate when the conversion factor itself is a key design variable and is expected to vary across user segments or over time. Across all four approaches, none addresses long-term ad fatigue directly; practitioners operating in contexts where user retention is a primary concern should augment these formulations with explicit long-term holdout metrics [Hohnhold et al. 2015b] or consider incorporating delayed engagement signals into the reward function [McDonald et al. 2023b].

4.3 Action Space Representation

This subsection addresses a design question in monetization-aware recommendation systems: how should the action space be structured to support effective policy learning? We introduce four structural properties that industrial and academic systems implicitly or explicitly appeal to when designing ad-policy action spaces: expressiveness, orthogonality, interpretability, and consistency. This taxonomy is synthesized from recurring design considerations across published systems rather than inherited from any single source, and we use it to compare how those systems trade the properties against each other. The subsection first defines the action space formally, then analyzes each property with the trade-offs and design choices it implies, and finally summarizes how these properties map to the concrete levers used in production.

In RL, an action $a \in \mathcal{A}$ is a decision or intervention taken by the agent based on its current state to influence the environment. The action space $\mathcal{A}$ is the complete set of actions available to the agent at any decision point [Sutton and Barto 2018]. In ad recommendation, $\mathcal{A}$ consists of all combinations of ads, placements, and formats that the system can deliver [Ie et al. 2019b]. Selecting among these actions aims to maximize platform revenue while maintaining or improving user engagement [Zhao et al. 2020]. Although $\mathcal{A}$ is technically discrete, the number of combinations grows exponentially with the number of candidate ads and available slots. Enumerating or evaluating every action individually is therefore computationally infeasible, and the space must be treated using methods

designed for high-dimensional discrete decision problems [Dulac-Arnold et al. 2021; Ie et al. 2019a]. Narrowing $\mathcal{A}$ to a tractable subset involves trade-offs that the four properties below make explicit.

Expressiveness. The action space must be rich enough to represent every meaningful intervention the system can make, but richer spaces enlarge the learning problem. SlateQ [Ie et al. 2019b] exposes every item-slot combination in a slate and recovers tractability through a per-item Q-value decomposition under user-choice assumptions. DEAR [Zhao et al. 2021] restricts the action to a small discrete set of ad-placement decisions per request, trading representational power for sample efficiency and offline stability. LinkedIn’s constrained formulation [Yan et al. 2020] encodes the action as a continuous shadow-bid multiplier, which retains fine-grained control without the combinatorial blow-up of slate-level actions. The design choice is therefore a trade-off between coverage of possible interventions and the sample complexity of learning an effective policy over them [Dulac-Arnold et al. 2021].

Orthogonality. Independently adjustable levers simplify attribution and A/B analysis, but treating levers as orthogonal can misrepresent coupled mechanisms in the underlying system [Koutsopoulos and Spentzouris 2016]. In production, ad load, placement, and quality are rarely independent: increasing ad load typically forces lower-quality creatives into later slots, a coupling explicitly modeled in Alibaba’s whole-page optimization [Zhang et al. 2018]. Systems that treat levers as independent, such as slot-level controllers in DEAR [Zhao et al. 2021], gain debuggability and simpler offline evaluation at the cost of ignoring these couplings, which can manifest as unmodeled variance during deployment [Hohnhold et al. 2015b]. The trade-off is between analytic clarity and faithfulness to the real coupling structure of the system.

Interpretability. Actions with human-readable meaning support pre-launch review, but restricting the action space to such forms limits the behaviors a policy can express. Horizon [Gauci et al. 2018] exposes high-level business levers to engineers, which enables tracing learned decisions back to upstream signals such as commercial intent scores. LinkedIn’s shadow bid [Yan et al. 2020] is similarly interpretable because operators can read the exchange rate between engagement and revenue directly from the learned parameter. SlateQ [Ie et al. 2019b], by contrast, exposes only a state-conditional slate of (ad, slot) pairs with no low-dimensional summary, so reviewers cannot characterize the policy’s behavior by inspection and must defer to live A/B measurement [Dulac-Arnold et al. 2021; Glanois et al. 2024; Verma et al. 2018]. The trade-off is between the breadth of behaviors the policy can express and the ability of operators to vet it before deployment.

Consistency. Taking the same action in the same state should yield statistically predictable outcomes over many episodes [Puterman 2014]. The expected engagement and monetization outcomes for a given state-action pair should be stable enough that repeated exposure enables accurate estimation of long-term value [McMahan et al. 2013; Zhao et al. 2018a]. In practice this assumption is violated by non-stationary user preferences, seasonality, and auction dynamics [Dulac-Arnold et al. 2021; Hohnhold et al. 2015b]. Systems address the gap with different mechanisms: off-policy evaluation with importance weighting [Swaminathan and Joachims 2015], off-policy bandit learning that re-estimates under the current logging policy [Sagtani et al. 2024], and frequent retraining on rolling windows in deployed platforms [Gauci et al. 2018]. The trade-off is between the data efficiency gained from assuming stationarity and the drift risk accumulated over long training windows.

Table 7 summarizes how four representative systems operationalize the four properties. No system satisfies all four cleanly; each makes an explicit trade-off based on its deployment context.

The four properties are operationalized in production through levers that map directly onto the entries in Table 7. Typical levers include the following [Koutsopoulos and Spentzouris 2016]:

Property	DEAR [Zhao et al. 2021]	SlateQ [Ie et al. 2019b]	LinkedIn [Yan et al. 2020]	Alibaba [Zhang et al. 2018]
Expressiveness	Small discrete set per request	Full slate, per-item decomposition	Continuous shadow-bid multiplier	Whole-page joint selection
Orthogonality	Levers independent per slot	Coupled via user-choice model	Coupled via engagement constraint	Coupled across page positions
Interpretability	Binary placement lever, readable	Per-item Q-values, moderately readable	Direct engagement-revenue exchange rate	Page-level utility, low readability
Consistency mechanism	Offline replay on logged data	Simulator-based training	Off-policy logging with re-estimation	Constrained optimization under live traffic
Primary trade-off	Simplicity vs. fine-grained control	Expressiveness vs. choice-model assumption	Flexibility vs. accuracy of pCTR estimates	Global optimality vs. attribution clarity

Table 7. Comparison of action-space design choices across representative ad-policy systems. Each row corresponds to one of the four structural properties introduced in this subsection; each column describes how a published system operationalizes that property. The final row states the primary trade-off each system accepts as a consequence of its choices.

- **Ad Load.** The frequency or spacing of ads in the feed. Placing ads too closely together can lead to user fatigue and reduced click probabilities [Abrams and Vee 2007; Zhao et al. 2020].
- **Ad Quality.** Intrinsic features of the ad, such as design format, product type, accompanying text, and landing-page quality, all of which influence user engagement [Nielsen 2017; Yan et al. 2009].
- **Ad Placement.** The position of the ad within the feed. Ads placed earlier are more likely to be clicked, though relevance to surrounding content also plays a significant role [Saha et al. 2021; Yuan et al. 2020; Zhao et al. 2020].
- **Ad Relevance.** The alignment between the ad and user preferences or intent. Ads shown adjacent to related organic content, such as a hotel ad next to vacation-related search results, are more likely to drive engagement [Chakrabarti et al. 2008; Zhou et al. 2018].

Taken together, the four properties and their associated trade-offs provide a structured way to compare published systems and to reason about which design choices are appropriate for a given deployment context. The next subsection turns to the state space, which defines the context in which these actions are taken.

4.4 State Space Representation

The preceding subsection examined how to structure the action space. This subsection addresses the corresponding question for the state space in policies that jointly rank ads and organic content in large-scale recommendation systems: what information must the state encode so that the policy can balance short-term monetization against long-term user engagement across successive interactions? To compare representative systems, we use five structural properties as an analytical lens: Markovianity, expressiveness, stability under distribution shift, sample efficiency, and interpretability. As with the action-space taxonomy in the preceding subsection, this set is synthesized from recurring design considerations across the systems reviewed here rather than inherited from any single source or presented as a field-wide consensus taxonomy. The subsection first defines the

state space formally, then analyzes each property with the trade-offs and design choices it implies, and finally summarizes how representative systems operationalize them.

In RL, a *state* $s \in \mathcal{S}$ denotes the information on which the agent conditions when selecting an action. Together with the action space $\mathcal{A}$, a transition kernel $P(s' \mid s, a)$, a reward function $R(s, a)$, and a discount factor $\gamma \in [0, 1)$, the state space is one component of the Markov decision process (MDP) used as the standard formal framework for RL [Puterman 2014; Sutton and Barto 2018]. In monetization-aware ranking, a single state instance typically aggregates user-level signals (e.g., identifiers, demographics, long-term preference embeddings), session-level context (e.g., recent engagement, dwell time, device), and platform-level features (e.g., current ad load, inventory composition, the slate rendered so far) at the time of a decision [Ie et al. 2019b; Xia et al. 2023; Zhao et al. 2021]. Because only a subset of the latent user intent and platform dynamics is observable through these signals, constructing s is itself a design problem.

Markovianity. A state is Markovian when it contains everything needed to predict the next user-level outcome and monetization signal given the chosen action, with no additional information to be gained from the prior trajectory [Puterman 2014]. Markovianity matters because the value estimators, off-policy methods, and policy-gradient updates used to learn ad ranking decisions all assume the next reward depends only on (s, a) . When it does not, $Q(s, a)$ averages over unobserved trajectory states, increasing the variance of counterfactual value estimates learned from logged feedback [Swaminathan and Joachims 2015]. In ad policies, exact Markovianity is generally unrealistic: user intent and long-term satisfaction are partially observable, seasonality and auction dynamics shift over days to weeks, and new inventory arrives continuously [Dulac-Arnold et al. 2021; Hohnhold et al. 2015b]. The practical question is therefore how Markovian the state must be for those measurements to remain stable across retraining cycles. Published systems address this issue by extending the state with longer behavioral histories (DIN [Zhou et al. 2018], PinnerFormer [Pancha et al. 2022]) or by compressing long histories into fixed-size representations through self-attention modules (SASRec [Kang and McAuley 2018b], TransAct [Xia et al. 2023]). The trade-off is between the bias introduced by ignoring trajectory history and the sample complexity added by enlarging the effective state dimension.

Expressiveness. A useful state representation should encode the axes a joint ad / organic policy needs in order to distinguish between users, sessions, and slate contexts. In monetization-aware ranking, expressiveness has three components: user-level signals that separate long-term commercial intent from casual browsing (PinnerFormer [Pancha et al. 2022], DIN [Zhou et al. 2018]), session-level signals that capture short-term context such as recent dwell or query intent (TransAct [Xia et al. 2023]), and platform-level signals that describe what has already been rendered on the page, including the slate-so-far state used by SlateQ [Ie et al. 2019b] and the request-level features used by DEAR [Zhao et al. 2021]. Adding axes can broaden the policy class, but it also enlarges s , which raises serving latency, model size, and the variance of the off-policy gradient estimator [Liu et al. 2022; Naumov et al. 2019; Swaminathan and Joachims 2015]. The trade-off is between covering the decision-relevant variation in the population and keeping s small enough that value estimates remain statistically stable.

Stability under distribution shift. The state representation should remain informative as the logging policy, ad inventory, and user behavior change between training cycles [Gama et al. 2014; Hohnhold et al. 2015b]. One recurring pattern in large-scale recommender systems combines slower-changing user or item representations with features refreshed closer to serving time, such as recent engagement, trending content, or current ad load [Liu et al. 2022; Xia et al. 2023; Zhang et al. 2024]. The slower-changing component is intended to smooth short-horizon noise and remain stable across retraining cycles, while the near-real-time component captures drift fast enough that the policy does not become stale between deployments. Representations that lean entirely on

dense online features chase short-term signal at the cost of unstable Q-value estimates across A/B windows; representations that lean entirely on offline features are robust to drift but slow to react to new inventory or campaign launches. The trade-off is between responsiveness to behavioral drift and the stability of value estimates over the retraining horizon.

Sample efficiency. Off-policy estimators, policy-gradient updates, and counterfactual evaluators all require enough (s, a, r) tuples per region of state space to estimate $Q(s, a)$ with controllable variance [Levine et al. 2020; Swaminathan and Joachims 2015]. As the dimensionality of s grows, the effective sample density per region drops, inflating the variance of importance-sampled estimates and slowing actor convergence [Dulac-Arnold et al. 2021]. Engineered low-dimensional features such as commercial-intent scores, ad-load history, or dwell quantiles can converge faster from the same logged volume, but they encode the designer’s prior about which axes matter, and that prior bounds the policy class [Zhao et al. 2021]. The trade-off is between the bias accepted from feature engineering and the sample volume required to learn over a higher-dimensional learned representation.

Interpretability. State components with human-readable meaning let operators trace policy behavior to upstream signals, support pre-launch review, and isolate regressions when A/B lifts move [Gauci et al. 2018; Glanois et al. 2024]. Engineered features such as commercial-intent scores, recency buckets, or ad-load counters allow a reviewer to predict roughly how the policy will respond before traffic is sent. Embedding-dominated states such as those used by PinnerFormer [Pancha et al. 2022] and TransAct [Xia et al. 2023] often expose no low-dimensional summary an operator can read, so behavioral validation defers to live A/B measurement. The trade-off is between the breadth of behavior the state can support and the ability of operators to vet the policy before deployment, mirroring the same trade-off identified in the action-space subsection.

Table 8 summarizes how four representative systems operationalize the five properties. As with the action-space comparison in the preceding subsection, no system satisfies all five cleanly; each accepts an explicit trade-off based on its deployment context.

Reported results. Zhao et al. [Zhao et al. 2021] evaluate DEAR on TikTok’s short-video feed and report that the request-level state representation supports ad revenue improvements without statistically significant degradation in organic engagement in online A/B tests, though exact magnitudes are not publicly disclosed. Ie et al. [Ie et al. 2019b] evaluate SlateQ in the RecSim simulator [Ie et al. 2019a] before deploying to a YouTube-scale service, and report that state representations including the slate-so-far context yield gains on a long-term user satisfaction metric relative to myopic slot-level baselines. Pancha et al. [Pancha et al. 2022] evaluate PinnerFormer at Pinterest against prior user-embedding baselines and report that a single user embedding trained on a multi-week engagement sequence yields meaningful offline retrieval-quality gains and online engagement lift across Home feed and related surfaces. Xia et al. [Xia et al. 2023] evaluate TransAct at Pinterest as a ranking-stage augmentation over PinnerFormer, and report that combining the long-horizon embedding with a real-time session sequence yields additional engagement lift, with the offline component absorbing long-term user signal and the real-time sequence capturing immediate intent. Zhou et al. [Zhou et al. 2018] evaluate DIN on Alibaba display advertising and report AUC improvements over a deep CTR baseline by attending to prior user behavior conditional on the candidate ad. Across these reports, state-representation choices are evaluated through a combination of offline replay on logged interactions, simulator-based ablation, and live A/B measurement; in our review of these papers, none share random seeds, hyperparameter search spaces, or full reproducibility artifacts, which limits cross-system comparison to the qualitative axes in Table 8.

Before discussing the levers that shape these properties, we summarize the representational building blocks that s is typically assembled from in ad + organic systems. *User embeddings* encode

Property	DEAR [Zhao et al. 2021]	SlateQ [Ie et al. 2019b]	PinnerFormer [Pancha et al. 2022]	TransAct [Xia et al. 2023]
Markovianity	Request-level features with short engagement history	User context with slate-so-far; user-choice model assumed	Fixed-size embedding summarizing multi-week engagement trajectory	Long-term embedding combined with real-time session sequence
Expressiveness	Engineered low-dimensional per-request features	Full slate with per-item decomposition	Single user embedding capturing long-term preference structure	Session sequence plus long-term embedding covering both horizons
Stability under distribution shift	Drift absorbed through frequent retraining on rolling windows	Simulator-based training; drift handling not explicitly reported	Daily batch refresh; stable across retrain cycles, slow to inventory shifts	Explicit offline / online split, directly targeting drift
Sample efficiency	Low-dimensional state converges quickly from logged data	Per-item Q decomposition reduces sample complexity per slate	Pre-trained embedding shares signal across downstream tasks	Self-attention compression controls cost of higher state dimensionality
Interpretability	Engineered features readable by operators	Per-item Q-values partially readable; slate behavior not	Embedding-only; opaque to pre-launch review	Embedding-dominated; behavioral validation requires A/B
Primary trade-off	Simplicity vs. coverage of long-term behavior	Choice-model assumption vs. slate-level expressiveness	Long-horizon stability vs. responsiveness to fresh inventory	Expressiveness and stability vs. serving latency and model size

Table 8. Comparison of state-representation design choices across representative ad-recsys systems. Each row corresponds to one of the five structural properties introduced in this subsection; each column describes how a published system operationalizes that property. The final row states the primary trade-off each system accepts as a consequence of its choices.

long-term commercial intent, preference structure, and behavioral regularities (PinnerFormer [Pancha et al. 2022], DIN [Zhou et al. 2018]); they give the policy a population-level prior over which ad categories are relevant before any session-specific signal arrives. *Ad features* encode sparse attributes such as ad identity, campaign, product category, or advertiser context, helping the policy generalize across ads with limited interaction history [Cheng et al. 2016; McMahan et al. 2013]. *User-ad interaction features*, whether computed as dot products, cross features, or attention over recent impressions [Cheng et al. 2016; Zhou et al. 2018], expose the fit between a specific ad and the current user; they are the axis most directly predictive of click and conversion and are the one most sensitive to distribution shift. *Contextual signals* (location, device, time, slate-so-far) anchor the representation when longer histories are weak or absent [Zhao et al. 2021]. Each lever below acts on one or more of these building blocks.

The five properties are operationalized in production through a small set of state-representation levers that recur across published systems:

- **Long-history user embeddings.** Extend s along the temporal axis to reduce history dependence and broaden expressiveness, at the cost of sample efficiency (PinnerFormer [Pancha et al. 2022], DIN [Zhou et al. 2018]).

- **Sequence compression.** Apply self-attention modules to reduce a long behavioral history to a fixed-size summary, recovering sample efficiency without discarding the temporal signal (SASRec [Kang and McAuley 2018b], TransAct [Xia et al. 2023]).
- **Offline / online representation decomposition.** Combine slow-changing batch-computed representations with near-real-time user or context features to target stability under distribution shift while controlling serving latency [Liu et al. 2022; Xia et al. 2023; Zhang et al. 2024].
- **Engineered contextual features.** Anchor s with low-dimensional human-readable signals (location, device, ad-load history, onboarding interests) to support interpretability and address the cold-start regime when long histories are unavailable [Covington et al. 2016].

These levers are typically combined: heterogeneous embeddings are concatenated and projected through learned linear layers into a shared dimension [Covington et al. 2016; Grbovic and Cheng 2018; Pancha et al. 2022], with zero-padding and truncation avoided because they inject noise or cause information loss [Xia et al. 2023]. The set of levers a system enables, rather than any single architectural choice, determines where it lands on the property trade-offs above.

Guidance for practitioners. The choice of state representation involves a trade-off between expressiveness, sample efficiency, serving cost, and the ability to audit policy behavior before deployment. Engineered low-dimensional states such as those used in DEAR [Zhao et al. 2021] are appropriate for early-stage systems, surfaces with limited logged volume, or deployments where pre-launch interpretability is a regulatory or product constraint; their sample efficiency and readability come at the cost of coverage of long-term user behavior. Slate-so-far representations with user-choice decomposition, as in SlateQ [Ie et al. 2019b], are appropriate when the action space is genuinely slate-level and the user-choice assumption is defensible for the target surface; they extend expressiveness without forcing exhaustive enumeration of slates, but require simulator or counterfactual infrastructure to validate the user-choice model itself. Long-horizon user embeddings such as PinnerFormer [Pancha et al. 2022] and DIN [Zhou et al. 2018] are appropriate when long-term engagement is the primary objective, the platform has sufficient daily active users to stabilize embedding training, and mature batch-compute infrastructure is already in place; practitioners operating below this scale should expect the sample-efficiency trade-off to dominate. Hybrid offline / online representations such as TransAct [Xia et al. 2023] and large-scale online user-representation systems for ads personalization [Zhang et al. 2024] are appropriate for mature production systems where both drift responsiveness and long-term signal matter, and where the serving stack can accept the latency overhead of real-time sequence encoding. Among the systems compared here, none directly addresses the joint ad + organic-content attribution problem in its state design; practitioners optimizing for the balance between monetization and organic engagement should augment the state with organic-slot context (surrounding organic quality, recent organic dwell) or combine state-space extensions with the constrained-reward formulations discussed in Section 4.3 [Yan et al. 2020; Zhang et al. 2018].

Taken together, the five properties, the comparison in Table 8, and the levers above provide a structured way to compare how published systems construct s and to reason about which representational choices are appropriate for a given deployment context. The next subsection turns to policy learning, which determines how the agent uses (s, a, r) tuples drawn from this state space to update its decision rule.

4.5 Policy Learning

This subsection defines the ad-serving policy, contrasts deterministic and stochastic formulations, and organizes policy learning around two recurring distinctions: offline versus online learning,

and value-based versus policy-based optimization. For each distinction, it discusses advantages, limitations, and practitioner considerations for when one approach may be preferred over another, with examples of hybrid approaches used in large-scale recommendation and ad-serving systems.

In the context of ad policy optimization, the policy $\pi(a|s)$ maps a state $s \in \mathcal{S}$ to an action $a \in \mathcal{A}$ in order to maximize expected reward [Sutton and Barto 2018]. The action a represents the decision available to the policy, which may encode a concrete ad or slate selection, or a control lever such as ad load, placement, format, or pricing threshold, as detailed in Section 4.3 [Ie et al. 2019c; Zhang et al. 2018; Zhao et al. 2021]. The state s represents the information available to the policy when making that decision, which may include the user’s profile, browsing history, user-item interactions, session context, and inferred commercial intent, as discussed in Section 4.4 [Pancha et al. 2022; Xia et al. 2023; Zhou et al. 2019]. Policies differ in how they choose among candidate actions: a deterministic policy maps the same state to the same action, whereas a stochastic policy samples an action from a probability distribution over candidate actions [Sutton and Barto 2018].

In many large-scale recommendation and ad-serving systems, learned policies are stochastic or include stochastic exploration mechanisms, whereas simpler or older systems may use deterministic rules, such as inserting a fixed ad after a fixed number of organic impressions [Gauci et al. 2018; Zhao et al. 2021]. Stochastic policies are useful because they support exploration: the system can sample from multiple plausible actions rather than always selecting the historically best-performing one [Russo et al. 2018; Sutton and Barto 2018]. This can help the system continue exploring uncertain user-ad or user-slate matches, rather than locking prematurely onto the current best estimate [Bietti et al. 2021; Russo et al. 2018; Zhao et al. 2021]. Such exploration is especially relevant when feedback is sparse, delayed, or tied to long-term outcomes [Mazouze et al. 2021; Zou et al. 2019]. Stochastic policies also provide a practical mechanism for decision-making under uncertainty and partial information [Dulac-Arnold et al. 2021; Russo et al. 2018]. When objectives such as monetization and long-term engagement conflict, randomized or probabilistic action selection can preserve learning opportunities while the system estimates which actions perform best under different contexts [Bietti et al. 2021; Jannach and Abdollahpouri 2023; Mehrotra et al. 2020]. Deterministic policies can encode complex tradeoffs, but they may require manual retuning as user behavior, inventory, or auction conditions shift. Stochastic policies, by contrast, can update action probabilities as additional feedback becomes available [Gauci et al. 2018; Russo et al. 2018].

4.5.1 Offline vs Online Policy Learning. This subsubsection explains why large-scale ad systems often begin with offline policy learning before introducing online updates, and compares the safety, scalability, and adaptation trade-offs of the two approaches. Depending on whether the agent learns by training on historical data or by interacting with the environment in real time, policy learning can be categorized as either offline or online [Sutton and Barto 2018]. In offline policy learning, models are trained on logged interactions before they are exposed to live traffic. This makes offline learning a common starting point for large platforms because it supports policy screening, counterfactual evaluation, and long-horizon reward estimation before exposing a candidate policy to live traffic [Chen et al. 2022; Gauci et al. 2018; Levine et al. 2020].

For example, an ad-ranking policy can be trained from historical impression logs that record the user state, the ad or slate shown, and later reward signals such as clicks, conversions, revenue, or retention proxies [Chen et al. 2022; Swaminathan and Joachims 2015; Zhao et al. 2021]. Methods such as Monte Carlo return estimation are useful when the relevant outcome is delayed, but they depend on complete and representative logged trajectories and can become sample-inefficient or high-variance when feedback is sparse [Dulac-Arnold et al. 2019; Levine et al. 2020; Sutton and Barto 2018]. Thus, offline learning is most useful as a risk-controlled evaluation and initialization stage, not as a substitute for carefully staged online validation.

Logged data only contains actions chosen by the historical policy, which means there is no direct visibility into what would have happened if alternative actions had been taken in the same context [Swaminathan and Joachims 2015]. This lack of counterfactual information makes it difficult to evaluate or iterate on new policies. However, methods such as inverse propensity scoring (IPS), which re-weights logged rewards to approximate outcomes under a different policy, and doubly robust estimators, which combine IPS with model-based value predictions, can help address this challenge [Dudík et al. 2011; Levine et al. 2020; Swaminathan and Joachims 2015]. These approaches enable limited forms of counterfactual reasoning, especially when the new policy does not diverge too far from the one that generated the data.

In ad policy optimization, this limitation arises when the log contains little or no data for a candidate ad action in a given user context. A function approximator trained over related state-action pairs may still estimate the action's expected return. It does so by generalizing from similar users, sessions, ads, and placements. These estimates can support limited counterfactual reasoning when the target action is close to regions with sufficient logged support. If the logged data contains few similar examples, however, the estimate becomes much less reliable [Levine et al. 2020; Swaminathan and Joachims 2015].

Online policy learning complements offline learning by collecting new feedback for candidate actions that were rarely or never selected by the previous policy. In practice, large platforms rarely expose an unconstrained RL agent directly to all traffic. They usually introduce online learning through controlled mechanisms such as contextual-bandit updates [Bietti et al. 2021; Li et al. 2010; Mehrotra et al. 2020; van den Akker et al. 2024], staged traffic ramps, feature gates, or actor-critic policies monitored with guardrail metrics [Chen et al. 2022; Gauci et al. 2018; Xu et al. 2023]. These mechanisms allow the system to test candidate ad-load, placement, or ranking actions, observe fresh click, conversion, revenue, and engagement feedback, and update the policy as user behavior, inventory, or auction conditions change. The benefit is adaptivity; the cost is that exploration can temporarily serve suboptimal ads or ad loads, so online learning is typically used after offline evaluation and under rollout controls [Chen et al. 2022; Dulac-Arnold et al. 2021; Gauci et al. 2018; Xu et al. 2023].

To mitigate risks and costs of online exploration, large-scale systems commonly begin with offline training or offline evaluation before controlled online rollout [Chen et al. 2022; Gauci et al. 2018; Levine et al. 2020]. Online policy updates are introduced gradually via controlled bandit loops, feature gates, or soft rollouts. This hybrid approach of offline-then-online policy learning is commonly seen in industry. In their offline RL system, YouTube trained an actor-critic model entirely on logged user interaction data, using Monte Carlo returns to estimate long-term value, and only deployed policies to production after thorough offline evaluation [Chen et al. 2022]. At Meta, the Horizon platform first trains policies offline and uses counterfactual policy-evaluation methods, including doubly robust estimators, before deploying policies through gated rollouts, which refer to the controlled and staged release of new policies to a limited portion of traffic in order to minimize risk during online learning [Gauci et al. 2018]. Spotify similarly adopts a cautious approach by first optimizing contextual bandit policies offline, and then introducing online learning through incremental updates and careful exploration strategies [Mehrotra et al. 2020]. Table 9 summarizes the practical distinction between offline learning, online learning, and the hybrid rollout pattern that commonly connects them.

4.5.2 Value-based vs Policy-based Learning. This subsection compares value-based, policy-based, and hybrid policy-learning methods, highlighting their trade-offs and when each is most useful for ad-policy optimization in industrial recommender systems.

Pattern	Role in ad-policy learning	Typical mechanism	Main trade-off
Offline learning	Screen and initialize candidate policies before live exposure [Chen et al. 2022; Gauci et al. 2018; Levine et al. 2020]	Train on logged impressions, estimate long-horizon returns, and use counterfactual policy evaluation [Chen et al. 2022; Dudík et al. 2011; Swaminathan and Joachims 2015]	Lower deployment risk, but estimates are unreliable for actions rarely selected by the previous policy [Levine et al. 2020; Swaminathan and Joachims 2015]
Online learning	Collect fresh feedback for candidate ad-load, placement, or ranking actions [Bietti et al. 2021; Li et al. 2010; van den Akker et al. 2024]	Use contextual-bandit updates, guarded policy updates, or on-policy RL under monitoring [Gauci et al. 2018; Mehrotra et al. 2020; Xu et al. 2023]	More adaptive to changing users, inventory, and auctions, but exploration can temporarily serve suboptimal ads or ad loads [Dulac-Arnold et al. 2021]
Offline-then-online rollout	Combine offline screening with limited live validation before broad deployment [Chen et al. 2022; Gauci et al. 2018; Mehrotra et al. 2020]	Start with offline training or evaluation, then introduce updates through feature gates, staged traffic ramps, or soft rollouts [Chen et al. 2022; Gauci et al. 2018]	Balances safety and adaptivity, but requires monitoring, guardrails, and careful rollout design [Dulac-Arnold et al. 2021; Gauci et al. 2018]

Table 9. Practical comparison of offline, online, and hybrid policy-learning patterns in ad-policy optimization.

RL algorithms can be divided into value-based and policy-based methods based on how they learn to make decisions to maximize cumulative rewards [Sutton and Barto 2018]. Value-based methods first estimate the value of states or state-action pairs and then derive a policy from these estimates, whereas policy-gradient methods learn a parameterized policy by optimizing expected cumulative reward directly [Williams 1992]. In other words, value-based methods focus on learning the utility of states or actions and derive the optimal behavior indirectly by acting greedily with respect to this learned value. Policy-gradient methods, in contrast, optimize the policy itself, although hybrid actor-critic methods often add a value estimate to stabilize learning [Chen et al. 2022; Mnih et al. 2016].

Because value-based methods rely on greedy action selection to determine the next best action, they require comparing the estimated value of possible actions at each decision point [Sutton and Barto 2018; Zhu et al. 2021]. As the number of available actions grows, and as the agent encounters more states during interaction, this comparison becomes harder to scale [Dulac-Arnold et al. 2021]. For this reason, value-based methods are particularly well-suited for environments with discrete or low-dimensional action spaces, where scoring candidate actions and comparing their estimated values remains computationally feasible [Zhu et al. 2021]. In ad-policy settings, value-based formulations appear in personalized ad recommendation, sponsored-search real-time bidding, and budget-constrained display advertising, where the learner estimates the long-term value of candidate ad actions before deriving a policy [Theocharous et al. 2015; Wu et al. 2018a; Zhao et al. 2018a].

In policy-based learning, the agent directly adjusts the decision rule used at each decision point to maximize expected cumulative reward, rather than first estimating the value of every candidate action at that decision point and then choosing the action with the highest estimated value. Formally, the goal is to learn a parameterized policy $\pi_\theta(a | s)$, where θ denotes the parameters of the policy [Williams 1992]. In large-scale recommendation and ad-serving systems, these parameters are often the weights of a model that maps user, item, and context features to action probabilities [Chen

et al. 2022; Zhao et al. 2021]. Neural network-based policies are common in modern industrial RL and recommendation settings due to their expressiveness and scalability, making them particularly well-suited for environments with complex and high-dimensional state spaces [Lin et al. 2023]. Formally, the objective function to be maximized is the expected cumulative reward under the policy:

$$J(\theta) = \mathbb{E}_{\tau \sim \pi_\theta} \left[\sum_{t=0}^{\infty} \gamma^t R_{t+1} \right] \quad (1)$$

where τ denotes the user or session trajectory induced by the policy, including the sequence of observed states, selected ad-policy actions, and resulting feedback signals [Chen et al. 2022; Zhao et al. 2021]. Policy-gradient methods estimate the gradient of the expected return with respect to the policy parameters [Sutton and Barto 2018; Williams 1992], commonly written as:

$$\nabla_\theta J(\theta) = \mathbb{E}_{\pi_\theta} [\nabla_\theta \log \pi_\theta(a | s) \cdot Q^{\pi_\theta}(s, a)] \quad (2)$$

where $Q^{\pi_\theta}(s, a)$ is the action-value function under the current policy [Sutton and Barto 2018]. In ad-ranking systems, this value term can be interpreted as an estimate of the downstream return associated with selecting a candidate ad-policy action in the current user or session context [Chen et al. 2022; Zhao et al. 2021]. Since the goal is to maximize return, gradient ascent, not descent, is used [Williams 1992]. Common policy-based RL algorithms include REINFORCE, Proximal Policy Optimization (PPO), Trust Region Policy Optimization (TRPO), and actor-critic methods, which combine policy and value learning in a hybrid architecture [Mnih et al. 2016; Schulman et al. 2015, 2017; Williams 1992].

Policy-based methods can be more useful when exploration should vary by user or context, because the policy directly learns the parameters of an action distribution rather than relying on a fixed exploration rule. Unlike a greedy value-based policy that selects $\arg \max_a Q(s, a)$, a parameterized ad policy can assign probabilities directly to candidate actions such as ad-load levels, insertion positions, bids, or slate choices in the current user and auction context [Xu et al. 2023; Zhao et al. 2021]. Value-based systems can still explore through mechanisms such as ϵ -greedy action selection, but the exploration rule is usually specified separately from the learned value estimates [Dulac-Arnold et al. 2021; Kaelbling et al. 1996].

Policy-based methods also have important limitations. Gradient estimates from sampled trajectories can have high variance, which can lead to unstable learning and slow convergence [Schulman et al. 2015; Williams 1992]. Because pure policy-gradient methods do not learn an explicit value function for action evaluation, they can also require more samples than value-based methods in large-scale environments [Dulac-Arnold et al. 2021]. To address these limitations, many large-scale production systems adopt hybrid approaches that combine direct policy learning with value estimation, most notably actor-critic architectures [Chen et al. 2022; Gauci et al. 2018]. In these methods, the actor learns the policy while the critic provides lower-variance value estimates that stabilize policy updates, managing the bias-variance trade-off without giving up direct optimization of the policy objective [Chen et al. 2022; Mnih et al. 2016].

Put simply, value-based and policy-based methods differ in what the model learns. Consider a request in which the system must choose between two ad-load actions: in a simplified hypothetical setting, a low ad load might mean ads occupying 10% of the feed slots, whereas a high ad load might mean ads occupying 50% of the feed slots. A value-based method first estimates the expected return of each action in the current user context s , for example $Q(s, \text{low ad load})$ and $Q(s, \text{high ad load})$, and then derives a policy by choosing the action with the larger estimated value. A policy-based method instead trains a model whose direct output is the action distribution $\pi_\theta(a | s)$; for the same request, the model might assign 0.75 probability to low ad load and 0.25 probability to high ad load.

The value-based vs policy-based taxonomy offers a useful lens for categorizing RL approaches in ad policy optimization, based on how decisions are learned to maximize cumulative rewards [Lin et al. 2023; Zhao et al. 2021]. Large-scale ad systems such as Google Ads have long relied on supervised prediction models for immediate outcomes such as click prediction [McMahan et al. 2013]. Value-based RL formulations, by contrast, have been explored for personalized ad recommendation, sponsored-search real-time bidding, and budget-constrained display advertising, where the learner estimates the long-term value of candidate ad actions before deriving a policy [Theocharous et al. 2015; Wu et al. 2018a; Zhao et al. 2018a]. It is also possible to optimize for the ad policy directly in a more flexible formulation [Williams 1992]. For instance, rather than predefining a limited set of treatment arms, TikTok used Proximal Policy Optimization (PPO) to learn a stochastic ranking policy that directly maps user context to slates of ads [Zhao et al. 2021]. This approach can handle potentially large or complex sets of ads more flexibly, allowing for direct parameterization of the stochastic policy [Dulac-Arnold et al. 2021; Ie et al. 2019b].

There are well-documented industry examples of the use of actor-critic methods in ad recommendations. For example, Facebook reported that RL models (including off-policy actor-critic methods) trained on its Horizon platform outperformed and even replaced previous supervised recommendation systems in tasks like notifications and video ranking [Gauci et al. 2018]. YouTube introduced an off-policy actor-critic approach to augment their previous REINFORCE agent (policy-gradient based) by adding a critic network that estimates Q-values via temporal difference (TD) learning [Chen et al. 2022]. The use of Q-value estimates enables lower-variance policy updates compared to Monte Carlo returns; one-step importance correction offers more robust handling of off-policy data than full-trajectory importance sampling; and bootstrapping with one-step TD targets improves the estimation of long-term rewards [Chen et al. 2022].

Actor-critic methods are particularly useful in multi-objective settings where both revenue and user engagement must be balanced, and where using logged data for offline training is desired [Cai et al. 2023]. To this end, two-staged constrained actor-critic methods have been effectively used to optimize the main objective while enforcing guardrail constraints through a constrained MDP formulation. In stage one, multiple actor-critic agents learn to optimize auxiliary objectives (e.g. engagement such as likes, saves, and shares). In stage two, a primary actor-critic learns a policy maximizing the main objective (e.g. revenue, ad clicks) while staying close to the auxiliary policies to satisfy those constraints. This two-tier actor-critic approach achieved a superior balance: offline experiments showed it outperformed alternative RL methods on the trade-off between watch time and other interaction metrics [Cai et al. 2023].

Across these approaches, the structure and cardinality of the action and state spaces, the calibration of exploration vs exploitation, the available computational budget, and the degree of cohesion required across an ML pipeline are some key factors that help determine which paradigm to use in practice [Dulac-Arnold et al. 2021; Zhu et al. 2021]. Table 10 summarizes these practical considerations across the main policy-learning approaches discussed in this subsection.

4.6 Balancing Exploration and Exploitation in Policy Learning

Balancing exploration and exploitation is a fundamental challenge in policy learning [Sutton and Barto 2018], particularly at large scale, whereby exhaustively exploring all options is computationally infeasible, the cost of suboptimal decisions compounds quickly, and sustained bias toward early winners can prevent the discovery of truly optimal policies over time [Dulac-Arnold et al. 2021].

In ad policy optimization, tuning exploration and exploitation is critical across multiple dimensions, notably ad selection and ad load. In *ad selection*, a system must decide between exploring new ads that might yield higher rewards and exploiting ads known to perform well [Auer et al. 2002; Bietti et al. 2021; Russo et al. 2018]. In setting *ad load* configuration, platforms must weigh

Approach	When preferred	Main advantage	Main limitation
Offline learning	Before live rollout, when exploration is risky or costly [Chen et al. 2022; Gauci et al. 2018; Levine et al. 2020]	Safer policy screening using logged data	Sensitive to logging-policy bias and limited support [Dudík et al. 2011; Swaminathan and Joachims 2015]
Online learning	After offline validation, when fresh feedback is needed [Gauci et al. 2018; Mehrotra et al. 2020]	Adapts to changing users, inventory, and auctions	Can expose users to suboptimal policies during exploration [Dulac-Arnold et al. 2021]
Value-based learning	Small or enumerable action spaces [Theodorou et al. 2015; Zhu et al. 2021]	Sample-efficient action-value estimation	Harder to scale to large slates or integrated neural ranking policies [Dulac-Arnold et al. 2021; Ie et al. 2019b]
Policy-based learning	Stochastic policies, large action spaces, or learned slate-ranking policies [Xu et al. 2023; Zhao et al. 2021]	Directly parameterizes the decision rule	Often less sample-efficient and higher variance [Dulac-Arnold et al. 2021; Schulman et al. 2015]
Actor-critic hybrids	Large-scale systems needing both direct policy learning and stable value estimates [Chen et al. 2022; Gauci et al. 2018]	Combines policy flexibility with value-based stabilization	More complex to train, tune, and evaluate [Dulac-Arnold et al. 2021]

Table 10. Practical comparison of policy-learning approaches for ad-policy optimization.

the exploration of higher ad exposure for queries with high commercial intent against the risk of degrading user experience [Carrión et al. 2021; Hohnhold et al. 2015b; Zhang et al. 2018]. While exploring more aggressive ad load configurations may unlock revenue gains, it risks triggering ad fatigue, reduced engagement, and eventual user attrition [Sagtani et al. 2023; Silberstein et al. 2023].

In this section, we introduce the commonly used methods in industry as well as their pros and cons, and the contexts in which they are most effective.

4.6.1 ϵ -Greedy Strategy. One of the simplest and most widely used exploration methods, the epsilon-greedy strategy allows the agent to primarily exploit known successful actions (with probability $1 - \epsilon$) while occasionally exploring random actions (with probability ϵ) [Russell and Norvig 2016; Sutton and Barto 2018]. Over time, ϵ can be reduced, shifting focus toward exploitation as the agent gains more experience [Russo et al. 2018; Sutton and Barto 2018]. However, deciding how much and when to decrease ϵ is non-trivial, as reducing exploration too quickly can lead to premature convergence on suboptimal actions [Dulac-Arnold et al. 2019; Sutton and Barto 2018].

ϵ -Greedy based exploration/exploitation is a relatively easy method to implement, computationally efficient, and thus well-suited for real-time applications [Russell and Norvig 2016; Sutton and Barto 2018]. However, because it treats all actions uniformly during exploration, ϵ -greedy does not differentiate between tried and untried actions, account for uncertainty in value estimates, or prioritize actions with higher potential expected improvement [Dulac-Arnold et al. 2019; Sutton and Barto 2018]. This can lead to missed opportunities, especially in environments with large action spaces, because as the number of possible actions increases, the probability of selecting any particular action during exploration decreases [Bubeck et al. 2012; Sutton and Barto 2018]. As a result, many potentially high-value actions may never be explored, or may be explored too infrequently to accurately estimate their value [Dulac-Arnold et al. 2019; Sutton and Barto 2018]. ϵ -greedy is most effective in smaller action spaces, where exploration remains tractable and the risk of encountering extremely low-value actions is lower due to the reduced likelihood of extreme

outcomes [Dulac-Arnold et al. 2019; Sutton and Barto 2018].

4.6.2 Upper Confidence Bound (UCB). In contrast to ϵ -greedy strategies, which explore uniformly at random and do not incorporate knowledge of an action's estimated value or the uncertainty in that estimate, the UCB algorithm ranks actions using a composite score that integrates both expected reward and uncertainty [Auer et al. 2002]. At each time step t , UCB selects the action a that maximizes:

$$\text{UCB}_t(a) = \hat{Q}_t(a) + \alpha \cdot \sqrt{\frac{\log t}{N_t(a)}} \quad (3)$$

where the first term $\hat{Q}_t(a)$ is the estimated average reward of action a , and the second term is called the exploration bonus, which reflects the uncertainty in the reward estimate [Auer et al. 2002; Bubeck et al. 2012]. $N_t(a)$ is the number of times action a has been selected, which shrinks the bonus as the action is chosen more often and reduces exploration as a result [Auer et al. 2002; Bubeck et al. 2012]. Similarly, $\log t$ grows slowly over time, which ensures continued exploration in later rounds. This formulation with the exploration and exploitation terms ensures that actions are prioritized either because they have performed well (high $\hat{Q}_t(a)$) or because they are underexplored (high uncertainty bonus) [Auer et al. 2002; Bubeck et al. 2012]. α is a tunable parameter that determines how much exploration is valued over exploitation [Auer et al. 2002; Bubeck et al. 2012; Sutton and Barto 2018]. As an action is selected more frequently, its estimate becomes more reliable, uncertainty decreases, and the confidence interval narrows [Auer et al. 2002; Bubeck et al. 2012]. As a result, the UCB score may increase or decrease: if the action is good, its estimated reward improves and the score may remain high or even rise despite the shrinking bonus; if the action is bad, the estimate stays low and the diminishing uncertainty term no longer inflates its score, causing it to be deprioritized over time [Auer et al. 2002; Bubeck et al. 2012].

The unified scoring function in UCB naturally balances exploration and exploitation [Auer et al. 2002; Bubeck et al. 2012]. It allows the agent to identify promising but underexplored actions while avoiding those that are confidently known to perform poorly [Auer et al. 2002]. While UCB provides tighter bounds on long-term regret, it can be more computationally expensive than simpler methods like ϵ -greedy and may over-explore suboptimal actions with high uncertainty, leading to short-term performance losses [Bubeck et al. 2012; Dulac-Arnold et al. 2019; Sutton and Barto 2018].

LinkedIn used UCB-style methods to optimize ad placement and pacing in user feeds. In the early stages of their system, UCB was employed to evaluate which treatment arms, such as different spacing, reserve price, and ad load configurations, performed best across user segments. UCB helped balance exploration of new pacing parameters with exploitation of those already showing promising results [Yan et al. 2020]. Microsoft, through the Contextual Bandit Bake-Off, found that UCB and its linear variant, LinUCB, were competitive or superior to ϵ -greedy approaches across multiple offline datasets for ad personalization and content recommendation [Bietti et al. 2021]. Facebook (Meta) incorporated UCB-inspired bandit methods within its Horizon RL platform, particularly for notification ranking and ad sequencing tasks. These methods were used in early-stage exploration, particularly in cold-start scenarios or on surfaces with limited historical data, before transitioning to more complex actor-critic architectures for long-term optimization [Gauci et al. 2018].

UCB performs best in environments where data is sparse, optimization horizons are long, and the cost of regret is high, making it well-suited for ad policy optimization where long-term performance (like maximizing user lifetime value or engagement) is key [Bubeck et al. 2012; Dulac-Arnold et al. 2019; Theodorou et al. 2015]. However, in real-time applications where immediate results are

prioritized, UCB's tendency to over-explore may be less suitable [Dulac-Arnold et al. 2019; McMahan et al. 2013; Sutton and Barto 2018]. Additionally, the choice of the exploration parameter α can be brittle as too conservative a setting may limit the discovery of better actions, while too aggressive a setting may amplify noise and degrade performance.

4.6.3 Thompson Sampling. Thompson Sampling (TS) uses a Bayesian approach in which actions are selected by sampling from the posterior distribution over rewards and choosing the action with the highest sampled value [Russo et al. 2018; Sutton and Barto 2018]. Formally, the selected action at time t is:

$$a_t = \arg \max_{a \in \mathcal{A}} \tilde{Q}_t(a) \quad (4)$$

Formally, the selected action at time t is: where $\mathcal{A}$ is the action set and $\tilde{Q}_t(a)$ is a sample from the posterior distribution of the expected reward for action a at time t [Russo et al. 2018].

While each individual decision is based on a single random sample, across many realizations, the likelihood that an action is selected reflects the posterior probability that it is the optimal choice [Russo et al. 2018]. Initially, TS relies on a prior distribution that reflects the initial belief about the reward of each action, usually based on some default assumptions or domain knowledge [Russo et al. 2018]. As more data is collected through interactions (e.g., clicks or conversions in an ad setting), the prior is updated to form a posterior distribution, representing the system's refined belief about expected rewards [Russo et al. 2018]. Actions with greater uncertainty (i.e., wider posterior distributions) are more likely to generate extreme reward samples, occasionally leading to their selection even if their mean reward is lower [Russo et al. 2018]. In contrast, actions with higher expected rewards and narrower posterior distributions are selected more consistently due to their reliably higher sampled values [Russo et al. 2018]. Thus, TS leverages posterior variance to simultaneously enable exploration and exploitation without requiring an explicit exploration bonus as used in UCB methods [Russo et al. 2018].

While both UCB and TS leverage estimates of variability to manage exploration and exploitation, they differ in how they quantify uncertainty, handle randomness, and select actions [Russo et al. 2018; Sutton and Barto 2018]. UCB constructs an upper confidence bound for each action and always selects the action with the highest upper bound [Auer et al. 2002], whereas TS samples from the posterior distribution over rewards and chooses the action with the highest sampled value [Russo et al. 2018]. As a result, UCB deterministically selects the same action given the same inputs, while TS's choice varies across runs due to its sampling-based nature [Russo et al. 2018]. Although UCB is often easier to implement, as it does not require specifying prior or posterior distributions, it can be more brittle to tune (e.g., selecting an appropriate exploration constant α) [Auer et al. 2002; Sutton and Barto 2018]. In contrast, TS is generally more robust to hyperparameter choices and tends to perform better in non-stationary environments [Chapelle and Li 2011; Russo et al. 2018].

Studies by Chapelle and Li [Chapelle and Li 2011] show that TS can perform as well as, or better than, UCB in terms of cumulative regret, defined as the total loss incurred from not consistently selecting the optimal action [Chapelle and Li 2011; Russo et al. 2018]. This is especially true in scenarios where data is sparse or feedback is delayed [Chapelle and Li 2011]. In contrast to UCB, which might over-explore uncertain actions with low potential returns, TS ensures a more balanced and probabilistic form of exploration [Russo et al. 2018]. TS is naturally well-suited for industry problems like selecting ads for new or existing users, particularly in dynamic environments such as online advertising, where user preferences shift frequently and new content is introduced continuously. However, because TS relies on randomized sampling, it can exhibit high variance,

which may lead to less stable performance in environments that prioritize short-term accuracy or require highly reliable decision-making [Russo et al. 2018].

4.6.4 Broader Considerations for Exploration and Exploitation. While the previous discussion focused on canonical exploration strategies that are widely deployed and highly effective in industrial recommender and ad systems (e.g., ϵ -Greedy, UCB, Thompson Sampling), it is also important to recognize that additional techniques are often employed to address more complex, high-dimensional, or rapidly evolving environments. For instance, in dynamic ad allocation systems, parameters are often tuned in real-time to balance short-term revenue generation against user experience metrics such as Click Yield, which measures the rate of user interactions per ad impression [Zhang et al. 2018]. By adjusting trade-off parameters in response to shifting engagement patterns, platforms can dynamically prioritize either immediate monetization or sustained user satisfaction. Moreover, alternative approaches such as entropy-regularized policies [Mnih et al. 2016], Bayesian optimization [Shahriari et al. 2015], and policy gradient methods like Proximal Policy Optimization (PPO) [Schulman et al. 2017] extend the exploration-exploitation framework in settings where continuous adaptation is critical.

Method	How It Works	Pros	Cons	Best Use Cases
Epsilon-Greedy	Selects the best-known action with probability $1 - \epsilon$ and explores randomly with probability ϵ .	• Simple to implement • Low computational cost • Easy to understand	• Fixed exploration rate • Might miss better actions • Not adaptive to context	• Simple, static environments • Prioritize computational efficiency
Upper Confidence Bound (UCB)	Selects actions based on confidence intervals combining reward estimates and uncertainty.	• Systematic exploration • Minimizes long-term regret • Strong theoretical foundations	• May overexplore uncertain actions • Higher computational complexity	• Real-time ad placement • Long-term optimization
Regret Confidence Bounds (RegCB)	Extends UCB by using regression oracles to compute confidence intervals based on contextual features.	• Handles high-dimensional, sparse data • More accurate reward estimates • Well-suited for complex environments	• High computational cost • Difficult to scale	• High-dimensional environments • Needs precise reward prediction
Thompson Sampling (TS)	Uses Bayesian sampling from posterior distributions to estimate optimal actions.	• Adapts quickly to new data • Naturally balances exploration • Effective for cold-start problems	• Can exhibit high variance • Moderate computational complexity	• Cold-start and sparse data • Dynamic, shifting environments

Table 11. Comparison of Exploration-Exploitation Methods in Ad Policy Optimization

5 Evaluating Joint Ad and Organic Ranking Policies

Prior surveys make clear that evaluating RL-based recommenders is not a single-metric problem. Afsar et al. [Afsar et al. 2022] distinguish offline, simulation, and online evaluation environments, while Lin et al. [Lin et al. 2023] show that many studies still report standard recommendation




Fig. 2. Example of an action set in the context of ad policies in recommendation systems

metrics such as Recall, Hit Ratio, and NDCG. However, our literature search did not identify a survey focused on evaluation for systems that jointly optimize organic recommendation and advertising. This creates a gap for monetization-aware ranking: the goal is not to show that every metric improves independently, but to determine whether a policy improves the trade-off among revenue, organic engagement, ad load, advertiser value, and future user tolerance. A policy can therefore be preferable because it increases a weighted utility, because it achieves similar revenue with less engagement degradation, or because it reduces variance and downside risk under user-experience guardrails. This trade-off perspective also changes how offline evidence should be read. Offline ranking protocols can be useful screening tools, but protocols designed around one-step prediction, such as next-item prediction, do not by themselves measure the long-term consequences of a learned policy [Deffayet et al. 2022]. The methodology of this section is to use existing RL-recommender surveys as the evaluation baseline, then synthesize primary papers that study advertising, joint ranking, off-policy learning, and industrial rollout. The resulting taxonomy compares objectives and guardrails, pre-deployment screening evidence, and online evidence from deployed systems.

5.1 Evaluation Metrics: Trade-offs and Guardrails

The first part of this evaluation framework specifies which metrics define the trade-off, which metrics diagnose supporting mechanisms, and which metrics act as guardrails. Section 4.2 already introduced the main KPI families used in monetization-aware recommendation. We organize these metrics into three roles. *Primary metrics* define the target trade-off, such as weighted utility, revenue, Click Yield, or a platform-specific blend of monetization and engagement. *Secondary metrics* help explain why the primary metric moved, such as CTR, pCTR, dwell time, session duration, or short-view rate. *Guardrail metrics* define outcomes that should not degrade beyond an acceptable threshold, such as return rate, session frequency, ad-load quits, organic engagement, and ad-fatigue indicators [Sagtani et al. 2023; Yan et al. 2020; Zhang et al. 2018].

The distinction between short-term proxies and long-term outcomes is central to this hierarchy. Short-horizon metrics such as CTR, pCTR, immediate revenue, dwell time, and short-view rate are

useful because they are dense, quickly observed, and sensitive to policy changes. However, the outcomes that ultimately matter for a joint ad and organic ranking policy often unfold over longer horizons: retention, return rate, repeated sessions, ad tolerance, and sustained organic engagement [Hohnhold et al. 2015b; McDonald et al. 2023b; Wang et al. 2022]. The same KPI can therefore support different evaluation claims depending on the policy objective. In a constrained ad-allocation system, revenue may be the objective while Click Yield or organic dwell time functions as a protected constraint [Yan et al. 2020; Zhang et al. 2018]. In a joint ad and recommendation policy, revenue and engagement may both enter the reward through learned or manually calibrated weights [Zhao et al. 2021, 2020]. Evaluation should therefore report not only which metric changed, but also whether the policy improved the intended trade-off: higher weighted utility, less degradation in a protected metric, lower variance, or fewer tail-risk outcomes. This distinction matters because an apparent gain in CTR, pCTR, or revenue can coincide with lower retention, weaker organic engagement, or greater ad fatigue.

5.2 Pre-Deployment Evidence: Offline Replay and Simulation

The second part of this framework concerns evidence gathered before full live deployment. Offline replay and counterfactual policy evaluation are useful because they use logged impressions to estimate how a candidate policy might have performed before that policy is deployed. The central difficulty is that logged data are generated by a behavior or logging policy $\mu(a | s)$, whereas the candidate policy $\pi_\theta(a | s)$ may choose different ads, placements, or ad-load actions in the same state. Inverse propensity scoring estimates target-policy value by weighting observed outcomes according to how likely the target and logging policies were to select the logged action. Doubly robust estimators combine propensity correction with model-based reward or value estimates [Dudík et al. 2011; Swaminathan and Joachims 2015]. These methods help screen many policy variants cheaply, but they remain sensitive to support: if the logging policy rarely selected a candidate action in a user context, the counterfactual estimate for that action becomes unreliable [Chen et al. 2022; Levine et al. 2020].

Simulator-based testing addresses a different part of the same pre-deployment problem. When live exploration is expensive or risky, simulators allow researchers to test sequential policies under explicit assumptions about user response and state evolution. RecSim provides configurable user-response dynamics for recommender-system experimentation, and SlateQ evaluates slate recommendation through a tractable decomposition under a modeled user-choice process [Ie et al. 2019a,b]. These tools are valuable for studying repeated exposure, slate interactions, and delayed engagement before deployment. Their limitation is representativeness: a simulator may omit auction dynamics, advertiser budgets, inventory shifts, or changes in user tolerance. For that reason, strong simulated performance should be treated as policy-screening evidence, not as a substitute for online validation [Dulac-Arnold et al. 2021].

5.3 Online Evidence Across Industrial Systems

The third part of this framework concerns evidence from real traffic. Online A/B tests and staged rollouts remain the strongest evidence that an RL-based ad policy improves production outcomes because they measure the policy under the same auctions, inventories, user populations, and serving constraints that the deployed system faces. Standard experiments are best suited to short-term objective and secondary metrics, including revenue, CTR, Click Yield, dwell time, session length, and short-view rate [Barajas et al. 2022; Hohnhold et al. 2015b]. Long-term holdout groups play a different role: they estimate whether the policy preserves or improves outcomes that short experiments only proxy, such as retention, return rate, repeated sessions, ad tolerance, and sustained

organic engagement [Hohnhold et al. 2015b; McDonald et al. 2023b]. Industrial recommender-system reports also show a common workflow in which candidate policies are first screened offline and then validated online before broader deployment [Chen et al. 2022; Gauci et al. 2018].

Table 12 summarizes the evaluation mechanisms that recur across the reviewed systems. The table is organized by the role each mechanism plays in the deployment workflow rather than by paper. This framing makes the evaluation trade-off explicit: offline methods and simulation help narrow the policy search space, while online tests and holdouts validate whether the remaining candidates improve the intended trade-off under real traffic.

Measurement mode	Evaluation method	Purpose	Metrics used	Representative systems and sources
Offline	Offline replay / off-policy evaluation	Narrow the search space of candidate policies before live traffic by estimating value under logged impressions	Primary, secondary, and guardrail metrics estimated from logs, such as CTR, pCTR, revenue, dwell time, ad load, organic engagement, Recall, Hit Ratio, NDCG, and learned value estimates	Ad-load balancing via off-policy learning [Sagtani et al. 2024]; YouTube off-policy actor-critic [Chen et al. 2022]; Horizon offline evaluation workflow [Gauci et al. 2018]
Simulation	User-response simulator or slate model	Test sequential effects and stress candidate policies when live exploration is risky or unsupported by logs	The same primary, secondary, and guardrail families measured under modeled user response, including simulated reward, engagement, diversity, Recall, Hit Ratio, NDCG, ad load, and long-term satisfaction	RecSim provides configurable user-response simulation; SlateQ provides a tractable slate-evaluation model [Ie et al. 2019a,b]
Online	A/B test or staged rollout	Validate whether screened policies improve the intended trade-off under real auctions, inventories, and users	Primary metrics such as revenue, Click Yield, CTR, and weighted utility; guardrails such as organic engagement and ad-fatigue indicators	DEAR / TikTok [Zhao et al. 2021]; joint recommendation and advertising [Zhao et al. 2020]; Alibaba whole-page optimization [Zhang et al. 2018]; LinkedIn feed ads [Yan et al. 2020]
Online, long horizon	Holdout or delayed-outcome measurement	Measure outcomes that short experiments only proxy, especially retention and future ad tolerance	Return rate, repeated sessions, retention, long-term engagement, ad tolerance, and sustained organic consumption	Long-term holdout and delayed-outcome evaluation in large-scale recommendation systems [Hohnhold et al. 2015b; McDonald et al. 2023b]

Table 12. Evaluation settings, mechanisms, metrics, and representative systems or methodological sources for joint ad and organic ranking policies.

Taken together, these practices define a staged evaluation workflow for practitioners. First, define the objective and guardrails using the metric families in Tables 3, 4, and 5. Second, use offline replay, counterfactual estimators, or simulation to remove policies that are unsupported, unsafe, or unlikely to improve the target utility. Third, validate the strongest candidates through staged online

experiments with both short-term and long-term guardrails. This workflow does not remove the need for live experimentation. It reduces the number of risky policies tested on users and clarifies which trade-offs each evaluation stage can and cannot resolve.

6 Conclusions

The integration of RL in policy optimization for large-scale recommender systems has gained popularity as a promising approach to balance long-term and short-term objectives in environments with complex user behavior and revenue dynamics. However, scaling RL in practice presents challenges, including vast state and action spaces, reliance on proxy metrics, and significant computational demands. This paper provides an overview of effective, scalable techniques that address these challenges, offering insights into how RL can be applied at scale. Unlike traditional methods that focus on optimizing short-term outcomes, RL's cumulative reward framework enables it to account for both immediate and delayed feedback. Together, contextual bandits and offline replay offer scalable, interpretable solutions that approximate full RL while managing real-time constraints. Contextual bandits support selecting optimal actions within each interaction based on the current state, maximizing immediate rewards, which are typically proxy metrics of the true long-term reward. Offline replay complements this by enabling counterfactual learning: multiple treatments can be tested across randomized populations to evaluate causal effects, refining policies for diverse user segments.

Future research may focus on enhancing interpretability, refining reward functions, and exploring decentralized approaches to handle complex decision layers. These advancements will bring RL closer to fulfilling its potential in providing tailored, dynamic ad recommendations that align user satisfaction with business goals in large-scale recommendation systems.

Acknowledgments

The authors thank Adam Obeng, Bee-Chung Chen, and Jay Adams for feedback on industrial practices in monetization-aware recommender systems.

References

- Zoë Abrams and Erik Vee. 2007. Personalized ad delivery when ads fatigue: An approximation algorithm. In *International Workshop on Web and Internet Economics*. Springer, 535–540.
- M Mehdi Afsar, Trafford Crump, and Behrouz Far. 2022. Reinforcement learning based recommender systems: A survey. *Comput. Surveys* 55, 7 (2022), 1–38.
- Alekh Agarwal, Daniel Hsu, Satyen Kale, John Langford, Lihong Li, and Robert Schapire. 2014. Taming the monster: A fast and simple algorithm for contextual bandits. In *International conference on machine learning*. PMLR, 1638–1646.
- Deepak Agarwal, David Cornell, Bin Huang, Bee-Chung Chen Lee, Ruoxi Tang, Le Zhang, Avery Wolf, Yuchen Shi, Ye Wang, Yin Guo, Srikanth Kumar Garimella, Nikita Korolko, and Sandeep Muthukrishnan. 2019. Online Parameter Selection for Web-based Services. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (KDD '19)*. 1645–1653.
- Deepak K Agarwal and Bee-Chung Chen. 2016. *Statistical methods for recommender systems*. Cambridge University Press.
- Rishabh Agarwal, Dale Schuurmans, and Mohammad Norouzi. 2020. An Optimistic Perspective on Offline Reinforcement Learning. In *International Conference on Machine Learning (ICML)*. 104–114.
- Peter Auer, Nicolo Cesa-Bianchi, and Paul Fischer. 2002. Finite-Time Analysis of the Multiarmed Bandit Problem. *Machine learning* 47 (2002), 235–256.
- Joel Barajas, Narayan Bhamidipati, and James G Shanahan. 2022. Online advertising incrementality testing: Practical lessons, paid search and Emerging challenges. In *European Conference on Information Retrieval*. Springer, 575–581.
- Alberto Bietti, Alekh Agarwal, and John Langford. 2021. A contextual bandit bake-off. *Journal of Machine Learning Research* 22, 133 (2021), 1–49.
- Sébastien Bubeck, Nicolo Cesa-Bianchi, et al. 2012. Regret analysis of stochastic and nonstochastic multi-armed bandit problems. *Foundations and Trends® in Machine Learning* 5, 1 (2012), 1–122.

- Giuseppe Burtini, Jason L. Loepky, and Ramon Lawrence. 2015. Improving Online Marketing Experiments with Drifting Multi-armed Bandits. In *Proceedings of the 7th International Conference on Agents and Artificial Intelligence (ICAART)*, Vol. 1. SCITEPRESS, 135–146.
- Qingpeng Cai, Zhenghai Xue, Chi Zhang, Wanqi Xue, Shuchang Liu, Ruohan Zhan, Xueliang Wang, Tianyou Zuo, Wentao Xie, Dong Zheng, et al. 2023. Two-stage constrained actor-critic for short video recommendation. In *Proceedings of the ACM Web Conference 2023*. 865–875.
- Carlos Carrion, Zenan Wang, Harikesh Nair, Xianghong Luo, Yulin Lei, Xiliang Lin, Wenlong Chen, Qiyu Hu, Changping Peng, Yongjun Bao, et al. 2021. Blending advertising with organic content in e-commerce: A virtual bids optimization approach. *arXiv preprint arXiv:2105.13556* (2021).
- Fatih Çelik, Mehmet Safa Çam, and Mehmet Ali Koseoglu. 2023. Ad avoidance in the digital context: A systematic literature review and research agenda. *International Journal of Consumer Studies* 47, 6 (2023), 2071–2105.
- Deepayan Chakrabarti, Deepak Agarwal, and Vanja Josifovski. 2008. Contextual advertising by combining relevance with click feedback. In *Proceedings of the 17th international conference on World Wide Web*. 417–426.
- Olivier Chapelle and Lihong Li. 2011. An empirical evaluation of thompson sampling. *Advances in neural information processing systems* 24 (2011).
- Bee-Chung Chen, Dmitry Pavlov, John F Canny, and Lodewijk Rijckaert. 2009. Large-scale Behavioral Targeting. In *Proceedings of the 15th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (KDD '09)*. 209–218.
- Minnmin Chen, Can Xu, Vince Gatto, Devanshu Jain, Aviral Kumar, and Ed Chi. 2022. Off-policy actor-critic for recommender systems. In *Proceedings of the 16th ACM Conference on Recommender Systems*. 338–349.
- Heng-Tze Cheng, Levent Koc, Jeremiah Harmsen, Tal Shaked, Tushar Chandra, Hrishu Aradhye, Glen Anderson, Greg Corrado, Wei Chai, Mustafa Ispir, et al. 2016. Wide & deep learning for recommender systems. In *Proceedings of the 1st workshop on deep learning for recommender systems*. 7–10.
- Paul Covington, Jay Adams, and Emre Sargin. 2016. Deep neural networks for youtube recommendations. In *Proceedings of the 10th ACM conference on recommender systems*. 191–198.
- Qing Cui, Feng-Shan Bai, Bin Gao, and Tie-Yan Liu. 2015. Global optimization for advertisement selection in sponsored search. *Journal of Computer Science and Technology* 30 (2015), 295–310.
- Romain Deffayet, Thibaut Thonet, Jean-Michel Renders, and Maarten de Rijke. 2022. Offline Evaluation for Reinforcement Learning-Based Recommendation: A Critical Issue and Some Alternatives. *ACM SIGIR Forum* 56, 2 (2022).
- Christos Dimitrakakis and Ronald Ortner. 2018. Decision making under uncertainty and reinforcement learning. *Book available at <http://www.cse.chalmers.se>* (2018).
- Miroslav Dudík, John Langford, and Lihong Li. 2011. Doubly robust policy evaluation and learning. *arXiv preprint arXiv:1103.4601* (2011).
- Gabriel Dulac-Arnold, Nir Levine, Daniel J Mankowitz, Jerry Li, Cosmin Paduraru, Sven Gowal, and Todd Hester. 2021. Challenges of real-world reinforcement learning: definitions, benchmarks and analysis. *Machine Learning* 110, 9 (2021), 2419–2468.
- Gabriel Dulac-Arnold, Daniel Mankowitz, and Todd Hester. 2019. Challenges of real-world reinforcement learning. *arXiv preprint arXiv:1904.12901* (2019).
- Andrew Ellam and Marco Ottaviani. 2003. Overture and Google: Internet Pay-Per-Click (PPC) Advertising Auctions. *London Business School Case Study CS-03-022* (2003).
- Yagil Engel and David Maxwell Chickering. 2008. Incorporating user utility into sponsored-search auctions. In *Proceedings of the 7th international joint conference on Autonomous agents and multiagent systems-Volume 3*. 1565–1568.
- Tom Everitt, Marcus Hutter, Ramana Kumar, and Victoria Krakovna. 2021. Reward tampering problems and solutions in reinforcement learning: A causal influence diagram perspective. *Synthese* 198, Suppl 27 (2021), 6435–6467.
- Daniel C Fain and Jan O Pedersen. 2006. Sponsored search: A brief history. *Bulletin-American Society For Information Science And Technology* 32, 2 (2006), 12.
- João Gama, Indrė Žliobaitė, Albert Bifet, Mykola Pechenizkiy, and Abdelhamid Bouchachia. 2014. A survey on concept drift adaptation. *ACM computing surveys (CSUR)* 46, 4 (2014), 1–37.
- Jason Gauci, Edoardo Conti, Yitao Liang, Kittipat Virochsiri, Yuchen He, Zachary Kaden, Vivek Narayanan, Xiaohui Ye, Zhengxing Chen, and Scott Fujimoto. 2018. Horizon: Facebook’s open source applied reinforcement learning platform. *arXiv preprint arXiv:1811.00260* (2018).
- Claire Glanois, Paul Weng, Matthieu Zimmer, Dong Li, Tianpei Yang, Jianye Hao, and Wulong Liu. 2024. A survey on interpretable reinforcement learning. *Machine Learning* (2024), 1–44.
- Mihajlo Grbovic and Haibin Cheng. 2018. Real-time personalization using embeddings for search ranking at airbnb. In *Proceedings of the 24th ACM SIGKDD international conference on knowledge discovery & data mining*. 311–320.
- Henning Hohnhold, Deirdre O’Brien, and Diane Tang. 2015a. Focus on the Long-Term: It’s better for Users and Business. In *Proceedings 21st Conference on Knowledge Discovery and Data Mining*. Sydney, Australia. <http://dl.acm.org/citation.cfm?doid=2783258.2788583>

- Henning Hohnhold, Deirdre O'Brien, and Diane Tang. 2015b. Focusing on the long-term: It's good for users and business. In *Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. 1849–1858.
- Yu Jeffrey Hu. 2004. Performance-based pricing models in online advertising. Available at SSRN 501082 (2004).
- Eugene Ie, Chih-wei Hsu, Martin Mladenov, Vihan Jain, Sanmit Narvekar, Jing Wang, Rui Wu, and Craig Boutilier. 2019a. Recsim: A configurable simulation platform for recommender systems. *arXiv preprint arXiv:1909.04847* (2019).
- Eugene Ie, Vihan Jain, Jing Wang, Sanmit Narvekar, Ritesh Agarwal, Rui Wu, Heng-Tze Cheng, Tushar Chandra, and Craig Boutilier. 2019b. SlateQ: A Tractable Decomposition for Reinforcement Learning with Recommendation Sets.. In *IJCAI*, Vol. 19. 2592–2599.
- Eugene Ie, Vihan Jain, Jing Wang, Sanmit Narvekar, Ritesh Agarwal, Rui Wu, Heng-Tze Cheng, Morgane Lustman, Vince Gatto, Paul Covington, et al. 2019c. Reinforcement learning for slate-based recommender systems: A tractable decomposition and practical methodology. *arXiv preprint arXiv:1905.12767* (2019).
- Dietmar Jannach and Himan Abdollahpour. 2023. A Survey on Multi-Objective Recommender Systems. *Frontiers in Big Data* 6 (2023). doi:10.3389/fdata.2023.1157899
- Leslie Pack Kaelbling, Michael L Littman, and Anthony R Cassandra. 1998. Planning and acting in partially observable stochastic domains. *Artificial intelligence* 101, 1-2 (1998), 99–134.
- Leslie Pack Kaelbling, Michael L Littman, and Andrew W Moore. 1996. Reinforcement learning: A survey. *Journal of artificial intelligence research* 4 (1996), 237–285.
- Wang-Cheng Kang and Julian McAuley. 2018a. Self-Attentive Sequential Recommendation. In *2018 IEEE International Conference on Data Mining (ICDM)*. 197–206. doi:10.1109/ICDM.2018.00035
- Wang-Cheng Kang and Julian McAuley. 2018b. Self-Attentive Sequential Recommendation. In *Proceedings of the 2018 IEEE International Conference on Data Mining (ICDM)*. 197–206. doi:10.1109/ICDM.2018.00035
- Tanya Kant. 2021. A History of the Data-Tracked User. *The MIT Press Reader* (2021). <https://thereader.mitpress.mit.edu/a-history-of-the-data-tracked-user/>
- Iordanis Koutsopoulos and Panagiotis Spentzouris. 2016. Native advertisement selection and allocation in social media post feeds. In *Machine Learning and Knowledge Discovery in Databases: European Conference, ECML PKDD 2016, Riva del Garda, Italy, September 19-23, 2016, Proceedings, Part I* 16. Springer, 588–603.
- Volodymyr Kuleshov and Doina Precup. 2014. Algorithms for Multi-Armed Bandit Problems. *arXiv preprint arXiv:1402.6028* (2014). <https://arxiv.org/abs/1402.6028>
- Nathan Lambert, Thomas Krendl Gilbert, and Tom Zick. 2023. Entangled preferences: The history and risks of reinforcement learning and human feedback. *arXiv preprint arXiv:2310.13595* (2023).
- Sergey Levine, Aviral Kumar, George Tucker, and Justin Fu. 2020. Offline reinforcement learning: Tutorial, review, and perspectives on open problems. *arXiv preprint arXiv:2005.01643* (2020).
- Lihong Li, Wei Chu, John Langford, and Robert E Schapire. 2010. A contextual-bandit approach to personalized news article recommendation. In *Proceedings of the 19th international conference on World wide web*. 661–670.
- Yuanguo Lin, Yong Liu, Fan Lin, Lixin Zou, Pengcheng Wu, Wenhua Zeng, Huanhuan Chen, and Chunyan Miao. 2023. A survey on reinforcement learning for recommender systems. *IEEE Transactions on Neural Networks and Learning Systems* (2023).
- Zhuoran Liu, Leqi Zou, Xuan Zou, Caihua Wang, Biao Zhang, Da Tang, Bolin Zhu, Yijie Zhu, Peng Wu, Ke Wang, et al. 2022. Monolith: real time recommendation system with collisionless embedding table. *arXiv preprint arXiv:2209.07663* (2022).
- Zhongqi Lu and Qiang Yang. 2016. Partially observable Markov decision process for recommender systems. *arXiv preprint arXiv:1608.07793* (2016).
- Bogdan Mazoure, Paul Mineiro, Pavithra Srinath, Reza Sharifi Sedeh, Doina Precup, and Adith Swaminathan. 2021. Improving long-term metrics in recommendation systems using short-horizon reinforcement learning. *arXiv preprint arXiv:2106.00589* (2021).
- Thomas M McDonald, Lucas Maystre, Mounia Lalmas, Daniel Russo, and Kamil Ciosek. 2023a. Impatient bandits: Optimizing recommendations for the long-term without delay. In *Proceedings of the 29th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*. 1687–1697.
- Thomas M. McDonald, Lucas Maystre, Mounia Lalmas, Daniel Russo, and Kamil Ciosek. 2023b. Optimizing for the Long-Term Without Delay. Spotify Research Blog. <https://research.atspotify.com/2023/07/optimizing-for-the-long-term-without-delay/>
- H Brendan McMahan, Gary Holt, David Sculley, Michael Young, Dietmar Ebner, Julian Grady, Lan Nie, Todd Phillips, Eugene Davydov, Daniel Golovin, et al. 2013. Ad click prediction: a view from the trenches. In *Proceedings of the 19th ACM SIGKDD international conference on Knowledge discovery and data mining*. 1222–1230.
- Rishabh Mehrotra, Niannan Xue, and Mounia Lalmas. 2020. Bandit Based Optimization of Multiple Objectives on a Music Streaming Platform. In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (KDD '20)*. 3224–3233. doi:10.1145/3394486.3403392

- Volodymyr Mnih, Adria Puigdomenech Badia, Mehdi Mirza, Alex Graves, Timothy Lillicrap, Tim Harley, David Silver, and Koray Kavukcuoglu. 2016. Asynchronous methods for deep reinforcement learning. In *International conference on machine learning*. PMLR, 1928–1937.
- Maxim Naumov, Dheevatsa Mudigere, Hao-Jun Michael Shi, Jianyu Huang, Narayanan Sundaraman, Jongsoo Park, Xi-aodong Wang, Udit Gupta, Carole-Jean Wu, Alisson G Azzolini, et al. 2019. Deep learning recommendation model for personalization and recommendation systems. *arXiv preprint arXiv:1906.00091* (2019).
- Nielsen. 2017. When It Comes to Advertising Effectiveness, What Is Key? Nielsen Insights Online Article. <https://www.nielsen.com/insights/2017/when-it-comes-to-advertising-effectiveness-what-is-key/> Accessed: 2025-03-27.
- Yunzhu Pan, Nian Li, Chen Gao, Jianxin Chang, Yanan Niu, Yang Song, Depeng Jin, and Yong Li. 2023. Learning and optimization of implicit negative feedback for industrial short-video recommender system. In *Proceedings of the 32nd ACM International Conference on Information and Knowledge Management*. 4787–4793.
- Nikil Pancha, Andrew Zhai, Jure Leskovec, and Charles Rosenberg. 2022. Pinnerformer: Sequence modeling for user representation at pinterest. In *Proceedings of the 28th ACM SIGKDD conference on knowledge discovery and data mining*. 3702–3712.
- Martin L Puterman. 2014. *Markov decision processes: discrete stochastic dynamic programming*. John Wiley & Sons.
- Herbert Robbins. 1952. Some aspects of the sequential design of experiments. *Bull. Amer. Math. Soc.* 58, 5 (1952), 527–535. doi:10.1090/S0002-9904-1952-09620-8
- Stuart J Russell and Peter Norvig. 2016. *Artificial intelligence: a modern approach*. pearson.
- Daniel J Russo, Benjamin Van Roy, Abbas Kazerouni, Ian Osband, Zheng Wen, et al. 2018. A Tutorial on Thompson Sampling. *Foundations and Trends® in Machine Learning* 11, 1 (2018), 1–96.
- Hitesh Sagtani, Madan Gopal Jhavar, Akshat Gupta, and Rishabh Mehrotra. 2023. Quantifying and leveraging user fatigue for interventions in recommender systems. In *Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval*. 2293–2297.
- Hitesh Sagtani, Madan Gopal Jhavar, Rishabh Mehrotra, and Olivier Jeunen. 2024. Ad-load Balancing via Off-policy Learning in a Content Marketplace. In *Proceedings of the 17th ACM International Conference on Web Search and Data Mining*. 586–595.
- Koustuv Saha, Yozen Liu, Nicholas Vincent, Farhan Asif Chowdhury, Leonardo Neves, Neil Shah, and Maarten W Bos. 2021. Advertising matters: Examining user ad consumption for effective ad allocations on social media. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*. 1–18.
- John Schulman, Sergey Levine, Pieter Abbeel, Michael Jordan, and Philipp Moritz. 2015. Trust region policy optimization. In *International Conference on Machine Learning (ICML)*. PMLR, 1889–1897. <https://proceedings.mlr.press/v37/schulman15.pdf>
- John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. 2017. Proximal policy optimization algorithms. *arXiv preprint arXiv:1707.06347* (2017).
- Eric M Schwartz, Eric T Bradlow, and Peter S Fader. 2017. Customer acquisition via display advertising using multi-armed bandit experiments. *Marketing Science* 36, 4 (2017), 500–522.
- Bobak Shahriari, Kevin Swersky, Ziyu Wang, Ryan P Adams, and Nando De Freitas. 2015. Taking the human out of the loop: A review of Bayesian optimization. *Proc. IEEE* 104, 1 (2015), 148–175.
- Natalia Silberstein, Or Shoham, and Assaf Klein. 2023. Combating Ad Fatigue via Frequency-Recency Features in Online Advertising Systems. In *Proceedings of the 32nd ACM International Conference on Information and Knowledge Management*. 4822–4828.
- Natalia Silberstein, Oren Somekh, Yair Koren, Michal Aharon, Dror Porat, Avi Shahar, and Tingyi Wu. 2020. Ad close mitigation for improved user experience in native advertisements. In *Proceedings of the 13th International Conference on Web Search and Data Mining*. 546–554.
- Wall Street Journal Staff. 2003. Yahoo Agrees to Acquire Overture For \$1.63 Billion. *The Wall Street Journal* (2003). <https://www.wsj.com/articles/SB105818965623153600>
- Richard S. Sutton and Andrew G. Barto. 2018. *Reinforcement Learning: An Introduction* (second ed.). The MIT Press. <http://incompleteideas.net/book/the-book-2nd.html>
- Adith Swaminathan and Thorsten Joachims. 2015. Counterfactual risk minimization: Learning from logged bandit feedback. In *International conference on machine learning*. PMLR, 814–823.
- Georgios Theodorou, Philip S. Thomas, and Mohammad Ghavamzadeh. 2015. Personalized ad recommendation for life-time value optimization. In *Proceedings of the 24th International Joint Conference on Artificial Intelligence (IJCAI)*. 1807–1813.
- Bram van den Akker, Olivier Jeunen, Ying Li, Ben London, Zahra Nazari, and Devesh Parekh. 2024. Practical Bandits: An Industry Perspective. In *Proceedings of the 17th ACM International Conference on Web Search and Data Mining*. 1132–1135.
- A Vaswani. 2017. Attention is all you need. *Advances in Neural Information Processing Systems* (2017).

- Abhinav Verma, Vijayaraghavan Murali, Rishabh Singh, Pushmeet Kohli, and Swarat Chaudhuri. 2018. Programmatically interpretable reinforcement learning. In *International conference on machine learning*. PMLR, 5045–5054.
- Vladislav Vorotilov and Ilnur Shugaepov. 2023. Scaling the Instagram Explore Recommendations System. *Engineering at Meta* (2023). <https://engineering.fb.com/2023/08/09/ml-applications/scaling-instagram-explore-recommendations-system/>
- George A Vouras. 2022. Explainable deep reinforcement learning: state of the art and challenges. *Comput. Surveys* 55, 5 (2022), 1–39.
- Yuyan Wang, Mohit Sharma, Can Xu, Sriraj Badam, Qian Sun, Lee Richardson, Lisa Chung, Ed H Chi, and Minmin Chen. 2022. Surrogate for long-term user experience in recommender systems. In *Proceedings of the 28th ACM SIGKDD conference on knowledge discovery and data mining*. 4100–4109.
- Ying Wen, Yao Mu, and Martin Ester. 2019. Learning Multi-Objective Rewards and User Utility Function in Recommender Systems. In *Proceedings of the 28th International Joint Conference on Artificial Intelligence (IJCAI)*. International Joint Conferences on Artificial Intelligence Organization, 3719–3725. doi:10.24963/ijcai.2019/517
- Wikipedia contributors. 2025. Cost per mille — Wikipedia, The Free Encyclopedia. https://en.wikipedia.org/wiki/Cost_per_mille [Online; accessed 23-January-2025].
- Ronald J. Williams. 1992. Simple statistical gradient-following algorithms for connectionist reinforcement learning. *Machine Learning* 8, 3-4 (1992), 229–256. doi:10.1007/BF00992696
- Di Wu, Xiujun Chen, Xun Yang, Hao Wang, Qing Tan, Xiaoxun Zhang, Jian Xu, and Kun Gai. 2018a. Budget constrained bidding by model-free reinforcement learning in display advertising. In *Proceedings of the 27th ACM International Conference on Information and Knowledge Management*. 1443–1451.
- Qingyun Wu, Hongning Wang, Liangjie Hong, and Yue Shi. 2017. Returning is believing: Optimizing long-term user engagement in recommender systems. In *Proceedings of the 2017 ACM on Conference on Information and Knowledge Management*. 1927–1936.
- Siqi Wu, Marian-Andrei Rizoiu, and Lexing Xie. 2018b. Beyond views: Measuring and predicting engagement in online videos. In *Proceedings of the International AAAI Conference on Web and Social Media*, Vol. 12.
- Xue Xia, Pong Eksombatchai, Nikil Pancha, Dhruvil Deven Badani, Po-Wei Wang, Neng Gu, Saurabh Vishwas Joshi, Nazanin Farahpour, Zhiyuan Zhang, and Andrew Zhai. 2023. Transact: Transformer-based realtime user action model for recommendation at pinterest. In *Proceedings of the 29th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*. 5249–5259.
- Ruiyang Xu, Jalaj Bhandari, Dmytro Korenkevych, Fan Liu, Yuchen He, Alex Nikulkov, and Zheqing Zhu. 2023. Optimizing Long-term Value for Auction-Based Recommender Systems via On-Policy Reinforcement Learning. In *Proceedings of the 17th ACM Conference on Recommender Systems*. 955–962. doi:10.1145/3604915.3608854
- Jun Yan, Ning Liu, Gang Wang, Wen Zhang, Yun Jiang, and Zheng Chen. 2009. How much can behavioral targeting help online advertising?. In *Proceedings of the 18th international conference on World wide web*. 261–270.
- Jinyun Yan, Zhiyuan Xu, Birjodh Tiwana, and Shaunak Chatterjee. 2020. Ads allocation in feed via constrained optimization. In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*. 3386–3394.
- Congrui Yi, David Zumwalt, Zijian Ni, and Shreya Chakrabarti. 2023. Progressive horizon learning: Adaptive long term optimization for personalized recommendation. In *Proceedings of the 17th ACM Conference on Recommender Systems*. 940–946.
- Xing Yi, Liangjie Hong, Erheng Zhong, Nanthan Nan Liu, and Suju Rajan. 2014. Beyond clicks: dwell time for personalization. In *Proceedings of the 8th ACM Conference on Recommender systems*. 113–120.
- Bowen Yuan, Yaxu Liu, Jui-Yang Hsia, Zhenhua Dong, and Chih-Jen Lin. 2020. Unbiased Ad click prediction for position-aware advertising systems. In *Proceedings of the 14th ACM Conference on Recommender Systems*. 368–377.
- Wei Zhang, Dai Li, Chen Liang, Fang Zhou, Zhongke Zhang, Xuewei Wang, Ru Li, Yi Zhou, Yaning Huang, Dong Liang, et al. 2024. Scaling User Modeling: Large-scale Online User Representations for Ads Personalization in Meta. In *Companion Proceedings of the ACM Web Conference 2024*. 47–55.
- Weiru Zhang, Chao Wei, Xiaonan Meng, Yi Hu, and Hao Wang. 2018. The whole-page optimization via dynamic ad allocation. In *Companion Proceedings of the The Web Conference 2018*. 1407–1411.
- Jun Zhao, Guang Qiu, Ziyu Guan, Wei Zhao, and Xiaofei He. 2018a. Deep reinforcement learning for sponsored search real-time bidding. In *Proceedings of the 24th ACM SIGKDD international conference on knowledge discovery & data mining*. 1021–1030.
- Xiangyu Zhao, Changsheng Gu, Haoshenglun Zhang, Xiwang Yang, Xiaobing Liu, Jiliang Tang, and Hui Liu. 2021. Dear: Deep reinforcement learning for online advertising impression in recommender systems. In *Proceedings of the AAAI conference on artificial intelligence*, Vol. 35. 750–758.
- Xiangyu Zhao, Liang Zhang, Zhuoye Ding, Long Xia, Jiliang Tang, and Dawei Yin. 2018b. Recommendations with negative feedback via pairwise deep reinforcement learning. In *Proceedings of the 24th ACM SIGKDD international conference on knowledge discovery & data mining*. 1040–1048.

- Xiangyu Zhao, Xudong Zheng, Xiwang Yang, Xiaobing Liu, and Jiliang Tang. 2020. Jointly Learning to Recommend and Advertise. In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*. ACM, New York, NY, USA, 3319–3327. doi:10.1145/3394486.3403233
- Guorui Zhou, Na Mou, Ying Fan, Qi Pi, Weijie Bian, Chang Zhou, Xiaoqiang Zhu, and Kun Gai. 2019. Deep Interest Evolution Network for Click-Through Rate Prediction. In *Proceedings of the 33rd AAAI Conference on Artificial Intelligence (AAAI)*. 5941–5948. doi:10.1609/aaai.v33i01.33015941
- Guorui Zhou, Chengru Song, Xiaoqiang Zhu, Ying Fan, Han Zhu, Xiao Ma, Yanghui Yan, Junqi Jin, Han Li, and Kun Gai. 2018. Deep Interest Network for Click-Through Rate Prediction. In *Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining (KDD '18)*. 1059–1068. doi:10.1145/3219819.3219823
- Li Zhou and Emma Brunskill. 2016. Latent contextual bandits and their application to personalized recommendations for new users. *arXiv preprint arXiv:1604.06743* (2016).
- Jie Zhu, Fengge Wu, and Junsuo Zhao. 2021. An overview of the action space for deep reinforcement learning. In *Proceedings of the 2021 4th International Conference on Algorithms, Computing and Artificial Intelligence*. 1–10.
- Lixin Zou, Long Xia, Zhuoye Ding, Jiaying Song, Weidong Liu, and Dawei Yin. 2019. Reinforcement learning to optimize long-term user engagement in recommender systems. In *Proceedings of the 25th ACM SIGKDD international conference on knowledge discovery & data mining*. 2810–2818.