

Report from Jan 10, 2026, 1:04:34 PM

https://toycker.in/

Analyze

[Mobile](#) [Desktop](#)Showing results for URL: https://www.toycker.in/
Run with original URL.[Discover what your real users are experiencing](#)

No Data

[Diagnose performance issues](#)**Performance**

Values are estimated and may vary. The [performance score](#) is calculated directly from these metrics. See calculator.

▲ 0-49 ■ 50-89 ● 90-100

METRICS

[Expand view](#)

| | |
|-----------------------------------|--------------------------------------|
| ● First Contentful Paint 1.2 s | ▲ Largest Contentful Paint 21.4 s |
| ● Total Blocking Time 30 ms | ● Cumulative Layout Shift 0 |
| ▲ Speed Index 6.8 s | |

🕒 Captured at Jan 10, 2026, 1:04 PM GMT+5:30

🕒 Emulated Moto G Power with Lighthouse 13.0.1

📍 Single page session

⌚ Using Headless Chromium 137.0.7151.119 with lr





[View Treemap](#)

Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

| ▲ Document request latency — Est savings of 800 ms | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. LCP FCP Unscored | | |
| ✓ Avoids redirects | | |
| ✗ Server responded slowly (observed 895 ms) | | |
| ✓ Applies text compression | | |
| ▲ Font display — Est savings of 370 ms | | |
| Consider setting font-display to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with font metric overrides . FCP Unscored | | |
| URL | Est Savings | |
| toycker.in 1st Party | | |
| ...fonts/Grandstander-SemiBold.ttf (www.toycker.in) | 370 ms | |
| ...fonts/Grandstander-Bold.ttf (www.toycker.in) | 360 ms | |
| ...fonts/Grandstander-Medium.ttf (www.toycker.in) | 350 ms | |
| ...fonts/Grandstander-Regular.ttf (www.toycker.in) | 350 ms | |
| ▲ Render blocking requests — Est savings of 770 ms | | |
| Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. LCP FCP Unscored | | |
| URL | Transfer Size | Duration |
| toycker.in 1st Party | 25.5 KIB | 1,880 ms |
| ...css/44cf2f2a8bf4e444d.css (www.toycker.in) | 1.2 KIB | 160 ms |
| ...css/50cae09f11d7c87b.css (www.toycker.in) | 1.9 KIB | 470 ms |
| ...sss/9e6601...f.css (www.toycker.in) | 19.9 KIB | 780 ms |
| ...css/5c38cf9ec6308f6.css (www.toycker.in) | 2.5 KIB | 470 ms |
| ▲ Improve image delivery — Est savings of 11,021 KIB | | |
| Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size LCP | | |
| FCP Unscored | | |

| URL | Resource Size | Est Savings |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------|
| toycker.in 1st Party | 11,844.2 kB | 11,021.0 kB |
| The Grand Forest Forest Adventure! style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | /banners/25c998-0fe5-4dfc-9ad5-4cf589bede39.png (cdn.toycker.in) | 2,560.5 kB 2,512.0 kB |
| Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. | | 2,395.4 kB |
| This image file is larger than it needs to be (1344x755) for its displayed dimensions (721x412). Use responsive images to reduce the image download size. | | 1,810.9 kB |
| Dino-Mite Toy Adventure! style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | /banners/70ef8f83-beef-4da7-834a-9a9dc2d4c18.png (cdn.toycker.in) | 2,278.4 kB 2,230.0 kB |
| Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. | | 2,113.2 kB |
| This image file is larger than it needs to be (1344x755) for its displayed dimensions (721x412). Use responsive images to reduce the image download size. | | 1,611.4 kB |
| The Great Construction Zone! style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | /banners/3b75dfcf-3d4c-4ed8-affd-2403c52c49ae.png (cdn.toycker.in) | 2,126.5 kB 2,078.2 kB |
| Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. | | 1,961.4 kB |
| This image file is larger than it needs to be (1344x755) for its displayed dimensions (721x412). Use responsive images to reduce the image download size. | | 1,504.0 kB |
| Wonderland Toy Festival! style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | /banners/f021ab63-5cf2-4e64-84b8-191f82f3f7eeff.png (cdn.toycker.in) | 1,973.7 kB 1,925.4 kB |
| Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. | | 1,808.5 kB |
| This image file is larger than it needs to be (1344x755) for its displayed dimensions (721x412). Use responsive images to reduce the image download size. | | 1,395.9 kB |
| Adventure Awaits! style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | /banners/4d391f69-ec8d-4f18-bb59-4f0a4ee4f9d8.png (cdn.toycker.in) | 1,877.3 kB 1,829.0 kB |
| Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. | | 1,712.2 kB |
| This image file is larger than it needs to be (1344x755) for its displayed dimensions (721x412). Use responsive images to reduce the image download size. | | 1,327.7 kB |
| Product thumbnail style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | ...pencil-pouch-cricket-theme-big-size/cca5694-2238-4413-8e1...jpg (cdn.toycker.in) | 148.9 kB 86.1 kB |
| This image file is larger than it needs to be (1024x1024) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | | 86.1 kB |
| Product thumbnail style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | ...pencil-pouch-cricket-theme-big-size/d42ca292-9c56-448a-828...jpg (cdn.toycker.in) | 148.9 kB 86.1 kB |
| This image file is larger than it needs to be (1024x1024) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | | 86.1 kB |
| Product thumbnail style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | ...toy-train-with-track-set/7974c50c-8fb8-423c-aef-e5b9b76bb...jpg (cdn.toycker.in) | 114.0 kB 46.5 kB |
| This image file is larger than it needs to be (864x864) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | | 46.5 kB |
| Product thumbnail style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | ...toy-train-with-track-set/724043bf-051b-49f8-a1af-d6f2e9a30...jpg (cdn.toycker.in) | 114.0 kB 46.5 kB |
| This image file is larger than it needs to be (864x864) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | | 46.5 kB |
| Product thumbnail style="position: absolute; height: 100%; width: 100%; inset: 0px;"/> | ...wooden-blocks-coloring-zenga-toy-small/498ba563-4f7a-40d2...jpg (cdn.toycker.in) | 58.5 kB 36.3 kB |
| This image file is larger than it needs to be (864x864) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | | 36.3 kB |

| | | |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| <pre>absolute; height: 100%; width: 100%; inset: 0px;"</pre> | This image file is larger than it needs to be (1080x1080) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | 363 KiB |
|  | Product thumbnail <pre><img alt="Product thumbnail" data-nimg="fill" decoding="async" src="https://cdn.toycker.in/uploads/wooden-blocks-coloring-zenga-toy-small/e372f6f3-38d1-4802--.jpg" (cdn.toycker.in)</pre> | 58.5 KiB 363 KiB |
| <pre>absolute; height: 100%; width: 100%; inset: 0px;"</pre> | This image file is larger than it needs to be (1080x1080) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | 363 KiB |
|  | Product thumbnail <pre><img alt="Product thumbnail" data-nimg="fill" decoding="async" src="https://cdn.toycker.in/uploads/rechargeable-educational-phone-toy-kids/24b49040-16d6-42e5-.jpg" (cdn.toycker.in)</pre> | 118.6 KiB 34.7 KiB |
| <pre>absolute; height: 100%; width: 100%; inset: 0px;"</pre> | This image file is larger than it needs to be (897x896) for its displayed dimensions (855x665). Use responsive images to reduce the image download size. | 34.7 KiB |
|  | Product thumbnail <pre><img alt="Product thumbnail" data-nimg="fill" decoding="async" src="https://cdn.toycker.in/uploads/rechargeable-educational-phone-toy-kids/d6c9e41f-3e60-471b--.jpg" (cdn.toycker.in)</pre> | 118.6 KiB 34.7 KiB |
| <pre>absolute; height: 100%; width: 100%; inset: 0px;"</pre> | This image file is larger than it needs to be (897x896) for its displayed dimensions (855x665). Use responsive images to reduce the image download size. | 34.7 KiB |
|  | Product thumbnail <pre><img alt="Product thumbnail" data-nimg="fill" decoding="async" src="https://cdn.toycker.in/uploads/tumbling-robot/d5d0d417-6d8c-4a1b-8be6-889e4d1e29d0.jpg" (cdn.toycker.in)</pre> | 68.0 KiB 14.5 KiB |
| <pre>absolute; height: 100%; width: 100%; inset: 0px;"</pre> | This image file is larger than it needs to be (750x750) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | 14.5 KiB |
|  | Product thumbnail <pre><img alt="Product thumbnail" data-nimg="fill" decoding="async" src="https://cdn.toycker.in/uploads/tumbling-robot/598fee22-29c4-4c68-a524-6664-66645d4f45f.jpg" (cdn.toycker.in)</pre> | 68.0 KiB 14.5 KiB |
| <pre>absolute; height: 100%; width: 100%; inset: 0px;"</pre> | This image file is larger than it needs to be (750x750) for its displayed dimensions (665x665). Use responsive images to reduce the image download size. | 14.5 KiB |
|  | Toycker logo <pre><img alt="Toycker logo" data-nimg="fill" decoding="async" src="https://cdn.toycker.in/assets/images/toycker.png" style="color: transparent;"</pre> | 11.8 KiB 10.1 KiB |
| <pre>absolute; height: 100%; width: 100%; inset: 0px;"</pre> | Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. | 10.1 KiB |

| ▲ Use efficient cache lifetimes — Est savings of 8,179 KiB | | |
|--------------------------------------------------------------------------------------|-----------|---------------|
| Request | Cache TTL | Transfer Size |
| toycker.in [1st Party] | | 12,024 KiB |
| /banners/25c5998-0fe5-4dfc-9ad5-4cf589bede39.png (cdn.toycker.in) | 4h | 2,561 KiB |
| /banners/70f8083-bee5-4d47-834a-9a9d2d4c18.png (cdn.toycker.in) | 4h | 2,279 KiB |
| /banners/3b75dfc-f3d4c-4ed8-af8d-2403c52d49ae.png (cdn.toycker.in) | 4h | 2,127 KiB |
| /banners/f021db63-5cf2-4e64-84b6-191f02f37eeff.png (cdn.toycker.in) | 4h | 1,974 KiB |
| /banners/4d391f69-e8d4f1f8-bb59-4f0aee4968.png (cdn.toycker.in) | 4h | 1,878 KiB |
| ...pencil-pouch-cricket-theme-big-size/cca56943-2238-4413-8e1--.jpg (cdn.toycker.in) | 4h | 150 KiB |
| ...pencil-pouch-cricket-theme-big-size/d42ca292-9c56-448a-828-.jpg (cdn.toycker.in) | 4h | 149 KiB |
| ...rechargeable-educational-phone-toy-kids/d6c9e41f-4e60-471b--.jpg (cdn.toycker.in) | 4h | 119 KiB |
| ...rechargeable-educational-phone-toy-kids/24b49040-16d6-42e5--.jpg (cdn.toycker.in) | 4h | 119 KiB |
| ...toy-train-with-track-set/7974c50c-8fb-423c-ecaf-e519b76bb--.jpg (cdn.toycker.in) | 4h | 115 KiB |
| ...toy-train-with-track-set/724043bf-051b-49ff-a1af-d6f2e930--.jpg (cdn.toycker.in) | 4h | 115 KiB |
| ...tumbling-robot/598fee22-29c4-4c68-a524-6664-5d4f45f.jpg (cdn.toycker.in) | 4h | 69 KiB |
| ...tumbling-robot/d5d0d417-6d8c-4a1b-8be6-889e4d1e29d0.jpg (cdn.toycker.in) | 4h | 69 KiB |
| ...wooden-blocks-coloring-zenga-toy-small/e372f6f3-38d1-4802--.jpg (cdn.toycker.in) | 4h | 59 KiB |
| ...wooden-blocks-coloring-zenga-toy-small/498ba563-4f7a-40d2--.jpg (cdn.toycker.in) | 4h | 59 KiB |
| ...spinning-tower-game/6564776c-c34-43a2-bd5b-fcc0615d2f28.jpg (cdn.toycker.in) | 4h | 54 KiB |
| ...spinning-tower-game/328d8dfa-939a-46a2-b164-0dd6e6e56539.jpg (cdn.toycker.in) | 4h | 48 KiB |
| ...water-frog-toy/9fa9a88-9569-4917-95c5-1faa7bdcb6ba7.jpg (cdn.toycker.in) | 4h | 40 KiB |
| ...water-frog-toy/05f5c3b-b16-45db-b9a9-a00de17ad51.jpg (cdn.toycker.in) | 4h | 40 KiB |
| ...cloudflare-static/email-decode.min.js (www.toycker.in) | 47m 42s | 1 KiB |
| Cloudflare [Utility] | | 7 KiB |
| /beacon.min.js/vcd15cbe... (static.cloudflareinsights.com) | 1d | 7 KiB |

| ▲ LCP breakdown | | |
|------------------------|----------|--|
| Subpart | Duration | |
| Time to first byte | 0 ms | |
| Resource load delay | 2,890 ms | |
| Resource load duration | 1,671 ms | |

Element render delay 120 ms

LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading [LCP] [Unscored]

- lazy load not applied
- fetchpriority=high should be applied
- Request is discoverable in initial document

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [LCP] [Unscored]

Maximum critical path latency: 2.684 ms

Initial Navigation

```

https://www.toycker.in - 1.579 ms, 32.18 kB
  ...cloudflare-static/email-decode.min.js (www.toycker.in) - 1.663 ms, 1.18 kB
    ...css/44c1f26a8f4e444d.css (www.toycker.in) - 2.137 ms, 1.20 kB
      ...fonts/Grandstander-Regular.ttf (www.toycker.in) - 2.663 ms, 58.10 kB
      ...fonts/Grandstander-Medium.ttf (www.toycker.in) - 2.490 ms, 57.37 kB
      ...fonts/Grandstander-SemiBold.ttf (www.toycker.in) - 2.684 ms, 57.83 kB
      ...fonts/Grandstander-Bold.ttf (www.toycker.in) - 2.674 ms, 57.64 kB
    ...css/96e601...f.css (www.toycker.in) - 1.972 ms, 19.90 kB
    ...css/5c38cf29ec6308f6.css (www.toycker.in) - 1.970 ms, 2.50 kB
    ...css/50cae09h11d7c87b.css (www.toycker.in) - 2.127 ms, 1.88 kB
  
```

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

| Origin | Est LCP savings |
|------------------------|-----------------|
| https://cdn.toycker.in | 300 ms |

Legacy JavaScript — Est savings of 12 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling [LCP] [FCP] [Unscored]

| URL | Wasted bytes |
|-------------------------------------------------------------|----------------------------|
| toycker.in [1st Party] | 11.8 kB |
| ...chunks/112-08852b88de9eb7fc.js (www.toycker.in) | 11.8 kB |
| ...chunks/112-08852b88de9eb7fc.js:1:105207 (www.toycker.in) | Array.prototype.at |
| ...chunks/112-08852b88de9eb7fc.js:1:104595 (www.toycker.in) | Array.prototype.flat |
| ...chunks/112-08852b88de9eb7fc.js:1:104708 (www.toycker.in) | Array.prototype.flatMap |
| ...chunks/112-08852b88de9eb7fc.js:1:105084 (www.toycker.in) | Object.fromEntries |
| ...chunks/112-08852b88de9eb7fc.js:1:105342 (www.toycker.in) | Object.hasOwn |
| ...chunks/112-08852b88de9eb7fc.js:1:104337 (www.toycker.in) | String.prototype.trimEnd |
| ...chunks/112-08852b88de9eb7fc.js:1:104252 (www.toycker.in) | String.prototype.trimStart |

Layout shift culprits

3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Reduce unused CSS — Est savings of 16 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. [LCP] [FCP] [Unscored]

| URL | Transfer Size | Est Savings |
|----------------------------------------|---------------|-------------|
| toycker.in [1st Party] | 18.8 kB | 16.3 kB |
| ...css/96e601...f.css (www.toycker.in) | 18.8 kB | 16.3 kB |

Reduce JavaScript execution time — 1.9 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. [TBT] [Unscored]

| URL | Total CPU Time | Script Evaluation | Script Parse |
|--------------------------------------------------------|----------------|-------------------|--------------|
| toycker.in [1st Party] | 3,804 ms | 1,886 ms | 36 ms |
| ...chunks/112-08852b88de9eb7fc.js (www.toycker.in) | 1,724 ms | 1,606 ms | 8 ms |
| https://www.toycker.in | 1,057 ms | 5 ms | 11 ms |
| ...chunks/46352a19-a823-d28d40.js (www.toycker.in) | 507 ms | 137 ms | 10 ms |
| ...chunks/4475-bbb2ebc957c7981f.js (www.toycker.in) | 423 ms | 48 ms | 7 ms |
| ...chunks/webpack-70f38c77fb13c81f.js (www.toycker.in) | 93 ms | 91 ms | 1 ms |
| Unattributable | 232 ms | 13 ms | 0 ms |
| Unattributable | 232 ms | 13 ms | 0 ms |

Minimize main-thread work — 4.2 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work. [TBT] [Unscored]

| Category | Time Spent |
|------------------------------|------------|
| Script Evaluation | 1,965 ms |
| Style & Layout | 937 ms |
| Other | 847 ms |
| Rendering | 242 ms |
| Script Parsing & Compilation | 88 ms |
| Garbage Collection | 72 ms |
| Parse HTML & CSS | 13 ms |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| ▲ Reduce unused JavaScript — Est savings of 37 KiB | ^ |
| Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. <small>[LCP] [FCP] [Unscored]</small> | |
| <small>URL Transfer Size Est Savings</small> | |
| toycker.in <small>1st Party</small> | 45.8 KiB 36.8 KiB |
| ...chunks/7160-4ca95266360f3bb3.js (www.toycker.in) | 45.8 KiB 36.8 KiB |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| ■ Avoid enormous network payloads — Total size was 12,818 KiB | ^ |
| Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. <small>[Unscored]</small> | |
| URL Transfer Size | |
| toycker.in <small>1st Party</small> | 11,471.6 KiB |
| /banners/25c5998-0fe5-4dfc-9ad5-4cf589bede39.png (cdn.toycker.in) | 2,561.1 KiB |
| /banners/70ef8f83-bee5-4da7-834a-9a9dc2da4c18.png (cdn.toycker.in) | 2,279.0 KiB |
| /banners/3b75dfcf-3d4c-4ed8-afdf-2403c52c49ae.png (cdn.toycker.in) | 2,127.1 KiB |
| /banners/f021db63-5cf2-4e64-84b8-191f82f9f7eef.png (cdn.toycker.in) | 1,974.3 KiB |
| /banners/4d391f69-ec8d-4f18-bb59-4f0a4ee4f9d8.png (cdn.toycker.in) | 1,877.9 KiB |
| ...pencil-pouch-cricket-theme-big-size/cca56943-2238-4413-8e1...jpg (cdn.toycker.in) | 149.5 KiB |
| ...pencil-pouch-cricket-theme-big-size/d42ca292-9c56-448a-828...jpg (cdn.toycker.in) | 149.5 KiB |
| ...rechargeable-educational-phone-toy-kids/d6c5e41f-3e60-471b...jpg (cdn.toycker.in) | 119.2 KiB |
| ...rechargeable-educational-phone-toy-kids/24b49040-16d6-42e3...jpg (cdn.toycker.in) | 119.2 KiB |
| ...toy-train-with-track-set/7974c50c-8fb-423c-aef-e5b9b76bb...jpg (cdn.toycker.in) | 114.6 KiB |

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| ○ Avoid long main-thread tasks — 1 long task found | ^ |
| Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks. <small>[TBT] [Unscored]</small> | |
| URL Start Time Duration | |
| toycker.in <small>1st Party</small> | 77 ms |
| ...chunks/webpack-70f38c77fb13c81f.js (www.toycker.in) | 5,565 ms 77 ms |

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (10) Show

91

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

- ▲ Buttons do not have an accessible name

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio.

These are opportunities to improve the legibility of your content.

ARIA

- ARIA IDs are unique

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (22) Show

NOT APPLICABLE (35) Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CRAWLING AND INDEXING

⚠️ robots.txt is not valid — 1 error found Show

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8) Show

NOT APPLICABLE (1) Show

More on PageSpeed Insights

[What's new](#)
[Documentation](#)
[Learn about Web Performance](#)
[Ask questions on Stack Overflow](#)
[Mailing list](#)

Related Content

[Updates](#)
[Web Fundamentals](#)
[Case Studies](#)
[Podcasts](#)

Connect

[Twitter](#)
[Youtube](#)

[Google for Developers](#) [Chrome](#) [Firebase](#) [All products](#)

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).