

GPIO use guide:

1.Note that the voltage of SOC GPIO must matches the external IO voltage.

2.The pull up voltage of the GPIO is selected to correspond to the power field voltage of GPIO.





Xunlong Software Co.,Limited	
Design Name	ORANGEPI Zero 2W
Size A3	Page Name SOC1
Rev	1.0
Date:	Tuesday, September 26, 2023
Sheet	1 of 7





Xunlong Software Co.,Limited	
Design Name	ORANGEPI Zero 2W
Size A3	Page Name SOC2
Rev	1.0
Date:	Tuesday, September 26, 2023
Sheet	2 of 7


LPDDR4
























深圳市迅龙软件有限公司

Xunlong Software Co.,Limited	
Design Name	ORANGEPI Zero 2W
Size A3	Page Name LPDDR4
Rev	1.0
Date: Tuesday, September 26, 2023	Sheet 3 of 7



PMU
AXP313A
U2
VCC18-ALDO
VCC33-DLDO
VCC_RTC
PMU-SDA
PMU-SCK
PMU_IRQ
AP-RESET
PWRON
ALDO1
DLDO1
RTCLDO
SDA
SCL
IRQ
PWROK
PWRON
GPO
NC
VIN1
LX1
DCDC1
VIN2
LX2
DCDC2
VIN3
LX3
DCDC3
GND
EPAD
QFN21P40B300_300H78
VCC-5V
VDD-GPU
VDD-GPUFB
VDD-CPU
VDD-CPUFB
VCC-DRAM
IND_252012
1.0uH@2ADCR<0.1R
VDD-CPU
VDD-SYS
VCC_RTC
BLDO1
VCC18-ALDO
VCC18-HDMI
VCC18-TV
AVCC
VCC-PLL
VCC-PG
VCC-WIFI-IO
VDD18-LPDDR
VDD18-DRAM
ALDO1
VCC33-DLDO
VCC-IO
VCC-PC
VCC33-USB
VCC33-EPHY
DCDCE
3V3
VDD33
VCC33-CARD
VCC3V3-EXT
RGMII_3V3
VCC33-WIFI
U3
VIN
LX
GND
EN
FB/OUT
ETA3409/SY8089AAC
SOT_23_5
L2
WPN252012H2R2MT
IND_252012
H有效
H>1.5V
FB=0.6V
MASK2
MASK1
MASK3
MASK4
SMD
Xunlong Software Co.,Limited
Design Name
ORANGEPI Zero 2W
Size
A3
Page Name
POWER
Rev
1.0
Date:
Tuesday, September 26, 2023
Sheet
4
of
7








40 PIN CONNECTOR




24 PIN CONNECTOR




Xunlong Software Co.,Limited		
Design Name: ORANGEPI Zero 2W		
Size: A3	Page Name: 09 HDMI/TF/GPIO40/IO18	Rev: 1.0
Date: Tuesday, September 26, 2023	Sheet 5 of 7	

深圳市迅龙软件有限公司


5
4
3
2
1
D
C
B
A
DM DP
6 USB1-DM
6 USB1-DP
USB0-DM
USB0-DP
TYPEC2
SSTXP1 SSRXP1
SSTXN1 SSRXN1
DP1 DN2
DN1 DP2
SSRXN2 SSTXP2
SSRXP2 SSTXN2
CC1 CC2
SBU1 SBU2
VBUS#1 VBUS#3
VBUS#2 VBUS#4
GND#1 GND#8
GND#2 GND#9
GND#3
GND#4
GND#5
GND#6
GND#7 GND#14
UT12113-11601-7H
R0201
RP3 36k
36k RP4
VDD33
VCC-5V
C5
10uF
C0402B
25V
X5R
3A
5V
GND
TYPEC1
RP1 R0201 5.1k
RP2 5.1k R0201
CP26
10uF
C0402B
CP27
100nF
C0201
ED2
AZ5825-01F
ESD0402-6
LED
R4 5.1K R0201 LED_R
D1 LED-R
LED0402
R7 1.8K R0201 LED_G
D2 LED-G
STATUS-LED
Xunlong Software Co.,Limited
Design Name
ORANGEPI Zero 2W
Size
A4
Page Name
10 USB/UART/LED
Rev
1.0
Date:
Tuesday, September 26, 2023
Sheet
6
of
7

WIFI+BT



Xunlong Software Co.,Limited	
Design Name	ORANGEPI Zero 2W
Size A3	Page Name WIFI AW859A
Rev	1.0
Date:	Tuesday, September 26, 2023
Sheet	7 of 7