


Schematic plan — Ground floor

Schematic only — not a certified scale drawing. Entire captured layout is shown, independently of the selected quantity scope. Each sheet fits independently; do not compare printed scale between levels.

Snapshot 1f6964dc-aab4-493c-b881-397c9add47dc · captured 2026-09-12T22:44:49.115Z · source schema 5. Level ownership: assigned; finished-floor elevation is not measured.



R room · D door · W window · O floor-level opening · S stair arrow · L landing · V surface opening · Z zone · C cabinet block. Full names and physical dimensions are in the schedules. Schematic symbols do not verify construction, clearances, structure or quantities.

Room schedule

Ref.	Captured item	Dimensions and drawing status
R1	LivingRoom_VeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomName_Sala_客厅 [lower-room]	Length 12 ft (unconfirmed); width 10 ft (unconfirmed); ceiling height 8 ft (unconfirmed). Drawn at captured layout position. Ceiling model: flat (unconfirmed). Room use: unspecified.

Opening and layout schedule

Ref.	Captured item	Dimensions and drawing status
D1	door [door] / R1 top wall	Width 3 ft (unconfirmed); height unknown: Opening height has not been entered; sill unknown: Opening sill/elevation has not been entered. Drawn at captured wall-center offset. Style: bifold; outward; right hand. Stored hinge side: right. Swing symbol follows the existing editor convention; leaf arrangement is schematic.
S1	Straight stair [stair] / R1 / lower	Run 6 ft (unconfirmed); width 3 ft (unconfirmed); rise unknown: Stair rise has not been measured; level elevations remain unknown. Independent room-local placements do not establish surveyed building alignment. Arrow indicates captured run direction; no tread count is inferred. Drawn at captured room-local placement; footprint only.
S1L	Endpoint landing [lower-landing] / R1 / lower	Width 3 ft (unconfirmed); depth 3 ft (unconfirmed). Drawn at captured room-local placement; footprint only.

Captured conditions needing review

lower-room: Available measurement has not been explicitly confirmed
lower-room, door: Available measurement has not been explicitly confirmed
lower-room, door: Opening height has not been entered
lower-room, door: Opening sill/elevation has not been entered
lower-room, door: Known nonnegative sill plus opening height must fit this room ceiling

Ref.	Captured item	Dimensions and drawing status
S1	Straight stair [stair] / R2 / upper	Run 6 ft (unconfirmed); width 3 ft (unconfirmed); rise unknown: Stair rise has not been measured; level elevations remain unknown. Independent room-local placements do not establish surveyed building alignment. Arrow indicates captured run direction; no tread count is inferred. Drawn at captured room-local placement; footprint only.
S1L	Endpoint landing [upper-landing] / R2 / upper	Width 3 ft (unconfirmed); depth 3 ft (unconfirmed). Drawn at captured room-local placement; footprint only.
V1	Explicit floor hole [hole] / R2 / floor	Surface: floor; width 3 ft (unconfirmed); length 6 ft (unconfirmed). Explicit interior finish opening; dimensions are independent of the stair footprint. No automatic deduction is inferred from the graphic. Drawn at captured room-local placement; footprint only.
Z1	Kitchen zone [zone] / R2	Width 6 ft (unconfirmed); length 4 ft (unconfirmed). Layout only; not additional room finish area. Drawn at captured room-local placement; footprint only.
C1	Fixed island [cabinet] / R2	Length 4 ft (unconfirmed); depth 2 ft (unconfirmed); height 3 ft (unconfirmed). Layout only; no purchasing or installation quantity. Drawn at captured room-local placement; footprint only.

Captured conditions needing review

- upper-room: Available measurement has not been explicitly confirmed
- upper-room, window: Available measurement has not been explicitly confirmed
- upper-room, window: Opening height has not been entered
- upper-room, window: Opening sill/elevation has not been entered
- upper-room, window: Known nonnegative sill plus opening height must fit this room ceiling

Schematic plan — Future level

Schematic only — not a certified scale drawing. Entire captured layout is shown, independently of the selected quantity scope. Each sheet fits independently; do not compare printed scale between levels.

Snapshot 1f6964dc-aab4-493c-b881-397c9add47dc · captured 2026-09-12T22:44:49.115Z · source schema 5. Level ownership: assigned; finished-floor elevation is not measured.

No rooms captured on this level.

R room · D door · W window · O floor-level opening · S stair arrow · L landing · V surface opening · Z zone · C cabinet block. Full names and physical dimensions are in the schedules. Schematic symbols do not verify construction, clearances, structure or quantities.

Selected quantities

Ceiling area

Selected total: provisional · Coverage: complete

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
270	0	0	270	0%	0	270

Captured gross basis: 270 ft2 (provisional). Gross basis does not establish available net quantities.

Included target IDs: room:"lower-room", room:"upper-room"

Excluded target IDs: None

Floor area

Selected total: provisional · Coverage: complete

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
270	18	18	252	10%	25.2	277.2

Captured gross basis: 270 ft2 (provisional). Gross basis does not establish available net quantities.

Included target IDs: room:"lower-room", room:"upper-room"

Excluded target IDs: None

Name / ID	Field	Captured value and evidence
LivingRoom_VeryLongRoomNameVeryLong RoomNameVeryLongRoomNameVeryLongRo omNameVeryLongRoomNameVeryLongRo o mNameVeryLongRoomNameVeryLongRoom NameVeryLongRoomNameVeryLongRoomN ameVeryLongRoomNameVeryLongRoomNa meVeryLongRoomNameVeryLongRoomNam e_Sala_客厅 lower-room	width	10 ft; unconfirmed; input 10 ft; source manual; level ID: lower-level
LivingRoom_VeryLongRoomNameVeryLong RoomNameVeryLongRoomNameVeryLongR oomNameVeryLongRoomNameVeryLongRo omNameVeryLongRoomNameVeryLongRo o mNameVeryLongRoomNameVeryLongRoom NameVeryLongRoomNameVeryLongRoomN ameVeryLongRoomNameVeryLongRoomNa meVeryLongRoomNameVeryLongRoomNam e_Sala_客厅 lower-room	ceilingHeight	8 ft; unconfirmed; input 8 ft; source manual; level ID: lower-level
LivingRoom_VeryLongRoomNameVeryLong RoomNameVeryLongRoomNameVeryLongR oomNameVeryLongRoomNameVeryLongRo omNameVeryLongRoomNameVeryLongRo o mNameVeryLongRoomNameVeryLongRoom NameVeryLongRoomNameVeryLongRoomN ameVeryLongRoomNameVeryLongRoomNa meVeryLongRoomNameVeryLongRoomNam e_Sala_客厅 lower-room	ceiling	flat; unconfirmed; Explicit captured model
LivingRoom_VeryLongRoomNameVeryLong RoomNameVeryLongRoomNameVeryLongR oomNameVeryLongRoomNameVeryLongRo omNameVeryLongRoomNameVeryLongRo o mNameVeryLongRoomNameVeryLongRoom NameVeryLongRoomNameVeryLongRoomN ameVeryLongRoomNameVeryLongRoomNa meVeryLongRoomNameVeryLongRoomNam e_Sala_客厅 lower-room	walls	vertical-uniform; unconfirmed; Explicit captured model
LivingRoom_VeryLongRoomNameVeryLong RoomNameVeryLongRoomNameVeryLongR oomNameVeryLongRoomNameVeryLongRo omNameVeryLongRoomNameVeryLongRo o mNameVeryLongRoomNameVeryLongRoom NameVeryLongRoomNameVeryLongRoomN ameVeryLongRoomNameVeryLongRoomNa meVeryLongRoomNameVeryLongRoomNam e_Sala_客厅 lower-room	crownPath	rectangular-horizontal; unconfirmed; Explicit captured model
Upper kitchen upper-room	length	15 ft; unconfirmed; input 15 ft; source manual; level ID: upper-level
Upper kitchen upper-room	width	10 ft; unconfirmed; input 10 ft; source manual; level ID: upper-level

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
120	0	0	120	0%	0	120

Captured formula: room.length * room.width minus union of explicit internal finish-surface opening rectangles;
waste once after net

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls ; openings ; paths [{"rooms",0,"length"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls ; openings ; paths [{"rooms",0,"width"}]

APPLICABILITY_UNCONFIRMED: ceiling: The proposed finish model has not been explicitly confirmed; rooms lower-room; walls ; openings ; paths [{"calculationContract","rooms","lower-room","ceiling"}]

Raw deduction sources: []

Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

Upper kitchen · Ceiling area

Target ID: room:"upper-room"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: provisional

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
150	0	0	150	0%	0	150

Captured formula: room.length * room.width minus union of explicit internal finish-surface opening rectangles;
waste once after net

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls ; openings ; paths [{"rooms",1,"length"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls ; openings ; paths [{"rooms",1,"width"}]

APPLICABILITY_UNCONFIRMED: ceiling: The proposed finish model has not been explicitly confirmed; rooms upper-room; walls ; openings ; paths [{"calculationContract","rooms","upper-room","ceiling"}]

Raw deduction sources: []

Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

LivingRoom_VeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRo
omNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoom
NameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNa

meVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomName_

Sala_客厅 · Floor area

Target ID: room:"lower-room"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: supported

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
120	0	0	120	10%	12	132

Captured formula: room.length * room.width minus union of explicit internal finish-surface opening rectangles; waste once after net

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls ; openings ; paths [{"rooms",0,"length"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls ; openings ; paths [{"rooms",0,"width"}]

Raw deduction sources: []
Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

Upper kitchen · Floor area

Target ID: room:"upper-room"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: supported

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
150	18	18	132	10%	13.2	145.2

Captured formula: room.length * room.width minus union of explicit internal finish-surface opening rectangles; waste once after net

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls ; openings ; paths [{"rooms",1,"length"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls ; openings ; paths [{"rooms",1,"width"}]

Raw deduction sources: [{"openingId":"hole","roomId":"upper-room","surface":"floor","raw":1672254.7200000004,"effectiveBeforeUnion":1672254.7200000004,"boundaryAdjustment":0,"roundoffAdjustment":0,"rawBounds":{"x":{"start":304.8,"end":1219.2},"y":{"start":304.8,"end":2133.6000000000004}},"effectiveBounds":{"x":{"start":304.8,"end":1219.2},"y":{"start":304.8,"end":2133.6000000000004}}}]
Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

LivingRoom_VeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRo
omNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoom
NameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNa
meVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomName_
Sala_客厅 /

LivingRoom_VeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRo
omNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoom
NameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNa
meVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomName_
Sala_客厅 / bottom wall · Gross wall area

Target ID: wall:"lower-room:bottom"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: provisional

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
96	0	0	96	0%	0	96

Captured formula: wall.length * wall.height minus union of intersected eligible opening rectangles

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls lower-room:bottom; openings ; paths [{"rooms",0,"length"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls lower-room:bottom; openings ; paths [{"rooms",0,"ceilingHeight"}]

APPLICABILITY_UNCONFIRMED: walls: The proposed finish model has not been explicitly confirmed; rooms lower-room; walls lower-room:bottom; openings ; paths [{"calculationContract","rooms","lower-room","walls"}]

Raw deduction sources: []

Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

LivingRoom_VeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRo
omNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoom
NameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNa
meVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomName_
Sala_客厅 /

LivingRoom_VeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRo
omNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoom
NameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNa
meVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomName_
Sala_客厅 / left wall · Gross wall area

Target ID: wall:"lower-room:left"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: provisional

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
80	0	0	80	0%	0	80

Captured formula: wall.length * wall.height minus union of intersected eligible opening rectangles

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls lower-room:left; openings ; paths [{"rooms",0,"width"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls lower-room:left; openings ; paths [{"rooms",0,"ceilingHeight"}]

APPLICABILITY_UNCONFIRMED: walls: The proposed finish model has not been explicitly confirmed; rooms lower-room; walls lower-room:left; openings ; paths [{"calculationContract","rooms","lower-room","walls"}]

Raw deduction sources: []

Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

LivingRoom_VeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRo
omNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoom
NameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNa
meVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomName_
Sala 客厅 /

LivingRoom_VeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRo
omNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoom
NameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomNa
meVeryLongRoomNameVeryLongRoomNameVeryLongRoomNameVeryLongRoomName_
Sala_客厅 / right wall · Gross wall area

Target ID: wall:"lower-room:right"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: provisional

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
80	0	0	80	0%	0	80

Captured formula: wall.length * wall.height minus union of intersected eligible opening rectangles

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls lower-room:right; openings ; paths [{"rooms",0,"width"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms lower-room; walls lower-room:right; openings ; paths [{"rooms",0,"ceilingHeight"}]

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: provisional

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
120	0	0	120	0%	0	120

Captured formula: wall.length * wall.height minus union of intersected eligible opening rectangles

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls upper-room:bottom; openings ; paths [{"rooms",1,"length"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls upper-room:bottom; openings ; paths [{"rooms",1,"ceilingHeight"}]

APPLICABILITY_UNCONFIRMED: walls: The proposed finish model has not been explicitly confirmed; rooms upper-room; walls upper-room:bottom; openings ; paths [{"calculationContract","rooms","upper-room","walls"}]

Raw deduction sources: []

Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

Upper kitchen / Upper kitchen / left wall · Gross wall area

Target ID: wall:"upper-room:left"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: provisional

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
80	0	0	80	0%	0	80

Captured formula: wall.length * wall.height minus union of intersected eligible opening rectangles

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls upper-room:left; openings ; paths [{"rooms",1,"width"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls upper-room:left; openings ; paths [{"rooms",1,"ceilingHeight"}]

APPLICABILITY_UNCONFIRMED: walls: The proposed finish model has not been explicitly confirmed; rooms upper-room; walls upper-room:left; openings ; paths [{"calculationContract","rooms","upper-room","walls"}]

Raw deduction sources: []

Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

Upper kitchen / Upper kitchen / right wall · Gross wall area

Target ID: wall:"upper-room:right"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: provisional

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
80	0	0	80	0%	0	80

Captured formula: wall.length * wall.height minus union of intersected eligible opening rectangles

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls upper-room:right; openings ; paths [{"rooms",1,"width"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls upper-room:right; openings ; paths [{"rooms",1,"ceilingHeight"}]

APPLICABILITY_UNCONFIRMED: walls: The proposed finish model has not been explicitly confirmed; rooms upper-room; walls upper-room:right; openings ; paths [{"calculationContract","rooms","upper-room","walls"}]

Raw deduction sources: []

Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

Upper kitchen / Upper kitchen / top wall · Gross wall area

Target ID: wall:"upper-room:top"

Status: provisional; numeric basis: sufficient; geometry: valid; confirmation: provisional; model: provisional

Quantities (ft2)

Gross	Raw deductions	Effective deductions	Net	Waste	Allowance	Adjusted
120	0	0	120	0%	0	120

Captured formula: wall.length * wall.height minus union of intersected eligible opening rectangles

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls upper-room:top; openings ; paths [{"rooms",1,"length"}]

MEASUREMENT_UNCONFIRMED: Available measurement has not been explicitly confirmed; rooms upper-room; walls upper-room:top; openings ; paths [{"rooms",1,"ceilingHeight"}]

APPLICABILITY_UNCONFIRMED: walls: The proposed finish model has not been explicitly confirmed; rooms upper-room; walls upper-room:top; openings ; paths [{"calculationContract","rooms","upper-room","walls"}]

Raw deduction sources: []

Boundary / overlap / roundoff adjustments (mm2): 0 / 0 / 0

Snapshot and provenance

[illegible]