6 — 132 - 36

NUMBER (Series of 1925)
278174

PATENT No. 1693515

1928

DATED NOV 27 1928

DIV. 35

(EX'R'S BOOK) 5 - 202 - B

Name MARJORIE S. JOYNER

Assignor to The Madame C. J. Walker Manufacturing Company of Indianapolis, Ind., a corp. of Indiana.

of CHICAGO

State of ILLINOIS

Invention PERMANENT WAVING MACHINE

Division of App., No. ..... *, filed* ....., *19*

ORIGINAL	RENEWED
APPLICATION FILED COMPLETE MAY 16, 1928	
PARTS OF APPLICATION FILED: *Petition, Specification, Oath, First Fee $20,* MAY 16, 1928	
3 sheets Drawings,	11
Examined and passed for Issue Oct 22, 1928	*Reexam'd and passed for Issue* ....., 192
E. F. Reynolds *Exr. Div.* 35	*Exr. Div.* .....
Notice of Allowance Oct. 23, 1928 By Commissioner.	*Notice of Allowance* ....., 192 By Commissioner.
Final Fee $20 Nov. 1, 1928	*Final Fee* ....., 192

Attorney E. E. VROOMAN & CO ATLAS BLDG CITY..

Associate Attorney .....

No. of Claims Allowed 6 *Print Claims* # 1 *in O. G. Class* 132 - 36

Title as Allowed Permanent - Waving Machine,

11—8826

524.24

0 2 2 7 8 1 7 4

421

1928

CONTENTS:

1. *Application* ---------- *papers.*
2. Letter ~ July 8/28
3. a July 31/28
4. ----------
5. ----------
6. ----------
7. ----------
8. ----------
9. ----------
10. ----------
11. ----------
12. ----------
13. ----------
14. ----------
15. ----------
16. ----------
17. ----------
18. ----------
19. ----------
20. ----------
21. ----------
22. ----------
23. ----------
24. ----------
25. ----------
26. ----------
27. ----------
28. ----------
29. ----------
30. ----------
31. ----------
32. ----------
33. ----------
34. ----------
35. ----------
36. ----------
37. ----------
38. ----------
39. ----------
40. ----------
41. ----------
42. ----------
43. ----------
44. ----------
45. ----------
46. ----------
47. ----------
48. ----------
49. ----------
50. ----------

11—8326

GOVERNMENT PRINTING OFFICE

53A-169
16372
15/78:21-7

Searched
1377/36
219/24.3 - Pr. 272,634 - Nestle & Co.
Assigned to Comp. -- June 23, 1927
Patent shows pellets & knobs, etc.
Shows lamp.
1683717 - 219/24 - Thayer - Sept. 11, 1928

E. E. VROOMAN & CO.
PATENT LAWYERS
WASHINGTON, D. C.

OUR OFFICES ARE
OPPOSITE
THE U. S. PATENT OFFICE

20 REC'D MAY 16 1920 U.S. PAT. OFFICE

10732

PETITION 278174

To the Commissioner of Patents:

Washington, D. C.,

Sir:

Your petitioner Marjorie S. Joyner, a

citizen of the United States, residing at Chicago,

in the County of Cook, State of Illinois

whose Post Office address is 5607 Wabash Avenue, Chicago, Illinois

pray s that Letters Patent may be granted to ~~him~~ her

for the improvements in Permanent Waving Machine

as set forth in the annexed Specification.

And she hereby appoints E. E. VROOMAN & CO., Atlas Bldg., 9th and F Streets N. W., Washington, D. C., whose registry number is 3741, her attorneys, (said firm being composed of Edwin E. Vrooman), with full power of substitution and revocation, to prosecute this application, to make alterations and amendments therein, to sign the drawings, to receive the Patent, and to transact all business in the United States Patent Office connected therewith.

☞ Inventor's full name here: Marjorie S. Joyner
5607 Wabash Ave.

SPECIFICATION

To all whom it may concern:

Be it known, That I, Marjorie S. Joyner, a

citizen of The United States residing at

Chicago,

in the County of Cook, and State of Illinois

have invented certain new and useful Improvements in

Permanent Waving Machine

of which the following is a specification, reference being had therein to the accompanying drawings:

10733

Powder

This invention relates to a Permanent Waving Machine.

The object of the invention is the construction of a simple and efficient machine that will wave the hair of both white and colored people.

Another object of the invention is the construction of a machine that embodies an efficient dome which carries the curling irons and the clamping devices used during the waving process.

A still further object of the invention is the construction of a simple and efficient scalp protector used upon the patron's head, during the process of waving her hair.

With the foregoing and other objects in view, my invention comprises certain novel constructions, combinations and arrangements of parts as will be hereinafter fully described, illustrated in the accompanying drawings, and more particularly pointed out in the appended claims.

In the drawings:

Figure 1 is a view in side elevation of my permanent waving machine.

Figure 2 is a sectional view, taken on line 2-2, Figure 1, and looking in the direction of the arrows.

Figure 3 is a vertical sectional view of the dome of my machine.

Figure 4 is a plan view of the outer or bottom face of the spacing plate of the dome.

Figure 5 is a view in elevation of one of the clamping devices.

Figure 6 is a view in elevation of one of the electric curling irons.

Figure 7 is a view showing the blank form of the scalp protector, while

Figure 8 is a folded view of the same.

Figure 9 is a plan view of a flannel strip.

Figure 10 is a perspective view, showing the hair placed on a flannel strip, ready to wrap.

Figure 11 is a view showing a flannel wrapped around hair ready to be wrapped on rod of iron.

Figure 12 shows flannel wrapped around one square inch of hair, then wrapped on the iron part of the curling iron.

Figure 13 shows the scalp protector placed around one square inch of hair on the patron's head.

Figure 14 is a view showing the scalp protector, and the beginning of wrapping of the hair on the iron.

Figure 15 shows the scalp protector around the hair after being wrapped on irons.

Referring to the drawings by numerals, 1 designates the base of my machine, which has an integral hollow upright 2, into which extends the standard 3; this standard 3 is held in any desired adjusted position, in upright 2, by the fastening means 4. On the upper, outer end of standard 3 is a sleeve 5; into sleeve 5 is screwed the hub 6 of the dome 7.

The dome 7 has a spacing plate 8 therein, and this plate is held in position by locking ring 9. Ring 9 is held in place by the inner threaded ends 10 of hooks 11 extending through the dome and the ring. The hooks 11 perform two functions, to wit: they support the clamping devices 12 as well as lock ring 9 in the dome, whereby the spacing plate is securely held in position, but can be quickly removed for adjusting or inspecting the wiring, by merely removing the hooks 11 and ring 9.

In the drawings, I have preferably shown the spacing plate in the nature of a disc, resting on the top edge of ring 9, and bearing at 13, snugly against the inner face of dome 7. The spacing plate is provided with a number of insulating sleeves 14, through which are threaded the wires 15; to each wire 15 is attached a curling iron 16. The curling iron 16 is preferably of the ordinary electrical type, and comprises the iron 17 and the deep jaw 18. The grips 19 are pivotally mounted at 20, so that when the curling iron is not in use, the grips can be turned down to the folded position, shown in Figure 6, to place the grips out of the way or in a more compact position. Lamps or lights 21 are supported by the spacing plate 8 and are supplied with electric current through wires 22; wires 15 and 22 are placed in a single cable structure 23 that extends through a sleeve 24, in hub 6, through sleeve 5 and standard 3.

The clamping devices 12 are attached to cords 25, which cords are suspended on the hooks 11. Therefore, when the curling irons have been placed on the hair of the patron, the clamping devices can be clamped upon the curling irons, taking the weight of said irons off the head of the patron. The operator can use any length cords 25 desired, and the length of the wires 15 can, so to speak, be shortened or lengthened by the take-up devices 26.

The scalp protector (Figs. 7, 8 and 13) is formed from a blank sheet of material and comprises a body 27 that has an incut 28 at one of its longitudinal edges; a tongue 29 extends from one end of body 27.

In Figure 9, I have shown a flannel strip 30 that is used to placed the hair on, and then the hair is wrapped around said strip. In Figure 11, I have shown the flannel 31 wrapped around the hair ready to be wrapped on the rod 17 of the curling iron. In Figure 12, I have shown the flannel wrapped around one square inch of hair, then wrapped on the rod or iron 17 of the curling iron 16. In Figure 13, the scalp protector is shown placed against the patron's head around one square inch of hair, and in Figure 14, is shown the first position of wrapping the hair on the curling iron. In Figure 15, the scalp protector is shown around the hair after being wrapped on the curling iron.

While I have described the preferred embodiment of my invention, certain minor changes or alterations may appear to one skilled in the art to which this invention relates during the extensive manufacture of the same, and I, therefore, reserve the right to make such changes or alterations as shall fairly fall within the scope of the appended claims.

10738

What I claim is:

1. In a permanent waving machine, the combination with a standard, of a dome carried by said standard, said dome provided with a spacing plate therein, hooks on said dome, means supported by said hooks and retaining the spacing plate within the dome, lights and curling irons supported upon said spacing plate, and clamping devices supported by said hooks.

2. In a permanent waving machine, the combination with a standard, of a dome carried by said standard, a spacing plate in said dome, a locking ring in said dome against said spacing plate, hooks having portions engaging said dome and locking ring, and holding the locking ring and spacing plate in position, and lamps, curling irons and clamping devices suspended from said dome, spacing plate and hooks, respectively.

3. In a permanent waving machine, the combination with a standard, of a dome depending from said standard, a disc-like plate up in said dome, lamps and curling irons suspended upon said plate, and clamping devices supporting hooks attached to the dome.

4. In a permanent waving machine, the combination with a standard, of a sleeve on the outer end of said standard, a dome with a hub, said hub threaded into said sleeve, a second sleeve in the hub of said dome, a disc-like plate up in the dome and bearing against the same, a locking ring in the dome against the bottom face of said disc-like plate, hooks provided with inner threaded ends, said threaded ends threaded through the dome and said locking ring holding the locking ring and disc-like plate in the dome, lamps supported by said disc-like plate, wires extending through said disc-like plate in spaced relation, curling irons attached to said wires, and clamping devices ~~carrying~~ held by cords attached to said hooks, substantially as shown and described.

5. In a permanent waving machine, the combination with a standard, of a dome depending from said standard, said dome provided with a spacing plate, said plate provided with insulating sleeves, electric wires or cords threaded through said insulating sleeves, curling irons attached to said electric wires, and curling iron clamping devices suspended upon the outside of said dome.

6. In a permanent waving machine, the combination of a standard provided with a depending dome, a removable spacing plate within the dome, electric lamps and curling irons suspended upon said spacing plate, and detachable hooks on the outside of said dome.

7. A scalp protector formed from a blank sheet and comprising an elongated body provided at one end with a reduced outwardly extending tongue, and said body provided in one edge with a hair-receiving incut.

8. A scalp protector, comprising a body provided with a hair-receiving incut and with a projecting wrapping tongue.

In testimony whereof I *hereunto affix* my *signature.*

☞ Inventor's full name here { Marjorie S. Joyner
560 Wabash Ave
Chicago, Ill.

OATH

10741

City of ~~Chicago~~ New York
County of ~~Cook~~ New York } *ss:*
State of ~~Illinois~~ New York

Marjorie S. Joyner,

the above named petitioner being sworn or affirmed depose s and says that she is a *citizen of* The United States *and resident of* Chicago in the County of Cook, and State of Illinois

and that she *verily believe s* herself *to be the original, first, and* sole *inventor of the* Permanent Waving Machine

described and claimed in the annexed specification; that she *doe s not know and do es not believe that the same was ever known or used before* her *invention or discovery thereof; or patented or described in any printed publication in any country before* her *invention or discovery thereof, or more than two years prior to this application; or in public use or on sale in the United States for more than two years prior to this application; that said invention has not been patented in any country foreign to the United States on an application filed by* her *or* her *legal representatives or assigns more than* twelve *months prior to this application; and that no application for patent on said* invention *has been filed by* her *or* her *representatives or assigns in any country foreign to the United States.*

☞ *Inventor's full name here:* { Marjorie S. Joyner
560 Wabash Ave. Chicago, Ill.

Sworn to and subscribed before me this 3rd *day of* May *19* 28.

Clara B Bruce
(Signature of Justice or Notary.)

NOTARY PUBLIC. NEW YORK COUNTY
NEW YORK COUNTY CLKS. No. 801
NEW YORK CO. REG. No. 9042A

(Official Character) MARCH 30, 1929

IMPORTANT NOTICE: **"Each Sheet Must be Impressed with the Official Seal of the Officer Before Whom the Oath was Taken, or if he is not Provided with a Seal, then Each Sheet MUST be Initialed by Him."**

Acknowledgment should be made before a Notary Public, who **MUST** attach his seal. **If, however,** the oath is taken before a Justice of the Peace, a certificate of the nearest Judge or Clerk of the Court, under seal, showing that such Justice is qualified, must be attached.

Property of the U.S. Patent Office
Not to be taken from the files

Nov. 27, 1928. 1,693,515

M. S. JOYNER

PERMANENT WAVING MACHINE

Filed May 16, 1928 3 Sheets-Sheet 3




Fig. 6.




Fig. 9.

Fig. 10.



Fig. 11.



Fig. 12.




Fig. 13.




Fig. 14.




Fig. 15.

INVENTOR.
Marjorie S. Joyner
BY
E. G. Broomall & Co.,
HER ATTORNEYS.

Nov. 27, 1928. 1,693,515

M. S. JOYNER

PERMANENT WAVING MACHINE

Filed May 16, 1928 3 Sheets-Sheet 2

Fig. 3.




Fig. 4.




Fig. 5.




Fig. 8.





Fig. 7.



INVENTOR.
Marjorie S. Joyner.
BY
E. G. Siggers & Co
HER ATTORNEYS.

Nov. 27, 1928. 1,693,515

M. S. JOYNER

PERMANENT WAVING MACHINE

Filed May 16, 1928 3 Sheets-Sheet 1




Fig. 1.

Fig. 2.

INVENTOR.
Marjorie S. Joyner.
BY
E. G. Siggman & Co.,
HER ATTORNEYS.

Patented Nov. 27, 1928. 1,693,515

UNITED STATES PATENT OFFICE.

MARJORIE S. JOYNER, OF CHICAGO, ILLINOIS, ASSIGNOR TO THE MADAME C. J. WALKER MANUFACTURING COMPANY, OF INDIANAPOLIS, INDIANA, A CORPORATION OF INDIANA.

PERMANENT-WAVING MACHINE.

Application filed May 16, 1928. Serial No. 278,174.

This invention relates to a permanent waving machine.

The object of the invention is the construction of a simple and efficient machine that will wave the hair of both white and colored people.

Another object of the invention is the construction of a machine that embodies an efficient dome which carries the curling irons and the clamping devices used during the waving process.

A still further object of the invention is the construction of a simple and efficient scalp protector used upon the patron's head, during the process of waving her hair.

With the foregoing and other objects in view, my invention comprises certain novel constructions, combinations and arrangements of parts as will be hereinafter fully described, illustrated in the accompanying drawings, and more particularly pointed out in the appended claims.

In the drawings:

Figure 1 is a view in side elevation of my permanent waving machine.

Figure 2 is a sectional view, taken on line 2—2, Figure 1, and looking in the direction of the arrows.

Figure 3 is a vertical sectional view of the dome of my machine.

Figure 4 is a plan view of the outer or bottom face of the spacing plate of the dome.

Figure 5 is a view in elevation of one of the clamping devices.

Figure 6 is a view in elevation of one of the electric curling irons.

Figure 7 is a view showing the blank form of the scalp protector, while

Figure 8 is a folded view of the same.

Figure 9 is a plan view of a flannel strip.

Figure 10 is a perspective view, showing the hair placed on a flannel strip, ready to wrap.

Figure 11 is a view showing a flannel wrapped around hair ready to be wrapped on rod of iron.

Figure 12 shows flannel wrapped around one square inch of hair, then wrapped on the iron part of the curling iron.

Figure 13 shows the scalp protector placed around one square inch of hair on the patron's head.

Figure 14 is a view showing the scalp protector, and the beginning of wrapping of the hair on the iron.

Figure 15 shows the scalp protector around the hair after being wrapped on irons.

Referring to the drawings by numerals, 1 designates the base of my machine, which has an integral hollow upright 2, into which extends the standard 3; this standard 3 is held in any desired adjusted position, in upright 2, by the fastening means 4. On the upper, outer end of standard 3 is a sleeve 5; into sleeve 5 is screwed the hub 6 of the dome 7.

The dome 7 has a spacing plate 8 therein, and this plate is held in position by locking ring 9. Ring 9 is held in place by the inner threaded ends 10 of hooks 11 extending through the dome and the ring. The hooks 11 perform two functions, to wit: They support the clamping devices 12 as well as lock ring 9 in the dome, whereby the spacing plate is securely held in position, but can be quickly removed for adjusting or inspecting the wiring, by merely removing the hooks 11 and ring 9.

In the drawings, I have preferably shown the spacing plate in the nature of a disc, resting on the top edge of ring 9, and bearing at 13, snugly against the inner face of dome 7. The spacing plate is provided with a number of insulating sleeves 14, through which are threaded the wires 15; to each wire 15 is attached a curling iron 16. The curling iron 16 is preferably of the ordinary electrical type, and comprises the iron 17 and the deep jaw 18. The grips 19 are pivotally mounted at 20, so that when the curling iron is not in use, the grips can be turned down to the folded position, shown in Figure 6, to place the grips out of the way or in a more compact position. Lamps or lights 21 are supported by the spacing plate 8 and are supplied with electric current through wires 22; wires 15 and 22 are placed in a single cable structure 23 that extends through a sleeve 24, in hub 6, through sleeve 5 and standard 3.

The clamping devices 12 are attached to cords 25, which cords are suspended on the hooks 11. Therefore, when the curling irons have been placed on the hair of the patron, the clamping devices can be clamped upon the curling irons, taking the weight of said irons off the head of the patron. The operator can use any length cords 25 desired, and the length of the wires 15 can, so to speak, be shortened or lengthened by the take-up devices 26.

The scalp protector (Figs. 7, 8 and 13) is formed from a blank sheet of material and

comprises a body 27 that has an incut 28 at one of its longitudinal edges; a tongue 29 extends from one end of body 27.

In Figure 9, I have shown a flannel strip 30 that is used to place the hair on, and then the hair is wrapped around said strip. In Figure 11, I have shown the flannel 31 wrapped around the hair ready to be wrapped on the rod 17 of the curling iron. In Figure 12 I have shown the flannel wrapped around one square inch of hair, then wrapped on the rod or iron 17 of the curling iron 16. In Figure 13, the scalp protector is shown placed against the patron's head around one square inch of hair, and in Figure 14, is shown the first position of wrapping the hair on the curling iron. In Figure 15, the scalp protector is shown around the hair after being wrapped on the curling iron.

While I have described the preferred embodiment of my invention, certain minor changes or alterations may appear to one skilled in the art to which this invention relates during the extensive manufacture of the same, and I, therefore, reserve the right to make such changes or alterations as shall fairly fall within the scope of the appended claims.

What I claim is:

1. In a permanent waving machine, the combination with a standard, of a dome carried by said standard, said dome provided with a spacing plate therein, hooks on said dome, means supported by said hooks and retaining the spacing plate within the dome, lights and curling irons supported upon said spacing plates, and clamping devices supported by said hooks.

2. In a permanent waving machine, the combination with a standard, of a dome carried by said standard, a spacing plate in said dome, a locking ring in said dome against said spacing plate, hooks having portions engaging said dome and locking ring and holding the locking ring and spacing plate in position, and lamps, curling irons and clamping devices suspended from said dome, spacing plate and hooks, respectively.

3. In a permanent waving machine, the combination with a standard, of a dome depending from said standard, a disc-like plate up in said dome, lamps and curling irons suspended upon said plate, and clamping devices supported by hooks attached to the dome.

4. In a permanent waving machine, the combination with a standard, of a sleeve on the outer end of said standard, a dome with a hub, said hub threaded into said sleeve, a second sleeve in the hub of said dome, a disc-like plate up in the dome and bearing against the same, a locking ring in the dome against the bottom face of said disc-like plate, hooks provided with inner threaded ends, said threaded ends threaded through the dome and said locking ring holding the locking ring and disc-like plate in the dome, lamps supported by said disc-like plate, wires extending through said disc-like plate in spaced relation, curling irons attached to said wires, and clamping devices carried by cords attached to said hooks, substantially as shown and described.

5. In a permanent waving machine, the combination with a standard, of a dome depending from said standard, said dome provided with a spacing plate, said plate provided with insulating sleeves, electric wires or cords threaded through said insulating sleeves, curling irons attached to said electric wires, and curling iron clamping devices suspended upon the outside of said dome.

6. In a permanent waving machine, the combination of a standard provided with a depending dome, a removable spacing plate within the dome, electric lamps and curling irons suspended upon said spacing plate, and detachable hooks on the outside of said dome.

In testimony whereof I hereunto affix my signature.

MARJORIE S. JOYNER.

$20. REC'D.

NOV 1928

C.C.U.S.PAT.OFFICE

FINAL FEE PAID TO THE COMMISSIONER OF PATENTS

(Be careful to give correct Serial No.)

Serial No. 278,174

INVENTOR:

Marjorie S. Joyner,

PATENT TO BE ISSUED TO

The Madame C. J. Walker Mfg. Co., of Indianapolis, Indiana
assignee

NAME OF INVENTION, AS ALLOWED:

Permanent Waving Machine

DATE OF PAYMENT:

NOV 1 1928

FEE:

$20, $20

DATE OF FILING:

May 16, 1928

DATE OF CIRCULAR OF ALLOWANCE:

Oct. 23, 1928

The Commissioner of Patents will please apply the accompanying fee as indicated above.

E. E. Vrooman
Leo.

Attorney.

SEND PATENT TO

E. E. VROOMAN & CO.
527 - 9th St., N. W., Wash., D. C.

Final fees will not be received from other than the applicant, his assignee or attorney, or a party in interest as shown by the records of the Patent Office.

11—8673

GOVERNMENT PRINTING OFFICE

ADDRESS ONLY
THE COMMISSIONER OF PATENTS
WASHINGTON, D. C.

Div. 35 181

Serial No. 278,174

VH.

DEPARTMENT OF COMMERCE
UNITED STATES PATENT OFFICE
WASHINGTON

OCT 23 1928

Marjorie S. Joyner,
Assignor to -

October Twenty-Three, 1928.

The Madame C. J. Walker Manufacturing Company.

Your APPLICATION for a patent for an IMPROVEMENT in Permanent Waving Machine, filed May 16, 1928, has been examined and ALLOWED with 6 claims.

The final fee, TWENTY DOLLARS, WITH $1 ADDITIONAL FOR EACH CLAIM ALLOWED IN EXCESS OF 20, must be paid not later than SIX MONTHS from the date of this present notice of allowance. If the final fee be not paid within that period, the patent will be withheld, but the application may be renewed within one year after the date of the original notice with a renewal fee of $20 and $1 additional for each claim in excess of 20.

The office delivers patents upon the day of their date, on which date their term begins to run. The preparation of the patent for final signing and sealing will require about four weeks, and such work will not be begun until after payment of the necessary final fee.

When the final fee is paid, there should also be sent, DISTINCTLY AND PLAINLY WRITTEN, the name of the INVENTOR, TITLE OF THE INVENTION, AND SERIAL NUMBER AS ABOVE GIVEN, DATE OF ALLOWANCE (which is the date of this circular), DATE OF FILING, and, if assigned, the NAMES OF THE ASSIGNEES.

If it is desired to have the patent issue to an ASSIGNEE OR ASSIGNEES, an assignment containing a REQUEST to that effect, together with the FEE for recording the same, must be filed in this office on or before the date of payment of the final fee.

After issue of the patent, uncertified copies of the drawings and specifications may be purchased at the price of TEN CENTS EACH. The money should accompany the order. Postage stamps will not be received.

The final fee will NOT be received from other than the applicant, his assignee or attorney, or a party in interest as shown by the records of the Patent Office.

NOTICE.—WHEN THE NUMBER OF CLAIMS ALLOWED IS IN EXCESS OF 20, NO SUM LESS THAN $20 PLUS $1 ADDITIONAL FOR EACH CLAIM IN EXCESS OF TWENTY CAN BE ACCEPTED AS THE FINAL FEE.

Respectfully,

Thomas E. Robertson
Commissioner of Patents.

E. E. Vrooman & Co.
Atlas Bldg.
City.

c11—8654 ero

☞ IN REMITTING THE FINAL FEE GIVE THE SERIAL NUMBER AT THE HEAD OF THIS NOTICE.

☞ UNCERTIFIED CHECKS WILL NOT BE ACCEPTED.

116 Annex

254

Div. 35 Room

Address only
"The Commissioner of Patents, Washington, D. C.," and not any official by name

DEPARTMENT OF COMMERCE
UNITED STATES PATENT OFFICE
WASHINGTON

Paper No.

All communications respecting this application should give the serial number, date of filing, and name of the applicant

C/VH

MAILED OCT 20 1928

Oct. 20, 1928.

Please find below a communication from the EXAMINER in charge of this application

Thomas E. Robertson
Commissioner of Patents.

MAILED OCT 20 1928

E. E. Vrooman & Co.
Atlas Bldg.
City.

Applicant Marjorie S. Joyner
Ser. No. 278,174
Filed May 16, 1928
For Permanent Waving Machine.

In accordance with the provisions of Order No. 2308, dated March 12, 1917, which reads in part as follows:

* * * * * * * *

Obvious informalities in the application may be corrected by the examiner, but said correction must be in the form of an amendment, approved by the Principal Examiner in writing, placed in the file, and made a part of the record. The changes specified in the amendment will be entered by the clerk in the regular way.

* * * * * * * *

the changes, hereinafter specified, are made by the examiner in the application above identified.

Should these changes not be satisfactory to the applicant, appropriate amendment may be proposed under the provisions of Rule 78, provided the specification has not been printed.

GPO 11—8714

The application has been amended as follows:

The comma after "ring" in line 5 of claim 2 has been cancelled, and the conjunction and inserted at that point.

The word respectively has been added after "hooks" in the last line of this claim.

"Supporting hooks" in line 5 of claim 3 has been changed to read - supported by hooks.

"Clamping devices-carrying cords" in line 13 of claim 4 has been changed to read - clamping devices carried by cords.

This action places the case in condition for allowance.

Examiner.

Paper No. 3/a

AUG 1 - 1928

Division 35

MAIL DIVISION
JUL 31 1928
U.S. PATENT OFFICE

Marjorie S. Joyner,
Permanent Waving Machine,
Filed May 16, 1928
Ser. No. 278,174
Div. 35 -- Room 116 Annex.

Washington, D. C.
July 31, 1928.

Hon. Commissioner of Patents,
Sir:

In re the above entitled application, and in response to the Official action of July 28, 1928, amendment is made as follows:

In line 5 of the Petition, change "him" to -her-

Cancel claims 7 and 8.

R E M A R K S.

The claims to the "Scalp Protector" have been cancelled in the case, applicant reserving the right to file a Divisional application on the structure covered by claims 7 and 8.

An early and favorable action upon claims 1 to 6, directed to the machine, is solicited.

Respectfully solicited,

E. G. Thomas & Co.
Attorneys for Applicant.

Div. 35 Room 116 Annex 260 Paper No. 2

Address only "The Commissioner of Patents, Washington, D. C.," and not any official by name

C/VH

DEPARTMENT OF COMMERCE
UNITED STATES PATENT OFFICE
WASHINGTON

All communications respecting this application should give the serial number, date of filing, and name of the applicant

MAILED JUL 28 1928

Please find below a communication from the EXAMINER in charge of this application.

Thomas E. Robertson
Commissioner of Patents.

GPO 11—8623

July 28, 1928

E. E. Vrooman & Co.
Atlas Bldg.
City.

Applicant: Marjorie S. Joyner
Ser. No. 278,174
Filed May 16, 1928
For Permanent Waving Machine.

Case Examined.

References made of record as a result of a cursory search of the art:

Unger,	1,653,793, Dec. 27, 1927,	132/36.1
Kavle,	1,524,867, Feb. 3, 1925,	"
Shelton,	1,666,266, April 17, 1928,	132/36

"Him" in line 5 of the petition should be her.

Division is required between claims 1-6 on the one hand and claims 7-8 on the other hand. The first group relates to the stand, while the second group relates to the scalp protector. These are two separate inventions and should not be claimed in a single application. See Rule 41 of the Rules of Practice.

Sac

E E Reynolds
Examiner.

278171




Fig. 1.




Fig. 2.

INVENTOR.
Marjorie S. Joyner.

BY
E. G. Siggers & Co.
ATTORNEYS.

PATENT OFFICE
MAY 1828
APPLICATION DUE

Fig. 3.




Fig. 4.




Fig. 5.




Fig. 8.





Fig. 7.



INVENTOR.
Marjorie S. Joyner.
BY
ATTORNEYS.

PUBLICATION
PATENT OFFICE
MAY
12
1925




Fig. 6.





Fig. 9.

Fig. 10.



Fig. 11.

Fig. 12.







Fig. 13.

Fig. 14.

Fig. 15.



INVENTOR.
Marjorie S. Joyner
BY
Fred Z. Groman & Co.
ATTORNEYS.